DRILL RODS FOR HDD MACHINE

FOB/C&F & FOR (Only for Local Manufacturers SRO 827(1)/2001)

(Under Single Stage Two Envelope Bidding Procedure)
Under PPRA Rules 2004, Clause# 36 (b)

TENDER ENQUIRY NO: SSGC / FP / 13389

Bid Closing date & time: 08-10-2024 at 1130 Hrs. Bid Opening date & time: 08-10-2024 at 1200 Hrs.

Fixed Bid Security; USD=2,140 OR PKR=600,000.

Note: Tender document is also available online on SSGC website for view only. Bidder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents.

Venue:

Tender Room, CRD Building, Ground Floor SSGC Head office complex Karachi -75300 Ph.99021024 – 99021173 - 99021116



Sui Southern Gas Company Limited

Procurement Department, 2nd Floor, ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan. Phone: 99021231, 99021223, Fax: 99231583 www.ssgc.com.pk/ssgc

Checklist for Bidders

Engulry No.	Opening Date	The state of the s	Time	a'ş dı, iç 1' 1000'' 1'' 4
. Ms:	,	Phone No.	·	
lase ensure before submitting the bid, th	at following information /	documents have been s	sibmitted /	•

provided along your bid. Check () appropriate box.

S. No.	Details of required information / documents	Yes	No
1.	Each & Every Page of the bidding documents shall be signed and stamped by the bidder.		
2.	Technical Complianor sheet (if applicable) has been tilled	in the second second	
3,	Fixed Bid Bond as specified in the tember document.	1	l'.
4.	Sid validity es specified is mantioned		Alle Comments
5,	Delivery period has been specified		
6.	Country of Origin		
7.	Standard Warranter / Gibarantee (if applicable)		A CONTRACTOR AND ADDRESS AND A
8.	Original Performs Invoice of Principal		
ġ.	Choinal Technical Literature		
10.	Continue Authorization Center of Principal	<i>(</i> ,)	
11.	Original Authorization Letter of Manufacturer		
12.	Estimated from wise weight including gross weight & volume of consignments.		
13.	Part of Shipment (specific name of Air / Sea Port is (squired) in case the city mentioned in the bidder does not have any port, the FOB charges to the part of shipment will be borne by the supplier.		
14.	LC confirmation charges (if desired by bidder) shall be borne by the supplier	, , , , , , , , , , , , , , , , , , , 	-
15.	UC charges at supplier's end shall be borne by the supplier	4	
16.	Both FOB & C&F rates are quoted (C&F rates, should be based on FNSC freight)	بيوم بهديبها بيدا	-
17:	Sample (if necessary) is enclosed Alternative offer (in any) submitted should be on as per Section 3 Schedule of Requirem		
18.	4 Bid Form format. For each allemance oner separate tixes discount		<u> </u>
19.	Deviations from tender terms (if any) have been stated in Section 3 Schedule of Requirement & Bid Form formet. At any stage of process and after accordingly Tender term will prevail.	S.	·
20.	First name of Beneficiary & Bank details with complete address of benificiary.		
21.	Original Bis + One Copy is Subinjitted		
22.			

NOTE:
Non-evallability of the above information/decuments, or incomplete/incorrect statement on this checklist may result in rejection of the bid at / after the bid opening.

the per Space (1) 2023 dated 08 March 2023 "E-Pak Procurement Regulations, 2023" (1) bidders are advised to register in e-Pak Acquisition and Disposal System (EPADS).

Bidders Authorized Representative



Sui Southern Gas Company Limited (SSGCL)


Contents

$\mathbf{p}_{\mathbf{z}}$	rt	_	A
_ 4		_	л

Section-5

Section -1 General Terms & Conditions Included Additional Terms & conditions for Section - 1A Included FOB /C&F Section - 2 Special Terms & Conditions Included /Not required Annexure-A Format of Bid Bond Bank Guarantee Included Format of Performance Bank Guarantee Annexure-B Included Annexure-C Declaration by Supplier Included /Not required Part - B Section -3Bid Form (Schedule of requirement) Included Section - 4 Specifications/Drawing (if applicable) Included /Not required

Included



110000

SUI SOUTHERN GAS COMPANY LIMITED Procurement Department

M/s		,
••	Tender Enquiry No	_

INVIATION TO BID

Sui Southern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the subject material according to Terms and Conditions specified in the attached Tender Document. Please read following instructions before submission of bid:

- 1. Bids are to be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number & its opening date and time on the face of the envelope.
- 2. Bid Bond @ 2% of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and returned to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is expiring.
- 3. In case the bid opening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled date, it will be opened on next working day at the same time and at the same venue.
- 4. The bidder shall bear all expenses associated with the preparation and delivery of its bid/sample and the Company will in no case be liable in this respect.
- 5. Prospective bidder requiring any information or clarification of the tender may notify the same by fax or at the mailing address. The Company will respond to any request for explanation or clarification, if received within reasonable time prior to submission of bids.
- 6. The Company reserves the right to cancel, add, delete or amend tendered items/quantities/any part of the tender during the bidding period without assigning any reason. However, bidders shall be informed about it prior to bid opening/process.
- 7. The Company reserves the right to accept or reject any bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award of contract/purchase order without thereby incurring any liability to the affected bidder(s).
- 8. In case of Single stage two (02) envelope bidding procedure (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be submitted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" and "Financial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later intimated date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along with their bid bond.
- 9. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Section-1A will also apply.
- 10. The Company will appreciate confirmation by fax No 92-21-99231583 or email at mmte@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in submission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
- 11. Bids are required to be submitted at:

Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074, Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk

Hope and look forward for your valued participation.

Thanking you

sincerely

General Manager (Tocurement)



General Terms & Conditions

1. Submission of bids:

- 1.1. Bids are to be submitted in sealed envelope provided with the tender (in such a manner that contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.
- 1.2. Sealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which bid will not be entertained. In case bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening time.
- 1.3. The Company may at its discretion extend the closing date for the submission of bids, in which case all rights and obligations of the purchaser and bidders previously subject to the closing date will thereafter be subject to the date extended. However, any request for extension received from prospective bidders less than one week prior to bid opening date may not be entertained. In case of extension in bid opening date, the same will be advertised in press and simultaneously shall be intimated to prospective bidder who had purchased the tender documents.
- 1.4 The bid shall contain no interlineations, erasures or overwriting except as necessary to correct the errors made by the bidder, in case of any correction etc. it shall be signed and stamped by the person signing the bid.
- 1.5. The quoted price shall be inclusive of all duties/taxes except GST, which is to be mentioned separately. The supplier shall declare (if applicable) regarding non-applicability of GST for which documentary evidence shall be enclosed or could be produced upon demand.
- 1.6. Rates shall be item-wise, as given in price schedule/schedule of requirement/Bid Form unless otherwise specified.
- 1.7. Bidder is responsible for timely delivery of bids at location specified 1.2 above. Company will not be responsible for misplacement/tampering/non-attendance/delay or any other incident in case the bid is not delivered at the designated place & time.
- 1.8. Any bid received late after the closing date and time, will be rejected and returned unopened.
- 1.9 The quotation shall only be acceptable on/as per Bid Form. In case for foreign tender when Local Agent submits bid on behalf of different bidders, a separate Bid Bond for each Bid is required. Likewise for tender when bidder submit alternative bids a separate bid bond for each bid is required or else bid will be liable for rejection.
- 1.10 Deviation from tender terms and conditions is not allowed. However, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: Bid Form" deviation on any other page will not be entertained.
- 1.11 Discount offered (if any) shall be mentioned on the "bid form" only.
- 1.12 The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.
- 1.13 The bid is to be completed and returned to the Company in accordance with, General terms & conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

3. Qualification/Disqualification of Suppliers:

The Company, at any stage of the procurement proceedings, having credible reasons for or prima facie-evidence of any defect in supplier's or contractor's capacities, may require the suppliers or contractors to provide information regarding their professional, teclinical, financial, legal or managerial competency.

White was my " or man " as

Procureme Dept. whether already pre-qualified or not. The Company shall disqualify a supplier or contrated if it finds, at any time that the incommon regarding their qualification as supplier of contrated was false and materially. Black Listing Mechanism inaccurate or incompleting Mechanism

Joint Ventures:

In the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

Clarification of tender documents: 5.

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents, if received five working days prior to closing date for the submission of bids prescribed by the Company. The Company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/reference will not be acceptable.

Modification and withdrawal of bid: б.

- The bidder may modify or withdraw its bid after the bid submission, provided the written notice of the modification or withdrawal is received by the Company prior to the deadline prescribed for submission of bid. After the bids/quotations are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- The bidder's modification or withdrawal notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax followed by a signed copy.
- Bids once opened cannot be withdrawn during validity period.

Bid validity: 7.

All offers shall remain valid up to 90 days (120 days in case of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. A bidder giving extension to his bid validity will not be required or permitted to modify his bid. If there will be any query/clarification or extension request asked by the Company, the bidder should reply the same within 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their bid validity period.

Rate Escalation: 8.

All items except line-pipe: 8.1

Quoted prices shall remain valid, firm, irrevocable and fixed till the fulfillment of obligations by the bidder and will not be subject to escalation / change on any account.

Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of H.R. Coil.

 - All other charges (including wastage, transportation, conversion cost etc). b)
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document/rates from PSM.
- The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Procurement Dept.



- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessful bidders while the bid bond of the successful bidder shall be retained, till submission of Performance bond (if applicable). Bids without bid bond will not be considered. In case the order value is less than Rs: 500,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with the order. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond may be forfeited if a bidder withdraws the bid duringvalidity period specified by the bidder or if successful bidder fails to:

- > Accept purchase order.
- Furnish performance guarantee in accordance with clause 16 of Section 1,
- Supply material as per requirement and delivery schedule.
- 9.1 In the event of bid bond validity following short of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bid submission date or (ii) where so required by the procuring agency, then in such an event it shall be mandatory on the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnished by the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in view the nature of the procurement may consider and allow the bidder to deposit / furnish the balance 10% amount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding that all other terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (attendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. Preliminary Examination of bids:

- The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- 11.2 Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- 11.3 Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 11.4 Bid determined as not substantially responsive will be rejected by the Company and cannot subsequently be made responsive by the bidder through correction of the non-conformity.





12. Clarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples:

The Bidder(s) shall submit the following:

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
 manufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline
 elsewhere under tropical climatic conditions.

13.6 Specification Compliance Sheet:

Company requires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to those specifications or a statement of deviations and exceptions to the provisions of the specifications, if so required/desired. For purposes of the commentary to be furnished pursuant to above, the bidder shall note that standards for workmanship, material and equipment and references to brand names or catalogue numbers, designated by the Company in the specifications are intended to be descriptive only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or catalogue numbers in its bid provided which demonstrates to the Company's satisfaction that the substitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, certificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical data/documents/certifications as required under the tender specifications. Evaluation shall be carried out on the basis of data/ documents/certifications submitted with the bid. No clarification, additional information may be sought / accepted after bid opening.
- 13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and mention offered specifications along with reference to its technical brochure/literature (page/clause No.etc). Statement such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and technical specification is not acceptable. However, if bidder feels to mention minor deviation, the same shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet stating reference of its technical data sheet/brochure. In case of insufficient information, data or documents, the Company is not liable to seek clarification and the bid may be determined non-compliant on provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection. SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.



- 14.3 Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure economic procurement.
- 14.4 Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

- 15.1 The cost of compensation / loading amount for that item shall be derived from the bid itself.
- 15.2 If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming to technical specification, shall form the basis for cost compensation/loading.
- 15.3 The company will encourage participation by local bidders who will be given price preference.

 Landed cost factor shall be determined as per prevailing Government policy / SRO. However they will submit details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

16. Performance Bond:

- 16.1 In case purchase order value is above Rs:500,000, the successful bidders shall submit performance bond guarantee which is to be submitted within ten days from receipt of LOI or order along with integrity pact. The successful bidders shall submit a performance bank guarantee (PBG) in the form of a pay order or bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the "letter of intent". The performance bond unless specified otherwise; shall remain valid till;
 - 16.1.1 Completion of final satisfactory delivery in case of consumable items.
 - 16.1.2 12-18 months from the date of satisfactory delivery of the equipment/machinery.
 - 16.1.3 Satisfactory delivery/installation of system in case the installation responsibility is on supplier's part.
 - 16.1.4 120 days in case of chemicals.
 - 16.1.5 In case of locally manufacturing item, the PBG equivalent to 3 months delivery schedule will be required after placement of purchase order which should remain valid till completion of final satisfactory delivery of the ordered quantity.
 - 16.1.6 In case of small diameter line pipe (MS/MDPE) the PBG shall remain valid up to 3 months after completion of satisfactory final delivery.
 - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in lieu of PBG.
- The guarantee will be released after completion of this period, subject to satisfactory performance of the supplied equipment/machinery/system as mentioned at 16.1 above. The supplier shall keep the guarantee valid at their cost until fulfillment of the obligations.
- In case the bidder does not submit the performance bond as specified, the delivery time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/ contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier.
- 16.4 The performance bond will be discharged / returned by the Company not later than thirty (30) days following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance.
- The Company shall promptly notify the supplier in writing for any claim arising under this guarantee. Upon receipt of such notice, the supplier shall promptly repair or replace the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination.

Procurement Dept.

14.

- 16.6 If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase bider/contract, the Company may proceed to take such remedial actions as may be necessary at the supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nothing herein contained shall be construed to limit supplier's obligation of performance of the order/contract to the value of the performance bond.
- 16.8 Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most recent or current models and incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

17. Purchase Order/Contract:

Purchase order of quoted material may be placed on fulfillment of conditions mentioned at 14 &16 above which is through formal confirmation for proceedings with the suppliers.

18. Assurance:

The successful bidder will be required to give satisfactory assurance of its ability and intention to deliver the goods, pursuant to the tender enquiry and contract within the time set forth therein:

19. Force Majeure:

- In the event of either party hereto being rendered unable, wholly or partially, by force majeure circumstances to carry out its obligations under the purchase order/contract documents, such party shall give notice and full particulars and other satisfactory evidence of such force majeure circumstance(s) in writing or by fax to the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligations of the party giving such notice so far as they are affected by such force majeure shall be suspended for the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable dispatch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy, civil insurrection, fires, floods, earthquakes or other physical disasters, order or request of governments, blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplier's side shall not be included in the term 'force majeure'.
- In case the force majeure contingencies last continuously for more than one month, both parties will agree on the necessary arrangements for the further implementation of the purchase order/contract. In case further implementation is unforeseeable and impossible, both parties shall arrange for the termination of the purchase order/contract, but without prejudice to their rights and obligations prior to such termination it being understood that each party shall fulfill its contractual obligations so far as they have fallen due before the operation of force majeure.

20. Amendment in purchase order/contract:

- 20.1 The Company may at any time by a written notice to the supplier make changes within the general scope of the purchase order/contract in any one or more of the following:-
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - 20.1.2 The method of shipment or packing.
 - 20.1.3 The place of delivery.
 - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.

Procuremen

Dept.

- 20.2 Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason.
- 20.3 Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the execution of the modification, if applicable.



SSGC

- The supplier shall not perform modification in accordance with clause 20.1 above until the 20.4 Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension in delivery period:

- Delivery of the goods shall be made by the supplier in accordance with the schedule of requirement and delivery period; however, the supplier may claim extension of the time limits as set forth in the schedule of requirements and delivery period in case of
 - 21.1.1 Modification in the goods ordered by the Company pursuant to clause 20.
 - 21.1.2 Delay in provision of any services which are to be provided by the Company (services provided by the Company shall be interpreted to include all approvals by the Company under the contract).
 - 21.1.3 Delay in performance of work caused by orders issued by the Company.
- The supplier shall demonstrate to the Company's satisfaction that it has used its best endeavors to 21.2 . avoid or overcome such causes for delay and the parties will mutually agree upon remedies to mitigate or overcome such causes for delay.
- 21.3 Not withstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of such circumstances arising, immediately has notified the Company in writing of any delay that it may claim as caused by circumstances pursuant to Fr. 100 clause 21.1 above and upon request of the Company, the supplier shall substantiate that the delay 在特殊 5% occurred is due to the circumstances referred by the supplier.

22. Packing:

- 22.1 The material shall be in original/sealed packing to ensure delivery without any damage during transit.
- 22.2[·] If any of the good is discovered to be damaged or unacceptable at the point of embarkation, the supplier shall be responsible for replacement of those goods free of any charge and cost to the Company, within the delivery time schedule of the contract/purchase order.
- 22.3 . The identification marks showing contents, quantity and contract/purchase order number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- 22.4 Handling and Transportation: The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery 23.1 inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- 23.2 The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of delivery end at the goods final destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

ern Ga

Procurement Dept.

purchase order/contract. If goods fail to conform to the specifications, the Company may reject

24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
 - 24.1.1 R & D Section, Stores Department Abul Hasan Ispahani Road, Karachi.
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- 24.2 Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of intent or from the date of purchase order/contract whichever is earlier, unless otherwise specified.
- 24.3 The supplier shall replace defective material at their risk & cost including transportation, duty, taxes etc.
- 24.4 GST Invoice if applicable be submitted at R&D section Stores Department along with material & delivery challan.
- Unloading and stacking through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for material like Pipes/Heavy Machinery & Equipment etc).
- 24.6 Delivery is to be made strictly in accordance with "delivery schedule" as specified by the
- 24.7 The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation by the Company. Beyond specified period, the Company shall not be responsible for storage/safety of the uncollected material.

25. Delivery Failure:

- In case the supplier fails to supply/ship the material within the stipulated period, the Company have the right to make an alternative arrangement for the purchase of the goods on such terms as may be offered. In such event all losses, cost and charges sustained/incurred by the Company on stated purchase shall be recovered from the Supplier without prejudice to any other right or remedy available to the Company which includes recovery of losses sustained by the Company from any due payment of the said supplier.
- In the event Company remains unable to make such alternative arrangements, the Company has the right to recover from the supplier any or all losses sustained as a result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- 25.3 In the event Company being forced to purchase any quantity or any other alternative not specified in this document as a result of any failure to supply/ship the material, the Company shall have the right to terminate the contract/purchase order without prejudice to any other rights or remedies available to the Company.

26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.
 - (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) is paid.

Procurement Dept. In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- 27.2 Whenever liquidated damages become payable, in the event that delivery of all goods and equipment is not made within the time period specified except on account of force majeure, the Company shall quantify the same and shall serve notice to the supplier requiring payment thereof. If the supplier fails to remit payment within 15 days of receipt of such notice, the Company shall forth-with become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance bond.
- 27.3 The payment of liquidated damages shall not relieve the supplier from performing and fulfilling all its obligations under the contract/purchase order nor shall the right and entitlements of the Company be affected or reduced in any manner.
- 27.4 In case of order placed on FOB/C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, delayed submission of PBG period in excess of time limit will be deducted from the delivery period for the purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be the sum equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed services for each day of delay, until actual delivery or performance, up to a maximum deduction of ten (10) percent of the Contract price. Once this maximum is reached, the Company may consider termination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

- 28.1 The Company may, without prejudice to any other remedy by written "notice of default" sent to the supplier, cancel the purchase order whole or in part; if:
 - 28.1.1 The supplier fails to deliver any or all of the ordered quantity as per specified delivery schedule or any extension thereof granted by the Company
 - 28.1.2 The supplier fails to perform any other obligation(s) under the "purchase order".
 - 28.1.3 The Company during the delivery period has reasons to believe that the supplier will not be able to fulfill the obligations under the purchase order/contract.

 The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment.
 - 28.2.3 The supplier becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.

Procurement Dept.

28.2.3. Rejection of manufacturing items as a result of observation by inspection team



- Penalty on higher rejection rate of supplied goods.
- The supplier shall have the right to terminate the contract/purchase order if:
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as
 - 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applicable law:

The purchase order/contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

Declaration/Integrity Pact/Certification:

- 31.1 Successful supplier shall furnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of LOI/order /contract if the order/contract value becomes Rs:10 million or
- 31.2 In case of F.O.B/C&F Purchase order/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required under this clause.
- 31.3 Bidders to submit a certificate on Rs:100/- non-judicial stamp paper certifying that they are not black listed by the Government/Autonomous bodies and declared as defaulted supplier.

Arbitration/resolution of disputes:

- 32.1 Any difference or dispute arising out of or in connection with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the matter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpire shall be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act, 1940, as amended from time to time.
- Prior to exercising any right by the Company or supplier to terminate the purchase order/ contract under the conditions stipulated above, a return notice shall be required to be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous, the purchase order/contract be terminated with notice to other party.
- The agreement shall be governed by Law of Islamic Republic of Pakistan and the arbitration language shall be English. Same and the same of the same of the same of Palamanaka (masa anta Jawa Barana an anta
- During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32,5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.
- 33. Redressal of grievances by the procuring agency.-
 - Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract,
 - .33.2 Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report. :
 - Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email





address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.

The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint

33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

34. Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in corrupt and fraudulent practices as defined below:

34.1 Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything of value to influence the action of an official/Company.

34.2 If the supplier/contractor found responsible for the detriment of the Company during proceedings of procurement/contract, process or its execution.

34.3 Misrepresentation of facts in order to influence the procurement process or the execution of the purchase order/contract.

Collusive practices among bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Company of the benefits of free and open competition.

35. Supplier's Guarantee and Responsibilities:

The Bidder/Supplier shall guarantee that the materials supplied against this tender enquiry is new and is of acceptable quality and has been tried and approved on similar jobs. The validity and scope of such guarantee will be in accordance with conditions stated in this document. In case the opinion of the Company the Goods fail to perform the services in accordance with the specifications specified in Section IV due to manufacturing defects/defective material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at his own cost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such conditions that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier's cost so that the goods shall perform in accordance with the specifications and details as set forth in the Contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this effect served on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct the Goods at its costs provided in the event, the Company shall be entitled to recover total cost of such replacement form the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the Company shall be written in English language. Any printed literature furnished by the bidder may be written in another language provided that this literature is accompanied by an English translation in which case for purpose of interpretation of the bid, English translation shall govern.

37. Vehicle Applied by Authorized dealer of local manufacturer:

Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.

Procurement
Dept.

Guishar

Procurement Dent.

Additional Terms for Tenders on F.O.BJC&F basis:

1. Submission of bids:

- 1.1 Bid bond (Eamest money) @ 2% of the total F.O.B value as per clause 9, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.
- 1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection if these conditions are not met.
- 1.3 In case of Bidder offering to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be duly authorized by the goods manufacturer or the producer to submit bid or supply the 22 2 3.5 goods on their behalf
- 1.4 Bids shall be submitted (preferably through local agents) in two copies, (original + copy).
- 1.5 The price on unit FOB and C&F basis is to be quoted separately. Following are to be essentially indicated in the bid form:
 - 1.5.1 Country of origin.
 - Port of shipment. 1.5.2
 - Estimated gross/net weight, dimension & volume of offered item and estimated weight of each 1.5.3
 - 1.5.4 Delivery period or schedule in case of bulk quantities.
 - 1.5.5 Original technical literature.
 - Beneficiary's complete address.
- 1.6 Poreign bank charges and L/C confirmation charges will be bome by the supplier.

1.7 Bid Currency:

The rates shall be quoted in bidder's home country or in United States Dollars. A bidder expecting to incur a portion of its expenditures in the performance of the contract in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. However, bidder from Pakistan would be paid in Pak Rupee.

(Clause 1.5 of General Terms & Conditions is not applicable)

Bid bond:

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value, in favor of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful bidders while the bid bond of the successful bidder shall be retained, till submission of Performance bond. Bids without bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
 - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.



4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost, Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- -4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis".

(Clause No. 14.3 to 14.4 of General Terms & Conditions are also to be applicable).

5. Loading of Bids:

Freight charges from port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive increase in price of material.

(Clause 15 of General Terms & Conditions is also applicable).

6. Performance bond:

- 6.1 In case purchase order value is US\$:25,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders for submission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O.I. The successful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless specified otherwise, shall remain valid till;
 - 6.1.1 Completion of final satisfactory delivery in case of consumable items.
 - 6.1.2 12-18 months from the date of satisfactory delivery of the equipment/machinery.
 - 6.1.3 Satisfactory delivery/installation of system in case the installation liabilities will be on supplier's part.
 - 6.1.4 120 days in case of chemicals.
- 6.2 The Letter of Credit shall be operative upon receipt of Performance Bond (as specified in para6.1) and integrity pact, any delay due to late submission of Performance Bond will be on supplier's account. Late submission of PBG should not affect the delivery schedule.
- 6.3 The performance bond shall be denominated in foreign currency or in currency of the contract/purchase order or in a freely convertible currency acceptable to the Company and shall be in the form of a bank guarantee.
- 6.4 In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G. supplier shall deposit short fall amount due to Pak Rupee exchange rate.

6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

7. Delivery:.

7.1 In case of "FOB" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is



not available at port of loading, supplier shall intimate the same to Company immediately so that matter

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - 7.2.1 To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - 7.2.2 The goods/material will be shipped/dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supplier shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - 7.2.3 To provide as part of its work all services and functions related to handling, loading, unloading, lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company on account of short shipment by the supplier for all items subsequently shipped on a no-charge basis or otherwise by the supplier. The supplier shall also reimburse the Company all additional duties, taxes and other such charges paid by the Company on account of incorrect invoicing by the supplier.
- 7.5 Shipment shall be deemed to have been made when the supplier has shipped the goods against a clean bill of lading and all other such documentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company.
- 7.6 The supplier shall ensure that all above mentioned acts and other incidental and ancillary functions are conducted in accordance with sound and acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to correct such omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the supplier shall be responsible for replacement free of all charges and costs to the Company within the delivery period specified in the purchase order/contract.

8 Insurance:

- 8.1 All goods supplied under the purchase order/contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in delivery clause 7.
- 8.2 Marine Insurance shall be the responsibility of the Company unless otherwise specified.
- 8.3 The supplier shall advise the Company by fax at least seven (7) days prior to the expected date of shipment, the following particulars:-
 - 8.3.1 Name of the vessel and of the shipping company.
 - 8.3.2 Age of the vessel (which should be less than 20 years).
 - 8.3.3 Lloyds 100Al or equivalent classification of the vessel.
 - 8.3.4 ETD from Port of dispatch and ETA at Karachi
 - 8.3.5 FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, M/s. National Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF/M/K/OP/002/73.

9, Payment:

- Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2:2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment
- 9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bankwithin 15 days of the date of the bill of lading covering shipment of each consignment:





9.3.1-	Invoice		4 copies
9.3.2-	Packing list	. , ,	4 copies
9.3.3-	Bill of lading " freight to be paid by consignee	*******	3 originals &
	at destination" evidencing shipment in terms	•	6 non-negotiable
	of the purchase order to Karachi-Pakistan made copies.		
	out to order in the name of Co.'s bank, Notify		•.
	party Sui Southern Gas Company Ltd.,	•	
9.3.4-	Certificate of Origin (Verified/Endorsed by Chamber of Commerce)	244641	2 copies
9.3.5-	Manufacturers test certificate/	2copies	Inspection report.

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at Karachi port.

L'oracitt F	OIL .			
9.4.1	-Invoice	2011200	6 copies	•
9.4.2	-Bill of Lading	*****	6 copies	
9.4.3	-Packing List	1111111	6 copies	
9.4.4	-Certificate of Origin (Verified /Endorsed by Chamber of Commerce)	*****	2 copies	. •
9.4.5	-Manufacturers Test Certificate/	*****	2 copies	
J		Inspecti	on Report.	,

- 9.4.6 The invoice to be exactly as per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.
 - 9.5 No payment hereunder shall be deemed to be accepted by the Company of the goods covered by such payment nor release the supplier from responsibility thereof under the terms of the purchase order/contract.
 - damage at Karachi Port on account of non-compliance by the supplier of above requirements, the Company shall be entitled at their sole discretion to recover the same amount from supplier.

10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract/purchase order if:-
- 10.1.1 The Company fails to establish the letter of credit within the stipulated period as required under clause 9.1 hereof after the supplier has made compliance with the provisions of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupee and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable i.e (fuel/oil & lubricant/spares) are easily available in Pakistan.





nnexure - A

On Non Judicial Stamp Paper of Rs. 50/-(Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO	
DATE OF ISSUE	
DATE OF EXPIRY.	
AMOUNT.	

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14,
Gulshan-e-Iqbal,
Sir Shah Suleman Road,
Karachi.


Dear Sirs.

Bid Bond Bank Guarantee

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the existence of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly within 03 days of the receipt of the written intimation.
- No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect of the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, effect this Guarantee and our liabilities & commitments hereunder:
- This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

stamp and signature of the issuing bank)



On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

BANK GUARANTEE NO	
DATE OF ISSUE	
DATE OF EXPIRY	
AMOUNT	

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14,
Gulshan-e-Iqbal,
Sir Shah Suleman Road,
Karachi.

Dear Sirs.

- 2. To accept written intimation from you as conclusive and sufficient evidence of the existence of a default or breach as aforesaid on the part of Supplier and to make payment accordingly within 3 (three) days of receipt thereof.
- 3. To keep this guarantee in full force from the date hereof as specified in General or Special terms & conditions.
- 4. That on grant of time or other indulgence to amendment in the terms of the purchase order by agreement with Supplier in respect of the Performance of his obligations under and in pursuance of the said Purchase Order with or without notice to us, shall in any manner discharge or otherwise, however, affect this Guarantee and our liabilities and commitments there under.
- 5. This Guarantee shall be binding on us and our successors in interest and shall be irrecoverable.
- 6. This Guarantee shall not be affected by any change in the constitution of the Guarantor Bank or the constitution of M/sthe Supplier.

Yours faithfully,

(stamp and signature of the issuing bank)



(Format of Declaration)

General Manager (Procurement) Sui Southern gas Company Limited. ST. 4/B, Block-14, Gulshan-e-Iqbal, Sir Shah Suleman Road, Karachi. Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any contract, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any administrative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt business practice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission fees etc. paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or inducing the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSGC, except that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation or warranty.

(The Seller/Supplier) accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Seller/Supplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier) Note:

- The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- Please note that submitting the declaration is a mandatory requirement.



Special Conditions of Tender Document

Note: In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warrantv / Guarantee Coverage

- The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per pre-shipment / post shipment inspection report, than in such as event the Supplier / Bidder hereby warrants and undertake to replace the same on Duty Delivery Paid (DDP) basis (INCOTERMS 2010) i.e. free of all cost including but not limited to transportation, taxes and levies. In case successful bidder / supplier failure to replace the defective item /remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.
- The successful bidder / supplier must confirm that the warranty for no-consumable items will remain valid for 18 months and for consumeable items (i.e. Chemical, Battery etc.) will remain valid for 6 Months after the goods have been successfully delivered or commissioned.
- iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annexure-II, duly filled, signed & stamped.
- iv) In case where performance bank guarantee is not applicable, the supplier shall confirm that all supplied goods under the contract/purchase order are new, unused, of most recent or current models and incorporate all recent improvements in design and goods unless and otherwise provided in the contract/ purchase order.
- v) The Warranty Undertaking being provided by the local agent of the successful bidder (Principal) is required to be submitted at least on Rs,200/- Non-judicial Stamp paper and should be duly notarized / attested. In the event when this Warranty Undertaking is being submitted by the principal who is overseas resident in that case the same would required to be notarized by the notary public and duly attested by the Pakistan Embassy or High Commission in that particular jurisdiction. Needless, to mention that in both cases the Warranty Undertaking will be executed by the duly authorized representative of the local agent or the principal, as the case may be.

2. Bid Security:

- a) Bid bond submission (2%) of the bid amount as mentioned in the clause 1.1 & 2 of Additional Terms for tender on F.O.B/C&F basis & 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 1.1 & 2 of Additional Terms for tender on F.O.B/C&F basis & 9 of General Terms & Conditions will remain unchanged. The submission of fixed amount of Bid security is appearing in the Price Schedule/BoQ.
- b) All the bidders are advised to furnish fixed bid security amount in Pak Rs. Or US\$ appearing in price schedule/BoQ failing which their bid will be rejected.
- c) Incase the bidder submit bid in the currency other than Pak Rs. Or US \$ their bid bond shall be equivalent after the conversion to the amount of fixed bid bond given in Pak Rs. Or US\$ as mentioned in Price Schedule/BOQ. The exchange rate (issued by the Treasury Management Group of the National Bank of Pakistan or the State Bank of Pakistan selling rate) prevailing at the time of bid opening date will be applicable.
- d) The submission of fixed amount of bid security is also mandatory for all the bids valuing Rs.500,000/- or less.
- e) The word lowest bidder or the lowest evaluated bid has been substituted to read as most advantageous bid.
- e) Sub-clause 9.2 of the General Terms & Conditions to be treated as null & void, however, other contents
 clause 9 will remain unchanged.
- Method For Submission of Bid Bond (Under Single Stage Two Envelope Bidding Procedure):
 In case of Single Stage Two Envelope Tenders the fixed bid bond as per clause#09 of General Terms & Conditions and Clause# 02 of Additional Terms for tenders on FOB/ C&F basis to be placed in the Technical Proposal. However, if the bid bond is placed in the Financial proposal will also be considered. Without submission of bid bond(either in Technical proposal or Financial proposal) the bid will be rejected.
- 4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bid bond shall remain valid for 150 days.

5. Evaluation Criteria and Comparison of Bids

In accordance with SRO 827 (1) / 2001 bidders tendering for Engineering goods produced in Pakistan and, those Engineering goods specified in CGO-11 and amendments thereof by the Central Board of Revenue or Engineering Development Board. The successful bidder shall be accorded a Price preference in rupees up to a specific percentage (in proportion to the value addition) of the lowest quoted landed cost of an item of foreign origin with similar specifications as mentioned in the tenders

Procurement Dept.

Provided that:-

The saving in foreign exchange is not less than the amount of price preference; (a)

It is ensured that, in each case of such preference, the total import requirements for producing the supplies (b) tendered for locally manufactured items has been duly indicated by the bidders.

Price preference shall be allowed as under:-

- Having minimum of twenty percent value addition through indigenous manufacturing, price preference shall be Affect parenti
- Having over twenty percent and up to thirty percent value addition through indigenous manufacturing, price preference shall be twenty percent, and .
- Having over thirty percent value addition through indigenous manufacturing, price preference shall be twenty five percent.
- For the above purpose, we will require a complete breakdown of ex-factory price for goods manufactured in Pakistan, iii) Any offer not accompanied with this cost breakdown will not be allowed to receive the above price preference.
- Benefit of SRO 827 (1)/2001 shall be accorded to only those local manufacturers who are engaged in the manufacturing of goods specified in CG0 - 11 of 2007 or its latest version or as certified by the EDB. However in case of offer on FOB basis, the landed cost to be determined in accordance with the following criteria be taken for evaluation in case of International bidders, and shall be taken for the purpose of comparison with the price quoted by local manufacturers, who shall also be accorded the price preference in terms of SRO 827 (1)/2001. The landed cost determined in accordance with the afore said criteria shall be taken for bid evaluation in case of international bidders, and shall be taken for the purpose of comparison with the price quoted by the local manufacturers. Example of landed cost for evaluation of the international bidders is given here under:

EXAMP	Cost Components for computing landing cost of imported
S. No.	Engineering goods in terms of S.R.O 827 (1)/2001 in Pak Rupees.
	Engineering goods in terms of S.A.O b27 (1)/2001 in 2 in 2 Air Aurosov
i	FOB Value. Sea Freight (Actual quoted by the bidder on the basis of PNSC rates, which shall be announced by the bidder at the
ii.	Sea Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder bit the basis of Freight (Actual quoted by the bidder by the
	time of opening of the bid).
iii.	C&F value (i + ii). (CFR value).
iv.	Insurance @ 1% of C&F Value given at iii above.
v.	CIF value (iii + iv).
vi	Handling Charges @ 1 % of CIF Value given at v above.
vil.	Import Value (v + vi) for the purposes of levying Customs Duty.
viii.	Customs Duty at applicable rate, which shall be calculated on the import value given at vii above.
ix.	Duty Paid Value.
х.	Sales Tax at applicable rate, which shall be calculated on the duty paid valve given at ix above.
xi.	Duty & Sales Tax paid value (ix + x).
xii.	Withholding Tax at applicable rate, which shall be calculated on duty and sales tax paid value given at x1 above.
xiii.	LC Charge@ 0.25% of FOB Value given at I above.
xiv.	Cleaning Charges @ A 25% of C&F Value given at iii above.
XV.	SED at applicable rate, Which shall be calculated on the import value given at vii above to be taken as nil as it
	stands withdrawn.
xvi.	Provincial Infrastructure Cess (at applicable rate) on %age of import value given at vii
xvii.	KPT Wharfage @ Rs. 140 per cubic meter or the prevailing rate.
cviii.	Connect Landing R. Other Charges @ 0.25% of C&F Value given at iii above.
xix.	Inland Transportation Charges from Port to Coating Factory (From Port of final destination in case of products
	other than pipes, where coating is not required).
XX.	Cost of imported engineering goods (xi to xix).
xxi.	LESS: Handling Charges taken at Sr. No. vi (Notional Value taken for calculating assessed value for purpose of
,	calculating custom duty, sales tax and withholding tax by the customs authority).
xxii.	LESS: Sales tax taken at x above. (Adjustable as output tax).
xxiii.	LESS: With Holding Tax. (Adjustable against final assessed tax).
	Total deductions (xxi + xxii + xxiii)
xxiv.	Net cost of imported engineering goods (xx minus xxiv)
xxv.	Net cost of imported engineering goods (at immus activ)

- Foreign bidders are essentially required to submit letter of PNSC for ocean freight transportation rate for break bulk/hedges from their local agent.
- Please indicate approximate shipping specification, i.e. weight and measurements of the packages/bundles and also total vi) gross weight (in terms of metric tons), and total gross volume (in terms of cubic meters) of each consignment separately.
- For evaluation of bids customs duty, taxes and all other charges prevailing on the date of public opening of bids will be vii) used, where applicable.
- For the purpose of price comparison and evaluation of bids, financial charges will also be added to arrive at a landed cost, viii) which will inter-alia include, mark up and L/C opening charges etc.



- ix) If the local manufacturer becomes the lowest evaluated bidder after Price Preference, order will be placed at the price (landed Cost) quoted by the lowest evaluated international bidder. In case the local bidder does not accede to the request of SSGCL for best negotiated rates at par with those received from International bidder for particular item(s) then, the order will be placed on the lowest evaluated international bidder.
- x) "Price Preference" shall not be in "Value Terms" it should only be for the sake of reference for comparison purposes (local & foreign bids).
- xi) Bank details shall be mentioned by the bidders for the purpose of opening LC/ Payment.
- 6. Declaration / Integrity Pact / Certification:

it is required to be submitted by the Successful Bidder on their letter heads after issuance of Purchase Order (PO) or Letter of intent (LOI) for the value of Rs. 10,000,000/- (Ten Million) or above in case of local bidder and US\$ 100,000 & above in case of foreign bidder.

Submission the declaration as at ANNEXURE-C is a mandatory requirement for successful bidder. ;

- 7. Third Party Pre-Shipment Inspection Criteria / Scope of Work as given in the Tender Documents will be followed at the time of Third Party Inspection, which will be carried out by SSGC nominated Third Party Inspection Firm in case the order value exceeds US\$100,000 except screwed pipe fitting tenders.
- 8. "The successful Bidder shall provide the revenue stamps and copy of challan, of value at the rate of twenty Five (25) paisaper every Hundred Rupes or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupes five hundred and above shall be exclusively on e-stamp.
- 9. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure, that there should be no deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 10. "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission."
- 11. Cancellation of Purchase Order
 - In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplir (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents.
- 12.... Correct Postal Address
 - Bidden are essentially required to provide coorect and latest postal, e-mail & web addresses, phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information / communication the procuring agency will be considered as non-responsive.
 - In case the local agent requires to offer bid from more than one principal / Manufacturer, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected.
- 14. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent:

 Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender

 Documents and now be followed a enforced in translation & sport and conversed to Black listing the second part of tender.

Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in

the General Terms & Conditions,

- 15. The Successful Contractor(s) / Supplier(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their Invoices / Bills failing which the payment will not be released.
- 16. Authentications of Performa Invoice / Authority Letter and other documents by the Principal / Manufacturer:

 The Authentication of Authority Letter and Performa Invoice will be obtained from the Principal / Manufacturer as and when required. If the authentication not received within the stipulated time frame the bid will be liable for rejection and the Bid Bond / Earnest Money will be encashed.
- 17. <u>Bid Bond & PBG (Performance Bank Guarantee) for Proprietary Tenders</u>
 In case of proprietary Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / Applicable.
- 18. Any Bidder who change / amend the BOQ / Price Schedule (description / Bid Form, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- 19. Delivery Schedule will commence after the opening of Letter of Credit (LC). In case the bidder does not submit the performance bond as specified, the delivery time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent / prchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/contract.
- 20. In the event of release of Performance Bank Gurante (PBG) after its encashment, the amount of the PBG to be released will be converted in Pak Rupees at the exchange rate prevailing at the time of encashment. The amount so

Procurement Dept.

Rev-FP-29 19 Dec 2023 converted will be released in Pak Rupee (PKR) to the foreign bidder or to their local agent duly authorized by the foreign principal.

- 21. SSGC will not pay invoices if they are turned in after 6 months of work completion / material delivered.
- 22. As per FBR Regulations Ref# C.No.4 (24) IT-Budget/2021-142150-R, Dated: 23rd September, 2021 to make the payment online. Therefore, all the local manufacturers are required to provide their only one Bank Account number (IBAN number) on the 'FORM-X' attached duly signed & stamped as one time information, which shall be firm (not changeable) for all the full payment transactions.
- 23. It is mandatory for the bidders to follow all the terms and conditions gives in the tender documents without any addition/deletion/amendment and submit the bid accordingly. Therefore, in this context, the bidders are requested not to give their own terms and conditions as it tantamount towards the conditional bid. Otherwise their terms and conditions will not be considered and the Purchase Order / Contract will be awarded based on only as per SSGC tender terms and conditions.

24. Payment:

The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e:

CONTRIBUTE FORMATTIE INTERIOR				
(a) Purchase order No. & date	(b) Items	(c) Quantity	(d) Price	(e) Invoice value
CONTRACTOR	(a) Deliver	r challen indicating deliv	ery date, etc.	· · · · · · · · · · · · · · · · · · ·
(b) Supplier(s) are required to :	ubmit signed	i and stamp acknowledge	ement slip, Sa	les Tax return, Annex "C" &
Annex "I" (whichever applicab	e) in which	Sales Tax (of relevant Sa	ies Tax invoic	e) is paid.

Payment will be made within 30 days of completion of stated requirements.

25. Joint Ventures:

In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.

26. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.

In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed/updated immediately till the period of the job is completed/commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.

- 27. Bidders can quote their rates on both i.e. Price Schedule as well as Bill of Quantity (BoQ).
- 28. Company reserve the right to award the Purchase Order/LOI to the most advantageous bidder.
- 29. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs, 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).
- 30. Incase quoted item(s) falls under SRO No. 604 (see attachment) i.e. Solar Power System, PV Module/Cells and allied accessories/parts/spares etc. then in that case supplier is responsible to fully comply stated SRO and to arrange, provide and bear all associated costs for all necessary test reports, certificates, pre-shipment inspection reports, other documents etc. (as mentioned in SRO). Further, Pre-Shipment Inspection should be from approved companies as mentioned in Appendix H of Import Policy Order (see attachment).

31 Fixed Bid Security - Alternative Bid

A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, falling which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for each make/brand/model.

- 32. Bidder will be blacklisted and henceforth cross debarred for participating in respective category of Public Procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without including in corrupt and fraudulent practices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have withdrawn or modified their bid during the period of bid validity as specified in the tender terms.



- b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to comply with any other condition as mentioned in the tender document.
- 33. The term "Call Deposit Receipt" mentioned in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) of Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 34. Wherever the "Rate Only" is mentioned (either on BOQ or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 35. Lots: In case when the tender is floated on LOT basis, following clauses to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit fixed bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be awarded separately.
- 36. For open competitive bidding if the most advantageous bidder is new local manufacturer, 10% trial order will be placed and remaining 90% order will be awarded to the next most advantageous bidder at their own quoted rates.
- 37. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to submit 10% Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 38. Where the Pre-shipment inspection is applicable and incase of partial shipment is required by the bidder the cost of the 1* Pre-shipment inspection will be borne by SSGC, whereas, cost of the 3rd Party inspection for the remaining shipment(s) will be borne by the bidder/manufacturer.
- 39. Purchase order value mentioned in the clause # 6 of sub-clause # 6.1 (Performance Bond) of Additional Terms for Tenders on FOB/C&F basis (Section-1A) to be read as US \$ 10,000 instead of US \$ 25000. However, other contents of clause & sub-clauses of 6 (Performance Bond) of Additional Terms for tender on F.O.B/C&F basis will remain unchanged.
- 40. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid may lodge a written complaint concerning his grievances within seven days of announcement of the technical evaluation report and five days after issuance of final evaluation report.
 - In case, the complaint is filed against the technial evaluation report, the GRC shall suspend the
 procurement proceedings.
 - In case, the complaint is filed after the issuance of final evaluation report, the complainant cannot raise
 any objection on technical evaluation of the report. Provided that the complainant may raise the
 objection on any part of the final evaluation report in case where single stage single envelope bidding
 procedue is adopted.
- 41. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



TTI-E GAZEITE OI: I'AKISTAN, EXTRA., MAY 14,2022 IPART II

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- Father's Name/Spouse's Name
- CNIC / NICOP/Passport No. 3.
- Nationality
- Residential address
- Email address
- Date on which shareholding, control or Interest acquired in the business.
- In case of indirect shareholding, control or interest being exercised through intermediary companies, entries or other legal persons or legal arrangements in the chain of ownership or control, following additional particulars to be provided:

-	2 Legal form	3	4	5	8	7	В	9	40
Name	(Company/Limited Liability Partnership /Association of Persons/Single MemberCompany/Partnership _Firm/Trusted/Any other Individual, Body Corporate (to be	Incorporation./Registration	Registering Authority	Business Address	Country	ail Addrass	Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Interest of Legal Person or Legal Arrangement in the Company	Identity of Natural Person who Ultimately owns or Controls the Legal Person or Arrangement
######################################	Specified)	Date of	Name of F	Busi		ĒΠ	or beat street and a	, , , , , , , , , , , , , , , , , , , ,	
	ATATA ATATA								

Information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set opposite respective names).



į	1	2	3	4	5	.6	7 .	8
I	Name and	CNIC no (in	Father's / ,	Current	Any other	. "	Residenti	Numbers of
١	" sumame (in	case of	Husband's	Nationally	Nationality		ally	shares taken
١	block Latter's)	foreigner	Name in Full	15 1 W	lles)		address	by cash
ł		Passport No)					in full of	subscribers (in
1		[A(x,y)]					the	figures and
1						8	registered	words
1	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	12.4 A 5.	30-43 64.4	متد وبناويه ماست		Occupation	/ principle	
						닭 .	· office	
		Y 3 5 11				B	address	
٠,				1.00		٠٠.	for a	
٠.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					٠.	subscribe	
	1. 2. S.	1 9 14 Y 14 9 1			100		rs other	
							fhat	
1		人姓名罗尔纳			100		natural Person	
		CONTRACT ASSESSED	1975 - 1875 - 18 S	3 7 7 7		1	PEISUI	
:	1 - 13 - 47 /	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	ide of a last tracks	· · · · · · · · · · · · · · · · · · ·	1 3th of the K	2000	<u> </u>	A Commission of the Commission
	. a. 11. 18 april (1881)			E PRINCIPAL	277 15 15 25	1.2.73		
	- Water Street	COMPANIES DE CONTRACTOR	100 100 100 100 100 100 100 100 100 100	Total num	pers of shares	taken	in figures	
				and words			,	

O. Any other information incidental to or relevant to beneficial owner(s).

Name and signature (Person authorized to issue notice on behalf of the company)



ANNEXURE . TI

WARRANTY UNDERTAKING

M/s. Sui Southern Gas Co. Ltd. SSGC House, Sir Shah Suleman Road, Gulshan-E-lqbal, Karachi.

From	•				•	•	•
F10HI .	<u> </u>	<u> </u>		<u> </u>		(FIRM'NAI	ME)
Tender Enquiry No	•	:	• •			•	٠
Tours Sudan't 140.				Date		•	

- 1. In case we stands as the lowest bidder and the order is placed on us against the cited tender enquiry, we hereby guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per pre-shipment / post shipment inspection are port, than in such as event the Supplier hereby warrants and undertake to replace the same on DDP basis (INCOTERMS 2010) i.e. free of all cost including but not limited to transportation, taxes and levies.
- -2.—In case of our failure to replace the defective item /remove the defect(s) free of cost within the period specified by the Purchaser, we will refund the relevant cost including all other expenses incurred by the purchaser in this regard.
- 3. This warranty will remain valid for 18 months after the goods have been successfully delivered or commissioned.

Signature _____



Form of Bid-Securing Declaration

[The Bilder shall fill in this Form in accordance with the instructions indicated.]

Date [date (as day, month and year)]

[No.: [mumber of Building process]

Alternative No.: [insert identification No if this is a Bid for an alternative]

To: Icomplete name of Procuring Agency

We, the undersigned, declare that

We understand that, according to your conditions, Bids mist be supported by a Bid-Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid-conditions, because we:

- (a) have withdrawn our Bid during the period of Bid validity specified in the letter
- (b)... having been notified of the acceptance of our Bid by the Procuring Agency adming the period of Bid validity (i) fail or refuse to sign the Contract or (ii) tail or tefuse to furnish the Performance Security (or guarantee), if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bidder

Name of the person duly authorized to sign the Bid on behalf of the Bidler**

Title of the person signing the Bid

Signature of the person named above

Date signed

". In the case of the Bid submitted by joint venture specify the name of the joint Venture as Bidder

Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a fairl Venture, the Bid-Securory Declaration must be in the name of all members to the faint Venture that submits the Bid.]



			-
C	. 79		
Dunn	mer	code	
		-UL	~

FORM-X

BANK ACCOUNT DETAILS

(Mandatory requirement for Digital Online Banking)

As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R dated 23th Sept'2021 to make the payment online w.e.f. 01-11-2021. All beneficiaries are required to fill in the below details, which is

Address of Firm:
CNIC#:
NTN#
Bank Name:
A/C Title name:
Braich code:
Bank A/c#
(16 Digits)
Bank IBAN #: (24 Digits)
Information already submitted. (24 Digits)
A A A A A A A A A A A A A A A A A A A
Date: Authorized Sign & Stamp
Note: All payments transpariant was

Note: All payments transactions will be made on above mentioned Account details. This is only a one time information to be provided by the all beneficiaries. Incase if the above detail has already submitted, please tick the box above "Information already submitted" and also ensure Form-X is duly signed & stamped.



SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM

BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) and the criteria for Blacklisting of Suppliers and Contractors doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2. SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Gas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PEC), or any other competent forum. The procedure shall also be applicable on the prequalified firms. The procedure shall be applicable on any "Person", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in conflict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute / Law or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or rules shall prevail. This SOP shall become a part of the future Bidding Documents.

3. DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority to Appeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to lodge protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/division/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty disqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for infractions committed during the competitive bidding stage, whereby such firms/individuals are prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a project or contract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution or rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PC-Project Committee-" A three-member committee comprising of User, Audit & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

4. REASONS FOR BLACKLISTING

4.1 The following shall comprise the broad multilateral guidelines for blacklisting:

Procurement E Dept.

Page 1 of 9 Dated: 12th October 2020

- 4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;
- 4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
- 4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and
- 4.1.4 "Coercive Practice" means harming or threatening to harm. directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contract.
- 4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

4.2. I Competitive Bidding Stage

414

.

During the competitive bidding stage, the Procuring Agency shall impose on bidders or prospective bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution. as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Submission of eligibility requirements containing false information or falsified documents.
- ii. Submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.
- iii. Submission of unauthorized or fake documents for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.
- iv. Failure of the firm to provide authentic Warranty Undertaking and Performa Invoice of the manufacturers / Principal / Trading house.
- v. Failure of the firm to submit specific authority letter of the Original Equipment Manufacturer (OEM) for participation in a particular tender;
- vi. Unauthorized use of one's name, or using the name of the name of another for purpose of public bidding.
- vii. Deviations from specifications and terms & conditions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable cause, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid.
- ix. Refusal or failure to post the required performance security within the prescribed time.
- x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.
- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

Page 2 of 9 Dated: 12th October 2020



In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
- ii. Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful instruction of the Procuring Agency or its representative(s) pursuant to the implementation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - a. Employment of competent technical personnel, competent engineers and/or work supervisors;
 - b. Provision of warning signs and barricades in accordance with approved plans and specifications and contract provisions;
 - Stockpiling in proper places of all materials and removal from the project site of
 waste and excess materials, including broken pavement and excavated debris in
 accordance with approved plans and specifications and contract provisions;
 - d. Deployment of committed equipment, facilities, support staff and manpower; and
 - e. Renewal of the effectivity dates of the performance security after its expiration during the course of contract implementation.
 - f. Non-Performance of the supplier in respect of tender terms & conditions and the delivery / supply of material.
- Assignment and subcontracting of the contract or any part thereof or substitution of key personnel named in the proposal without prior written approval by the Procuring Agency.
 - iv. For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier or distributor arising from his fault or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
 - v. For the procurement of consulting services, poor performance by the consultant of his services arising from his fault or negligence, any of the following acts by the consultant shall be construed as poor performance:
 - a. Defective design resulting in substantial corrective works in design and/or construction;
 - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
 - c. Specifying materials which are inappropriate, substandard or way above acceptable standards;
 - d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
 - e. Submitting CV's of key personnel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.



Page 3 of 9 Dated: 12th October 2020

- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.


In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obtaining fraudulent payments;
 - ii. Obtaining contracts by misleading the purchaser:
 - iii. Refusal to pay SSGC dues etc.;
 - iv. Failure to fulfill contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed at the time of inspection / bidding prior to original registration of the firm;
- vi. Registration of a firm with a new name by the Proprietor or family or a nominee thereof of a firm that has been already blacklisted;
- vii. Consequential operational damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereof supplied on trial basis or due to failure of such equipment;
- viii. Contractors who have negotiated Plea Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default has been proved specifically in relation to supplies made to or contracts concluded with SSGC.
- ix. Involved in litigation or needless petitioning to influence or obstruct the procurement process either on his own behalf or at the behest of any other vested interest;
- x. A firm may be disqualified for a period extendable to two years in case a decision by a court is awarded against the said firm after litigation, or where the firm is involved in litigation at least three times during two financial years, or where a firm has on account of litigation caused substantial financial losses to SSGC;
- Blacklisted by other Federal and Provincial Government Ministries / Divisions / Departments and organizations / autonomous bodies subordinate thereto; and
 - xii. Blacklisting in case of Joint Venture firms will also result in termination of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

- 5.1. For two defaults the firm may be temporary blacklisted for doing business with SSGC for one year; the case to be communicated to PPRA for uploading of temporary blacklisting.
- 5.2. For three defaults the firm may be permanently blacklisted from doing business with SSGC; and their registration may be cancelled, the case to be communicated to PPRA for permanent blacklisting, uploads on PPRA website.



5.3. In case of fraud, concealment of fact etc. the firm may be permanently blacklisted for doing business with SSGC and their registration may be cancelled.

6. SUSPENSION AND BLACKLISTING PROCEDURE

- 1. The supplier or contractor who is to be blacklisted either temporarily or permanent is given adequate opportunity of being heard.
- 2. The supplier or contractor who is to be blacklisted either temporarily or permanent is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before taking any action.
- 3. In case the supplier or contractor does not attend the meeting on the given date and time a final notice is served to him / her to attend the meeting on the revised date and time. Despite the final notice, if the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee is formed comprising of User, Procurement and Internal Audit departments to address the issues in the meeting with the supplier or contractor.
- 5. In case the supplier or contractor is found at default based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is sought from the management for their temporary or permeant blacklisting alongwith encashment of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the defaulted supplier or contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor alongwith covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.
- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

7. STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.



Page 5 of 9 Dated: 12th October 2020

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual due to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

9. AMENDMENTS

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the amendment of its specific provisions as the need arises.
- 9.2 Any amendment to this Blacklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the said amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amendments thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Public Procurement Rules, 2004.

. 11. The Steps to be Followed are As Under

The causes and reasons to be taken into consideration for Debarment / Blacklisting of any person are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.
- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.



Page 6 of 9 Dated: 12th October 2020

, i.e.

Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST-AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- Extraordinary delay in signing or refusal to accept the Notification of Award and/or the contract without any cogent reason.
- ii. Misconduct, i.e., failure to proceed with the signed contract, withdrawal of commitments. quoting an unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, frustrating the evaluation/bidding process and not responding to written communication in a reasonable time.
- iii. Causes mentioned in Sub-Clauses i, ii and iii above.
- iv. Submission of fake / frivolous or mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions / clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, any defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii, Failure to honour obligations within warranty period or defect liability period as defined win the contract.

3. OTHER CAUSES:

- i. The person is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.
- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.

Dated: 12th October 2020 rocuremen'

Page 7 of 9

- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Project Authority prior to blacklisting.

5. PROCEDURE FOR BLACKLISTING

Upon receipt of or obtaining information and/or knowledge that any person(s) is involved in practices mentioned in hereinabove under the heading of Pre-Award Stage; Post- Award Stage and Other Causes, the concerned Project Authority / formation shall promptly formulate its recommendations and submit through the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details of charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Convener of the Committee shall sissue a Show Cause Notice ("Notice") thereby informing the Person about the alleged charges and shall provide an opportunity to the defend said charges within a time period of 15 (fifteen) days.
- (ii) The person(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to SSGC. In case of non-receipt of any reply from the accused person within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

Procurement Dept.

Page 8 of 9 Dated: 12th October 2020 The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the person against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The person against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RPC)", the person concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Blacklisting on the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an International Financial Institution (Donor Agency). In case the person has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of temporary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution (Donor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Persons are placed on Blacklisting List:

- i. The decision of blacklisting will be immediately circulated to all concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a person which has been blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority. (iii) The blacklisted person shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to person, it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.



Page 9 of 9 Dated : 12th October 2020

PRICE SCHEDULE FOR GOODS TO BE OFFERED OUTSIDE PAKISTAN

TENDER ENQUIRY NO: SSGC/FP/ 13389 Section-3

									* Only for loca	l manufacturer
Sr. No	Description	Country of Origin / Make / Brand	Qty	Unit	Unit FOB price Port of Loading	Total FOB Cost / Item (COL 4x6)	Unit Price C&F (Port of Entry Karachi)	Total C&F Port of Entry) (COL 4x8)	Unit FOR Price	Total FOR Price (COL 4x10)
1	2	3	4	5	6	7	8	9	10	11
1	CONSTRUCTION TOOLS/EQUIPMENTS [1] CC632300 DRILL RODS (API) S" OD, GRADE S-135, 9.5 METER LENGTH OF EACH ROD, COMPATIBLE TO VERMEER MAKE HDD MACHINE D200x300, ENGINE MODEL: CATERPILLAR C-12, ENGINE SR NO, BDL 03714 (AS PER SPECS)		30	Each						

Delivery Schedule:

Delievery period within 10-16 weeks after issuance of purchase order/opening of LC

FIXED BID SECURITY USD 2,140 OR PKR 600,000

NOTE TO SUPPLIER: * According to SR0827(1)2001, "engineering goods" means good specified in CGO11/2007, as per SRO the bidder will be considered as local manufacturer for the engineering goods if their names are appearing in the CGO list.

We draw your special attention to:

- Prices given here in shall take into account with relevant factors including discounts, if any.

 Proforma Invoice of the principal is mandatory required to be submitted by the Supplier which shall match with the price schedule.

- In case when bidder submit alternate bids a separate bid bond for each bid is required, otherwise bid will be liable for rejection.

 All offer shall remain valid up to 120 days from the date of opening of bids and bid bond shall remain valid for 150 days.

 The prices on FOB and C&F (PNSC freight to be submitted by the bidder(s) is mandatory) basis should be quoted separately as given above. Following information shall be mentioned in the bid.
- - (b) Port of Shipment (c) Estimated Gross weight / Volume (a) Country of Origin
- The bid validity and the delivery schedule shall match with the schedule of Requirement / Bid Form. In all circumstances the bid validity and delivery schedule given on Schedule of Requirement / Bid Form will prevail without any further recourse.
- Any Bidder who change/amend the BOQ or Price Schedule (Description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.

Signature	:		
Person Name	:		
Company's Nam	e :		
Date	:		STAMP
		End of page, any entry beyond th	nis line would be invalid





Sui Southern Gas Company Limited Technical Services Division

Technical Specifications for Drill Rods for HDD Machine DOC NO: P&C / MCU / EQUIP/ SPEC- /2024-25

SECTION-4

Page No. 01

TECHNICAL SPECIFICATION FOR THE PROCUREMENT OF

- GONCRETE MIXER MACHINE.

PILL ROD FOR HOD MACHINE



Date	Prepared By	Reviewed By	Approved By
06-08-2024	Engineer Depti	Abdul Amon Memon Serijor Engineer Prejects & Construction Deptt.	Ghulam Ali Mahar Dy. General Munager-incharge Projects & Canatruction Depts.



Sui Southern Gas Company Limited Technical Services Division

DOC NO: P&C / MCU / EQUIP/ SPEC- /2024-25

Technical Specifications for Drill Rods for HDD Machine

Page No. 02

Contents

1.	GENERAL	03
2.	ABBRIVATION/SYMBOLS	03
3.	CODES, REGULATIONS AND STANDARDS	03
4.	SPECIFICATIONS OF DRILL RODS	04
5.	WARRANTY CERTIFICATES.	.04
6.	ESSENTIAL REQUIREMENT, DOCUMENTS & CERTIFICATES	05
<i>7</i> .	PACKING	05
8.	DELIVERY PERIOD.	05
9.	INSPECTION, TESTING & COMMISSIONING	ΩS

Suchoo Mal.
Engineer
Projects & Construction Deptt
Suil Southern Gas Company Ltn

Addut Jabbar Momon
Senior Engineer
Projects & Construction Deptt.
Sul Southern Gas Company Limited

Ghulam Ali Mahar Dy.General Manager-Incharge Projects & Construction Bepti.





API

Sui Southern Gas Company Limited Technical Services Division

Technical Specifications for Drill Rods for HDD Machine

DOC NO: P&C / MCU / EQUIP/ SPEC- /2024-25

Page No. 03

1. GENERAL

The general scope of this document covers the requirement of Drill Rods for the Horizontal Directional Drilling (HDD) Machine, required for underground boring activities of Pipeline Projects.

S. No.	Description	Location	Quantity
1	Drill Rods for HDD Machine	SSGC Base Camp Khadeji	30 Nos.

2. ABBREVIATIONS/SYMBOLS

IEU Internal-External Upset thickness

IF Internal Flush thread

American Petroleum Institute

EPA Environmental Protection Agency

ISO International Organization for Standardization

3. CODES, REGULATIONS AND STANDARDS (for reference only)

ISO 21467-2023(EN) 3.2.9

Surface Launched HDD Machine

3.3.3

Drill Pipe (Drill Rod)

Goo Mal
Engineer

Construction Deptt

Construction Deptt

Construction Deptt

Schlor Engineer
Projects & Construction Deptt.
Sui Southern bas Company Limited

Ghulam Ali Mahar Dy.General Manager Incharge Projects & Construction Dept.





Sui Southern Gas Company Limited Technical Services Division

Technical Specifications for Drill Rods for HDD Machine

DOC NO: P&C / MCU / EQUIP/ SPEC- /2024-25

Page No. 04

SPECIFICATIONS OF DRILL RODS FOR HDD MACHINE

DRILL RODS:

The Drill Rods required for the Underground drilling / Boring through Horizontal Directional Drilling (HDD) Machine, cross country Pipeline Projects.

The Mechanical Properties of the Drill Rods shall be as per API Specifications 5D and 7.2.

TECHNICAL DETAILS:

Outer Dia (OD)

5"

Grade

S-135

Length of each Rod

9.5 Meter

Connections

4 1/2" IF

Tool Joint

IEU 6 5/8"

Torque

50,000 ft./Lbs.

Pull Force

250,000 Lbs.

The required Drill Rods shall be fully compatible with technical Parameters of HDD Machine:

Machine Model

Navigator HDD Vermeer D200 X 300

Engine Model

Caterpillar C-12

Engine Serial Number

BDL 03714

WARRANTY CERTIFICATES:

The bidder shall be completely responsible to provide Manufacturer's (sample) warranty certificate of the offered Drill Rods along with Bid.

The warranty period shall be at least one (01) Year or above as per manufacturer's standards. The original warranty certificates shall be provided at the time of delivery.

The warranty period shall start from the date of commissioning of the machine at SSGC premises and the acceptance by the user in all respect.

REPAIR & MAINTENANCE:

In Case of defect (if any), the bidder shall be completely responsible to replace the defected Drill Rods on free of cost basis during the warranty period as mentioned / specified in Manufacturer's Warranty Certificate.



Engineer
Projects & Construction Depti



Ghulam Ali Mahar Dy. General Manager-Incharge rojects à Construction Depti



Sui Southern Gas Company Limited Technical Services Division

Technical Specifications for Drill Rods for HDD Machine

DOC NO: P&C / MCU / EQUIP/ SPEC- /2024-25

Page No. 05

ESSENTIAL REQUIREMENTS:

Copy of Manufacturer's Performa invoice / Offer for the offered model Drill Rods elaborating the complete details as per tender specification, duly signed and stamped.

Manufacturer's Original authority letter duly signed & stamped issued in favor of the bidder for participation in bid.

Manufacturer's Original certificate confirming the offered model Drill Rods shall be brand new and latest manufacturing.

Manufacturer's confirmation to provide 02 Set operating & maintenance manual (hard copies) along with delivery on free of cost basis.

PACKING

The packaging of the Drill Rods should be intact and the package should be properly sealed. Packaging materials must not interact physically with a packaged article in a manner that causes its safety, identity, strength, quality, or purity & fail to established requirements.

DELIVERY PERIOD

Within 10-16 weeks after issuance of Purchase Order/Opening of LC.

INSPECTION, TESTING & COMMISSIONING

The successful Supplier shall be completely responsible to carry out Inspection, testing and commissioning of the supplied Drill Rods soon after arrival at SSGC's Base Camp Khadeji, and make the Drill Rods complete in all respect and ready for field use on free of cost basis. Associated cost including fuel, lubricants, man power and arrangement of crane (if any) etc. shall be borne by the bidder. Bidder's confirmation shall be attached with bid.

The End

Sulchoo Mal Engineer Projects & Construction Depti Sul Southern Gas Company Ltn Abdul Momose
Senidr Engineer
Projects & Construction Deptt.
Sui Southern Gas Company Limited

Procuremen Dept. _{Dv.}Ge Project

chuiam Ali Mahar Dv. General Manager-Incharge Projects & Construction Dept



Estimated Cost

SR NO	Requisition No	Description	Estimated Cost
01	544976	Drill Rod	Rs. 30,000,000







Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be proactive about safety!

Report Hazard before it results in an Accident

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it






1/10







HSE & GA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment, and achieving Operational excellence by improving Chaffly of products / services along with efforts to promote Safety Culture in the Company. Communal improvement of HSE and OA performance by recurang potential hazards to prevent injuries and illness is our key priority. It also includes communication consultation and participation on HSE and OA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

arraging Direct August, 2021

Procurement of Att. O Gustanes

MR



PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to

SSGC existing facilities/installations **a**:

5.1 6.15.16 X 文字的诗歌的**的诗歌中的**外观《名诗诗歌歌歌歌歌歌歌歌

Any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project

Covering all the activities performed by SSGG taking into consideration of d. compliance, obligations, risks & opportunities within the scope, external and internal issues related to scope of operations, requirements, information, needs and expectations of relevant interested parties.

Providing guidance to employees in relation to hazard identification, risk assessment and risk control in respective areas.

identification, control, monitoring and management of environmental aspects and assessment of its impacts.



This procedure is applicable to the identification of occupational health and safety hazards and associated risks, environmental aspects and impacts associated with activities, processes and equipment related to SSGC existing facilities/installations, any new project or any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to

3. A DEFINITIONS & ACRONYMS

HAZARD: Source or situation with a potential for harm in terms of injury or ill health, damage to property damage to workplace environment, or a compination of these. b. RISK: Combination of probability of occurrence of a hazardous event or exposure and the resulting

OPPORTUNITY: Opportunities can arise as a result of a situation favorable to achieving an intended result, for example, a set of circumstances that allow the organization to attract customers, develop new products and services, reduce waste or improve productivity. Actions to address opportunities can also d.

SWOT: Strength, Weakness. Opportunity & Threat. e.

RISK MANAGEMENT: The set of control measures used to reduce or eliminate specific risk.

RISK ASSESSMENT: Risk Assessment is a systematic approach to hazard identification. This is the overall process of estimating the priority of risk and deciding significance of risk. RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk assessment matrix. g.

Hazards related to applicable legal requirements will fall in the high risk category.

HIRA: Hazard Identification and Risk Assessment. h. ı.

EAIA: Environmental Aspect and Impact Assessment. ·j.

IEE: Initial Environment Examination.

EIA; Environment Impact Assessment. k.

ILL HEALTH: identifiable, adverse physical or mental condition arising from and/or made worse by a I. m.

OHS&E: Occupational Health, Safety & Environment.

PTW: Permit to Work, n.

MOC: Management of Change. ٥.

MOC Owner. The employee who initiates the MOC. p.

JSA: Job Safety Analysis.

EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the





RESPONSIBILITIES

Corporate HSE&QA In-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues. b.
- Providing support to corporate HSE&QA team and zonal representatives.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks implementing their controls in consultation with corporate HSE&QA team. b.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E. C.
- Maintaining records of the OHS&E with the help of local HSE&QA team. Implementing this procedure. Lialse with corporate HSE&QA team if required. d.

Zonal HSE&QA representative

- Coordinating with Zonal HSE team leader for carrying out HIRA and EAIA in their zones b.
- Liaise with corporate HSE&QA team and zonal HSE team leader for OHS&E.

 Reviewing/monitoring HIRA and EAIA in their zones and providing input on any changes.

Departmental Head of Executing Department

Departmental Head of Executing Department

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks. Ensure implementation of JSA for job/activity performed outside SSGC permanent locations.

Employees


Participating in the identification and assessment of OHS&E risks when required by either Zonal HSE

Visitors & Contractors

Identifying and reporting any risk or hazard at any location of SSGC. This also includes the worksites and SSGC temporary locations during project executions:

DECISION MATRIX

Type of Risk/Hazard Assessment	Methodology	Respons iblity_
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Zonal HSE team
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	I the state of the
) JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field
		activity





Risk assessments for new Projects, major MOC changes or modifications in existing designs' and infrastructure. MOC owner.

Risk Assessment and Management Procedure is divided into five sections based on the type of risk Section 1: Context of the Organization.

- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change

PROCEDURE


Section 1 Context of the Organization


6.1. Context of the Organization

- Management defines scope of the company services and its boundaries considering the internal and external issues of the organization.
- In consultation with HSE&QA, Management & Zonal Heads identify external & internal interested parties and maintain its list with needs & expectations. Interested parties are those stakeholders who receive company services, who may be impacted by them, or those parties who may otherwise have a significant

Interested Parties	
Board of Directors	Requirements
Dodie of Directors	Good mancial performance legal
Law	
Enforcers/Regulators	requirements for the productions and regulatory
Customers	understanding of the requirements.
	Value for money, quality service, facilitation and quick response.
Bank/Finance	Good Financial Performance
Employees	Professional development pro-
Insurance	No claims/prompt paymont/id-
Community	To noise
External providers	pollution, waste.
(Vendors/Suppliers)	Prompt payment as per agreed terms, health and safety, long-term working relationship.
Trade Unions	Compliance of local labor laws.
.10	TOGET IADOT IAWS.







6.1.1. Internal issues could include in risk & opportunity assessments, but are not

- Operations spread in two provinces. a.
- Complex transmission and distribution network. Ь.
- C. Succession planning.
- d. Contractual relationships.
- Availability of reliable, qualified and competent workforce
- f.· Staff retention.

INDIANA SERVE

Impact of unionization. g.

6.1.2. External issues could include in risk & opportunity assessments, but are not

- Political: Government policies, political stability, international trade agreements etc.
- Economic: Fuel/utility prices, cash flow, credit availability, exchange rates, tariffs and inflation, general taxation issues etc.
- Social: Consumer buying pattern, education level, advertising and publicity, ethical & religious issues. demographics etc.
- Technological: Intellectual property issues, software changes, internet, technology legislation, associated/dependent technology, renewable energy etc.
- Legal and regulatory: Consumer protection, industry-specific regulation and permits. trade union regulations, employment law, international legislation, human rights effical issues
- Environment: Customer demographics and environmental issues. g.
- Government: The directives from Prime Minister, Ministry of Petroleum (energy division). regulatory bodies like OGRA, SEPA & BEPA etc.
- Ensuring the policy and objectives are established for the integrated management system and are compatible with the context and strategic direction of the organization.
- The management shall monitor and review information about these external and internal issues during the management review meetings.



Always be proactive about safety!

Report Hazard before it results in an Accident

Procurement Dept.

anadement System



Section 2 Hazard Identification and Risk Assessment

i. Hazard identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (\$SGC-IMS/CRM-F-01). The identification/assessment process shall take into account

Routine & non routine activities, any emergency situations. Ь,

Activities of all persons having access to the SSGC permanent and temporary locations. Human behavior, capabilities and other human factors.

Designing of work processes.

Material in use.

Infrastructure, equipment and materials at the workplace or project site, whether provided by

Changes or proposed changes in the organization, its activities or materials.

Fabrication, installation & commissioning.

Handling & disposal of waste material. Purchase of goods & services.

Any applicable legal obligations that is related to risk assessment and implementation of necessary

Before commencement of any new operation/activity.

Periodic Review for updating the existing hazard identification and risk assessment information.

At SSGC, we adapt five steps of risk assessment:

Step 1: Identify the hazards.

Step 2: Decide who might be harmed and how.

Step 3: Evaluate the risks and decide on precautions.

Step 4: Record your findings and implement them:

Step 5: Review your risk assessment and update if necessary.

Risk Assessment Matrix

Risk assessment should be carried out as per assessment

Risk Pri	Ority		Proba	bility	
C		Very Likely	Likely Land Linds you	Unlikely	Very Unlikely
o n s	Catastrophic				Medium
n d	Significant.		-69/2017	Medium	Medium
. c	Harmful		Medium	Medium	
5	Negligible	Madium	Medlum		





	HAZARD CONSEQUENCE RATING TABLE
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption
Harmful	Hazard may cause a reportable incident i.e. an incident that results in the employed being unable to undertake their normal duties and may need of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or properly damage, first aid treatment is required only, very low financial loss.

:		
	11-12/2014	PROBABILITY RATING TABLE
	Very Likely	Exposure to hazard likely to occur frequently. Similar incidents reported more than once in SSGC during last 10 years.
	Likely	Exposure to hazard likely to occur but not trequently. Similar incidents reported once in last 5 years in SSGC.
	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Exposure to hazard unlikely to occur.
		Exposure to hazard so unlikely that it can be assumed that it will not

٠ ا		
1		RISK PRIORITY TABLE
	Risk Priority	· · · · · · · · · · · · · · · · · · ·
	1987年	Definitions of Priority
		Situation is considered critical, stop work immediately or consider cessation of this operation/task.
	The Property and the Control of the	Must be fixed ASAP. Zonal HSE team leader should take immediate
	Weditim	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
ŀ		Is still important but one begins in the state of the still important but one begins in the still important but one but one begins in the still important but one but of the still important but one but
L		similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.
•		in the second contract the







... Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company
- Classification of risk/impact.
- Description or reference to control the risks/impacts. d.
- Description or reference to monitor the risks/impacts. e.
- Identified competency and or training requirements.

Input for setting improvement objectives and programs for its achievement

The risk/impact measures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.
Use output of risk/impact assessments as input for the following:

- Setting objectives and targets. Training needs identification.
- Terminating the risk/impact if it is practical. ...
- d. Facility engineering control.
- Emergency Preparedness.
- Administrative controls.
- insurance.


The ultimate requirement is to reduce the risk/impact to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further reduction becomes unreasonably inconsistent to the

iv. Risk Control

Engineering

Administrative:





- a. Elimination: The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used.
- Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority
- Engineering: Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any project/process and must seek out for best possible solution in terms of OHS&E
- Administrative: Administrative controls involve making changes to the way in which people work and promoting safe work practices via education and training. Administrative controls may involved training employees in operating procedures, good housekeeping practices, emergency response in the event of incidents such as fire or employee injury, and personal hygiene practices.
- Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. PPE should be properly identified for specific process/job.

System & work area Hazards	
Access / Egress Obstructions	Likely Consequences
Asphyxiate Gas (COz fire suppression)	Wilhor Injury, trips and falle
Buried Cables	Possible death by asphyxiation
Electricity (HV/LV)	Exposure to buried cables major / minor injury
Falling Loads / Objects	Tally by slectric snock or sendie him
Flammable Vapors / Gases / liquids	TO A DE DOOM INDIGHT TO A SAN YOUR TO A SAN
: Flammable Materials	Explosion of fire
I. Hot / Humid Work Environment	Potential for fire
Moving Parts	Heat stress, disorientation, loss of consciousness
Noise Property No. 1. 47	Entrapment, major or minor injury
Openings in Floor / Walkways	Falls from height
Flammable Materials / Gases:	Falls from height, major injury possible farality
Heat, sparks and naked flames	Creation of hazardous area, fire explosion Burns to exposed skin
High intensity light (welding)	Arc flash short term were
Housekeeping poor	Arc flash, short term discomfort long term loss of vision
Lifting Operations	Slip, trip, fall, fire hazards, blocking fire escapes
Live Electrical Work	Falling or moving loads - serious head and / or body injury Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes
ay ay ayan gaya dayan da da dayan aya i ndagadanggan da da dan dananan da sa dan dan dan da da dan dan dan da d	Tom mistakes

rocurement,



Oxygen deficiency	Double
Pone Lighting (Viethall)	Death of asphyxiation.
Slipping / Trining II	Minor / major injury, fall or impact injury
Spillages (Oil 3-4-67)	winor injury, trips and falls
· Substance harmania	zona contamination
: Penetifius Teels ('C)	Chemical burns, toxic; poisoning , irritants, pollutant
Rotating / Mindre Day	- Translation of the second of
· Sharp Edoca / Cuiting	Major injury; potential for fatality.
Crocks / Eine	Amoutation and cuts, predominantly to beaut
Trading Cohlan 111	waconsciousness, resolution, broblems
1 1 m = 1 1 1 1 m + 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tripping nazard causing major / mines
	William and all the state of th
Use of Hazardous Substances	Burns to skin, eyes, and respiratory system. Environment
	Impact into the control of the contr
Use of Power Tools	Impact injury, hand tarm vibration - loss of sensation over time
Use of Workshop Equipment	Major / minor injuries
Vibration	Major / minor injuries - entrapment, cutting tools
: Work at Height	Hand / arm vibration - loss of sensation over time Major / minor injury
433 June 14 18	Major / minor injury

Environmental Aspect Identification & Impact Assessment Environmental Aspects:

An Environmental aspect is any element of SSGC business operation that negatively affect the Environment: While conducting environmental assessment, following aspects are usually considered:

REDUCE CARBON

What we can do:

- Recycle: what you can
- Reduce: avoid unnecessary consumption of resources
- Reuse: Buy items that are reusable and reuse them
- Unplug electrical devices that are not in use
- Avoid unnecessary driving
- · Use LED bulbs.
- Plant a tree

Emissions to air	S. E. S. R. Land Co.
Solid don beneath	Water Discharges
Solid non-hazardous Waste	Solid Hazardous Waste
The sources Francis	NI-la State
Dust Control of the C	Odor A A Constitution
	Vibration
Linear on visual / aesthetics	Use of Ozone depleting
Use of radioactive / nuclear material	substances Spillage of chemicals
	1 - Lunda of Cuewicale

For identification of environmental aspects and impact each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

WK





b. Control of Aspects having Significant Environmental Impact:


The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e.

Some of the suggested operational controls are listed below: a. Design of environmental friendly processes/operations.

- b. Isolation or enclosure of hazardous material storage, process or noisy equipment
- c. Mechanical exhaust systems/booths for controlling toxic materials. d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring devices/gauges, computerized feedback monitoring and control
- g. Environmental friendly disposal or treatment systems etc.
- h. Fire prevention/suppression systems.
- .Containment walls.
- L Scrubbers.
- k. Dust Collectors.
- L Other controls: Training, SOP,

The record of operational controls on significant environmental risks is maintained on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

After Identification of aspects and assessment of impacts, it is sent to HSE&OA Department for reviewing adequacy and confectness. Where required, In-charge HSE&OA suggests necessary changes or



Zonal HSE Team Leader ensures that environmental aspects and impacts activities/processes/equipment are kept current by conducting the same assessment

- a. Once every six months to update the information, and identify new environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new nazards and aspects)
- b. Саггу out assessment, for new or changes in activities/processes/equipment.
- c. When there is a change in laws & regulations.

d, IEE (Initial Environment Examination) / EIA (Environment Impact Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required by regulatory requirements. for new projects. It is the responsibility of corporate HSE&OA head/DMD/MD to ensure the compliance for all

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg. of CO2

Integrated Management S







THE REPORT OF THE PARTY OF THE

Section 3. Permit to Work

I. Permit to Work (PTW)

- A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require
- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)
- c. Maintenance Work on High Voltage electrical equipment.
- d. Any janitorial service involving Safety Risks such as work at height
- e. Any Maintenance activity by any department/contractor which compromises critical safety system
- g. Work in areas where there is a risk of exposure to hazardous chemicals or microorganisms. h. Any job/task/activity that requires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SMS/Valve Assembly/TBS/PRS etc.

il. Exclusion

- Following activities are not under the scope of PTW management, however the risk assessment, JSA process SORs are implemented to control the associated risks for the following:
- a. Providing Gas connections to new customers
- b. Emergency Response to Consumer calls (1199)
- c. Planned enhancement of Distribution network
- d.-Work on livé pipelines like hot tapping, installing Service Tee etc.
- e. Any major/minor rehabilitation/reinforcement work

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- ✓ Replace it





HandBook | February 2-02



III. Responsibilities


S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations.
2	Area Authority	Area/Facility where the task/activity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTVV requirements.
3	Contractor	The Individual/organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement-identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If required, Monitor the task/activity during execution and identify any gaps related to proposed controls. Responsible to close the PTW and maintains records. Authorized to stop work in case of noncompliance to PTW requirements.

16





IV. PTW Process Flow



TO THE REPORT OF THE PROPERTY OF THE PROPERTY

MR



HandBook | February 2022




V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

Vr. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTVV is required if the task/activity is not completed within stipulated time frame mentioned on PTW.







Section 4 Job Safety Analysis

i. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC Le. Field Locations) where the work could expose persons to specific hazards. Normally following a. Work on live pipelines like hot tapping.


- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).
- e. Any particular job/activity requiring JSA as necessitated by HSE&QA.

II. Responsibilities

Activity Incharge/ Supervisor Individual who is assigned to carry out the task/activity requiring JSA. Head Of Executing Department Department Activity Incharge/ Supervisor Individual who is assigned to carry out the task/activity requiring JSA. Individual who is and identify hazards and their controls Ensure that task/activity is carry with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation Authorize JSA Ensure Adequate resources are provided to carry out the task/activity in safe manner Select competent team and teal leader for the activity/task Submit a copy of JSA prior to jo execution to HSE&CA/Zonal HS	S No.	Functions	Details	1
Submit a copy of JSA prior to jo execution to HSE&OA/Zonal Hs	1 2	Activity in- charge/ Supervisor Head Of Executing	assigned to carry out the task/activity requiring JSA. Head of the department who is authorizing the	Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation Authorize JSA Ensure Adequate resources are provided to carry out the task/activity in safe
Contractor organization carrying out the Task/Activity on behalf of the	3		task/activity requiring JSA. The Individual / organization carrying	eader for the activity/task Submit a copy of JSA prior to job execution to HSE&QA/Zonal HSE Team Leader.



HandBook | February 2022



I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of manage-

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

This procedure is intended to address those changes which may have a direct impact on SSGC's Integrated Management System, or the subsequent delivery of services.

To make sure that changes are assessed and documented in a consistent manner so that: a. Unnecessary or counterproductive changes are prevented.


- b. Changes do not adversely affect safety, the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals without knowledge and/or agreement of all relevant parties.
- d. A record of the assessment rationale and change assessment process is produced.
- e. To make sure proper change out of employees during operations is addressed.

Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the designated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the details/scope of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorize the change after assessing the







For the purpose of this procedure a "change" is an alteration to Processes;

- a: Documented information maintained by this IMS.
- b = quipment, hardware, software, infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management

Other types of changes not listed above can be related to any element of the process, such as inputs, resources, persons, activities, controls, measurements, outputs, etc.

Note: Not all alterations to a system require the Management of Change Process (MOC) (e.g. changing

V. Levels of Change

Level 1

a. Change which has limited or no effect on deliverables. operations, safety, work environment, etc.

b. Changes to equipment, procedures and employee assignments that have a moderate impact on Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables,



HandBook | February 2022



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top impact may be processed by the Management Representative directly.

If the request is accepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward the request to the appropriate process owner for implementation.

Step 3 - Implementation of Actions

The process owner will be responsible for implementing and coordinating the actions required for the proposed change, if it is determined that further assessment is required during the course of implementing the change, these assessments will be documented and submitted for review prior to completing the change process. Only after all assessments have been reviewed shall the MOC process be continued and monitored through completion.

VII. Closing out the MOC

The In-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control Number of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the actions taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

N





of the commence of the comment of th



NR



HandBook | February 2022



7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

Hazards - e	
Zaius	Control Measures
Adverse weather	Shelter, personal protective equipment (PPE; cold / wind / rain-
Poor / Bad housekeeping	Improved safety attitude, good management, safety inspection,
	good work layout
Contact with hot / cold surfaces	Insulation, guarding, PPE (gloves, face shields, insulated
	
Drowning-	Life guarding. lifesaving equipment, presence of first Aider.
Excavation work	Physical barriers for
Tradit Work	Physical barriers; fencing, shoring, safe system of work, signs, caution tabe.
	Edge protection cofee.
Fall from height	Edge protection, safety lines / hamesses, safe means of
	actess, (e.g. scaffolding), safe system of work (e.g. permit to
Fall of material from height	
vi ineight	Alternative storage, physical means of securing
lighting	Good work area dealon and timber
	Good work area design and lighting equipment measuring of illumination (LUX level), appropriate lighting.
wkward lifting while	Define weight limbs
aying pipes in trenches	Define weight limits, use mechanical means for lifting and laying
loise:	
line / Tile I re	Reduction at source, insulation, PPE
ilips / Trips / Falls on ame level	Good maintenance of work areas, good housekeeping, good cleaning, good fortwear
- idagi	· · · · · · · · · · · · · · · · · · ·
facking	Good work area layout, height limits weight in
	packing, mechanical assistance;
ibration	Elimination or reduction at source, damping, insulation, PPE.



P-ocurement Linguistics of the part of the

Integrated Management System



7.2. MECHANICAL

Hazards	Control Measures:
Hand tools	Periodic inspection, electrical testing and maintenance.
Machines	1 Cijudic ii ispection destina and in it.
Mechanical lifting opèrations	Periodic Inspections, maintenance, supervision and training.
Manual handling	Regular assessment of her in the same of her in the
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	Proper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV's where required, periodic inspection.

7.3. ELECTRICAL

And the second second	The state of the s
Hazards.	Control Measures
Live working	Control Measures.
	Avoid (i.e. No Live Working), use competent / trained staff.
Hand tools	
	(where appropriate).
Heaters (elements)	Isolate from combustible material, guarding.
	Flactrical
Machines / Electrical	Electrical testing and maintenance, good electrical safety design,
cables	periodic inspection for design load vs actualload, use of circuit
Electrical cables / cords	a series of grounding and series of the seri
00103	J Use lactory assembled cords, always use plus-
Power Lines.	
(Overhead / Buried)	locations, stay at least 10 feet away from overhead lines, use
	proper PPE.

MF

Procurement Spept.

Integrated Management System

FIRE

	Control Measures.
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and impition
Flammable gases	Storage of gas cylinders (a.d.
Flammable solvents	Isolated, well-ventilated area, signs, no smoking, color-coding. Controlled storage, use and disposal (e.g. limit quantities he area proof storage, signs, no smoking, no naked flames, emergency plans.
Heaters:	Segregation from sources of combustion, guarding special construction if used in hazardous areas.
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxi
Oxygen (gas and liquid)	segregate from sources of combustion(e.g. flammable solver usage.
Smoking materials	Designated smoking areas with proper ventilation, promote n
Static electricity	Limit use of static generators in hazardous areas. Use of anti-
as Leaks	Odourization for timely detection where possible, proper joining methods. Field survey, training, leak detection techniques.

• •		and the state of t
•	Hazards	Control Measures
	Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harmful substances, use, maintain and test engineering controls, monitor for hazardous substances; (PPE), emergency plans to
	Biological: Biological agents: (micro-organisms; pathogens, mutagens, carcinogens), Rodents, Snake Bite	Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazardous substances, inform and train employees, use personal protective equipment rodent control drive, identification and elimination of snakes and
	Food / Water safety	Good food hygiene standards, good cleaning / disinfection, employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab product/Services.
 - -	Ergonomics	Educate / Train employees, avoid repetitive tasks, procure engonomically design products (e.g. chair, Computer desk.
		050



8. DOCUMENTED INFORMATION

- 13			
Record No.	Record Name	Maintained by	Retention Period
- SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-05	Management of Change Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-07	SWOT Analysis	HSE&QA Department	3 Years

MB



SSGC HSE&QA Department

IMS Form

Hazard Identification & Risk Assessment Form SSGC-IMS/CRM-F-01

Revision 01

Issue Date: July 2021


Zone		Department			Location		
S. No	Hazard (E.g. Woon out	What can go wrong	Existing : Operational	F	isk Priority		Date Date
	electrical cord)	(E.g. Electrical snock to any employee)	Control (E.g. Covered with passic (200)	PROBABILITY (E.g. Likery)	CONSEQUENCE (E.g., 'Significant)	PRICHITY	Additional Operational Controls (Eq. Isolate/Replace the wire)
						. High)	
13.11					The Valley		
	أمنيه تعجفين	· · · · · · · · · · · · · · · · · · ·	in a second		- 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
i.		1000			6.5 Mar. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		
`	***						
					* * *	**************************************	Company of the Compan
		1000	35 1		A		
ditiona	100			多观戏科			The second second second second
,	Comments (I)	апу):			· A Wings	28/19/20	
	Zanalti						
me &	Designation	S5.Team Leader	11.		in spirit of make	HIDAT	
		Signature		No Nam	e & Designatio	nika (es	and the same of th
			2		A 1 1/2 ()	1. Sec. 3. 1 4	Signature
	 	<u> </u>	3	1 - 1		1 No. 1	李联·蒙古斯特特里克,李拉
						$\frac{1}{2} = 1 - \frac{1}{2}$	

Ne





Zone



<u> </u>	-	- abat mistir		Locatio	n		
Proce	ss / Operati	ion Descripti	on::E.g. Power General	anne)			Date
			-		Environmental		4
S.No	Activity (E.g. Fuel Combustion)	Input (Eg. fuel. air)	Output (E.g. Hydrocamons. GO2. H ₂ O, CO. particulate matters)	Environmental as pect (E.g. alt emissions)	(Mpact (E.g. Degradation of air, consumption of natural resourcés, Depletion of grone	Risk Priority (High/Medium/ Low)	Operational controls
, "	44				layer etc.)		8.5
4				and a facility of the second	VI 2010		
	., .			A CONTRACTOR OF THE STATE OF TH			g to signify the continues of
Additio	onal Comme	nts (If any):				1	. , ,
Ness	· Zi	onal Team Le				<u> </u>	• •
INGILLE	& Designati	on i Signat	ture IS.	No I Name & Design	EAIA Tea	m .	
		. •		1.	nation	Sic	hathie
				2 3			
				A MARINTON TO A STATE OF THE ST	geographic activities	April South State of	14 25

MR





IMS Form

SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

7701	Fraunt Krimper	o de Ales d	MASER DAIS	The state of the s	4.7.4.4.1.25	的物理的基础	Section 1	-
·			W. T. Carlotte Section	Section "	erin prijas	"我。我的我们	Section of the second	
	Dengriment Ma	me: :	Action Control of the		T 42 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PROGRAM.	Rate of the same	
	Responsible	Name:			Details	Contact Nam	18°	
	Person			(If Any):	$(x_i, x_i)_{i \in I}$	Signature:		· . · · ·
1 = 1	Permit Valid	Time:			Profession	Date & Time	1.10	2
· \$	From			B 700 27	CHILD OF WA	Times	A Section 1	Professional Control
Exeruling Department	Location of the	Wante.		Permit Vail		Time:	Property of the	1. 2. 1. 1.
	TUTTE IN STATE			A . 1 1 1 1 1 1 1		Date:	Service Control	4 3 - 1 - 1
151	I HO! Week In a	1					3.1	7.54
- [-] - [-]	☐ Hazardous ch	emirale Portuicaj	maintenance work [Working at height pressed gases [3 Mechanica)	Maintande	Det	all of Work	1-12C 3 1 1 5
1. 👸	☐ Watking w	th com	D wonding at height	☐ Working	I Confined	Ce Work	A Section 1	44.
be filled by	Excavation/T	renching	□ Working at height oressed gases [□ Hangling Ast mails)	☐ Janitoriai/(Cleaning	Service		1"
]]				pestos 🖂 📙	ifting or	hoistinn		A 7 ()
		to be u	sed:		(x,y) = (x,y)	AWAY STA		
1 3 1				CHARLES AND	SUNKINSON	fille in the	的复数特别的	4.30
1 - 1	Please mention	the asso	clated hazarna of the	ale a series				
1 !	Conted	Oppomin	iclated hazarus of the	is activity (P	ease refer IM	S 3.33	n Salasian in	14.4
1.	Following saute							
	I Siestnow Mic		isolated / locked of	f (If required)			医皮脂肪类	
		D ET AAB	isolated / locked of ter □ Air □ Other ::/.					
4	the first three to be a second				Victoria de la compansión de la compansi			
1 3 7 7	anmouse we iss	C) ACTIVITY	y ip pe carried out at mpliance to safety / I	Section :: B:		主题生现现	STATE OF THE PARTY OF THE	
. ≜ E: ;	Should carry our w	ork in co	y to be carried our at mpliance to safety / i Designation	angve mentio	Ded location	n for specified	time Eventure	SANTES S
3 5	AGIOW.		11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	T. COUITON	ents dentif	ed by HSE&C	A Denament	Decamment
<u> </u>			mpilance to safery / I Designation	1	7 7 7 7 3 3 3 3	和學學就是是特別	等不可以	seciou .C.
		1 3 1/2 2	A SAN SAN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ionature /	**************************************	Date and The	Marie Contract
				可持續的	WINDLEY'S	Mary to Mary	dutyes de man	ne terre
· 1 M	lame I		Designation	ection "C"	A CHARLES	164 (Gr 7 : 1)	A A THE SECTION OF PROPERTY OF A	2. A. 4. 13.
		4.	Designation	7.69 00000	Action of the property	of the property of	Part of the party of	Septiment Francisco
3 1 5	Ollowing coultain	inter de l	implemented to milia		Sig	nature 30%	Date 14	12500 2 1 20 111
To be filled by ISEADA	CE Required:		is D Cover all D Re D Safety Bell/ Harr	The safety	risk/hazarc	associated w	ith the thousand	
E E	hard Hat D.Saf	ery Shoe	controls (Please S	diactive 1	24%。图像 图像		The section of the se	ny:
3 = 1 = 1	Others Weiding	Shields	O Safety Bell/ Harr	less C Service	ets U Ear I	Plug 🖸 Ear M	uffs [] huet ida	Lister in factorial and the second
I A	DV addiffered				Coggles	☐ Hand Glove	es O Breathing	APPER
: 0	Fire Sylinhuishe	rauonai	controls (Please S	pecify):				Opparatus
	TOUR TOURS INC.	וויסוווא ב	controls (Please Silance D Barrication D	J Other:				Ny 12. Ny
			Section 40"	de a White with you		Berger Gallette Ch	A CONTRACTOR	Adam Santa
	Area Authority		Section "D"	(Monitoring	& Closing	MANAGES.	of the device and	
i nave p	nysically inspected	i the				Lee	&QA Departme	*****
WORK SIG	300 varified the		i declare that the a	DOVE task / ac	tivity nas	HSEADA OF	servatious durin	nt :
operation	nal controls are in	DIECE.	been carried out in	compliance v	vith the	monitoring (I	servations quill	9
			1 . 7 1 4 4	erus mennana		, , , , , , , , , , , , , , , , , , ,	ATY).	
	1.1.		I ING CASK / perhituit is	• • • • • • • • • • • • • • • • • • • •				
						. No. 103. N	9.232	
			Any incident happe	ned dudent				Sheet Come
·		, .			ecution:	This work		: ' :
Name	! Sign & Stamp	Date	Yes 🗆	No 🗆		ciose. 1	mit is now consi	dered
	-		Name Sign	& stamp	Date			
	1 1	<u>;</u>		-1-		Name	Sign & stamp	Date
	1	ا. ' .ا			۱ ا	1. 1. 1.4	Pro 18	
	بقيمانيا فرادا بمقملة		7	والمعادية والمستوارية	and the state of	renggyali k	· Arter in the	
					, ;			





IMS FORM

SSGC-IMS/CRM-F-04

Joh Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executii	ig Department					
Job/Acti		Activity De	tailes	Zone		Date
1		. iounity De	idis.			
Location				TAN STATE		
Locator		7 37				
PPE Re	quired:	. 45 May 167 1	Continuative timber	and the Bassile St.	ır Plug □ Ear Mur	
III Hard	Hat □ Safety SI	noes 🗆 Cov	er all 🗆 Reflectiv	/e Jackets □ Ea	u Plug III Ear Mar	F- 57 B
				larness 🛭 Safet	ır Plug □ Ear Mui y Goggles □ Han	d Gloves.
I WILL STOR	Ullional Anarsti		1. 110			
	=xanguihser □ A	Imbulance [Dis (if required) ☐ Barrication ☐	Other:		
S.No	Steps of field		A CONTRACTOR OF THE PROPERTY OF THE PROPERTY OF	Hazards		
2.3	••••				Col	ntrois :
13° - 1	A					200
લ કે					.::	4.86
di.					1.	
. 47	<u> </u>					
			10 10 10 10 10 10 10	-	- 95. 174-174-174-174	de la lace
		•	441 742 4			
	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	a dilikan	SAN AND AND AND AND AND AND AND AND AND A	Alari Salahan	E 15.88555 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	5.5	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	140 at raise			
			1 1 2 2 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	The state of the s		•
			900000			
				<u></u>		
1 hom	Activity Incha	rge / Super	rvisor	Head	of Executing Der	
mentio	ned spove will that	ali operat	ional controls, ented at each	I THE STATE OF THE	TEAM to conduct i	A
} ~~~ P ~.	P14 IOD. 11(6) 183		** =	is adequately r	esourced to execu	ne job. The team the the job safely.
1 1	the equipment operate.	IUADIAG IU	this activity are			
00.0 0	me &		Com Self Garage			
Desig	nation Sign	& Stamp	Date	Name & Designation	Sign & Stamp	D-1-
	.				i -an a grauth	Date
	<u>. : • [</u>				F_{ij}	
•	•			<u> </u>	<u>i , , , , , , , , , , , , , , , , , , ,</u>	

MR



SSQC HSE&QA Department

IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

-ssue Date: July, 2021

14	IOC No:
1.	Section A: Description of proposed change and potential hazards
1.	MOC O
1:	MOC Owner Expected Duration of Location of Work:
1.	expected Duration of
	Work
1:	
1 2	☐ Pipeline construction ☐ Physical structure
Į	☐ Permanent ☐ Pipeline construction ☐ Physical structure/building ☐ New or modification in Physical structure/building ☐ New or modification in equipment.
łã	☐ Temporary ☐ Substance ☐ New or modification in equipment/machine ☐ Mew or modification in equipment/machine ☐ Mey or modification ☐ Mey or modification ☐ Mey or modification ☐ Mey or modificatio
ľű	☐ Permanent process/procedure ☐ New or modification in ☐ Temporary ☐ Substance ☐ Other.
To be filled by NOC Owner	Detail of MOC/Scope of MOC: (Summarize the pass for the proposed change and any potential health, safety and environment impacts resulting from the proposed change.)
1 2	Detail of MOC/Scope of MOC; (Summarize the cools
مَ إ	safety and environment impacts resulting from the proposed change and any potential health.
모	nom the proposed change,
1 ≅	The control of the co
-	
12	
₽	才是这些人的,我们们就会被发展了这些有效的问题。我们就是这些人的对象,这个人的对象的,也是不是一个。
1	10、她就看到我的简单,这一点的我们就是这个事情的。"她就想到了 他的 看着她的人的人的人,就是这样的一个女孩看着这个人。
	The proposed of
	The proposed change is now submitted to Area Authority for evaluation.
,	Name & Designation Sign & Stamp Date
-11	Dafa Dafa
	17、1:17、17、17、17、17、17、17、17、17、17、17、17、17、1
=	
	Section B: Evaluation of the 1
٠.	Section B: Evaluation of the impact(s) related to the change Evaluation Criteria Does the proposed change meet all applicable legal or buner (1998). Lives Live Comments
. <u>ح</u>	Does the proposed change man all applicable legal or bring 1 1/25 LNo 1 Comments
<u>=</u>	TO THE DIGITIES OF THE PARTY OF
اغ	recullements?
3	. All modifications in the annual control of the co
7	Manaceable and Safe?
filled by Area Authority	DUCES THE Change should be a control of the control
۲	Does the change will be changed in SSGC HSE Procedures
3	Does the change will affect the use of Emergency response equipment of the location Does the change requires any specialized training
및	Supplies to the location
Ĕ. }	Does the change requires any specialized training for SSGC staff Note: in case of "VES" over
2	Note: in case of "YES" class
ėl	The proposed charge is now sub- Las piease provide details on a separate sheet
2	Note: in case of "YES" please provide details on a separate sheet Name & Designation
Ħ	
. 1	Sign & Stamp Charles Date
	The state of the s
. T	
æ -	Section C : Authorization for change to proceed
ġ [Following proposed controls should be implemented while execution of the lob. Potential hazard/risk Risk level Proposed control
温厂	Potential hazard/risk Risk level Proposed control Responsibility Timeline
<u> </u>	Proposed control
シト	Timeline
2 1-	1 ITTeline
illed by HSE&QA	The state of the s
∄ L	
8 · [Name& Designation Sign 8 St.
	Name Designation Sign & Stamp
2	Date
['-	the state of the s
-	表表现一个 一个一点,一个人就是"你就是一个人,你没有 你,要这是一个是你的人就是我们的人,这一个一
• :	



IMS Form

SSGC-IMS/CRM-F-06

HSE&QA Department

Context of the Organization

Revision 00

Issue Date: July, 2021

LIST OF INTERESTED PARTIES

External Interested Parties	Needs & Expectation
Board Of Directors	Profitability, good financial and legal compliance, avoidance of fine and penalty
	Protect shareholders interest.
	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	Follow best practices of corporate governance.
	Ensure committee meetings are held as per plant.
	Financial benefits of the organization.
	Avoidance of any fines / penalties.
	Reputation enhancement.
	Corporate Social Responsibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to achieve quality goals.
	Achievement of safe and healthy conditions in organization.
	Commitment to quality, safety and health.
	Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

31



	IMS	-Orm	MS PROCEDI
SSGC HSE&QA Department	Context of the	Organization	- Revision 00
	• Ens	Ure that policy and related	Issue Date: July, 2021 objectives are
	• Dev orga	imunicate clear roles to er elop, lead and promote cu inization	lture in the
		t organizational goals by a personnel. Onstrate leadership at all in Iganization.	7
	• Effec emer	tive management of hazar gency, and injury	ds. risks, in cident,
		ers engage and participation of the participation o	Droductivites
	conditi	We controls on quality, headlor accident at workplace ons for all employees.	safe working
		pp positive quality and hea uously improve quality, san nance with review process	

(ell performed employees.

Better staff retention and morale.

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

Good and safe working conditions.



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

- THE RESERVE OF THE PARTY OF THE Training and development opportunities.
- Sustained reputation and image of company.
- Consultation.
- Communication and participation.
- No accident / injury / ill-health.
- Reward and recognitions.
- Opportunities for dialogue / improvement / changes.
- Timely and fair provision of remuneration coupled with career progression.

Client/Customer

Timely provide high quality services, quick response on any complaint, follow all local laws and QH&S requirements.

- Uninterrupted gas supply.
- Customer facilitation.
- Quick response of queries & complaints.
- Value for money.
- No health and safety issue in product.
- Prompt actions on quality; health and safety issues.
- Minimize the risk of injuries when receiving a services.
- Socially and environmentally responsible.

Suppliers/Contractor

- Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
- Fair chance of participating in bid opening.
- Communication of hazards present at workplace.
- Timely payment.





IMS Form

SEGC-IMS/CRM-F-06

SSGC HSE&QA Department

Context of the Organization

Revision 00

Issue Date: July, 2021

		The Annual Property of the Control o
		• Transparency.
	Trade Union & Worker	
	Representative	Effective implementation of national & local labor laws with any non-conformance.
•		laws with any non-conformance, good working relationship with management
		I STATE OF THE PROPERTY OF THE
		Conducive and safe environment for work
•		Timely provision of information necessary for workers
-		workers workers for
ŀ		No foot as de
L		No fear of dismissal or disciplinary action while reporting near miss / accident.
		s deal miss / accident.

. 1		o transfer and the second of the contract of the second of
	External Interested	
	Parties	Needs & Expectation
	Media & NGOs	• :Media managément
		Patient and positive attitude.
		* Effects
:	Visitors 30 5 3 5 7 February 100 100	• Effective communication,
		Safe entry and exit during stay at SSGC.
		Communication of pertinent information.
1		Emergency response.
		** 1 155344558
1	The state of the s	Briefing necessary safety rules.
1		• Necessary PPE available.
		• Site access controls.
.		
E	mergency Services	
(F	ire/Medical etc)	Good Risk management.
-		Emergency procedure in place and drilled.
		Regulatory compliance.
. · · ·		A Paris A Paris III A Paris II A Par

SSGC	
HSE&QA	
Department	ŀ

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00


Issue Date: July, 2021

The state of the s	The state only, 2021
	Regular drills for flooding, spillage, site excavation and first aid etc:
Themes 7	Availability of adequate resources.
Utility Providers (Power/water/fuel, Telecom)	Prompt payment.
	Good Management.
Academic Institutes	 Effective learning programs for employees.
	 Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
Insurance Communication	Learning from SSGC.
Insurance Companies	No claims, risk management, prompt payment.
Banks	• Financial performance, cash flow.
Neighborhood/Community/ Society	Safe working conditions.
	Environment friendly operations.
	Contribute positivel to local environment and populations.
	No complaint relating to noise, pollution, waste and employment.
Share Holders	Minimize risk and losses.
	 Increase market capitalization.
	Return on investment.
	• Transparency.
	Rights are protected.
Ead	Good dividend.
Federal and local law enforcement agencies	 Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

MR

35



. <i>-</i>		
	Third party auditors- Finance	• Smooth data collection
		Better financial performance
		• Effective communication
		• On time response on queries
•	Cartification	No fraud or illegal acts detection.
	Certification bodies	• Effective implementation as too
•	The state of the s	Effective Implementation of ISO standards with all relevant clauses in the organization
•	Creditor/Financial	• Repaid on time, good financial performance
į	Government/Regulators	
į	(Local/Regional/Provincial)	• Identified applicable statutory and regulatory
	National/International)	lequirements for Quality and health & safety.
Ì	A STATE OF THE STA	A Safety.
		Prompt responses in case of any non-conformance.
	A STATE OF THE STA	Proper investigation on uncontrollable.
Ţ		Total Manager of the Control of the
1		• Implementation of safe policy in the field of
1		occupational safety
1.		• Fulfill the requirement
١.		Fulfill the requirements of all applicable laws, rules, regulation, orders, guidelines, interestings.
		regulation, orders, guidelines, interpretations and
ŀ.		
L		
	CONTRACTOR CONTRACTOR	William San Committee Committee

NP

SSGC SVIOI Analysis SSGC-IMS/CRM-F-07

Revision 00

Revision 00

Resistant Date: July, 2021

POSITIVE	
STDENISTUE	
STRENGTHS	WEAKNESSES
Having vast experience of Transmission and	
Distribution of Natural gas.	Complex distribution network leading to
Infrastructure available in two provinces.	or G.
The state of two provinces.	Substantial resources required for up.
Links	gradation.
Highly competent human resource.	Lack of succession planning.
Certified to international standards.	<u>.</u>
international standards.	Takes extra time to implement all
	requirements because of big size of the
Cally N. C.	organization.
Sole Meter manufacturing plant in Pakistan.	High price.
Serving the nation since decades.	
	Government new rules implementation.
Positive image of the company is already	
established in the Society.	Resource transfers.
A STATE OF THE PROPERTY OF THE PARTY OF THE	
A real of the control	the angle of the state of the state of the state of
1	
OPPORTUNITIES	
Monopolistic market.	THREATS
	Depleting natural gas.
Over 2.8 million customers.	
Substitution of the substi	Customers may turn to renewable energy
Import of LNG.	sources.
	High cost.
Huge infrastructure of Transmission and	
Distribution to connect new customers.	Gas theft and leakages resulting in huge
Deduction to be interest new customers.	loses.
Reduction in the lead time to facilitate	Change in C
complainant.	Change in Government policies.
Advancement and use of latest technology to	1
control the system will create more	Criminals threats on security.
effectiveness.	l country.
	The state of the s

Integrated Management System

MR

37



TPURPOSE

The purpose of this document is to define a mechanism of Incident and near miss reporting investigation & propose corrective/preventive. actions against near miss, incidents and accidents

Anythina go wrong, will go Wrong!

2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of

3. DEFINITION

a. Incident: Work-related event(s) in which an injury or ill health or property damage (regardless of severity) or fatality occurred, or could have occurred.

b. Accident An incident in which an injury or illness or property damage actually occurs;

Near Miss: A Near Miss is an unplanned event that did not result in an injury or property damage, but had the potential to do so.

d. CPR: Cardiopulmonary resuscitation


Emergency: An emergency is a situation that poses an immediate risk to health, life, property, or environment.



rieu mini

Incident

INCIDENT / ACCIDENT LOSSES





को १८६ मार्जिन पुर्ताप की क्या **राज्ये हैं छ**

4. PROCEDURE

4.1. Incident Classification Table

a. No	Incident Type	i Classification	Actions to be taken,	in a Cl. graphics	ilitiin l
	Major fire,		to be taken,	Responsibilities	Record
'	• Major gas		I IIIUIIII respective .		vecord
		1.00	departmental headin	,3	
	leakage		charge and immediately	•	
	 Explosion 	ļ ,	call iccal rescue	Anyone who has	. •
٠		į	damenta lescue	Witnessed of received	•
•	 Bomb blast 		departments, such as Pire	initial information	
	 Vehicular 	\ .	I Digage, Bamh Dispose	" " " I I I I I I I I I I I I I I I I I	
	accident		J PUURO ETC. Thus	about the incident	
	 Significant 		whichever is necessary.		
	asset /	\ \ \ \ \ \	Ticcessary.		
•		1	1	Security department	<u> </u>
•	human loss			in case with a battinetif	
•	due to any		Follow the Emergency	in case within SSGC	
	untoward	ļ · ·	Response Procedure.	premises, Site/Zonal	.SSGC-
	situation		Louis Louis dule	Mot team leader to	IMS/ER
70	including	1	1	Case it is outside the	P-04
. ' "	natural		Provide W. L.	SSGC premises.	
	disaster.		Provide Help/Support to	Only trained persons	
	uisaster.	1.	uie victims such as E:	in case -t car-	
1	damage or		AND OF CPR if needed.	in case of CPR/First	٠.
	theft of asset		Report the incident unless	Aid is needed.	•
	Property		incident notification form		
	having an	1	Via web potter	·	000-
	estimated	1	via web portal to in-charge	70001 USS -	SSGC-
	amount of		i ''YEXWA Immadialak i	Zonal HSE Team	IMS/IAM
'a'	more than	l	WILLIED AGE NOTIFED AND	leader.	-F-01
,	more man		occurrence of incident.		
1.	Rs. 30,000	Major	HSE&OA WIII	*	
1250	 Injury/illness 		HSE&QA will complete the		· "
· · · · · · · · · · · · · · · · · · ·	: serious				•
· · · · · · · · · · · · · · · · · · ·	enough to		WED DOME! Within Beyon		SSGC_
**	result in two		WORKING Clave after	HSE&QA	IMS/IAM
. • • • • • • • • • • • • • • • • • • •	off workdays.	1	iecelving incident	I ISEQUA .	-F-02
	ivionence.		notification form		
٠ ١	•		Additional days may also		
'			pe teories days may also	· .	•
<u> </u>			be required depending upon		
			the criticality of investigation		
· * * *		1			•
.		Γ	HSE&QA will share the		
.		<u>[.</u> ,	report with all	1. •	
· !	•	l minimized	report with all concerned		
· 1	•			HSE&QA	
	• •	1	preventive actions.		•
. '		1		·	•
. !		·	HCCss		
		·	HSE&QA will maintain		
			HSE&QA will maintain Incident data base using		
			online web notal and will		
			online web notal and will		
			online web portal and will share the information	HSE&OA	
			online web portal and will share the information with all concerned to avoid	HSE&QA	
			online web notal and will	HSE&QA	
			online web portal and will share the information with all concerned to avoid		
			online web portal and will share the information with all concerned to avoid reoccurrence.	Zonal HSE Team	
			online web portal and will share the information with all concerned to avoid reoccurrence.	Zonal HSE Team	
			online web portal and will share the information with all concerned to avoid reoccurrence.	Zonal HSE Team Leader and anyons	
			online web portal and will share the information with all concerned to avoid reoccurrence. Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in	
			online web portal and will share the information with all concerned to avoid reoccurrence. Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in	
			online web portal and will share the information with all concerned to avoid reoccurrence. Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyons	
			Incident data base using online web portal and will share the information with all concerned to avoid reoccurrence. Implement Corrective / Preventive action. Follow-up to verify the implementation of	Zonal HSE Team Leader and anyone who is identified in	
			Incident data base using online web portal and will share the information with all concerned to avoid reoccurrence. Implement Corrective / Preventive acrion. Follow-up to verify the implementation of recommended	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
			Incident data base using online web portal and will share the information with all concerned to avoid reoccurrence. Implement Corrective / Preventive action. Follow-up to verify the implementation of	Zonal HSE Team Leader and anyone who is identified in	


4/12



- 4					. :
"S. NO"	Incident Type	Classification			
named and	THE STATE OF THE S	Section 1	In case of gas loss,	Responsibilities	Record
			Transmission/distribution		
		<u>o</u>	department will august.		
10	14.44 TO 11.45		i ine amount of ose less		l:.
			and shares the same with	Transmission/	' .
			CONCEMED DEDSHIPS	Distribution	
10.11	· But his thinks		along with investigation report.		
.75	 Minor injuries 		incport.		٠.
	where only		Inform respective	Anyone who has	<u> </u>
3 3 3 A	basic first Aid or less than		departmental head / in-	Witnessed or received	
	two off days		charge.	the initial information	
	Provided to		Report the incident using	about the incident	
	the victim.	对条件的。广州	incident notification form		
30	Minor	P	Via web portal to in-charge	Zonal HSE Team	SSGC-
	Vehicular		HSE&QA within twenty four hours of the	leader	IMS/IAM
:3 <i>(</i>)	accidents		occurrence of the incident.		
i Kilisti	where there	N. 7 34.7 4		186 6	
3.5	significant		HSE&QA will share the		
\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	injury or loss.		information with all		
學或十二			concerned to avoid	HSE&QA	
****		字: [1] [1] [1]	reoccurrence.		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Andrew of the profession as a series	Rennetshall	many damped and and the state of the state o	
	Any Near		Report the Near Miss using online Near Miss	to Marine	
	. Misa		Notification Form via web		
統判的	Occurred /		Ponal. Enter details as	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	SSGC-
	Observed.		mentioned on the form	All Employees	IMS/IAM
77.7	THE STATE OF THE S	TOTAL PROPERTY.	anach evidence (if anvi		-F-03
78.80	Water Committee	3	and submit.		' , ·

4.2. Incident Reporting:


- a. Incident that resulted in personnel injury, spill, fire, asset damage etc. will be considered as accidents and will be reported through online Incident Management System within 24 hours after the accident,
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal,
- All HSE Zonal Team Leaders are responsible to immediately report any incident took
- d. All Employees are responsible to immediately report any Near Miss occurred / observed




4.3.—Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors : The warmen of the section of th

- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual . occurrence of the incident.
- c. Lack of supporting information.



- a. Determination of root cause using any suitable method like tripod analysis etc.
- b. Investigation will be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- When indicated by the severity of the incident, steps to secure the incident site must be initiated immediately to ensure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be conducted with each person present at the time of the incident. The following rules are followed for interviews with all individuals:
 - 1. The witnesses should be interviewed promptly, separately and privately:
 - 2: The interviewer should avoid questions that give a yes or no answer.
 - 3. After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:
 - 1. The investigator or investigating team must focus on getting accurate and complete
 - 2. Facts must be separated from opinions, and direct evidence from circumstantial evidence.
 - 3. Each concern identified in the Investigation must be fully addressed.
- Upon completion of the investigation, the team will fill and submit the Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background Information, Root Cause Analysis, Conclusion and Recommended Corrective / Preventive Actions.
- In all cases, the Incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the conective/preventive actions assigned to concerned department/personnel, to be completed within agreed
- it is responsibility of the ZonaLHSE Team Leader to:



11、14、14年後期間



- 1. Provide leadership role in implementation of corrective/preventive actions within the
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the
- 3. Maintain tecord of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be updated including controls, risk level, likelihood etc.

4.5. Data Analysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measures / actions implemented.

5. DOCUMENTED INFORMATION

	100100000000000000000000000000000000000			
	Record No.	Record Name	Maintained by	Retention
	SSGC-IMS/IAM-F-01	Incident Notification Form	In-charge HSE&QA/	Period 3
	SSGC-IMS/IAM-F-02	Incident investigation Form	Zonal HSE Team Leader In-charge HSE&QA/	
	TANK MANAGEMENT STORY	Near Miss Notification Form	Zonal HSE Team Leader In-charge HSE&QA/	5 Years
Ļ		was Notification Form	Zonal HSE Team Leader	3 Years

MR



	•
;	_SSGO -
	HSE&QA
	Department

IMS FORM

SSGC-IMS/IAM-F-01

licident Maniazion Form

Revision 01

Issue Date: Aug. 2021

Date:		Time:				· ·
Reported by:					Report No.	•
Location:	• .					. : ··
SSGC Premi	ses		Nutrius DO	~		• • • •
Location Det		- -	Outside SS(3C Premise	es L.	
Responsible			·	· ·		
	2011		 2	Conal HSE	Team Leader	•
						•
Particulars Sensi No.	OI AITECTED	Person(s): 2	[Details of Affected A	sset (If any)
Name(s)			<u> </u>	3		
Employee ID				<u> </u>	•	•
Designation	· · ·				:	·
	1 - 3		<u>l</u>			
1	Permanent	•				
Type of.	Contractual			,		
Employment	Connector					
	Visitor		<u> </u>			
	Other -		 	1 1, 11, 1, 1		
Age .	.,		 	<u> </u>	•	
(Note: For furne	r deteils addillo	nel page mey	Distribution of the second	<u> </u>		•
Incident Ty	pe:	- 1	ue useu)		1	• :
		Vehicular Ad	- -cident∏ ∠	raat Dome.	39 Work Related inj	
Theft Se	ibotage 🔲	Natural Disa	ister	Gas Leekson		ury .
incident Co	usedneuce	eş:			e Other:	
Fatality SSG	C Host	· oitalization F	T. According		First Ald Other	
Othe	r · · · ·		Laser Di	emage[]	First Ald Other	
Major 🗌	Minor [•	• •	
Incident De	19111101	Near M	liss 🔲			
	taui,		<u> </u>		*.	∸
1.	••	1	•			•
	:			· · .		
			•			•
•					·	

the



SSGC-IMS/IAM-F-02

incident investigation form

Issue Date: Aug. 2021

一个一个大大,在一个大大,我们就是这个人的人的现在分词,我们的人,我们就是这个人的人,我们就会没有一个人的人,我们就会不是一个人的人,我们就是一个人的人,我们就		e Date:
Incident Notification Form Ref. No.	NAME OF THE OWNER OWNER OF THE OWNER	•
Inches P	Incident Detail (Brisi)	<u> </u>
THE STATE OF THE S		
The state of the s		
BACKGROUND INFORMATION:		
MPORMATION:		
Market Salar Market State Stat		
ROOT CAUSE ANALYSIS:		
Might be the first of the control of		
医三维氏病 阿拉拉拉拉 医皮肤病 医牙术		
CONCLUSION.		
CONCLUSION:		111
the same of the sa	nga di sang mengangangan di sang mengangan di nanggan di nanggan di sanggan di nanggan di sanggan di sanggan d	18-mars 1-4, 75-7
的现在分词 医乳腺 医毛病 医抗性病病 的复数人名英格兰		
RECOMMENDO	in the first of th	all he was ever
RECOMMENDATION OF CORRECTIVE AND	PREVENTIVE ACTOR	di hi pikate ki
RECOMMENDATION OF CORRECTIVE AND	PREVENTIVE ACTIONS	and profession
RECOMMENDATION OF CORRECTIVE AND		Action sitt
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	PREVENTIVE ACTIONS Action by (whom)	Action till
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	Action till (data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	Action till (data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	Action till (data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	Action till (data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	Action tili (data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	(data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	(data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	(data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	(data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions Recommended Actio	Action by (whom)	(data)
RECOMMENDATION OF CORRECTIVE AND Recommended Actions	Action by (whom)	(data)

20.

SSGC HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F=03

Near Miss Notification

Revision on

Issue Date: Aug. 2019

ategory/Type:	☐ Unsafe Act ☐ Unsafe Condition
lames	- The state of the
xecutive / Employee No.:	
esignation	
eparunen:	
ocation / Area:	
lear Miss Detail:	
ore:	19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
lines	A right
ocation:	
lear Miss Related To:	Leakage Equipment Slip / Trip Chemical Fatting Harard Ethiologicist Fire Transport Bectrical Soft Physical Other
Brief description of what rou saw! (max. 198 words):	
Attach Picture:	Choose File No file chosen

N

PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which company operations and for developing emergency preparegness and responsements to mitigate and m risks ansing from such situations of events. The Frocedure defines


requirements for business continuity planning post emergency situations to-

Purpose of the procedure is to

Formulate plan, responsibilities and actions to be taken to handle any emergency situation.

Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.

Define mechanism and frequency to test plan so as to ensure preparedness and effectiveness of emergency response system.





SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency site. Due to variations in nature of operations, various departments/sections have developed their own ER Plans catering for their strategic, operational and physical requirements. The same includes HSE emergencies arising from company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations, major environmental damage, external terror or bomb threats, public unrest,

DEFINITIONS.

- Enlergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines, vital installations and other assets.
- Rescue: It refers to responsive operations that usually involve the saving of life or prevention of injury during an incident of dangerous situation.

 Emergency Response Organization (ERO): It is a group of people, in each section (such as HO.
- Headquarters etc.), who prepare for and respond to any emergency incident, such as a hatural disaster or an interruption of business operations.
- Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency
- First Aid: It is the provision of initial care for an illness or injury. It is usually performed by non-expert, but trained personnel to a sick or injured person until definitive medical treatment can be accessed.
- Assembly Areas: If an evacuation to the outside is appropriate, the nominated assembly areas for personnel shall be far enough away from the building, structure or workplace to ensure that, where practicable; everyone is protected from falling glass and other objects.
- Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from

RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under Rush to the area of incident without any delay.

- Immediately assess the situation and initiate the remedial actions.
- Call the fire brigade & other emergency services like ambulances if required.
- Ask/inform all personnel present within premises, using megaphone or any other means, for complete
- evacuation if situation goes out of control.

 Inform all to go back to their work places using megaphone or any other suitable means when the situation



PROCEDURE.

The HSE&QA in-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are table to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are its ted below: Sequence of actions for any response specified on each section's ER plan may change depending

Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the

- Heavy Spillage of Toxic/flammable chemicals or leakage of gas
- Earth quake
- Bomb threat
- Building & office lockdown/shelter in place
- Active shooter/hostage situation

6.1. Fire & Explosion

In case of fire & explosion each personnel present within the premises must act as per but not limited to the following instructions:

- Give voice alam-FIRE in case of fire for all immediate employees in the area.
- Push the nearest located call point button in case of fire (if present).
- Immediately inform Emergency Response Organization through phone
- Try to control the fire by using fire extinguishers. Use fire extinguisher
- Remove all explosive, inflammable and poisonous materials away to
- Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable.
- Report to the designated Assembly Point away from the scene of fire / explosion if asked by Emergency Response Organization through emergency exits and wait for the further instructions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage of gas

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within Immediately inform Emergency Response Organization through phone or in person.

- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas.
- c. Turn off gas supply from nearest control valve.
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be taken to ventilate the gas. Ensure the availability of fire extinguishers. . Stop leaks if this can be done without having any risk.
- Do not touch or walk through spilled material. g.
- Prevent entry into waterways, sewers or confined space.
- If available wear the Personal Protective Equipment recommended.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions

Integrated Management System





nakanakan kalenda bishtari (Tinga) kalenda kanakan

6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises the situation gets worst outside. In case of water entering in department office each person must act as per but not limited to the following instructions: Try to stop water by keeping sand bags.

- Protect building, machines, equipment, tools, parts & material.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas

- Ensure no material is placed outside in open area which may be affected by rain.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board, etc. be accessible in case of any emergency.
- Sufficient quantity of tarpaulin and rain suit is available to meet the rainy condition.
- All pumps used for draining out the rainy water are in running condition.
- Sufficient quantity of sand bags is available to stop entering the water inside, which may be placed in

	CLASSES OF FIL	4E
Class Material	Examples	Type of Fire Extinguisher to b
A Solids	Paper, Wood plastiq etc.	• Water
B Flammable Liquids C Flammable Gases	Paraffin, petrol, oil, etc.	CO2 Dry Powder
D Metals	Propane, butane, methane, etc. Aluminum, magnesium, titanium,	• Dry powder
Electrical Apparatus	Short-circuiting over load-d	Sodium chloride based dry powder fire extinguisher
Cooking Oil & Fat	Ciectical Cables, etc.	CO2 Fire Extinguisher
	Animal fat, etc.	 Dry chemical based: Potassium bicarbonate Wet: Fine chemical mist

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately Inform Emergency Response Organization through phone or in person.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) Maintain your senses, do not let them disperse.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. Wait for further instructions from Emergency Response Organization.
- ERO should keep in rouch with the metrological department? media for aftershocks and future forecasts:

- The Romb Disposal Department shall be allowed to operate in the company premises as deemed
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by 6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following Ь.

- Immediately inform Emergency Response Organization through phone or in person. Maintain your senses, do not let them disperse. C.
- Report to the designated Assembly Point if asked by Emergency Response Organization through emergency d. e.
- Bomb Disposal Department shall be called by Emergency Response Organization.
- The Bornis Disposal Department shall be allowed to operate in the company premises as deemed appropriate. On getting dearance from Bomb Disposal Department normal routine shall be adopted as advised by

6.6. Building or Office Lockdown/shelter-in-place

If a situation calls for building or office lockdown, the personnel present within premises should act as per but not limited to following instructions:

- Remain caim and stay with your colleagues.
- Try to stay in pairs.
- Do not leave the room and/or building under a lockdown situation
- Keep quiet and away from doors and windows.
- If a gunshot is heard, lay down on the floor and shield under/behind

Take care:

Don't try to be a nero in emergency situations: do not place your own life or health or that of others in danger

Bergprepared for the unexpected! ·

6.7, Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel present within the premises must act as per but not limited to If it is safe to do so, exit the building; if not, lock or barricade yourself inside a room.

- Turn off lights, cover and lock the windows, and lay on the floor.
- if the shooters) leave the area, go to a safer place, if possible. Have an escape route/plan in mind, keep your hands open and visible, and follow any instructions given by law enforcement.
- Call the Police/Rangers when it is safe to do so. Remain calm, use a quiet voice, and provide as much information as possible (your name and location, details about the shooter(s) - appearance, weapons. etc.). If you can't speak, leave the line open so the responding authority can listen and by to pinpoint the location.
- Cooperate and negotiate with the shooter, in order to buy as much time as possible until the rescue team 7.

EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken

- Ambuiance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you.
- b. ... Leave the building/premises immediately, do not try to investigate the source of the energency Walk, don't run, to the nearest exit.
- Use stairs; not elevators.
- Assist people with special needs, ...
- As you make your way out, encourage those you encounter to exit as well.

THINGS TO BE EVACUATED

in case of emergency, evacuation should be carried in the following order. 医双类性病 原页

9.1. Personnel

Those personnel who do not have sound health such as patients of Heart, Asthma and physically/mentally disabled people are to be evacuated on priority basis: 9.2. Raw Material Property Co.

Raw material which is explosive, inflammable and poisonous must be removed Similarly, important lightweight items that are easy to carry must also be removed. 9.3. Documents

Important records and files must also be removed.

9.4. Equipment

Cash Lockers, Computer Sets, External Hard-drives. Expensive Tools and Fixtures must also be removed

10. TESTING AND EXERCISES

Testing and exercise of the emergency response plan should be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible to periodically conduct the exercise. frequency and type of drill at each location should be as below:

Location	Type of Emergency Drill	Frequency
a. Head Office; b. Regional Offices c. Billing Offices d. P&C Offices e. Store (all locations) f. KT (Transmission) g. Distribution (Zonal	Evacuation and Mock Emergency Drill (all employees) Fire Fighting Drill by Emergency Response Team	Six Monthly Six Monthly

	-			
TV.			-	
	324.74	化复数点		
				~~.
				_

Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
	Fire Fighting Drill by Emergency Response ,	Quarterly
Headquarter Stations	Evacuation and Emergency Mock Drill (all	Six Monthly
	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSE team leaders ensure that emergency detection and response equipment are identified, available and properly maintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of ER Equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC-IMS/ERP-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with in-charge HSE&QA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular location/operation/equipment/installation etc. The response equipment usually include but are not limited to:

- Fire hydrant/hose/bucket/water pump.
- Smoke/gas detectors.
- Communication equipment, (Mega phones, Alarm systems, walkie-talkie etc.
- ER vehicles/Ambulance.
- Breathing apparatus.
- Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as pertable given below. However, it situation warrants, this frequency can be changed on the instructions of In-charge HSE&QA or Zonal HSE team leader.

• • •	Location			A or Zonal HSE team lea
. a.	Head Quarter Stations			Frequency
·. D.	Meter Manufacturing Plant			
C.	K. I (Fransmission)	•		Monthly
a.	Head Office		•	wioritality
. b.	Regional Offices			
C.	Billing Offices			
ď.	P&C Offices			
٠e.	Store (altiocations)			Quarterly
f.	Distribution (Zonal and Sub-zonal of		1	

12. DOCUMENTED INFORMATION:

		•	:
Record No	Record Name	Maintained by	Retention
SSGC-IMS/ERP-F-01	Emergency Drill Form	-	Period.
SSGC-IMS/ERP-F-02	inspection and Monitoring of	HSE&QA Department	3 Years
Intoquet	ER Equipment Form	HSE&QA Department	3 Years

SSGC ... HSE&QA Department

IMS FORM

SSGC-IMS/ERP-F-01

Emergency Prill Form

Revision 01

Issue Date: Aug. 2021

	Region		Location		
- i = i -	e Of Emergency Drill			Date	
	e and Explosion of Heavy spillage of toxic	/flammable	Chamical 1		
<u>п.во</u>	re and Explosion of Heavy spillage of toxicomb Threat of Other:	14534	Chemicals II Mea	vy gas leakage 🖂 E	arthquake.
		Observa			
S.No	Description.	I. Time		A	
!	Emergency Siren rano at	time	AN 11.11.11	Comments	
.2	Evacuation started at	+			
3	Last person reached at the assembly				
4.,	Firefighting/Bomb disposal squad/other interested party reached at site.				
5	i Citeraency (Inder control -t	-	1		
otai	ume of Drill (minutes):	100 00 00			
idditi	longi Observations (if any):				
	Sports which the private was the first of the sports	A			
W.					
W					
No	British and the control of the contr	ssessmer			
ا ٢	Lancing (esponders were present at	ssessmer	it .		Yes. No
2	Employee were properly instructed	ne site			Yes. No
3 . [benavior of employees was satisfaction	· · · · ·			
4 /	Evacuation route was satisfactory				
5 .	SSGC firefighters were well trained				
6 1	Firefighting equipment were up to the mar				-1.
-					
<i>i</i> .	Response of the madical Auto in the mai	rk , ,		<u></u>	
<u>. </u>	Tresports of the medical staff was nettern	ctory.			
veral	Response of the medical staff was satisfa	ctory.	Costus	•	
veral	Response of the medical staff was satisfa	ctory.	Satisfa	ctory □ Uπsati	sfactory []
veral No	Response of the medical staff was satisfa	ctory.	Satisfa Julired	ctory Unsati	7-1-1
veral No	I Assessment Corrective Actions/Improve	ctory.	Satisfa Juired	The state of the s	sfactory []
veral No	I Assessment Corrective Actions/Improve	ctory.	Satisfa Julired	The state of the s	7-1-1
veral No	I Assessment Corrective Actions/Improve	ctory.	Satisfa Julired	The state of the s	7-1-1
veral No	Il Assessment Corrective Actions/Improve	ctory.	Satisfa pulred	The state of the s	7-1-1
veral No	Corrective Actions/Improve Corrective Actions/Improve Security Services Representative	ctory.	uired	Responsibility	Target Date
veral No	Corrective Actions/Improve	ctory.	Juired HSE&	Responsibility	Target Date
veral No	Corrective Actions/Improve Corrective Actions/Improve Security Services Representative	ctory.	uired	Responsibility CA Representative	Target Date
<u>. </u>	Corrective Actions/Improve	ctory.	Juired HSE&	Responsibility	Target Date

M






IMS FORM

SSGC-IMS/ERP-F-02

inspection and Monitoring of EP Equipment Form

Zone	Region			3.77	e - 17 (e)		Date:	2
Туре	Of Equipment		Location	-				
□ Fire	Of Equipment Extinguisher D Fire H Dulance D First Aid Box	enlain i a a a				Date		
□ Ami	Culance II First Aid Do	Aduma ster Anuble	uckets/Hose or c		_ ,	7 - 4.		
	·	Communication E	auioment o ou	omoke/	Gas Dete	ctor C Emer		
No			CHECKLIST	er:	· :	711018	leuch light	t :
	xtinguisher	What to check	2112011121	. ,				
01	Fire extinguished			Yes	No			
1	Fire extinguishers are expired.	in operable condition	and not			Con	ments	
02	Pipe and nozzie do no		and not	1				· ·
03	Lever and lever a	i have cracks.		ļ			•	
04	Lever and lever pin are	in place and locked		<u> </u>				·
ire Hu	All extinguíshers are cl drant/Hose/Bucket	early visible and acco				,	<u> </u>	
01 1	No legion	200	asiDie.				<u>·</u>	
02	No leakage in fire hydr	ant system.			·			
	''' G				Ţ :			
03.	Hose pipe is rolled and attached at the end:	properly placed and c	perational.					,
							liger .	
04.	rice buckets are mainte	ined and adequately	60-4		.		1,4	<u> </u>
ri Z	VI necessary)required	and the			<u> </u>			
	All necessary)required r	ijeolones are availab	le in First Aid I	<u> </u>				
		ad and		.	. .			
noke/	Gas Detactor	su and valid for use.					•	·]
<u>1 A</u>	Varms and Small	detama		 і				
mer E	guipment (if any)	roper proper	y functioning.	1				
				, , ,	, 	1		
2				<u> </u>	-			
No T				 -	<u> </u>			
- -	0	bservations						─ ;;
					. Dan		The second second second	
		<u>. </u>			1,00	ommendatio	ពន	·].
· _ · -			<u> </u>		•			<u></u>
1						-	•	· 1
-		• . :			-			——
ditional	Comments (If any):		[ر لــــــــــــــــــــــــــــــــــــ
						. :	•	ግ'.
		•	: ·	•	,			
Š	Security Services Rep					٠. ـ .		
Name	& Designation			(1==				.
	SANIERION	Signature	1	HSE	QA Rep	resentative		
			. Name & [)esign;	⊒tion		· .	
					_	L Sign	ature	
<u> </u>	<u> </u>				•			 ·
•								



The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and

MCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- Contractor: is an independent employer/organization who will be responsible to execute jobs
- Supplier: Is an independent employer/organization that is responsible to provide goods or
- Contract coordinator is an executive of SSGC procurement department, who has been delegated/given responsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environmental Quality Standards.
- SEPA: SIndh Environmental Protection Agency.

4. RESPONSIBILITIES

4.1 Suppliers/Contractors and Sub Contractors

- The contractor must take all necessary safety precautions related to the performance of the contract in order to protect the work site, including all personnel and property of the SSGC, the
- b. Suppliers/Contractors are responsible for safety and well-being of their employees.
- The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors who have their own HSE&QA management
- system; shall provide details of the same on request.

 The contractor shall ensure that all personnel are adequately trained to perform the task assigned. Supplier/Contractor shall ensure compliance with SSGC policies, procedures and applicable legal
- The contractor shall adhere to set standards and requirements for environmental protection.

4.2 Confract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA,
- In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&CA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract."

andBook | February 2022



- The contract coordinator should ensure that this procedure is part and parcel of every contract made
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&OA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify
- The contractor/supplier shall educate and adequately train their employees in order to understand
- Supplier shall adhere to technical specifications provided by SSGC to ensure quality of goods
- g. The contractor shall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HSE&QA department to seek guldance and awareness on risk/hazards related to
- h. The contract is liable to understand and implement permit to work (PTW), job safety analysis (JSA)* where required. Please refer to risk assessment and management procedure (SSGC-IMS/CRM-02).
- The contractors are responsible to dispose of any waste generated during their activities in an
- The contractors must ensure that only trained individuals meeting necessary requirements/skills will
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety. concerns, and should be in accordance with SSGC's safety procedures and NEQS and SEPA set standards. Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contract coordinator and HSE&QA department in writing.
- m. The contractors must ensure that the workforce involved must be physically fit and should not carry any contagious disease. SSGC reserves the right to ask for medical examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests.
- For contracts related to providing food services/canteen services, medical reports from accredited labs must be submitted to head of administration services department for entire crew once the contract is awarded and annually for following diseases hepatitis B & C, tuberculosis, and chest
- In case of violations from SSGC safety standards/policies/procedures, actions will be taken topenalize the contractor depending on the severity/recurrence of breaches, as per following matrix:

S. No.	Hitt. Violation	my/recurrence of breaches, as per following matrix:
. 1	Single Minor Non-Compliance	nty/recurrence of breaches, as per following matrix: Action
2	Multiple Minor No.	verbal warning
3	Single Main N	Manifild
4	Multiple Major Non-Compliance	Written warning / Stop the work on site Written warning / Financial penalization, discontinuation of contract
		discontinuation of contract

Management Syster



ACCESS:

Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.

by All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property: No vehicles shall remain inside the building except for unloading tools or equipment and

A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC properly from the premises.

All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from

Contractor employees must stay in their assigned area(s) at the job site and not visit other areas or make any adjustments to any piece of equipment or device unless authorized to do so by an authorized SSGC representative, Fallure to abide by this work rule will result in immediate dismissal

Each zone maintains secure work areas with limited access at all times. No one is permitted to override any security device for convenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the

Any work not performed during normal business hours must be approved in advance by the SSGC

All contractor employees will go through contractor safety/induction training upon infital work at SSGC and annually thereafter. A copy of authorized (current) personnel for contractors will be updated and

1 Tools and Property

- For any situation in which the Contractors activity may endanger product quality such as: drilling, welding, removing ceiling file or any other job which creates metal fragments, shavings or dirt in exposed product of manufacturing equipment areas, approval must be made through the SSGC representative and conditionally approved by the ZTL or representative before work is to commence. The Contractor must abide by conditions established by the Zonal Team Leader or representative to protect the equipment.
- Soliciting, selling of any merchandise, gambling or distribution of literature for any cause is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the
- Horseplay, throwing any object and scuffling are dangerous and forbidden.
- Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.

Merchan Barathan Barathan Barathan Markan Markan Barathan Barathan

Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard
- Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination or adulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).
- Appropriate PPEs must be worn by all personnel, including dress as appropriate, Contractor is responsible to
- Proper clothling must be wom at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skinabrasions will not be permitted to work in any area that could result in contamination of SSGC personnel.
- The use of tobacce in any form is prohibited at all times except in the designated Smoking areas,
- Chewing gum, candy, storing lunches, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. There will be a designated area for contractors to eat. (Cafeteria)
- In the event that there are open tanks, or exposed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hammering, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chips or other debris may be generated.)
- The use of containers, boxes, cans, jugs etc., for holding or storing parts, lubricants, solvents or
- The contractor is responsible to notify the SSGC representative immediately if foreign material used or generated by the contractor's activity, was accidentally spill into the zone area/ SSGC premises.
- Contractor will follow 'Spill Response Procedure' of SSGC in case of any spill occurred.

CONTRACTOR SAFETY REQUIREMENTS

General Safety Rules

- All applicable Occupational Safety and Environmental regulations must be followed.
- Contractors shall supply to their personnel and to the SSGC representative emergency contact SSGC. phone numbers, and pager numbers as well as emergency procedures appropriate to their on-site work.
- Contractors shall provide the SSGC representative with a current copy of their Safety Program including: Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and
- The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.
- Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements: while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition. SSGC personnel may initiate we/they lockout system to ensure compliance.

- Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- Materials, bols, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or overhead areas.

 Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and alsies to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- Use of explosive actuated fasterling tools should be used according to the manufacturer's safety guidelines.
- All compressed gas cylinders must be supported and secured standing upright according to Pakistan standards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks. whether empty or full. Acetylene cylinders, when in use must have a wrench in place.
- Areas where overhead hazards, excavations of other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided in reference to night excavation projects, night lights shall be provided by the contractor.
- In the event an oil, gas, vapor or other harmful volatile release is caused or discovered. The contractor and/or his employees shall report it at once to the nearest SSGC office and request for further actions in mediately. Vehicles in Zone are required to adhere to the declared speed limit.
- Any contractor, contractor employee or subcontractor violating Zone area safety or security rules shall be

7.2 Accident Reporting

- Accidents occurring in Zone jurisdiction must be reported immediately to the SSGC representative.
- b. In the event of a fire, medical or other emergency, contractors are required to hotify zone security or the SSGC representative immediately. When providing notification give all pertinent information, including your
- All contractor injuries requiring medical assistance beyond basic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor Accident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the HSE& QA Department.
- d. All contractors and subcontractors must maintain their own OH&S required document/record.

7.3 Confined Space Entry

- The SSGC representative will notify the Contractor prior to being hired, if the work will involve entry into confined spaces. The form included in documents will be used to make this notification.
- All Contractors who conduct confined space entries must adhere to the SSGC confined space entry
- c. At no time shall a contractor contractor employees or subcontractors enter a confined space in Zone, without specific authorization from the SSGC representative. Failure to adhere to this policy will result in
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor. personnel, however, all arrangements must be made and documented prior to entry.
- All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training tentification documents must be provided to the SSGC representative & HSE&QA



7.4 Cranes and Overhead Work

a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a

b. All work at height requires the use of a safety harness. All safety harnesses, larryards and related fall protection

All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness. Working with cranes and demicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safely operating and

e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative

In the event that overhead work must occur in locations within the Zone where high voltage, overhead power lines are located, all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event proper clearance cannot be maintained, the power lines are to be de-energized and locked out prior to performing work in the event the lines must be de-energized, prior approval must be given by the SSGC

7.5 Hazardous Energy Control (Lockout) Procedures

All contractors, contractor employees and subcontractors must comply with the SSGC Energy Control

in the event that a contractor, contractor employee or subcontractor servicing or entering a piece of machinery where the danger of injury exists from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or contract employee must disconnect the source of energy and

c. In the event that SSGC employees or other unknown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize the equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC representative or remove LO/TO without communicating to all

d. Contractors are required to supply their own lockout locks, tags and hesps:

e. In the event that a contractor or subcontractor has de energized and locked out a piece of equipment, the equipment specific lockour procedure must be adhered to. A. contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedures from the SSGC representative.

The lockout tag used by the contractor must have the contractor's phone number and a person name, SSGC

7.6 Zone Equipment and Tools

Contractors will provide their own equipment to their employees.

The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited. c. Misuse of SSGC material; equipment or products is prohibited.

d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be

e. All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area



Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to Provide the SSGC representative with a listing of all hazardous chemicals.
- Property label all containers, adhering to SSGC labeling requirements:
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor contractor employees, or subcontractors will come in contact with during the work on Zone property.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed
- When the use or storage of explosives or other hazardous materials or equipment is necessary for the execution of the work, the Contractor shall exercise the utmost care and snall carry on such activities under the supervision of properly qualified personnel and in conformance with all applicable Zone Requirements and
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and Informing their employees of all hazardous substances in use at the job site and of the appropriate safety

Emergency Procedures:


- In the event of a fire, medical or other emergency, Contractors are required to notify zone security or the SSGC representative immediately. Tell the security personnel the location of the tire and any other pertinent information. In the event that Zone security or SSGC representative cannot be reached, evacuate the area
- All contractors, contractor employees and subcontractors are required to follow the predetermined exit routes
- All contractors, contractor employees and subcontractors are required to exit the work areabuilding in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of arri evacuation, contractors are required to go directly to the employee staging area located at guard shack.

Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of any propane or gasoline powered equipment that is to be used indoors.
- SSGC Management discourages the use of internal combustion engines indoors, and will only permit it when no reasonable alternative means are available to complete the job.

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have



7.11 Cutting, Welding and Other Hot Work

a dan reservit in ordinalatika kompanistika in a

All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot h:

The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the

The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC

The contractor employee designated as the "fire watch" shall sign the permit after the final check has been made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding

- All ladders belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet and meet SSGC Work at Height Requirements.
- All ladders used on Zone property must be properly secured.
- All scaffolding must be equipped with railings and toe boards.
- All "swinging" type scaffolds must be inspected by the contractor and repaired if necessary before use.
- All overhead work from a forklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIRONMENTAL RULES


SSGC requires that contractors comply with all applicable environmental rules & regulations.

Non-Hazardous Waste

- Construction refuse and debris will not be allowed to accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in the contract document.
- Contractors shall take ownership of all waste and debris generated from materials they brought to the job site or from demolition activities, and shall dispose of such waste and debris in accordance with all applicable
- c: Reference to SSGC, The SSGC Company or any of its trademarks shall not be used in any documentation associated with the disposal of such waste and debris.
- Contractors shall coordinate with the Zone, whenever practical, to segregate debris or waste which may be recycled or re-used in a safe and environmentally responsible manner.
- Worksites may be periodically inspected by the SSGC representative to ensure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such time as the worksite and property have had a final inspection and removal of all containers, debris, wastes and materials has been confirmed by the SSGC representative and documentation has been printed that all hazardous wastes have been
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a

8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior
 - i. Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.







- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers, and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and property labeled: It is the contractor's responsibility to property dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be property disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- The contractor shall assure that all employees dealing with hazardous materials and hazardous wastes have had all legally required training and are familiar with the hazards presented by such wastes or materials.

Spill Response Procedures

- Each contractor is required to have a written emergency response plan to hande spills and releases which may occur during transport, delivery, or use of hazardous materials at the SSGC work site. The contractor. must provide a copy of its emergency response plan to the SSGC representative prior to beginning work
- Each contractor must provide and be equipped with appropriate spill response equipment All contractors, contractor employees or subcontractors who engage in the emergency response of a hazardous material release must have been trained and have the appropriate spills response certification and meet response
- Contractor must provide documentation to verify that it has contracted with at least one reputable outside spill response contractor, that is reasonably agreeable to SSGC; to respond to larger spills of releases which
- The contractor shall be responsible for appropriate clean-up of spills caused by their activities. Such clean-up will include removal or remediation of any materials impacted by such spill; such as; building materials, soil,
- In the event that a spill or release of contractor's material occurs on SSGC's properly and the contractor does not respond to the release to the satisfaction of SSGC, SSGC shall have the right to take any reasonably necessary steps to respond to or remediate such spill or release. The Contractor shall reimburse SSGC for
- Spills and releases of hazardous materials must be reported immediately by the contractor to the SSGC
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to report such spill or release. Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work



A CONTRACTOR OF THE PROPERTY OF THE PARTY OF

9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized representative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and understood the visitor agreement and will abide by the document while visiting the SSGC facility as required.

10. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to ablde by the items listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who violate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, comply with these rules.

Compliance with the SSGC Contractor Work Rules does not in any way relieve any contractor or person from complying with any applicable Federal; Provincial or local safety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable to contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with all applicable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services for SSGC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to Indemnify and hold harmless SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breach of the above warranty and/or rules.

Wo

63 00 man 5



Company		
Date		
SSGC (Print)	 14000	
Signature		
Tille		
SSGC Representative_		el en el giorn
cc Project Manager File Zone HSE Manager		

11. DOCUMENTED INFORMATION

Record No.	Record SSGC Maintained by Retention
SSGC-IMS/GSC-F-01	HSE&QA Awareness Form HSE&QA Department 3 Years

76

Contractor:

64

HandBook | February 2022





IMS Form

SSGC-IMS/GSC-F-01

HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)


Revision 01

Issúe Date: Aug. 2021

<u> </u>			And the state of t	11 y	
Organization	•	Į.c	ontact name		• • • • • • • • • • • • • • • • • • • •
Name .			ontact number		1111
Type of Contractor Mechanical Work DE Contractor Deline C	Electrical Work 🗆 Construction 🗅 Th	Civil Work Was lird party inspection	ste Disposal 🗆 Cente n 🗀 Goods Supplier i	en □ Transport □ □ Other:	Manpower
Area of Working:	* **				
Contract Coordinator			Sale materials		
		HSE&QA A	wareness .		
-18. D	escription			Remarks	
ISO & OHSAS Standar	ds				
HSE&QA Policy	· · · · · · · · · · · · · · · · · · ·				
PPE Policy					
Risk Assessment and	Management Pro	cedure	- 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Incident and Accident	Management Pro	cedure	Mary Salah Salah		
Emergency Response	Procedure		THE THE PARTY OF THE		*
Technical Specification		and Testing	4414674.3750		
Remarks:					
Supplier/Co	ontractor Repres	entative	HSE	&QA Representat	ive
I have received and Requirements and use applicable while within company prem I shall make sure all. Contractor companing requirements applicable performing.	nderstand that the supplying goods, nises or outside co employees of our o	requirements will works or services ompany premises. company and Sub-	I have met the Support of the provided basic information in the provided Manager shown its commit HSE&QA Policies	oller s/contractor's a compation of HSE& ement System. The ment in adherent procedures/technic ements to ensure	representative and LOA Policies and contractor has ce to Company's cal specifications
. Name	Signature	Date	Name	Signature	2 Date
			, , ,		
		· · · · · · · · · · · · · · · · · · ·		<u> </u>	<u> </u>

N

 \mathcal{C}_k Integrated Management System



SSGC-HSEQP-F-10 PENALIZATION MECHANISM Service Conjects Only

Revision 01

Issue Date: Sep. 20

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Penalization mechanism

Following flow chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and Annexure J-1 can be found below

Penalizat		
SSGC Team	Partinmented. Figure 19 Properties Company of the Partin	No
SSEC Senior Management		
Congerned Departments		
Contractor	Incimalian	



	Design of the second		SSGC-HSEQP-F-
ISE&QA	PENALIZATIO	NFORM	Revision 01
epartment \	for Service Contrac	ts Only	Issue Date: Sep. 20
Project		V	
· L		Date	
Section		Contractor	
User Dept.		,	
		Focal Person	
Nature of N	on-Compliance (As per Ann	exure J-1)	
		De la production de la com-	
	and the second of the second of the second		
Made of Pe	nalization		
		The second of th	14 A
1 × 1			
	Leite	ator	
		ator	nature
	Leite	ator	nature
	Leite	ator	nature
	Name Recommende	ator Sig	nature
	Leite	ator Sig	
	Recommende Name	ator Sig	nature
	Recommende Name	ator Sig	nature
	Recommende Name	ator Sig	nature
	Recommended by User De	ator. Sig od by HSEQA Sig partmental/Division	nature al Head
ollowing Se	Recommended by User De	ator. Sig od by HSEQA Sig partmental/Division	nature al Head
following Sec	Recommende Name	ator. Sig od by HSEQA Sig partmental/Division	nature al Head
ollowing Se	Recommended by User De	ator. Sig od by HSEQA Sig partmental/Division	nature al Head
following Sec	Recommended by User De	ator. Sig ad by HSEQA Sig partmental/Division case of Financial Pe	nature al Head nalization
following Sec	Recommended by User De	ator. Sig od by HSEQA Sig partmental/Division	nature al Head nalization

SSC; C HSE&QA Department

PENALIZATION MECHANISM JAN SERVICE CONTROLS ONLY ANNEXURE J.1

SSGC-HSEQP-F

Issue Date: Sep. ::

S. No. Nature of Non-Compliance Mode of Penalization HSE Verbal Warning Iron site in charge PPE related. 2nd Time -- Written warning Explanation Letter 3rd Time Removal of worker from duties 2 Unsafe Act / Unsafe Condition written warning letter 3rd Time ____ Removal from duties: Not reporting any major incidents within the 3 time frame specified in Tender documents Financial Penalization up to Rs. 200,000 HSE&QA Plan for each accident No proper tag out lockout barrication signage boards and systematic PPE non-1st time — Warning Letter
2nd time — Stoppage of Work compliance as advised by SSGC 3rd Time Financial Penalization on to representative(s) at Site or mentioned in SSGE-SOPs, work instructions or ToRs. 3% (Max.Rs. 200,000 can be penalized: Quality Deviation in actual manpower provided vs the manpower (Organogram) submitted in tender documents Cost of unavailable staff, as listed in lie w or other related documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Up to 2% of the invoice amount of the Standards & Codes and SSGC's SOPs. billing period Reporting Non Submission of time bound reports (as Financial penalization up to 2% of the mentioned in Tender documents / Construction Plan invoice amount of the billing period Unavailability of documents such as drawings, SOP manuals, inspection reports and other Explanation letter Technical data at site office. Providing wrong / insufficient information in. Financial penalization ... ġ invoicing pertaining to equipment and Up to 2% of the invoice amount of the manpower, billing period 11) . false reporting, misleading information Financial Penalization up to 3% of incom amount of the hilling period

HSELQA <u>Clepartment</u>

PENALIZATION MECHANISM OF SETMICE Contracts Only.

*ANNEXURE JE

SSGC-HSEQP-F-10 Revision 01

Issue Date: Sep. 20.

Ethics & Conduct.

Non-cooperation with SSGC team by any staff of Contractor. Non-cooperation includes nonsharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSCIC's representative(s). Repeatedly (03) absence/Unavailability of site Contractors staff during surprise visits of SSGC teams

Removal from duties in case the request i made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head.

Financial penalization (One day salary deduction of entire site staff of audited sile

Penalization amount will not exceed the 5% of the total contract value.

If Three (03) non-compliance (on any one issue or combination of issues) are issued to any contractor. Management will decide to impose additional penalization (e.g. [orfeiting of Performance Bank Guarantee / retention money), termination of contract or temporary blacklist (Blacklisting will be up to one (01) year.

Tender/ Project specific requirements and penalization are outlined in tender ducuments?



