COMPONENT FOR GAS METER

(ONLY FOR PRE-QUALIFIED VENDORS)

(BY INVOKING PPRA CLAUSES 42(D)(I) & (II) "NEGOTIATED TENDERING" (VENDORIZED ITEMS))

(UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE)

AS PER PPRA RULES 2004

TENDER ENQUIRY NO: SSGC/LP/NT/PQ/PT/2048091

Bid Closing date & time: 24-01-2025 at 1530 hrs Bid Opening date & time: 24-01-2025 at 1600 hrs

Supplier must be stive in FBR Active Tax Payer List (ATL)
Sealed quotation of above eferred requirement to be submitted in PKR

Tender Room, CRD Kulling, Ground Floor SSGC Head office compley Karachi -75300 Ph. +92-21-99021024,+92-21-99021116.

Earnest Money (Fixed Bid Bond): PKR 435,000/-

"Note: Tender document is also available online on SSGC website for view only. Foder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."

Sui Southern Gas Company Limited

Procurement Department
ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan
Phone: +92-21-99021223,
Fax: +92-21-99231583

www.ssgc.com.pk/ssgc

Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

	RFQ_Nur	nber " SSGC/LP/NT/PQ/PT	T/20/19001	। दिक्य			
1					Bidding Date	03-JAN-25 09:00	
1	Documer	t_Number 2048091		Close	Bidding Date - 47.		
	1			the second of		24-JAN-25 15:30	•
S#	Item_Co	de Item Description	Unit.	Quantity	Make / Brand Alla	Control of the Contro	
		The state of the s	A Stages		Make / Brand all	Value	1
1		2	1 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4-, 17 At 2 30	THE STATE OF THE S	xclusive of GCT PKR	E 20 1
1	5104218	3 COMPONENTS FOR 3RD GENERATION G4	 4	5			rçu
-		GAS METERS (V-3 PROJECT) INDEX DRIVING	Each	200000		$7 = 5 \times 6$	<u></u>
ı	1	ROLL (AS PER DRAWING NO. MP-IDR-					
	1	DV318R00)		1			
Dalin							
Deliv	ery Schedule		. The deliver	shall start wit	hin 15 days after		
-		receipt of Fo. Samples must be provided by	the bidders i	pon request.			
' 2	5104219	5 COMPONENTS FOR 3RD GENERATION G4	Fach	400000			
ı		GAS METERS (V-3 PROJECT) INDEX ROLL RED	o				
İ	ļ	(AS PER DRAWING NO. MP-IRR-DV319R01)		1			
i	1]			•
Delive	ery Schedule:	Delivery Schedule: 0000 ces Per Month	Th. 1 11	L			
		receipt of PO. Samples must be provided by	. The delivery	shall start with	nin 15 days after		
3	5104220	COMPONENTS FOR 3RD FL RATIN G4					
ı		GAS METERS (V-3 PROJECT) IN X ROLL	Each	1000000			
		BLACK (AS PER DRAWING NO. MP-IRB-]				
•		DV320R01)] [
D-0	L					•	
pelive	ry Schedule:	Delivery Schedule: 150,000 Pieces Per Nonti	he deliver	v shall start wit	thin 15 days after		
		receipt of PO. Samples must be provided	the obliders u	y shan start wit DOD request	im 15 days after		
4	51042233	COMPONENTS FOR SKU GENERALION GA	h	200000			
		GAS METERS (V-3 PROJECT) CYBLE GEAR (AS		200000			
		PER DRAWING NO. MP-CG-DV323R00)					
					1		
Delive	ry Schedule:	D.L. G. L.					
	· y serieudici	Delivery Schedule: 30,000 Pieces Per Month.	The delivery	s all state with	in 15 days after		
5	51042243	receipt of PO. Samples must be provided by	the bidders up	in Uper 1100			
-	31042243	CONTRONGRES FOR 3RD GENERATION G4	Each	26 1000			
•		GAS METERS (V-3 PROJECT) INDEX CAGE (AS				.•	
		PER DRAWING NO. MP-IC-DV324R01)					
				•			
liver	y Schedule:	Delivery Schedule: 30,000 Pieces Per Month.	The delivery	hall start 111			
		receipt of ro. pampies must be broulded by a	the delivery s	snali start Withi	n 15 di vs. Ster		
6	51042263	COMPONENTS FOR 3RD GENERATION G4	Each	on request.			
		GAS METERS (V-3 PROJECT) DRIVING GEAR	Cacii	200000			
		(AS PER DRAWING NO. MP-DG-DV326R00)	j				
1		20 243201(00)					
Hivon	y Schedule:		1				- 1
bit A Ct.	y Schedule:	Delivery Schedule: 30,000 Pieces Per Month.	The delivery s	hall start within	1 15 days after	A	
7	1042242	- teceptor ro. Samples must be provided by t	he bidders up	on request.	. so days arter		f
' T	1042313	COMPONENTS FOR 3RD GENERATION G4	Each	200000			
		GAS METERS (V-3'PROJECT) POINTER CYBLE	1				1
		SAFI (AS PER DRAWING NO. MP-PCS-	1				j
		DV333R00)				U A	- 1
llyen	Schedule:	Delivery Schedule: 30 000 please have at a children	rh I ii				
4 .		Delivery Schedule: 30,000 Pieces Per Month.	ne delivery si	hali start within	15 days after		
8	52010393	receipt of PO. Samples must be provided by the COMPONENTS FOR 3RD GENERATION G-4					
		GAS METERS CUP SEAL FOR SECURITY BOLT	Each	600000			
ł		M5 v 10 /AS DED DO ANALYS NO. AND DO				·	-
		M5 x 10 (AS PER DRAWING No. MP-CS- DV344R00)					
L		57344100)				İ	
Abut	Schedule:	Delivery Schedule: 90,000 Pieces Per Month. T	he delivery ch	all start with.	15 days -61		
		receipt of PO. Samples must be provided by the	ne bidderr	on searcest	TO gave atter		
0	52010403	COMPONENTS FOR 3RD GENERATION G-4	Each				
1		GAS METERS CUP SEAL FOR ALUMINUM	Lacii	800000			=
ļ		CASING FOR G-1.6 AND 3RD GENERATION G-	1				
		4 GAS METERS (AS PER DRAWING No. MP-			!		
- 1		CS-DV345R01)			<u> </u>		
ivery	Schedule:	Delivery Schedule: 120,000 Pieces Per Month.	The delivery -	hall start cutst *			
		receipt of PO. Samples must be provided by th	e hiddorr user	nan statt Mituli	1 To days after		
tal Fi	A bregget A	mount PKR: 435,000	- siduers upo	request,			
	OLKE-Salin W	HOURT PKK: 435,000	111 6				-

Page 1 of D PROGUREMENT S

Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

NOTĚ:

1. The quoted unit price and corresponding total amount shall be inclusive of all duties and taxes and discount (if any) except. General Sales Tax (GST). Sales Tax will be applicable as per GST act and subsequent amendments of time to time. GST will be reimbursed to manufacturer and importers only subject to production of paid involce.

2. Bidders are essentially required to quote on bid form. Rates quoted on other then bid form will not be entertained.


- 3. Any queries / complaints regarding subject tender enquiry shall be addressed to GM(P) / DGM(P) in writing
- 4. EVALUATION CRITERIA: Order will be placed on the Lowest Technically / Commercially Compliant bidder (s), unless specified otherwise.
- 5. In case when bidder submit alternate bids, a seprate Bid Bond for each bid is required. All the bidders are advised to furnish fixed bid security amount appearing in price schedule/BOQ otherwise bid will be liable for rejection. The submission of fixed amount of bid security is also mandatory for all the bids valuing RS.500,000/- of less.

6. Any Bidder who change/amend the BOQ or Price Schedule (Description, Quantity, UOM etc.) will render the bid as conditional bid

and will be liable for rejection.

- 7. Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain unchanged.
- 8. All offers shall remain valid up to 120 days from the date of opening of bids and bid bond shall remain valid for 150 days.

9. Special terms & conditions and arranty guaranty attached at annexure 01.




Evaluation Criteria and Special Terms and Conditions attached at Annexure:- A



LOT INSPECTION REPORT INDEX DRIVING ROLL (RED) FOR 3RD GENERATION G-4 GAS METER

LOT INSPECTION REPORT NO: QC-IDR-LIRDV318R00 Page 1 of 1

QUALITŸ	CONTRO	L SECTION	FOR 3RD C									CIF	ΪK					. 46			<u> </u>		لــــــ
						AL												, , ,					*
DA#		•	FOR	CRITIC	ALI	DIME	<u>ins</u>	ION	SA	1 EX	TRA	CT	FRO	M DI	RAY	/INC	<u>} NC</u>): M	P-II	<u>OR-</u>	DV3	18F	300
	· · · · · · · · · · · · · · · · · · ·						G	\mathfrak{D}_{\emptyset} 1	C5"								18*						1
DATE:	1770.				•		Π							١				7	G	2)			
					\sim	4	\neg	<i>l</i> /	$\chi \setminus$					3	1.5.	+	<u> </u>	\perp	0.9	0.05			į
LOT QUAI	NTITY:_			12	开	Ŋ!	. [世		7				R2.4	_ \	Ш					J,	10	RN
SAMPLE S	IZE:			137	$\overline{}$	1 1		7	7/	7					\geq	X	H_{\star}	<u>_</u>			//×	!!	-
SAMPLET	RAWN	BY:		H	\perp	N:		土	1	于			_	/		+	ΕYI	=		V	181	DDC	CUREME
		TED ON:		#-					_17.1	— —			Z	1/8	01	\rightarrow	#		1		80	_	DEPT
			l l		g.									/		1	.i/			/	12	1	2
SAMPLE I	NSPEC	TED BY:			9 2 -	90	5	-1						``							. 0		1
(Note : All	Dimensi	ions are in milli	meters)		ĭ	NSP	EC	711	ONS														
Г	1. PRINTI	NO A				1101	<u> </u>		5. SH		Κ:												
VISUAL	2. FLUSH								6. D	AMA	GE:												
		DRIVE SHA		7. SHORT: 8. ANY OTHER FAULT:																			
	4. BURR	ON ROLL DAIVE	<u> </u>	Acrisc																			
	SR.	CRITICAL	CLASS	CLASS OBSERVATIONS QTY.																			
	NO.	DIMENSIONS		OUNDARIES 00 94																			
			.95 .99							-	\Box	_			-	-	\Box	-	\dashv	+	+	+-	
							h	T	RD		Εľ				\perp	士	口	コ	コ	ユ	丰	丰	
					0	. 0	۲.		- 1	-	H	-	+-	+	╁	+	${f H}$	\dashv	+	+	+	+	
	1.	HOLE DIA 3.05 - 3.08	3.05 - 3.08	74			C	U				丰				1	口	\rightrightarrows	#	#	丰	\mp	
		3.03 - 3.08				_	-		_	-		_	+	-+	+	+	$\vdash \vdash$	\dashv	-	+	+	+	
န္										\bot	\Box		#	4	1	T	口	\exists	耳	7	丰	\top	
Ď			3.09 - 3.13 3.14 - 3.18	 				+	+	+	\vdash	+	+	\dashv	+	 - -	Н	_	\pm	士	士		
ָן בַּ			3.19 - 3.23			1						1	丰			\bot	\Box	\dashv	#	丰	7	Ŧ	I
SPI			0.75 - 0.79 0.80 - 0.84	+		7	1		+	+-	\Box	\perp	+		+	\pm	廿	\exists	士	士	土	土	
1 1		POLL	0.85 - 0.89			1		1/4	7	+	\square	4	+	\vdash	4	+	\vdash	\dashv	\dashv	\dashv	+	+-	
N Y		ROLL DRIVER	A 0 00 A 05		世			K		\perp		士	1		土		廿	\exists	コ	コ	#	丰	
OIS	2.	HOLL DIA	Ø 0.90 – 0.95		H	-	-	\vdash		4		+	+		+	╁	╀┤	\dashv	\dashv	\dashv	+	+	┼
DIMENSIONAL INSPECTIONS	1	Ø 0.90 – 0.95	0.96 - 1.00				上		土	7					\downarrow	丰	口	\rightrightarrows	コ	#	丰	丰	<u> </u>
			1.01 - 1.05 1.06 - 1.10	++	\vdash		+	H	+	+	4	^	+		+	+	╁┼	\vdash	\dashv	\dashv	+	士	
	——		1,34 - 1,38			1	1			_		\mathbb{X}	A	П	1	4	\Box	\blacksquare	\exists	\dashv	\mp	I	
	ļ.	DOLL	1.39 - 1.42 1.43 - 1.47	++	\vdash	┪	+	╁╌	-	+	+		Ψ			土		Ø	1	Z	1	\mathbb{Z}	
		ROLL DRIVER				7	1_	lacksquare	\Box	_		-	-{		4	+-	14	-7	=	4	4	+-	
	3.	PILLER	1.48 – 1.52		\Box		士				\Box				T		口		10	7		丰	
		THICKNESS 1.48 – 1.52	1,53 – 1.57	-		-	+-	₽-	-	- -	+	-+	+	5.4			H	MI	73	14	<u> </u>	+	
			1.58 - 1.62									#	丰	1 1	-	70	utac	*****	1 1.			1	
FUNCT-	 	NG DI WI DIDEV	1.63 - 1.67	<u> </u>	L.		<u> </u>		1 2 1		TUE	D EA	ULS	L ME	ter i	vipii	ias C	om	pan	y Li	mile		ــــــــــــــــــــــــــــــــــــــ
IONAL			ASSEMBLY SHAFT	(4-4)					٦.٠	1111	71,11	21.17	1013	ui 30	1001								
INSPEC-TION	2.FITT	ING IN INDEX AS	SEMBLY			·	NCI	TIIC	ION										—				
DETA	IL OF INS	PECTOR,	CRIT	ERIA F	OR A					REJEC	СТІО	N			Т						D BY		
		AUGES USED	(ON AOL = 2.5): / (INCHARGE O.C.)																				
1.GO NO GO												<u> </u>			十		-						
			NON CONFORMIT	ES FOU	ND:			:						" ,	İ								
	NSPETED SPECTO		1	,				((-		(o.) =			_% _%		SIG	NTUF	RE:					
			3.	•							(<u>o.)</u>			_% _%	- 1								
SIGNTURE:	•		TOTAL NON	ONFAI	MIN	G PI	ECE	ES/		No	s.) =		č	%	1								
		_	OVERALL REMAR	KS:	APA EL V	J 11.		<u> </u>			-7 -				7	DAT	'E:						
NAME:			O TENTES REMARK																				
1					- 17																		




LOT INSPECTION REPORT INDEX ROLL (RED) FOR 3RD GENERATION G-4 GAS METER


LOT INSPECTION REPORT NO OC-IRB-LIRDV319R01 Page 1 of 2

A STATE OF THE STA

GENERAL INFORMATION FOR CRITICAL DIMENSIONS AN EXTRACT FROM DRAWING NO. MP-IRB-DV320R1 DA# LOT SUPPLIER: LOT QUANTITY: SAMPLE SIZE: SAMPLE DRAWN BY: SAMPLE INSPECTED ON: SAMPLE INSPECTED BY: (Note: All Dimensions are in millimeters) INSPECTIONS

A PE	. FLUSHIN	lG:							1:	5. D	M	\GE																	1
	Re LSI	RIVER SHAPE:							\mathbf{I}_{2}	ANY	OT	HE	R F	AUL	<u>.T:</u>						_	_		=	=	=	=	=	╡
	4. BV R Q	N ROLLS DRIVER:				_	_	_	_				DCI	ERV	/AT	OF	NS										1	ĮΤΥ.	١
	SP.	CRITICAL	CLASS BOUNDARIES									-	<u></u>		-	-	$\overline{}$		_	Т	Т	Т	Т	T.	Т	I	I	_]
	NO.	DIMENSIONS	2.90 - 2.94	T				Ш	_	4	+	+	+	+	┰	+	╌	+	十	十	+	7	7	ヿ	\neg	\top	\perp		_
	1 . 1		2.95 - 2.99	\perp	L			Н	-	-+	-	+	+	+	+	+	+	+	+	7	7	╗		\Box	\Box	\supset			_
	1		3.00 - 3.04	1	↓_	1	١	Н	Н	-+	-	╅	+	÷	十	-†	┪	_	7	1				\Box	-1	_	4		4
	1			4	┼-	┼-	╄	-	H	-	+	+	+	+	\neg	_	_						\Box	ᆜ	_	\dashv	-	-	_
	1 1		\	+	╌	╫┈	┿	-		-1	_	゙゙゙゙゙゙゙゙	. 1	7	7	\mathbf{I}					_		Ш	4	┦	⊢┤	\dashv		
	1	HOLE DA	3.95 - 3.08	┵	+1	Ш	М	C	n	V	R	a			Ð	П			_	_	_		Ш	اـــا	ш	Н	\vdash		_
	1.	3.05 - 3.98		+	+1	₩	+	▝▀		וו						-11	_		-	_	Н	_	┨	_	-	Н	$\vdash \uparrow$		_
	1 1			+	+	╫╴	+-	Τ	1	LU	1	\mathbf{Y}		\perp		Ш			\dashv		Н	┝	╌	\vdash	-	Н	H		
	1 1		U .	十	\top	匸	工	L					=	=	=	-	Н	Н	Н	-	-	┝	+-	\vdash	┰	1	П	_	_
	1		3023	十				\mathbf{L}	L	<u> </u>		Ш	Ш	Ш	<u> </u>	-	ļ-	 -	\vdash	-	-	┝	╈	\vdash	†	T	П		
	1		3.14 .18		T	\perp	I.	L	┺	1_	_	<u> </u>		-	┝	 −	┢	╌	⊢	┝	┪	۲	+	┰	✝				_
Ş	1		3.19 - 3			J.	4	1	╀	╀-	├	├	-	⊢	F	╁╴	╁	╁	┢	一	T	T	1		L	L	\Box		_
DIMENSIONAL INSPECTIONS	-		7.43 - 7.47		Щ	1	+	+	╄	+-	╂	╁╌	┝	┰	╁╴	╁	╁╴	+	┪	Г	L	T	\top	Γ	L	L	\perp	_	
5	1	}	7.48 - 7.52	4	4	4	+	╁	╁	╁	╁	╁	┪	1	┪	†	T	Τ			L	L	L	┺	┺	╀	╄	├-	_
SPE	1		7.53 - 7.57	4	4	A	4,	+	╁	┿	+-	+-	†	1	T		T				L	L	1	╀	4-	+	╄	├	_
Ž				┝┽	4	Ł	1	\pm	+	+	\top	十		1	T	Τ	Ι	I	L	L	1	╀	4	╀	+	+	╀	├	
¥				┝┥	+	4	7)	T	┫	+	1					L	L	1	4-	1	+	+	+	╁	╀	╀	十	╁	_
Š	2	WIDTH 7.58 - 7.61	7.58 - 7.61	H	寸	-†	t	3		I	Γ	1	1	╀	1	4-	+	+	╀	╀	╁	+	╌	十	十	十	十	T	
S	1 -	7,38 - 7.91		П	ヿ			4	\Box	Z		4	1	4	+	+	╁	╬	╁	╁	+	+	╅	十	十	十	十	匚	_
ME	1		l			\Box		_		4	4	1	+	+	╁	Ť	+	╅	╁	+	+	+	+	†	1	I	I	匚	_
ă	-		7.62 - 7.66		Ц	_	-4	-+	-}	-	1	4	╁	╁	╁	+	十	+	+	✝	7	I	\Box	$oldsymbol{\mathbb{I}}$	工	1	4	4	_
	1	}	7.67 - 7.71	╁	\vdash	Н	-	\dashv	-	+	Œ	¥	7	4	+	1	1		T	I	I	\perp	1	4	4	4	+	_ -	
	1	<u> </u>	7.72 - 7.76	╄	\vdash	\vdash	Н	┰	十	7	7	7	4	Ĵ)	Π	\perp	\top	\Box	1	1	4	4	4	↲	4	*	\mathscr{F}	*	
			0.75 - 0.79 0.80 - 0.84	╁	\vdash	Н	Н	7	┪	↰	1		V	\coprod	Z	Z		4	4	4	+	-16	4	廾	4	Æ	+	╫	÷
	1 .		0.85 - 0.89	十	1	H	М	\neg			\perp		7	7	Į.		4	-	+	+	+	4	-	+	4	4	+	4	- ,
	- {		0.83 - 0.65	+	1					\Box	1	4	4	7.	-Ţ	-	9	H	+	+	+	,	N	πħ	st	ΔF	本		\equiv
	1	ROLL DRIVER						П	\sqcup	_	4	4	+	+	4	H	-	J	Δ	۶Á	W	4	T	ጧ		1	B	T	_
	3.	HOLL DIA	Ø 0.90 – 0.95		L	\perp	L	Н	Н	- 4	+	+	+	+	+	7	4	4	n	П	τđ	MI	(181)	M	\Box	لند	Ţ	نا	
	1	Ø 0.90 0.95		1	4-	1-	 -	1-	Н		4	+	↤	+	┪	\dashv	3	d		Z	S.	ıu	acy	11.1	19	٣.	واني	- اې	
			0.96 - 1.00	+	╂-	╀	┼-	╀	Н	Н	┧	\dashv	-	7	7	\neg			Z	2,0	E.	Ça	, C	町	131	′്	4	4	
	Į	1	1.01 1.05	+	╀	╂-	╀╴	+-	-	H	-	-1	ㅋ	_			3	ů.	7			لسا	\vdash	إنــ	اب	┌┤	\dashv	+	
			1.06 -1.10	+	+-	╁	T	+-	1	П								Ц	니		-	-	<u> -</u>	H	Н	\vdash	-	ギ	_
			1.33 - 1.37	十	+	+	+	+					$\overline{\cdot}$			_		-	니	_	-	-	-	\vdash	H	-	\vdash	+	
			1.43 - 1.47	_	+	1	T		\Box					Ц	<u> </u>	-	-	 	Н	۲	\vdash	+	┰	Н	-	М	\Box	丁	_
	· }	ROLL				I	I	F	1	1	_	_	├	-	┝	╀	 -	+	\vdash	Н	1	+	1	Γ	Г			\Box	
•	1	DRIVER	1,40 150		\perp	1	1	4	╄	╄	-	-	⊢	-	\vdash	\vdash	+	\vdash	\vdash	ţ.	Τ	†	T	F		\Box	\square	_[
	4.	PILLER THICKNESS	1.48-1.52	1	1	4	4		+	4-	+	+	ا	\vdash	+-	+	十	+-	Τ	1	1	T	I		L	匚	П	_	
	1	1.48 – 1.52		_	4	+	+	+	╁	╀	₩	╁╴	╁	╁	1	t	t	†	Τ	Π	I	I	L	L	L	Į.	┯	⊢┼	_
	١.		1.33 - 1.37	4	+	+	+	┿	╫	╁	十	╁	t	t	Τ	†	T		I	Γ	L	I	L	\perp	4	+	+-	⊢	<u>. </u>
Ì	1	1	1.58 - 1.62 1.63 - 1.67	┰	+	╅	+	十	+	+	1	T	L	L	I	I	L	I	Γ		نا	ــــــــــــــــــــــــــــــــــــــ	1_	1	_		ــــــــــــــــــــــــــــــــــــــ		
											1:). A	ΝY	TO	HEF	₹ FÅ	UL	T:						_				<u></u>	
FUNCT	1.FI	TTING IN INDEX	ASSEMBLY SHAFT:						- -		+	_			_														





LOT INSPECTION REPORT INDEX ROLL (BLACK) FOR 3RD GENERATION G-4 GAS METER

LOT INSPECTION REPORT NO: OC-IRB-LIRDV320R01. Page 1 of 1

· 通行 · · ·

Starting The Start State of the Start of the

Property of the second state of the second state of the second se

	GENERAL INFORMATION
#	FOR CRITICAL DIMENSIONS AN EXTRACT FROM DRAWING NO: MP-IRB-DV320R1
ATE:	15 T
T SUPPLIER:	
PT QUANTITY:	
MPLE SIZE:	
MPLE DRAWN BY:	
MPLE INSPECTED ON:	90(1)
AMPLE INSPECTED BY:	92 OH
	INSPECTIONS
1 PRINTING:	4. SHORT:

Ŧ							INS	PE	СТ	101	vs								_				_	_					
+	T	1. PRINT	NG:									HO	RT	:															٠.
'n	SUAL	2. FLU s	ic.				<u> </u>			寸	5. :	SHR	INI	<u>K:</u>												٦.			
N	SPEC-	2. PLU 1	NG: VER SHAPE:			_						λAC	_	_	_	_		-					_	_				_	
ĮT	IONS		OF JORIVE	<u> </u>										ER	FAI	II.T	•												
٠		4. BURIT									744						_			_	_	7	_			=	_		
		SR.	T /10.	CLASS										OB:	SER	VA	TIC	NS										- 1	QTY
	•	NO.	DIMENS ON	BOUNDARIES	├	-		_	_	_	_	_		_								1		—	Т			+	
1				2.90 - 2.94	Щ	4	╄	Н	Ш		_		-	-	_	\vdash			_	Н			-	-	\dashv	\dashv	┌╾┤	┥	
1	•			2.95 - 2.99	\sqcup	ᆂ	4_											_	ļ.,	\vdash					\dashv		H		
1				30 - 3.04	<u> </u>	1			>		1)			1	1_			٠	Н	_	_	-		4	-4		-	
1			1		Ш	Щ.	邖	Ц	U	М	Щ	U	Ш	ᄪ	U	<u>. </u>	Щ			<u> </u>	Ц	ب ا	\square	_	-4		Ш	4	
ĭ		1.	HOLE DIA	10° 5.08		L	\perp												_	_		\Box	$oldsymbol{\sqcup}$		_	\square	ш	\dashv	
r	•	1.	3.05 - 3.08	~			_l_			X	Ľ	Y.										Ш	Ш	凵				Ц	
		1					+	-				ĺ				-		L					Ш	Ш				Ш	
		1.		3.09 ÷ 3.13		Т	T																	\sqcup		Ш			
ı		1		3.14 – 3.14]	**************************************					•							,										<u> </u>
		1		3.19 - 3.23		A	. I.	П							Г														
ľ				7.43 - 7.47		ij									Г								П	П	\Box	П			
		1	·	7,48 - 7.52			72		-		·		_	П						Г			П	П	\neg	П		П	
		1		7.53 - 7.57	++3	7	7								_		\vdash	7		l -	П			\Box	\Box	П			
L		l	,	7.55 7.57	 -	7		7			_		\vdash	-	Г	_		Т	_		П	П		\sqcap	\Box	П			
	ω.	1 .	WIDTH			+				\vdash		Н	-	┢	-	-	Н	\vdash	┢	1	$\overline{}$	\vdash	П			П	Н		
1	Ž	2.	7.58 – 7.61	7.58 - 7.61	 -	┿	+-`		4	\forall		H	-	┝	┢	-		┝	┢	Η.	-	Н	Н	Н	_		Н	\vdash	
l	Ĕ	Į.	7.56 - 7.01			╁	+	ř		4			\vdash	\vdash	⊢	-	┝	\vdash	⊢	┢	-	Н	Н	\vdash	\vdash	М	Н	\vdash	
	ပ္မ	1		7.62 7.66	┼-┼-		+-	-		H	Ŧ	7	-	\vdash	-	-	⊢	⊢	⊢	├	-	Н	Н	\vdash	\neg	\vdash	Н	Н	
	S			7.62 – 7.66	┾╌┼╌	╀	+	-	<u> </u>	7	Ų,	-	٠.		├	-			-		_	Н	\vdash	\vdash	Н	Н	Н	-	···
احدا	Z	1	ł	7.67 – 7.71	\vdash	+		-	-		_	Ľ.			}	⊢	⊢			╌	H	Ι-	H	\vdash	\dashv	\vdash	\vdash		
	DIMENSIONAL INSPECTIONS,			7.72 – 7.76	₩	+	 	\vdash	-		-	H				Ļ.	\vdash	-		⊢	-	-	Н	$\vdash\vdash$,	\vdash	\vdash	\vdash	_
~	Ž	1		0.75 - 0.79	₩-	+	-	L	<u> </u>		L		_		Z		-	┝	├	-	\vdash	H	\vdash		\dashv	Н	Н		
l	ž		•	0.80 - 0.84	╙	4-	4	_	Ш	_	_	\vdash	<u> </u>	I.			_	 	!	┝		<u> </u>	\vdash	$\vdash \vdash$		-	Н	\vdash	
l	Z		}	0.85 - 0.89	$\sqcup \!\!\! \perp$	┸	4_				<u></u>		<u> </u>	-		4		_	ᆫ	ļ	_	Н	ш			Н	Н	\vdash	
	Σ	į.	ROLL		$\sqcup \bot$	\perp	_		<u> </u>				<u>_</u>	_			\mathbb{P}		_	L	<u>L</u>	_	\square	\Box	\dashv	_,		,	حببي
_	_ A	3.	DRIVER	Ø 0.90 – 0.95	\sqcup	┸	ᆚ						_	<u> </u>	<u> </u>	4		L	D.	<u> </u>	L	Щ	إسط		4	4		4	
(3.	HOLL DIA	2000-003	\sqcup					Ш			_	L	<u> </u>	<u> </u>					Ш	1	14	2		Ø			<u> </u>
_	-		Ø 0.90 0.95			1							L.,	<u>.</u>			1	\Box					<u></u>		4		<u> </u>		_
				0.96 - 1.00	\Box	Т	\top		,	• :										Z	T.		R	LIL.	2	Δ	ΕÀ	ا	
		1		1.01 - 1.05	П	Т	7							1				(U	AS	A	V.	V	119	0				-
1		1	1	1.06 -1.10	\sqcap	\top	7	Γ		·		Γ	Г	Γ.	ŀ	Г			ł	,	_		. , ,		٠	Di-	int_		
			 	1.33 - 1.37	\vdash	1	1		\vdash			Ι-	Г	T	1	1			14	hte	M	ar.		curi	иā	10		A	1
		1		1.38 - 1.42	+ +	+	+	 		-	\vdash	H	1-	┼	\vdash	 	┰		<u> </u>		12.1		ER U	Offi	gari	76	mm	**	

CONCLUSION CRITERIA FOR ACCEPTANCE OR REJECTION (ON AQL = 2.5): CHECKED BY: DETAIL OF INSPECTOR, INSTRUMENTS & GAUGES USED (INCHARGE Q.C.) 1,GO NO GO GAUGE 2.HOLE TEST MICROMETER NON CONFORMITIES FOUND INSPETED BY: (INSPECTOR Q.C.) No.) = SIGNTÜRE No.) = SIGNTURE: TOTAL NON CONFORMING PIECES Nos.) =OVERALL REMARKS: NAME DATE: DATE:

3. ANY OTHER FAULT:

1.43 - 1.47

1.48 -- 1.52

1.53 - 1.571.58 - 1.62 1.63 - 1.67

ROLL DRIVER PILLER

THICKNESS 1.48 - 1.52

2.FITTING IN INDEX ASSEMBLY

1.FITTING IN INDEX ASSEMBLY SHAFT:

FUNCT-

IONAL INSPEC-TION



TECHNICAL SPECIFICATION ACETAL, COPOLYMER (POM)

It had to manufacture plastic parts of gas molers)

Specification No MP AC SUI Page Lof I

GENERAL REQUIREMENT:

Acetal copolymer, a plastic raw material is used to manufacture the plastic parts for G-1 6 and G-4 gas meters on automatic plastic injection inpulding machines. The material shall conform to the requirements contained herein

PHYSICAL PROPERTIES:

The material shall be in natural colour (white) granules, suitable to be mixed with colour granules to produce required colour parts and shall have the following properties:

1. Density

= 1,41 g/cm3 (ASTM-D792)

2. Water absorption saturation at 23°C and 50% humidity

= 0.20% (ASTM-D570)

3. Water absorption after 24 hours immersion in water at 23°C

= 15 milligram (DIN53495, method 3)

Melt Flow Index MFI

=9g/10 min (DIN53735, method A ASTM-D1238)

MECHANICA PROPERTIES:

The material shall have he following properties:

1. Yield Stress = $6.0 \text{N/mm}^2 \text{(DIN53455, ISOR527)}$

2. Elongation at break = 30° (ASTM-D638 testing rate50mm/min)

3. Impact Strength = No failure (51 \) \(

THERMAL PROPERTIES:

The material shall have the following properti

UN CONTROLLED
COPY

1. Heat Distortion Temperature = 104°C (DIN 53 51 ISO75)
(methyl A ASTM D648)

2. Vicat Softening Temperature = 150°C (DIN53460, 51 1 D1525

3. Coefficient of linear expansion

b/w 20 and 100 °C

= 1.1×10⁻⁴K⁻¹ (DIN 53752, A M D696



DURABILITY:

The parts produced by this material shall not operate without showing distorter within the temperature limits of $(-20 \text{ to } +70^{\circ}\text{C})$

PACKING:

The material shall be packed in 25 Kg. air sealed polyethylene bags. The packing shall be packed in 25 Kg. air sealed polyethylene bags. The packing shall be packed in 25 Kg. air sealed polyethylene bags.

TECHNICAL LITERATURE:

Each bid shall accompany technical literature showing the physical, mechanical and thermal proper less of the quoted material.

REQUIRED MATERIAL:

Following material has been used and found as per our requirements and above specifications:

1)Hostaform: C-9021; Origin: Germay 2)Celcon: M-90; Ticona Origin: USA

S.TASAWAR MUSTAFA

Meter Manufacturing Plant Sui Southern Gas Company Limited

SAMPLE:

Bidders shall submit 25 Kg, samples free of cost for functional testing and evaluation purpose on request.

Prepared By: Approved By: Revision No. 03


Date: July 18., 2008

LOT INSPECTION REPORT INDEX CAGE FOR 3RD GENERATION G-4 GAS METER

LOT INSPECTION REPORT NO: QC-IC-LIRV324R01 Page 2 of 2

	T		3,55 - 3.59	Γ	\top	П	T			Ī												_					
			3.60 - 3.64																				\vdash			-+	
İ		WOLE DIA	3.65 - 3.69																_					\vdash		-	
ł		HOLE DIA					7												$\neg \dashv$	\vdash	_			Н		-	
	5.	FOR	G 2 50 2 55										\neg							\dashv	\dashv	-			-	-1	
-	3.	DRIVING GEAR LOCK	Ø 3.70 – 3.75		1		_		_								\dashv		-	-	\dashv			\vdash	\dashv	+	
	1	Ø 3.70 – 3.75			1		1		$\neg \neg$			\neg	\neg	_		$\neg \dagger$	\neg		\dashv	+	-	-	Н	┝╌┥			
	1	£ 3.70 - 3.73	3.76 - 3.80		1						_		\neg	\neg	\neg			\dashv	_	-		-	\vdash	\vdash	_	\dashv	
	İ		3.81 - 3.85		1		1				_				_	一		\neg	\dashv	- †			-	\vdash		\dashv	
1			· 3.86 – 3.90		1		1			.				寸	一		_	_	一		-		\neg		-	-	
			4.80 - 4.84	—			\top							-	\neg	_		_	_		\dashv		-	-		\dashv	
			4.85 - 4.89		1					\neg	\neg	_		_	7	$\neg \uparrow$	-	-	-	-+	-				\dashv	-+	
			4.90 - 4.94						_	\neg	\neg	\neg	_	_	\neg	\dashv	\dashv	-	_	-+	-+		-	-+	\dashv	ᆉ	
-]		LVI CUTTO VO			\top							\dashv	+	_	-	_	寸	-	-		1	\dashv		-+	-+	\dashv	
1	6.	HIGHT OF	1							-			_	\dashv	- †		_	\dashv	-	7			\dashv		-+	-+	
	0.	PIN 4.95 – 5.05	455 - 5.05				ILA				-	=				_		\neg	\neg	\dashv			7	-	-	十	
7	1	4.93 - 3.03					ΩN		M	VT	וכי	$\overline{}$	1	-		+	_	\dashv	\dashv	_	-	_	┪	\dashv	+	-+	
ļ ·	i		5.06 59				UN			•	11	7	-4)	_		_	寸	_	\dashv	_	-+	-	十	+	
1			5.1 - 2.1							\cap		,		T	1	_	\dashv	_	\dashv	+	_		-+	-	\dashv	-	
1	L		5.16 - 5 20		1	-	-		V	U	7	\exists			7		\neg	_	\neg	_	7	_	_	一	十	十	
			2.80 - 2.8	N					П		=	-	_		J	╗	7		_	\dashv	_	7	\dashv	\dashv	-	十	
1			2.85 - 2.89							\neg					_	_	\neg	寸	一	+	\neg		+	_	_	十	
			2.90 - 2.94											1	\neg			\neg	7		7		_	\dashv	\neg	十	
ļ	1				O								T	\neg	\neg	\neg		┪	_	\dashv	_		\dashv	_	_	ナ	
	7.	DIA OF PIN	Ø 2.95 – 3.05							\Box	\neg	1		٦.	\neg					\top	寸	寸	_	7	寸	_	
	/ "	Ø 2.95 – 3.05	£) 2.93 - 3.03									П	\neg	\top	T		T							7	_	\dashv	
		٠			1									Т	·								\neg	7	7	十	
	1 1		· 3.06 – 3.10			\perp					\exists			\Box	T	T		\neg	\neg	\neg	\neg			寸	寸	_	
Ī			3.11 – 3.15								\Box						\neg	7	1		\neg		7	ヿ	1	\top	
<u> </u>			3.16 - 3.20								\Box			T	7	\neg	\neg	\top	\neg	1	\dashv	寸	寸	寸	.	十	
FUNCT-	LEIT	TING OF INDEX A	COTA (DI V.							AM		***															
IONAL			SOUNDLI:					{			U	IHE	K F	AU	LI												
INSPEC-		TING IN METER:									_						_										
TIONS	3. SEA	LING ON METER	:					1		<u> </u>						_											
			,	CC	NCL	USIO	1					V															
DET	'AIL OF I	NSPECTOR.	CRIT	ERIA	FOR	ACC	FPTA	NCE	i Oi	. RE	3150	T14	$Z_{\mathbf{A}}$	_								ue/	CKE	חתי	· V.		
		GAUGES USED	(ON A	OL =	2.5)			4101	!			1	\Box		_).C.)		
			(`	\simeq		<u> </u>						(114	CIL		<u> </u>	ر.د.)		
I. VERNI	ER CALI	PER	NON CONFORMI	TIES I	OUN	D.				:		•	•	•			N										
*					,,,, ,,									•		U											
l ,	INSPET		1. (No.) = 2. (No.) = 6																								
1 '	INSPECT	OR Q.C.)	3,						<u>, </u>							-(•	J,									ĺ
			· · · · · · · · · · · · · · · · · · ·	,	_	<i>,</i>	 ,		<u></u>			NO.) =			7		. (7								ĺ
SIGNTUR	E:		TOTAL NON	CON	FORA	IING	PIE	CES				los.)	=			%		210	Ð	ÚR.	E:						
NAME:			OVERALL REMA	RKS:									, -; -					NA	ME	· }:							}
DATE:		_	, , , , , , , , , , , , , , , , , , , ,									٠					. ,							•			
I			i '	_ DATE																							






SSGC

POINTER CYBLE SAFI 3rd GENERATION G-4 GAS METER


NO: QC-PCS-LIRBV233R00
Page 1 of 1

COALL	I COM	TROL SECTION		GEN	ERAI	INFO	DRMA'	ION	- 1	666	o ex	H	DR	(W	NG	NIC		Ď.i	ger.	-bi	7333
A#					ng. 4	¢.		_	Į.	ett	VED	N-E	بير	p. vV.	*177		A. A. A. A. A. A. A. A. A. A. A. A. A. A		ارد بهجي. آن آن رو	JE JE	RN.
ATE:	•					٨	(1	ራ							Ö	.5	A	S		
			ä		i	$/ \setminus$		ΦZ		•		•	3						S.	H)	F44
							,	Y			1.4		->	\parallel	:	_ (2	1	5	•	2)
			1									11	•			<u>7.2</u>	>	ا			
AMPLE SIZ	ZE:					\bigcirc	A					·		П		_					2.5
AMPLE DE	RAWN	BY:											7	1/	-	>					
AMPLE IN	SPECT	ED ON:		//																	
AMPLE IN	SPECT	ED BY:		ŗ				3 .	,	~ E	TAI	LA	1 / .	- -			=	-	Y		1
Note: All di	mensio	ns are in millimeters)											A.	4	_		_	 	*	1	•
					INS	SPECT	TONS														
		SHING:						SHRI											,		
VISUAL INSPEC-		INLESS S F L PLA						DAM			п т.				·		<u></u>				
TIONS		LECTOR SU AC	DEFECTIVE					ANI	OTHE	Krac	JL1.						-21				
	4. SHO	CRITICAL	CLASS .				i			OFDX	7 A 20T	ONIC	,							,	QTY
	NO	DIMENSIONS	BOY (DARIES		•				UB	SERV	AII	UNB	· ·						T		
			3.05 3.02	+	_		-	++	-	\vdash	+	-	\vdash	+	-			+	\vdash	-	
		ŀ	3.10 3				+	+			+	+					_	\dagger			
		ļ	3.20 - 3.24																Ľ		<u> </u>
				31								_	-	1			+	_	↓_		
7		SHAFT		14				 		-		╄			-	\vdash	- -	+	┼	_	
ĮO.	1.	OUTER DIA Ø 3.25 – 3.27	Ø 3.25 – 3.27			20	NTR	⊕ ∐	E)		+	├┼		+-		+	+	+	-	·
CT		••	-	- `	***			77		11		╁	-	+	╁		+	\dagger	+-		
IONAL INSPECTION			3.28 – 3.32	┼╫			JAP'	1	+-	Π	_	+		十	 			1			
Ž			3.33 – 3.37	1 4														_	<u> </u>		,
. I			3.38 – 3.42											\perp	1_			_		_	. `
<u>S</u>			3.43 – 3.47						4				<u> </u>	_	Ļ			Ļ	<u> </u>	L	
SZ			7.03 - 7.07					1.4	Ψ		\bot	1-		_	-		-	+	╀		ļ
DIMENS			7.08 - 7.12	++		ـــ	1	-	_(-	 	+	-		+	+-	+	_	ļ
5 8			7.13 - 7.17	\dashv				++)	-	┼┼	+	-	\vdash	-	+-	┿	-	
		SHAFT	-	+	- -	╁	++	++			X	3	++	+	+	H	+		+	-	
	2.	LENGTH	7.18 – 7.22			+	++		+	$\dagger \dagger$				+	Jo-		H			1	
		7.18 – 7.22		++	+	\vdash	++	† †		t	_		1		7		1	7	1		-
		•	7.23 – 7.27	-1-1			1	11					U				4				
			7.28 7.32	77									2	R	NΛ	AR	MU	ST	AE	1	ļ.,
			7.33 – 7.37										3.1		۸c	Mich	MP	\mathbf{L}		<u>L</u>	<u>L</u>
FUNCT-	I. PR	OPER FITTING WITI	H CYBLE GEAR::					3. ANY	OTH	ER FA	ULT	:	Mi	eter	Mar	fai	turit	na P	lant	اممد	
IONAL INSPEC- TIONS	<u> </u>	OPER FITTING WI											Sui S	outh	ern (jas (-omp	any	uiil	.v=u	
LILUNS	L						USION														
		INSPECTOR,	1	ERIA I				OR R	EJEC	TION							HECI CHAI				·
		& GAUGES USED	2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	AQL =	****					***	X-1874.88	. 2 F X2	****	:_		(41	CIIA	NO1	Q.C	'' —	
. VERNIER		TED BY:	HON CONFORMIT		ŲND:			1	No.)	= ',		%									
		TOR Q.C.)	1						No.)	=	· ••••	_%									
GNTURE			3					A) A &	No.)	=	· (8:8) = 0.	%ـــ		oto.	NTT	br.					
	_		TOTAL NON	CONFO)RMIN	G PIE	CES (_		Nos.)	<u>-</u>		%		Dic	1410	س. خلکه		-			
			OVERALL REMAI	سبر المستوا	* 1				,	sadide.ar		-1		NAI	ME:						
JATE:			•										`				41	*1PCT			
			Na contract of the contract of																		





Top View



ALL DIMENSIONS ARE IN MILLIMETERS

SUI SOUTHERNOUTHS COMPANY REIMITED
SSGC METER MANUFACTURING PLANT
TITLE: Cup Seal For Aluminum Casing of

Cup Seal For Aluminum Casing of G-1.6 & 3rd Generation G-4 Gas Meter

0.1	0-2017	SHAFQAT HASSAN	3	1,6,1,1,1	Title Change	MATERIAL:	Polyacetal in	SSGC Red Colour	· · · · · · · · · · · · · · · · · · ·
	1-61	SHA	DCE(OC)	DGM(MP)	Title Change	PROCESSING OLD DWG REF	Injection Moulding	SURFACE TREATMENT: INDEX NO:	52010403
ISSUE NO	DATE	DRAWN (NAME)	CHECKERS*	REVIEWED & APPROVED (INITIAL)	REVISION	DRAWIN		CS-DV34	


LOT INSPECTION REPORT

LOT INSPECTION REPORT

	MI OUALI	eter M	GC IFG PLANT TROL SECTION	CUP SEAL FOR 3R) Ger	VER.	ATI	ON	G-	40	À	i M	E'Î	EI EI	\$ }	24		NO): R			%-1 ge 1			/34	SR()()
•					ĞĒN							-		····												سنعداه عاديان	. د تي
1	D 4 0			FO	R CRIT	ΓICA	L DI	ME	NSI	ON	S A	N	EXT	'RA	\C1	FR	ОМ	DR.	₹WI	NG	NO	: M	P-C	: S- D	V34	15R()1
	DA#			-							. `	/	•		Ø	3.85 ⁺⁰	n										
	DATE:			-								~~~	_			97. 10	02										
	LOT SUPP	JER:							•		1			7		97, 10											
		-							12Xist	اتة ا			-,-,-,		\	1						ı		بينت	-	_	
	LOT QUAN	VTITY:_		-					- 1	!_	¥	7/4	94			<i>VZZ</i>				7 1	2.80 +0.02			1	H	EK,	Nr.
	SAMPLE S	IZE:	_						_							İ				215. E	, S	1	/6	?/A	2	1	Ìς
	SAMPLED	RAWN	BY:					-	-[ھ	4	<u> </u>				<u> </u>			-19		1	1	SUI	(🏟	OC	REME	*\u
				į											_							,,	ကြ	\	DEP	, ME	1/2/5
	SAMPLE II	NSPECT	ED ON:	-							\parallel					690 08	,		-	1				7			<i>K</i> /
	SAMPLE !	NSPECT	ED BY:								-					28.5					• *		`	1		ō.	
	(Note: All d	limensio	ns are Millimeters)												Sect	lan V	<u>ow</u>										•
	(11000.13111					I.	NSP	EC]	10																		
	VISUL		SHING.								COL			000	D A	N 4 :											
	INSPC-	2. SHI		\ .	•				╛							RAN											
)	TIONS		MAGE	LASS	τ				1	<u>.</u>	VISI		10 10	-												1	QTY
•		SR.	CRITICAL DIMENSIONS	BOWNARIES								(BS	ER	tV.	TIC	ONS				_			~		<u>l</u> .	· · ·
				.7479			\bot	\top										\bot	Ι						_	+	
				8.79 8.	 	┼┼		╅	Н		H		_	-	-		+	+	╁╌	┼	-		-	\vdash	+	+	
				8.19 €8. F			+	+	Н		1							上		匚						工	
		1.	TOP DIA Ø8.85 – 8.86	Ø8.85 – 8.86	7		111	~	14	-	R	1	1		Π		-			 	<u> </u>		\vdash	\vdash	\dashv	+	
		1.	98.83 - 6.66	20.03		N	JIN.	W.	ΛIJ	Ш	ŻΤ	μ.	L		H	\vdash	+	╁	+	1	 	\vdash			+	+	
	ည			8.87 - 8.91				1	C	וו	Þγ						二	土							丰	1	
	Ó		, [8.96 - 9.0.1		4)	\bot		Σ:	-	-	<u> </u>		μ		-	+	- -	\vdash	├			$\vdash \vdash$	+	+	
•				9.02 - 9.07 2.62 - 2.67	++		4		-	-	╁	_		-	┝		\dashv	+	╁	╁	 	Н	\vdash		+	十	
	INSPECTIONS			2.68 - 2.73				1	1								丁							口	工	工	
	(SF			2.74 - 2.79		\Box	Ţ		1		-	_	Ĺ		<u> </u>		+		-	-		$\vdash \vdash$	\vdash	$\vdash \vdash$	\dashv	+	
						╁╌┼		4-	F.) '	1-	_		\vdash	┼	\vdash		+	+	╁	-	\vdash	\vdash	┝─┼		+	

Height 2.80-2.83 2.80 - 2.83DIMENSIONAL 2. 2.84 - 2.892.90 - 2.95 2.96 - 3.018.32 - 8.37 8.38 - 8.43 8.44 - 8.49 **BOTTOM DIA** $0.8.5 \pm 0.05$ 3. $0.8.5 \pm 0.05$ ASAWAR MUSTAFA AGM (MMP)
Meter Manufacturing Plant
Southern Gas Company Limited 8.51 - 5.56 8.57 - 8.628.63 - 8.68FUCTIONAL 2.ANY OTHER FAULT: 1.NOT FITTING IN PLACE: INSPECTION DETAIL OF INSPECTOR, CHECKED BY: CRITERIA FOR ACCEPTANCE OR REJECTION INSTRUMENTS & GAUGES (INCHARGE Q.C.) $(ON AQL = 6.5) : ___$

USED 1. VERNIER CALIPER NON CONFORMITIES FOUND: <u>No.)</u> = INSPECTED BY: No.) =No.) = TOTAL(INSPECTOR Q.C.) NON CONFORMING PIECES (SIGNTURE: SIGNTURE: OVERALL REMARKS: NAME: NAME: DATE: DATE:



1. 1

LOT INSPECTION REPORT INDEX CAGE FOR 3RD GENERATION G-4 GAS METER

LOT INSPECTION REPORT NO: QC-IC-LIRV324R01 Page 2 of 2

			3.55 - 3.59			T					<u> </u>	T	T	T	Т	T	T	T	T	Г	Τ	T	T	Γ				
			3.60 - 3.64			·						Γ	1		T	T	T				\top		\vdash	-			\dashv	
		HOLE DIA	3.65 - 3.69			T							1	1	T	T		1			1	_	+-	 		\vdash	-	
		FOR											Π	Π	1	T	1	1			1	T-	1			Н	_	
	5.	DRIVING	Ø 3.70 – 3.75												Т		T		Ι				Τ		П		\neg	
	-	GEAR LOCK	D 3.70 - 3.73				Ш									\prod	T										\neg	
		Ø 3.70 – 3.75										_									Г							·
	İ		3.76 - 3.80			<u> </u>				\Box		<u> </u>	L											Γ				
		1	3.81 – 3.85						_				L	<u> </u>	<u> </u>	\perp	1_	L										
	ļ		3.86 – 3.90 ,	\sqcup				.		_		_	_	<u> </u>	L	_	_										\neg	
]	1		4.80 - 4.84					\dashv	_	_		L	_	<u> </u>	L		\perp					L						
1	-		4.85 - 4.89	\sqcup			<u> </u>	_		_			ـــ	<u> </u>	<u> </u>	ļ.,	_	<u> </u>	<u> </u>									
1	ı		4.90 - 4.94	-		 _		4	_				<u> </u>	<u> </u>	 	ļ	_	<u> </u>	<u> </u>		<u> </u>		_					
1		HIGHT OF		$\vdash \vdash$		4	\vdash	\dashv	-	-		ļ	<u> </u>	_	↓_	\vdash	丄	<u> </u>		L.	Щ							
	6.	PIN	495 - 5.05	$\vdash \vdash$		┼		-	-				<u> </u>	_		Ŀ	↓_	ــــ					_					7 .
		4.95 - 5.05		 		 -	Ш	N	A	\sim				=	-	-	ļ	<u> </u>	_								\dashv	
		ļ	5.06	┝			Н	7	ч	Ч	ч	K	U	H	E	A	_	<u> </u>							_	_	_	
	1	j.	5.06 3.0	\vdash	-+-	+	-	\dashv	-+	\rightarrow	$\overline{}$	í			-	ч	 -	<u> </u>	L.,			_					_	
j	İ		5.16 - 1.20			-		_		U	0	Ρ)	-	_		$\vdash I$	-		-		Н		-				\dashv	
			2.80 - 2.1			+									<u> </u>	H	┼	-	\vdash		Н	_	-		-			
ł			2.85 - 2.89	4)	+	+	-	+	\dashv	-	-		 			-	-			_	\dashv				-	\dashv		
			2.90 - 2.94	Ħ	\perp	+-	\dashv	+	-+	-	\dashv		-	_	-	┢	╁─	\vdash	\vdash		-		-			-	-	
						n i	_	-+	+				_	-	 	-	-	-	\vdash					\dashv	-+		-+	
ı	_	DIA OF PIN	~					_	+	7				<u> </u>	-	 	-				\vdash						\dashv	
1	7.	Ø 2.95 – 3.05	Ø 2.95 – 3.05				1	7	_	_	\neg	\neg				-	_	\vdash					\vdash		\dashv	\dashv	+	
1	1						7				\neg	_					\vdash	-		-				\dashv	+	-	-	
1			3.06 - 3.10.					7														_		\dashv	-	-+	\dashv	
İ]		3.11 – 3.15		T			I								<u> </u>	 				1			_	\dashv	_	+	
L	<u></u>		3.16 - 3.20					7									_		-	_		_		7	十	$\neg \dagger$		
FUNCT-	1 France	EDIO OF DIDEN A	005) (D()/						A											=								
IONAL		TING OF INDEX A	SSEMBLY:						-4	Ä	AN	¥ (H	EK	FAU	JLI												
INSPEC-	1	TING IN METER:							_				_															
TIONS] 3. SEA	LING ON METER	•			 -			$_{\perp}$	`	$\underline{}$			_			_											
			т		ONC	LUSI	<u>ON</u>					_1	K,	1														
DET	CAIL OF	NSPECTOR,	CRI	ERI	A FO	R AC	CEP	TA	NCE	01	R.	EJĒ	CT	N								C	HE	CKE	D B	١Υ٠		
INSTRU	MENTS &	GAUGES USED	(ON	AQL	= 2.5)	:				/ `			(Ü												Q.C.)	1	
1. VERNI	CD CALL	DED		-								-			-1	Q) —	سبعا	-									
1. VERNI	ER CALI	rek	NON CONFORMI	TIES	FOU	ND:		•		•	•				•	I.												
']	INSPET	ED DV.								,			NI	٠١.	_ `	•	N	2		•								
1 ,		OR Q.C.)	2.	(No.) = 6																								
1	(- Car Q.C.,	3.							~	_		_i_).) =				C										
ł				******										~1	-			.~	$\langle \cdot \rangle$	\ 7								
SIGNTUR	E:		. TOTAL NON	<u>C</u> Ol	V <u>F</u> OR	MIN	G P	IEC	ES(1	Nos.) =					51	φ⁄.	(Ú)	E:						i
7747.55			OVERALL REMA	4.50					*							٠,,]	~	•	_						
NAME:			O TERALL REMA	(CAN)	·			,										, , ,	N/	٩Mi	B: _							
DATE:			·	.x.ç-	* ,-		, ,	-,		-4						·		- `	<u>۾</u>	A Tri	١.							·
			_ DATE:																									



There are the second

LOT INSPECTION REPORT INDEX.CAGE FOR 3RD GENERATION G-4 GAS METER


LOT INSPECTION REPORT NO; QC-IC-LIRV324R01 Page 1 of 2

	GENERAL INFORMATION		ੌ,
DA #	FOR CRITICAL DIMENSION	S AN EXTRACT FROM DRAWI	NG NO: MP-IC-DV324
DATE:			65 = 5
LOT SUPPLIER:			§(7)
LOT QUANTITY:	S A		
SAMPLE SIZE:	2		
SAMPLE DRAWN BY:	I MI III		.
SAMPLE INSPECTED ON:			ana saana ay saa saa saa saa saa saa saa saa saa
SAMPLE INSPECTED BY:			DETAIL B 2
(Note : All Dimensions are in millimeters)			64.3.[2[13]
	INCORPORTONIC		

		INSPECTIONS	
VISUAL			5. DAMAGE:
	2. BURR ON CYBLE C	AR I OLE:	6. SHORT:
-TIONS	3. BURR ON DRIVING	AR H E	7. SHRINK:
	4. BURR ON INDEX ASS	SEM LY SHAFT HOLE:	8. ANY OTHER FAULT:

1	SR.	CRITICAL	CL											_) D	e e	33/	A 771	·	10										T	٦
	NO.	DIMENSIONS	BOUNDAR LS	_											JD:	SEI	X V 2	4 I I	ON	5					•					QTY.	
	1		5.85 - 5.8								L	\perp						Т	Τ	Т	T	T	Т	T	T	\top	Т		T	T	-1
1			5.90 - 5.94								L							-			T	Т	T	\top	T	T	1		T	f	ヿ
1			5.95 - 5.99						-	_	\pm	+	+	4				J	Т	Т		Т	7	1	T	\top	\top	1	1		┪
1	1	HOLE DIA		-			Ш	M		Ω	Ni	Ti	20	\mathbf{I}	Ī		h		Τ	Т	T	T		7	Т		7	1	1		ヿ
	1.	FOR CYBLE	Ø 6.00 – 6.10						9	~	11	11	1	7			P			Т	Т	T	T	T	Τ	7	1.	1	\top		-1
1	1	GEAR	D 0.00 - 0.10							1	70	םנ	V	\Box				Г	T	T	T	7.	1		\top	_	T	1	\top	1	7
1	1	Ø 6.00 – 6.10									Jζ	7	T						T	T	\top	Т	T	1	1	1	1	1	1		ヿ
			6.11 – 6.15						74	1		+	Ŧ	-	7				T	T	Τ	\top	1	\top	十	\top	丁	+-	1-	 	ᅱ
	}		6.16 - 6.20									Т		Т				T	T	1	Т	T	╅	T	+	+	十	_			⊣
1			6.21 - 6.25									4	Τ	T	\neg			Т	\top	1	1	1	十	十	+	+	+	1-	 	 	┥
	}		2.85 - 2.89											T						T	1	T	1	+	+	+	+	┰	+		⊣
	1		2.90 - 2.94								17						_	†	\vdash	1	\top	+	十	+-	+	十	+	╆┈	\vdash	 	\dashv
Ä		HOLESPIT	2.95 - 2.98									17			\Box			1	T	1	†	†	+	+	十	†	十	t	+		\dashv
Š.		HOLES DIA FOR INDEX				\neg	\neg				1	1	Ŵ		T.				\top	1	\top	十	+	+-	十	+-	十	\vdash	+	 	\dashv
ð	2.	ASSEMBLY	Ø 2.99 – 3.04								П		T	1	Z	4		1	1	1	1	+	+	+-	十	+	+-	1	\vdash		-
F	-	SHAFT	19 2.99 - 3.04					T			П		1		7			Т	T	1	†-	\top	_	1-	十	†	+	 	\vdash	-	1
Ä	ļ	Ø 2.99 – 3.04										Τ	T	7	T	7			1	1	+	T	1	1	+	+	╄.	1-	\vdash		+
S	l	2.55	3.05 - 3.09								П	T	T	7		V		\overline{Z}	K	1	1	十	\top	1	1	+	╈	1			┪
DIMENSIONAL INSPECTIONS	ľ	[3.10 - 3.14		[Г	Т	T	丁			7	U			Т	1	1	\top	T	T	† 			┪
₹			3.15 - 3.20					. [7	Ì	Т	1	T	1-	1	1			1
Z	ļ	<u> </u>	63.95 - 63.99						[L	Ţ		Ţ					F		T	1	1	\top	T	T	1			┪
Si	Ì		64.00 - 64.04										\mathbf{I}	Т					Г	7		7	\top	1	1	T	\top	1	\Box		ゴ
Ž		_	64.05 - 64.09]				Г	T	Т				Т	1		77		Τ	\top	1	T		\vdash		7
Ž.		SPACE FOR												T					Г		T	\Box	7		1.	\top	\top				٦.
DI	3.	INDEX	Ø 64.10-64.30										Γ						Τ	T	\Box	۲	亿.	₹		7	1	1	A	7	1
	".	ROLLS	0.10-04.50																Π		1	1	K			1/2	E	17	<i>t</i>		7
l		Ø 64.10- 64.30				\perp									\top				Π	T	T	T	7			1		1			1
l .			64.31 – 64.35										Г	T	Т					П		Г	T	T	T	Т		1			1
ļ			64.36 64.40											Т					Π	S	T	2.1	Δι	VΔ	Q I	MI	KT	ΔF	A		1
j i			64.41 64.45											Т	Т						7	~						•			1
		Ĺ	4.95 - 4.99		·							Г		Т		╗					1.	_		M							1
	1 1	<u> </u>	5.00 - 5.04										Γ	T	T				Ι.	\vdash								an			1
		HQLE DIA	5.05 - 5.09			\perp														Su	So	uth	ern	Gas	Co	mp:	ny	Lîm	ted		1
		FOR	<u>[</u>											Т	Т	\neg							T		Τ	Ė	1				1
-	4.	DRIVING	Ø 5.10 – 5.35											I								Г	Т	Τ	T	\vdash	\vdash				1
		GEAR	0 0.10 - 0.00	\perp		\perp						<u> </u>		\perp								Г	T		Τ.	Г					1
		Ø 5.10 - 5.35		\perp		\perp	\perp		_			_	L	<u> </u>									Τ.			Г					1
			5.36 - 5.40		\bot	4		\perp	_				<u> </u>	\perp]
		.	5.41 – 5.45	_	_	4	4	_	_			L	_	丄	_]
<u> </u>			5.46 – 5.50	_								L	L						L		<u> </u>		L						\bot		







ベイ ボーン ギーケイ しいいしょうけい さししょう

TO I INDUDED THOM WELCK!





Top View



SUI SOUTHERN GAS COMPANY METER MANUFACTURING PLANT SSĞC ALL DIMENSIONS ARE IN MILLIMETERS TITLE: Cup Seal For Securty Bolt M5x10 of 3rd Generation G-4 Gas Meter MATERIAL: Polyacetal in SSGC Red Colour 28-07-2016 First Issue PROCESSING: SURFACE TREATMENT: Injection Moulding OLD DWG REF: INDEX NO: DRAWING NO: REVISION MP-CS-DV344R00






Sui Southern Gas Company Limited

LOT INSPECTION REPORT CUP SEAL FOR SECURITY M5X10 FOR 3RD GENERATION G-4 GAS METER

LOT INSPECTION REPORT NO: R-QC-CS-LIR-DV344R00 Page 1 of 1

GENERAL INFORMATION

	DA#			F	OR (CRIT	ICAL	. DIN	IEN	SIO	NS A	N)	EXI	R.A	CZ	FF	RON	1 D	RA	W	NG	N(): N	AP-	CS-	-DV	344	R00
													0 57,	~0 00	L .													
									[$\overline{}$			30 ⁻⁶⁶														
2	LOT SUPPI	LIER:				,		5 1		_		_		37				٦	~1									
i head	LOT QUAN	TITY:_		<u>. </u>				U2 X60	<u>-</u>	777	777	<u></u>	77/	7/	777	777	77	 			}							
ł inskie	SAMPLE S	ZE:						f										Ø	2.15	280 +003					ر کے قوم	OU		man r _{et}
			BY:				•	-[607	4								1	2.15		ļ				3/	14	POQ	6 \ \
	SAMPLE IN	ISPECT	ED ON:								•		<u>e</u>	6											1		ig.	MENT !
	SAMPLE IN	ISPECT	ED BY:		•					l			12V 237					_						11	13			
	ote: All di									-		1	Section	n Vi	iew										1		=	G.E.
ě.							IN	SPE	CTI																			
	ISUL		SHING:	<u> </u>						_	COL					 -												
	NSPC- TIONS	2 SHR 3 DAN									SSG																	
		SR.	CRITICAL	Agg	Τ-	 :	•			0	VEN	וטע	< IVI	ONU	JGF	CAN	<u></u>											Other
ļ		NO.	DIMENSIONS	BOUN AR ES		T T					11	C	BS	ER	VA	TIC	ONS	3										QTY ·
				7.77 - 7.8	}	\vdash	+		+	+	+	\dashv	\dashv		\dashv	-	-								H	Н		· · · · · · · · · · · · · · · · · · ·
				7.83 - 7.87		A										П	_											
		,	TOP DIA	.45.00 5.00	6	刑	10	Ok	ìĦf	₹೧	11	F) 	+	\dashv	-	\dashv	\dashv	\dashv		\dashv	-		Н	-	\vdash	*	
i		1.	Ø7.88 – 7.90	Ø7.88 – 7.90			4							\Box	4													
	. 🕿			7.91 – 7.96	+		4	A	Uμ	Υ.		-	╂	\dashv	+			\dashv			-				\vdash	\vdash	\dashv	·
	Ó			7.97 – 8.02			1														$\neg \dagger$				\vdash		\neg	
	- <u>F</u>			8.03 - 8.08								_	_	-	_		_						_					
	E			2.62 - 2.67 2.68 - 2.73	+	\vdash	-					\dashv	-+	\dashv	\dashv	+		\dashv		_	-	-		\dashv		\vdash	\dashv	
1	S			2.74 - 2.79											\exists		\exists				_			\dashv	\Box	H		
			Height		H	$\vdash \vdash$			\perp			1		4	4	_	_	\Box		\dashv				\Box		\square	\sqsupset	
	N((SI/ DIMENSIONAL INSPECTIONS	2.	2.80-2.83	2.80 – 2.83																			_	\dashv	_	\vdash	\forall	
1	NSION			2.84 - 2.89	+	-		-	+	-	\vdash		Ų	4		\dashv	4	_	4	_	_			\neg	\Box	\Box	\dashv	
Ų.	Z Z			2.90 – 2.95	廿					1		\neg	\perp	9	H	人		\dashv	+	\dashv	\dashv	\dashv		-	\dashv	\dashv	\dashv	
Ţ	8 -			2.96 -3.01								_			7	4	Д			\Box				二		\Box	\Box	
1	A			7.17 - 2.22 7.23 - 7.28	++	+	+		+	+-	\vdash		+	+	+		4	7	\exists		+	-	-	7	_	_	\dashv	
	1			7.29 - 7.34	\Box								\perp				7		Ω	Z	2			1	1	\leq	\exists	
		ļ	BOTTOM DIA		\vdash		+		+	┿		4		4	+	+	-	4			V	7	7		\neg	\dashv	\dashv	
		3.	. Ø 7.35 - 7.40	Ø 7.35 - 7.40						1	$\vdash \vdash$	$\dot{\dashv}$	-	\dashv	\dashv	S	7/	13	ΔÌ	VΔ	RÍ	vil		ÍΔ	ΞΔ	+	\dashv	
				7.41 7.46	\Box		\perp		\perp				1	\perp	\Box	4	4	_	A	M	(MI	MP				\dashv	コ	
		İ	•	7.41 - 7.46 7.47 - 7.52	++	\dashv	+-	+	+	+-	\vdash	+	\dashv	+	+	+	Mes	er	Mar	าน	acti	ırin	g	'lau	nt -	\dashv	\dashv	
L	l			7.53 - 7.58												Syli	Sat	ithe	m	Ga	Co	mp	any	lau Lin	ille	3		
	FUCTI INSPE			TING IN PLACE:							2	AN	ro	HE														
Γ			NSPECTOR,								<u> </u>								Γ									
			S & GAUGES	CRITE (ON A	RIA QL =	FOR = 6.5)	R AC(CEP'	TAI	NCE _/_	OR	RE	JE	CTI	ION	Ĭ					(BY Q.0		
 -	I. VERNIEI				·····				,				* 27				,	78.00	-									
-	I. VERMILI	CAL		NON CONFORM	ITIES	s FOU	ND:																					
	TNIC	pr∕π	ED BY:	1		<u></u>		(_	···		Vo.)	≓ _	- America	-	%												•	
			OR Q.C.)	2. 3.						1	<u>/lo.)</u>	=_	No.	-	% 7%	iansi	7											
	•		- /	NON CONFORM	ING	PIEC	ES (N	(OSL) =	=		_%		10	424.	_											
ç	SIGNTURE											- T	-	-	4		ili ma	-	S	IGN	ITU	RE	:					
				OVERALL REMA	RKS	:	· · · · · · · · · · · · · · · · · · ·		,			بيني	·						N	ΔN	Œ:					•		
Ì	NAME:			,															_	~~~~								_
I	DATE:										*	g+>							D.	ΑT	E:_							
_				(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			_			مستثند			-	-		جاسخ	u di om											



SSGC

LOT INSPECTION REPORT CYBLE GEAR FOR 3RD GENERATION G-4 GAS METER

14c

LOT INSPECTION REPORT NO: QC-CG-LIRDV323R00 Page 1 of 2

	, 1015 310		
<u> </u>		GENERAL INFORMATION	
DA#		FOR CRITICAL DIMENSIONS AN EXTRACT FROM DRAWING NO: MP-CG-DV3	23
DATE:		₹ 25.3% (\$13) Ø 3.65.% (\$1	
LOT SUPPLIER		92.9.\$.s. (2) 3 25 5 5 655 665	
LOT QUANTIT	Y:	(a) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	
SAMPLE SIZE:		3.12	1
SAMPLE DRAV	VN BY:	34 34 34 35	**
SAMPLE INSPE	ECTED ON:		PROCUREMENT
SAMPLE INSPE	ECTED BY:	The state of the s	
(Note: All dimen	sions are in millimeters)	(1) (2) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
A	- // _	INSPECTIONS	
9	1. FLUSHII G IN IQLE :	4. SHORT:	
VISUAL	2.:FLUSHING ON TATH	5.SHRINK:	
INSPECTIONS	3. DAMAGE:	6. ANY OTHER FAULT:	
SR.	CRITICAL CLASS	OBSERVATIONS	QTY.


	SR.	CRITICAL .	CLASS									(OBS	ER	VAT	Or	NS										- 1	QTY
L	NO.	DIMENSIONS	BOUL DAR ES	├					1	_				\neg		Т	Т	Т	\neg	Т	Т	T	T	T	Т	\neg	\top	
			24.93 2 39	ļI	\vdash			+-	+	_	┝╌╏	-+	-+	\dashv	-	+	\dashv	+	+	十	十	7	-1		7	_	\top	
ľ	•		25.00 - 25	4	-				╁	-		-	-+	+	\dashv	+	+	+	-+	十	十	十	-+	_	寸		\top	
			25.05 - 25.09		N	-	-	-	 				-+	\dashv	+	+	-+	-+	+	+	十	-+		_†	_	- -	\neg	
	1.	TOTAL DIA Ø 25.10 – 25.30	Ø 25.10 – 25.30	0		N	C	AC	11	C	L	E	D		#							1						
-			25.31 – 25.35	┼─				₩₹	/	Y			7		十	_	T	十	\dashv	1	\neg			T			T	
Į.				┼	1	7		1	+	-				一	_		7	十	丁	7	\top		\neg		\neg		T	
- 1			25.36 – 25.40	┼			lacksquare							-+	十	_	7	_	_	十	1	\neg	\neg		\neg	$\neg \neg$		
			25.41 – 25.45	-					n-	-	-	-	-	-	_	_	-	-	_	+	寸	_		1	.			
			23.95 - 23.99	┦—	1		<u> </u>		4	P -	-			\dashv	-+	-	-	+	-+	-	+	+	-	一十	_	_	-	-
)			24.00 - 24.04	ــــــــــــــــــــــــــــــــــــــ	\perp		- -		Y,				1			-	\dashv	-	\dashv	-+	\dashv	\dashv	_	_	-+	-+	_	
			24.05 - 24.09	╀.		_			\bot	Н			-		\dashv	\dashv		-+	+	-	-	-+	_		-	-	~	
9		TOTAL		<u>_</u>	\bot	-		-	 -	V	1		\dashv		-+	-		-+		\dashv	-+	+		-	_	十	⇈	
DIMENSIONAL INSPECTIONS	•	HEIGHT	24.10 - 24.30	_	1			_ _		\vdash	1				\dashv		\dashv	-+	-	-	\dashv	-1	-	\dashv	-		_	
	2.	24.10 – 24.30	24.10 - 24.50	_				\bot	_	1					+	\dashv		-	-+	\dashv	-					-+	\dashv	
ပ္သ		24.10 - 24.50						_	\bot	╄	ــــ	1			_		1		\dashv	-1	-		. ,	- /	닠	5 1	+	
			24.31 - 24.35				\perp			L	1		\smile			_		_	-		19	A	\mathcal{A}	1		4	+	
Ž			24.36 - 24.40	T						_	1	_	_		14				-+	_#	4	14	7		-		\dashv	
5			24.41 - 24.45								1					<u>_</u> `		_	_	4		_	_		\leftarrow	_	-	_
- ₹			2.70 - 2.74	T		T	Π.				<u> </u>							_			_	4			_		-+	
ō l		·	2.75 - 2.79	\top		П	7										S		e A	W	۸d	-11	110	57/	\ E	1	-+	
SI			2.80 - 2.84		1											_	9	4	K1	77	7/	14	U.	7 1.7	11.4	~		
E		HOLE DIA			1					Τ	Γ.									G	n (MN	<u>P)</u>					
Σ		FOR PINTER			1		1		1	Т	T						A	22.5		<u>a.</u>	sta	:tu	ing	P):	int	\vdash		
<u> </u>	3.	CYBLE SAFI	Ø 2.85 – 2.90		\top											9	ui S	ou	101	åd	25	os	02	γL	mi	ec	_	
		Ø 2.85 – 2.90		-	+	\Box		_		T								•				9 (1)	-					
		W 2.05 - 2.70	2.91 – 2.95	╁	+		-†	\neg	+	+																		
			2.96 - 3.00	+-	+	† †		_		\top		1								,						\Box		
			3.01 – 3.05	+-	_	 		+	-	+	+-	\top															_	
			5.60 - 5.64	+	+	1-1	-	┪~		\top	+			$\overline{}$										Ī				
	}		5.65 - 5.69	+-		+	_			十	+	T	_				П									h	_	
			5.70 - 5.74	+	╁╌	1-1	-	\neg	-	+	+-	1														\sqcup		
		LOCK OUTER	3.70 - 3.74	+	+-	+-+	-+			+-	+-	1-	†	\vdash		_												
		DIA	[+	+-	+-		+	+	+	+	1	 	-														
	4.	Ø 5.75 – 5.95	Ø 5.75 – 5.95	-		+ +	-+	-	+	+	+-	T	1															
				-		++		-		+-	+-	+	1		 					Г			Γ	Γ				
			5.96 - 6.00	+-		++		-+	+	+	+-	+	\vdash	 	 	_				Г								
	ļ			+-	+	╅			+-	+	+	+	 	\vdash	 	ļ.	\vdash		\vdash					Τ				
		1	6.01 - 6.05	+-		+		-+	+	+	+	+	+	├─	+	_	\vdash	 		_	Г			Τ				
	1	1	6.06 - 6.10	1	- 1	1 1	- 1		- 1	- 1	1		.1		1 .	1	<u> </u>	1		L		ــــــــــــــــــــــــــــــــــــــ		٠				

SSGC

LOT INSPECTION REPORT CYBLE GEAR FOR 3RD GENERATION G-4 GAS METER

÷_τ .πt.

LOT INSPECTION REPORT NO: QC-CG-LIRDV323R00 Page 2 of 2



	CONCEEDION :	
DETAIL OF INSPECTOR, INSTRUMENTS & GAUGES USED	CRITERIA FOR ACCEPTANCE OR REJECTION ON AQL = 1.5): /	CHECKED BY: (INCHARGE Q.C.)
1. VERNIER CALIPER	NONCONE DIES FOUND:	
INSPECTED BY: (INSPECTOR Q.C.)	(No.) = % 2 (No.) = %	
SIGNTURE:	TOTAL NON-CONTERMING PIECES(Nos.) = %	SIGNTURE:
NAME:	OVERACL REMARKS:	NAME:
DATE:		
		UREMENT C
	Par	EPT STATE OF THE S

Technical Evaluation Criteria for Components of Domestic Gas Meters

New Pre-Qualified Bidder

Bidder shall submit the samples with sample inspection report:

- a. Sample shall be free of any surface defect, burr, flushing, finishing defect or
 deformation.
- t Dimensions of samples shall be within the tolerance as per drawings and specifications projided with the tender enquiry.
 - c. sample shall conform to the functional test.

In case of Non-conformance in bove criteria, shall result in technical non-responsive of the bid.

Regular Pre-Qualified Bidder

1. Bidder shall submit the same so vith sample inspection report:

S.TASAWAR MUSTAFA

- a. Sample shall be free or any perface defect, burr, flushing, finishing defect of GM (MMP)

 deformation.

 Sur Southern Gas Company Lumited
 - b. Dimensions of samples shall be within the tolerance as per drawings and specifications provided with the tender enquiry
 - c. Samples shall conform to the function at cest
- 2. Supplies against last Purchase Order shall be completed as per given delivery schedule.
- 3. Supplies against last Purchase Order shall be completed without any lot rejection.

In case of Non-conformance in above criteria, may result in technical nor exponsive of the bid.

SSGC has the right to conduct process audit of the supplier's manufacturing acids with or without intimation.

Checklist for Bidders

Time :	Phone No.
	1
Opening Date:	
Enquiry No.:	M/s.

Please ensure before submitting the bid, that following information / documents have been submitted / provided along your bid check { } appropriate bod.

Sr. # Details of required information / documents 1. Fixed Bid Bond as specified is euclosed. 2. Original Technical literature is enclosed, if any 3. Any change in your current address, phone, fax no. & email etc a c. Atimated 4. Bid validity as specified is mentioned. 5. Delivery period has been specified. 6. All correction /cutting/ overwriting are signed & star field. 7. Sample (if necessary) is enclosed. 8. Each & Every Page of the bidding documents of all b signed and stamped by the bidder. 9. Original Bid + One copy is submitted.	_												
ny fax no. & email etc a e nt fax no. & email etc a e nt it & star per la signed and stam sed & stamped	ž						<u> </u>	1					
ny fax no. & email etc a e nt fax no. & email etc a e nt it & star per la signed and stam sed & stamped	Vec	3											
			1. Fixed Bid Bond as specified is enclosed.	2. Original Technical literature is enclosed, if any	3. Any change in your current address, phone, fax no. & email etc a e numateu	4. Bid validity as specified is mentioned.	5. Delivery period has been specified.	6. All correction /cutting/ overwriting are signed & stat foc.	7. Sample (if necessary) is enclosed.	8. Each & Every Page of the bidding documents that it signed and stamped by	the bidder.	9. Original Bid + One copy is submitted.	10 Egen, Y & Rid Securing Declaration off Claused & stamped

ments, or incomplete/incorrect statement on this checklist may result in rejection of the bid Non-availability of the above informal at / after the bid opening.

ch 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak As per SRO296(J)/2023 dated 0 Acquisition and Disposal Syste

Bidders Authorized Representative



Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

<u>Nate:</u> In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not theeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful hidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully delivered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annex-1, duly filled, signed & stamped.

iv) in the where performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the whole / purchase order are new, unused, of most recent or current models and incorporate all recent improvements in design and goods unless and otherwise provided in the contact / purchase order.

v) The Warra by Judertaking being provided by the successful bidder is required to be submitted at least on Rs. 200.—Non-varial Stamp paper and should be duly notarized / attested.

vi) In case of supply, stallation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the agment of supplies will be released after successful installation, Testing & Commissioning.

2. Bid Security:

- a) Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treat at as null & void, however, other contents of clause 9 will remain unchanged. The submission of fixed amount of 3id security is appearing in the Schedule of Requirement/Bid Form.
- b) All the bidders are accised to furnish fixed bid security amount appearing in Schedule of Requirement/Bid Form, failing which their bid will be rejected.
- c) The submission of fixed amount of by security is also mandatory for all the bids valuing Rs.500,000/or less.
- d) The word lowest bidder or the lowest war and bid has been substituted to read as most advantageous
- e) Sub-clause 9.2 of the General Terms & Condition to be treated as null & void, however, other contents of clause 9 will remain unchanged.

3. Method For Submission of Bid Bond (Under Single Stage Two Anvelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid boad. For clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the had boad is placed in the financial proposal will also be considered. Without submission of bid bond (either in Technical proposal or financial proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bi bor shall remain valid for 150 days.

5. <u>Declaration / Integrity Pact / Certification:</u> It is required to be submitted by the Success of Libber on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of http://doi.orub.10.000.000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4 LP-Rev-22

19 Dec 2023



clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

8. Correct Postal Address.

Bidder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.
- & PBG (Performance Bank Guarantee) for Proprietary Tenders coprietury Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / In-ease Applicabl
- age / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- Perms & Conditions is meant for vendorized items processed through negotiated 15. Clause 14.1 of General tendering clauses.
- din if the most advantageous bidder is new local manufacturer, 10% trial order 16. For open competitive by order will be awarded to the next most advantageous bidder at their own will be placed and remaining quoted rates.
- rned in after 6 months of work completion / material delivered.
- 17. SSGC will not pay invoices if they 18. It is mandatory for the bidders to follow I be terms and conditions given in the tender documents without mit the bid accordingly. Therefore, in this context, the bidders are any addition / deletion / amendment and s as it tantamount towards the conditional bid. Otherwise requested not to give their own terms and the Purchase Order / Contract will be awarded based on their terms and conditions will not be consider an only as per SSGC tender terms and conditions.
- one Bank Account number (IBAN number) on the 19. The bidders/contractors are required to provide their tion, which shall be firm (not changeable) for 'FORM-X' attached duly signed & stamped as one time all the future payment transactions.
- 20. Payment:

The supplier after delivery of goods and its acceptance shall subprimoice to Finance Department of the CPPO, Company, containing following information i.e.

- Purchase order No. & date (a)
- Items (b)
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc.
- (g) Supplier(s) are required to submit signed and stamp acknowledgement Tax return. (h) Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of stevant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
- 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

LP-Rev-22 19 Dec 2023

- deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
 - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).

27. Fixed Bid Security - Alternative Bid

A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for each make/brand/model.

- 28. Bidds (will be blacklisted and henceforth cross debarred for participating in respective category of Public From ement proceedings for a period of (not more than) six months, if fail to abide with a bid securit g declaration (which is an integral part of tender document), however, without indulging in corrupt and flavdulent practices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have with rawn or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the portract or accept purchase order (ii) fail or refuse to furnish the performance security or to co kinly with any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" meeting in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Box 1) of Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either of FOO or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following classes to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit fixed and bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be a varded separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to submit 10% Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission
 of his bid may lodge a written complaint concerning his grievances within seven days
 of announcement of the technical evaluation report and five days after issuance of final
 evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.



- In case, the complaint is filed after the issuance of final evaluation report, the
 complainant cannot raise any objection on technical evaluation of the report. Provided
 that the complainant may raise the objection on any part of the final evaluation report
 in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



NOT TOR BIDDING BURBOSK

Form of Bid-Securing Declaration

[The Studer shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)] No.: [number of Bidding process] e No.: [insert identification No if this is a Bid for an alts: native]

To: [complex jame of Procuring Agency]

undersigned, declare that

We in according to your conditions, Bids must be supported by a Bid-

We accept that we will be blacklisted and henceforth cross debarred for participating in blic procurement proceedings for a period of (not more than) with a bid securing declaration, however without including in commupt and frauduled rices, if we are in breach of our obligation(s) under the Bid-conditions, because we

- thave withdrawn the period of Bid validity specified in the L of Bid: or
- (b) having been notified of the accepta anduring the period of Bid validity. (i) a our Bid by the Procuring Agency or refuse to furnish the Performance. rise to sign the Contract or (ii) fail accordance with the ITB. (or guarantee), if

We understand this Bid Securing Declaration shall exp Bidder, upon the earlier of (i) our receipt of your notific successful Bidder, or (ii) twenty-eight days after the expiration of Name of the Bigder

Name of the person duly authorized to sign the Bid on behalf of the Bi

Title of the person signing the Bid

Signature of the person named above

Date signed

. In the case of the flid submitted by joint venture specify the name of the Joint Venture as Bidder

Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a forst Venture, the Bid-Securing Deciaration must be in the name of all members to the local Venture that submits the Bid.!



Supplier code:
FORM-X
Bank account details form for all Beneficiaries
(Mandatory requirement for Digital Online Banking)
As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R dated 23 rd Sept'2021 to make the payment online w.e.f. 01-11-2021. All beneficiaries are required to fill in the below details, which is mandatory:
Name of Firm:
Address of Firm:
CNIC #:
NTN #:
Bank Name:
Bank A/C Title name:
Branch code:
Bank A/c #: (16 Digits)
Bank IBAN #: 4 Digits)
Information already submitted.
Note: Please be attached copy of Cheque / Account Maintenance Certificale.(Nandatory)
Authorized Sign & Stamp
Date:
Note: All payments transactions will be made on above mentioned Account details. This is only a one time information to be provided by the all beneficiaries. Incase if the above detail has already submitted, please tick the box above "Information already submitted" and also ensure Form-X is duly signed & stamped.



TTI-E GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

ANNEXURE: 1

Declaration of Ultimate Seneficial Owners Information for Public Procurement Contracts.

- 1. Name
- 2 Father's Name/Spouse's Name
- 3. C / NICOP/Passport No.
- 4.
- 5.
- 6.
- 7. Date on which sha control or interest acquired in the business.
- 8. In case of indirect sharen control or interest being exercised through intermediary ersons or legal arrangements in the chain of ownership or in case of indirect sharen pung, companies, enmes or other lead control, following additional purity to be provided:

Legal form (Company/Limited Liability Parmership (Association of Persons/Single Member Company/Parmership Firm/Trusted/Any other Individual, Body Corporate (to be Specified)	Unte of Incorporation / Registration		Country	Entail Address	Percent prof sinarer tale control interest of pr in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Ingress of Str. Person or Legal Arrangement of the Combonly	I 10 Identity of Natural Perso who Ultimatel owns or Controls the Legal Person of Arrangement
---	--------------------------------------	--	---------	----------------	--	--	---

information about the Board of Directors (details small be provided regarding number of 9. snares in the capital of the company as set coposite respective names).



THE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 I

,	1 2	3	14				
Name and	CNIC no (in	Fathers /			16	17.	1 8
sumame (in block Latter's)	case of foreigner Passport No)	Husband's Name in Full	. Current Nationally	Any other Nationality lies)	ī	Residenti ally address in full of the registered	Numbers of shares taken by cash subscribers (in figures and words
·	0	O _A			Occupation	/ principle office address for a subscribe re other that natural	
<u>-</u>		P				Person	
. ;	. 1	-			1	1	<u>. </u>
10. Длу с	ther informatio	n incidental to		peneficial of		-	
Name and stor	antist	ce on behalf of t	~]	C		(s	orreusement de
					•		



Sui Southern Gas Company Limited (SSGCL)

Contents

Part-A

Section -1 Gueral Terms & Conditions Included
Section -1A Add 10 al Terms & conditions for Included

FOR

Section - 2 Special Term & Conditions Included /Not required

Annexure—B Format of Bid Boild Bank Guarantee Included
Annexure—B Format of Performance Salk Guarantee Included

Annexure—C Declaration by Supplier Included /Not required

Part - B

110000

Section - 3
Section - 4
Bid Form (Schedule of requirement)
Section - 4
Specifications/Drawing (if applicable)
Included
Not required



		SUI SOUTHERN GAS COMPANY LIMITED	yaar oo ah oo ah
M/s.		Procurement Department	,
		· The desired No.	
		Tender Enquiry No.	
		INVIATION TO BID	, ,
sub	ject r owing	hern Gas Company Limited, (SSGCL) has pleasure in extending you an invinaterial according to Terms and Conditions specified in the attached Teng instructions before submission of bid:	der Document. Please read
		Bids as to be submitted in sealed envelope provided with the tender, indicated its operate date and time on the face of the envelope.	ting Tender Enquiry Number
	2.	Bid Bond 22° of the total FOR / FOB value shall be enclosed with the brejected and raim to bidder unannounced. The Bid Bond shall remain valid in which it is expering.	id without which bid will be till the last date of the month
	3.	In case the bid opening date falls on a holiday or due to some unavoidable circ	
	4.	to open on scheduled dat will be opened on next working day at the same The bidder shall bear at express associated with the preparation and deliv	e time and at the same venue.
	••	Company will in no case be in the n this respect.	- •
	5.	Prospective bidder requiring an information or clarification of the tender matthe mailing address. The Company of pespond to any request for explanation within reasonable time prior to subtribute of bids.	on or clarification, if received
	6.	The Company reserves the right to careed at delete or amend tendered its tender during the bidding period without assisting any reason. However, bidd prior to bid opening/process.	•
	7.	The Company reserves the right to accept or reject my kid or part of a bid of and reject all bids at any time prior to award of count ct/purchase order veliability to the affected bidder(s).	r to annul the bidding process without thereby incurring any
	8.		separate envelopes Bid Bond
•	·	on the top of the envelope. Technical offers will be opened and evaluated technically compliant bidders will be opened at a later intigrated representatives. Financial proposal of technically non-compliant bidders with their bid bond. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in	first. Financial offers of only ate in presence of bidder's be returned un-opened along
	9 10.	The Company will appreciate confirmation by fax No 92-21-99231583 or e to DGM (Procurement) of your intention to submit the bid and if not interest be appreciated if it is intimated through fax or email with mentioning of reas	mai at rente@ssgc.com.pk or ted in supp. Ssion of bid, it will
	11.	. Bids are required to be submitted at:	
		Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman F Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99 Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk	Road Gulshan-e-Iqbal, Karach 021279, 0092-21-99013074
		Hope and look forward for your valued participation.	· ·
		Thanking you	
		Yours sincerely	Strein Gas Co
		·	当 Procured 适量



General Manager (Procurement)

ocuren.

General Terms & Conditions

1. Submission of bids:

Bids are to be submitted in sealed envelope provided with the tender (in such a manner that 1.1. contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.

Sealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, Building, SSGC Head Office. Bids are to be delivered on or before closing time after which Il not be entertained. In case bid is sent through courier, the same shall be delivered at least

his ur before scheduled opening time.

The Company may at its discretion extend the closing date for the submission of bids, in which 1.3. and obligations of the purchaser and bidders previously subject to the closing date ubject to the date extended. However, any request for extension received from prospective budges less than one week prior to bid opening date may not be entertained. In case of extension in bit or off g date, the same will be advertised in press and simultaneously shall be intimated to prospect be bidder who had purchased the tender documents.

The bid shall contain no is a ineations, erasures or overwriting except as necessary to correct the

1.4 errors made by the bidded in case of any correction etc. it shall be signed and stamped by the

person signing the bid.

The quoted price shall be incusive fall duties/taxes except GST, which is to be mentioned separately. The supplier shall declare (if applicable) regarding non-applicability of GST for which 1.5. Rates shall be item-wise, as given in price schedule/schedule of required otherwise specified. 1.6.

schedule/schedule of requirement/Bid Form unless

otherwise specified.

Bidder is responsible for timely delivery of bid at location specified 1.2 above. Company will not 1.7. be responsible for misplacement/ tampering/non-attend ace/delay or any other incident in case the bid is not delivered at the designated place & time.

1.8. Any bid received late after the closing date and time, will he rejected and returned unopened.

The quotation shall only be acceptable on/as per Bid Form in use for foreign tender when Local Acent submits bid on behalf of different bidders, a separate the Bond for each Bid is required. 1.9 and for each Bid is required. Likewise for tender when bidder submit alternative bids a spare bid bond for each bid is required or else bid will be liable for rejection.

1.10 Deviation from tender terms and conditions is not allowed. He ever, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: Big deviation on any

other page will not be entertained.

Discount offered (if any) shall be mentioned on the "bid form" only. 1.11

1.12 The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.

The bid is to be completed and returned to the Company in accordance with, General terms & 1.13 conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

з. Qualification of Suppliers: The Company, a any mage Properties Attached a, having predicte mosons for or private facing evidence of any defect in surtisting Mechanismies, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial compen

> Please Follow the Attached Black Listing Mechanism

whether already pre-qualified or **Element Company** shart or squalify a supplier or contractor if it finds, at any time that the information regardless distingtifications. Philipplier or contractor was false and materially inaccurate or incomplete.

Joint Ventures:

in the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. Ciarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents for tive dive working days prior to closing date for the submission of bids prescribed by the Company. The Company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/reference was not be acceptable.

6. Modification and withdrawn of bid:

- 6.1. The bidder may modify or military its bid after the bid submission, provided the written notice of the modification or withdraw has received by the Company prior to the deadline prescribed for submission of bid. After the bids/quotaions are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or witner well notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax for owe by a signed copy.
- 6.3 Bids once opened cannot be withdrawn distance at dity period.

7. Bid validity:

All offers shall remain valid up to 90 days (120 days in cast of Iwo Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. It bidder giving extension to his bid validity will not be required or permitted to modify his bid. If there will be an query/clarification or extension request asked by the Company, the bidder should reply the same within 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their hid validity period.

8. Rate Escalation:

8.1 All items except line-pipe:

Quoted prices shall remain valid. firm, irrevocable and fixed till the fulfillm int o obligations by the bidder and will not be subject to escalation / change on any account.

8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:a) H.R. Coil.
 - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessful bidders while the bid bond of the successful bidder shall be retained, till submission of Performing tond (if applicable). Bids without bid bond will not be considered. In case the order value is less than (2s: 06,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as no requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with the order. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond manual of feited if a bidder withdraws the bid duringvalidity period specified by the bidder or if successful bidder is to:

- Accept purchase order,
- Furnish performance guaras on accordance with clause 16 of Section 1,
- Supply material as per requirer at an delivery schedule.
- 9.1 In the event of bid bond validity following anothor of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bid case agency, then in such an event it shall be mandate, from the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of technical physosal/bid, and/or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnished to the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in the the nature of the procurement may consider and allow the bidder to deposit / furnish the balance 100 amount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding that all other terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address province on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (all and ance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. Preliminary Examination of bids:

- 11.1 The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.

 Prior to a composed evaluation the Composed will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 1) 4 Pic determined as not substantially responsive will be rejected by the Company and cannot subsequently be finite deponsive by the budger through correction of the non-conformity.



12. Clarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
 many acturer, that goods offered have been used successfully on a high pressure natural gas pipeline
 elsevant under tropical climatic conditions.

13.6 Specification Compliance Sheet:

Company regards a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to these specifications or a statement of deviations and exceptions to the provisions of the specifications, if a required/desired. For purposes of the commentary to be furnished pursuant to above, the bidder shall note that standards for workmanship, material and equipment and references to brand makes of stalogue numbers, designated by the Company in the specifications are intended to be descriping only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or an logue numbers in its bid provided which demonstrates to the Company's satisfaction that the intention are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, certificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical of the documents/certifications as required under the tender specifications. Evaluation shall be carried out on the basis of data/ documents/certifications submitted with the bid. No clarification, additional a formation may be sought / accepted after bid opening.
- 13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and men on chered specifications along with reference to its technical brochure/literature (page/clause No.etc). street enemt such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and templated specification is not acceptable. However, if bidder feels to mention minor deviation, and ame shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet stating reference of its technical data sheet/brochure. In case of insufficient information, data or document the Company is not liable to seek clarification and the bid may be determined non-compliant at provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

Ga

Procurement Dept.

- 14.3 Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure
- Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

The cost of compensation / loading amount for that item shall be derived from the bid itself.

If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming 15.2 technical specification, shall form the basis for cost compensation/loading.

ompany will encourage participation by local bidders who will be given price preference. cost factor shall be determined as per prevailing Government policy / SRO. However they details of local value addition on raw material imported by them and percentage of locally namifactured component with documentary evidence.

·16. Performance Bond:

- In case purchase order value is above Rs:500,000, the successful bidders shall submit performance bond guarantee which the submitted within ten days from receipt of LOL or order along with be submitted within ten days from receipt of LOI or order along with of a pay order or bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in of a pay order or bank guar and (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent 10% of the total value of the purchase order or as specified, in ond unless specified otherwise; shall remain valid till;
 - Completion of final satisfactor de ivery in case of consumable items. 16.1.2
 - 16.1.3
 - sectory delivery of the equipment/machinery. Satisfactory delivery/installation of tem in case the installation responsibility is on supplier's part. 16.1.4 120 days in case of chemicals.

 - 120 days in case of chemicals.

 In case of locally manufacturing item, the BG univalent to 3 months delivery schedule will be required after placement of purchase which should remain valid till 16.1.5 In case of locally manufacturing item, the completion of final satisfactory delivery of the o
 - 16.1.6 In case of small diameter line pipe (MS/MDPE) tered quantity. months after completion of satisfactory final delivery. shall remain valid up to 3
 - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in light
- The guarantee will be released after completion of this period, subject to stisf 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. The the guarantee valid at their cost until fulfillment of the obligations. 16.3
- In case the bidder does not submit the performance bond as specified, the deliverytime of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/ contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier.
- The performance bond will be discharged / returned by the Company not later than thirty (30) days 16.4 following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance.
- The Company shall premptly notify the supplier in writing for any claim arising under this lá.5 gramatee. Upon receipt of such notice, the supplier shall promptly repair or replace the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nomics herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to the value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most 16.8 recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.
- ed material may be placed on fulfillment of conditions mentioned at 14 &16 above Contract: 17. Purchase Ord Purchase order o que an confirmation for proceedings with the suppliers. which is through
- The successful bidder will required to give satisfactory assurance of its ability and intention to deliver 18. Assurance: and contract within the time set forth therein. the goods, pursuant to the ten
- In the event of either part, hereto being rendered unable, wholly or partially, by force majeure circumstances to carry out its solications under the purchase order/contract documents, such party shall give notice and full participant, and other satisfactory evidence of such force majeure 19. Force Majeure: circumstance(s) in writing or by first to the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligations are giving such notice so for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for an experimental party giving such notices are for a such as a such as a such as a such as a such as a such as a such as a such as a such as a such as a such as a such as a s cause(s). Remed upon the congations are variety giving such nonce so far as mey are affected by such force majeure shall be suspended or it a period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable distatch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy, every transmittenion, fires, floods, earthquakes or other physical disasters, order or request of governments. Blockade or embargo. It is, however, clarified physical measures, order or request or government of embargo. It is, nowever, trainfed that strikes, lockouts, shortage or non-availability of ray materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplies side shall not be included in the term 'force majeure'.
 - In case the force majeure contingencies last continuously or rote than one month, both parties will agree on the necessary arrangements for the further in all mentation of the purchase order/contract. In case further implementation is unforeseeable and in a said to be a subject to their rights and 19.2 arrange for the termination of the purchase order/contract, but without provide to their rights and or ligations prior to such termination it being understood that each party shall illfill its contractual obligations so far as they have fallen due before the operation of force m
 - 20. Amendment in purchase order/contract:
 - The Company may at any time by a written notice to the supplier make changes within the general scope of the purchase order/contract in any one or more of the following:-20.1
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - The method of shipment or packing. 20.1.2

 - 20.1.3 The place of delivery. 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
 - Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason. 20.2
 - Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract, as well as a detailed schedule for the purchase order/contract and the purch the modification, if applicable. Procurement

ոշել.

- 20.4 The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension a drivery period:

- Deliver of the goods shall be made by the supplier in accordance with the schedule of requirement and delivery period; however, the supplier may claim extension of the time limits as set forth in all schedule of requirements and delivery period in case of
 - 21.1.1 Modification in the goods ordered by the Company pursuant to clause 20.
 - 21.1.2 Delay in provided by the Company (services provided by the Company shall be interpreted to include all approvals by the Company under the contract.
 - 21.1.3 Delay in performance of work caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to me company's satisfaction that it has used its best endeavors to avoid or overcome such causes for delay and the parties will mutually agree upon remedies to mitigate or overcome such causes for delay
- Not withstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of such checumstances arising, immediately has notified the Company in writing of any delay that it me claim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company has supplier shall substantiate that the delay occurred is due to the circumstances referred by the supplier.

22. Packing:

- 22.1 The material shall be in original/sealed packing to ensure active without any damage during transit.
- 22.2 If any of the good is discovered to be damaged or unacceptable at the post of embarkation, the supplier shall be responsible for replacement of those goods free observed and cost to the Company, within the delivery time schedule of the contract/purchase order.
- 22.3 The identification marks showing contents, quantity and contract/purchase order number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- 22.4 Handling and Transportation:

 The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- 23.1 Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- 23.2 The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of deliver; and at the goods finel destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

Procurement

purchase order/contract. If goods fail to conform to the specifications, the Company may reject them.

24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
 - 24.1.1 R & D Section, Stores Department Abul Hasan Ispahan Road Fistachi
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of interest or from the date of purchase order/contract whichever is earlier, unless otherwise
- 24.3 The supplier hall replace defective material at their risk & cost including transportation, duty, taxes etc.
- 24.4 GST Invoice if pplicable be submitted at R&D section Stores Department along with material & delivery challan.
- Unloading and streams through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for material life Pipes/Heavy Machinery & Equipment etc).
- 24.6 Delivery is to be made by y in accordance with "delivery schedule" as specified by the Company.
- 24.7 The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation by the tempany. Beyond specified period, the Company shall not be responsible for storage/safety of the procedure material:

25. Delivery Failure:

- In case the supplier fails to supply/ship the lateral within the stipulated period, the Company have the right to make an alternative arranger out of the purchase of the goods on such terms as may be offered. In such event all losses, cost and the ges sustained/incurred by the Company on stated purchase shall be recovered from the Supplier without prejudice to any other right or remedy available to the Company which includes re only of losses sustained by the Company from any due payment of the said supplier.
- In the event Company remains unable to make such alternative stangements, the Company has the right to recover from the supplier any or all losses sustained as a sult of the supplier's failure to ship/supply the goods as per schedule of delivery.
- In the event Company being forced to purchase any quantity or any of ar elemative not specified in this document as a result of any failure to supply/ship the material, the company shall have the right to terminate the contract/purchase order without prejudice to any other in his or remedies available to the Company.

26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.
 - (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) is and the sales Tax invoice).

Procuremen

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- Whenever liquidated damages become payable, in the event that delivery of all goods and conjument is not made within the time period specified except on account of force majeure, the company shall quantify the same and shall serve notice to the supplier requiring payment thereof.

 The stroller fails to remit payment within 15 days of receipt of such notice, the Company shall forth with become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance and.
- 27.3 The payment of the damages shall not relieve the supplier from performing and fulfilling all its obligations under the contract/purchase order nor shall the right and entitlements of the Company be affected or reflected in any manner.
- 27.4 In case of order placed to 10 2/C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, decryed submission of PBG period in excess of time limit will be deducted from the delivery period be purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be we same equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed ervices for each day of delay, until actual delivery or performance, up to a maximum deducate of ten (10) percent of the Contract price. Once this maximum is reached, the Company may consider ermination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

- 28.1 The Company may, without prejudice to any other remains printing "notice of default" sent to the supplier, cancel the purchase order whole or in part; if:
 - 28.1.1 The supplier fails to deliver any or all of the ordered an airy as per specified delivery schedule or any extension thereof granted by the Company
 - 28.1.2 The supplier fails to perform any other obligation(s) under propase order".
 - 28.1.3 The Company during the delivery period has reasons to believe that the supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment
 - 28.2.3 The supplies becomes barderept or insolvent or makes an assignment for the benefit of its creditors.
 - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
 - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.

am. June In Garage

- 28.2.6 Penalty on higher rejection rate of supplied goods.
- *28.3 The supplier shall have the right to terminate the contract/purchase order if:-
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
 - 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applicable

The purchase true contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

31. Declaration/Integrity Dec Certification:

- 31.1 Successful supplier (all) urnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of the contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase order/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required a few this clause.
- 31.3 Bidders to submit a certificate on as the non-judicial stamp paper certifying that they are not black listed by the Government/Auto our unbodies and declared as defaulted supplier.

32. Arbitration/resolution of disputes:

- 32.1 Any difference or dispute arising out of or incorrection with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each sarty of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the water shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpire as be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate the disputes in accordance with the Arbitration Act. 1940 as a mended from time to time.
- he disputes in accordance with the Arbitration Act, 1940 as mended from time to time.

 Prior to exercising any right by the Company or supplier to terminate in purchase order/contract under the conditions stipulated above, a return notice shall be required to e given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and a parbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.
- 33. Redressal of grievances by the procuring agency.-
 - 33.1 Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
 - Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
 - 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email

Procurement

address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.

33.4 The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint

33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in the standard fraudulent practices as defined below:

Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything of value to influence the action of coefficient/Company.

4. If the supplier/contractor found responsible for the detriment of the Company during proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract, proceedings of p bourement/contract of p bourement/con

34.3 March sentation of facts in the procurement process or the execution of the purchase order/contract.

Collusive ractices among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Company of the benefits of free and open competition

35. Supplier's Guarantee and Responsibilities:

The Bidder/Supplier shall greatered that the materials supplied against this tender enquiry is new and is of acceptable quality and has be a tool and approved on similar jobs. The validity and scope of such guarantee will be in accordance with orditions stated in this document. In case the opinion of the Company the Goods fail to perform the services in accordance with the specifications specified in Section IV due to manufacturing defects/services extracted and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at a such cost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such containing that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier's cost so that the goods shall perform in accordance with the specifications and details as set forth in the Contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this cost served on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct the goods at its costs provided in the event, the Company shall be entitled to recover total cost of such replacement form the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the Company shall be written in English language. Any princed light ature furnished by the bidder may be written in another language provided that this literature is accordanced by an English translation in which case for purpose of interpretation of the bid, English translation of the bid.

17. Vehicle Applied by Authorized dealer of local manufacturer:

Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procureme

Additional Terms for Tenders on F.O.BJC&F basis:

1. Submission of bids:

1.1 Bid bond (Earnest money) @ 2% of the total F.O.B value at per clause ?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection

if these conditions are not met.

1.3 In case of Bidder strong to su ing to supply goods which the bidder did not manufacture or otherwise produce, the athorized by the goods manufacturer or the producer to submit bid or supply the biddet shall be duly goods on their behalf

1.4 Bids shall be submitted (prefacility through local agents) in two copies, (original + copy).

1.5 The price on unit FOB and Core hasis is to be quoted separately. Following are to be essentially indicated in the bid form:

Country of origin. 1.5.1

Port of shipment. 1.5.2

Estimated gross/net weight, diversion & volume of offered item and estimated weight of each 1.5.3

Delivery period or schedule in cas lk quantities. 1.5.4

Original technical literature. 1.5.5

1.5.6 Beneficiary's complete address.

be borne by the supplier. 1.6 Foreign bank charges and L/C confirmation charges

1.7 Bid Currency:

a states Dollars. A bidder expecting to incur The rates shall be quoted in bidder's home country or in this a portion of its expenditures in the performance of the contract in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. However Ader from Pakistan would be paid in

(Clause 1.5 of General Terms & Conditions is not applicable)

2. Bid bond:

2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value in fiver of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, can in order receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Pak sian. The bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful bidders, while the bid bond of the successful bidder shall be retained, till submission of Performance bond. Bids an out bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.

2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis ".

14.3 to 14.4 of General Terms & Conditions are also to be applicable).

1 mg 2 2 21c

5. Loading of Bid

from port of loading up to Karachi port or unit C&F value must be indicated in bid form, Freight charge failing, which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive crease in price of material.

(Clause 15 of General Terms & Conditions is also applicable).

6. Performance bond:

, E.

diam.

- 6.1 In case purchase order value is US 25,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders or submission of performance bond guarantee which is to be submitted within 15 days from receipt of LOO PA successful bidders shall submit a performance bank guarantee e piccessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (springer) attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless the dotherwise, shall remain valid till:
 - 6.1.1 Completion of final satisfactory delivery is see of consumable items.
 - 6.1.2
 - 12-18 months from the date of satisfactory draver, of the equipment/machinery. Satisfactory delivery/installation of system in sect the installation liabilities will it 6.1.3 the installation liabilities will be on supplier's part.
 - 6.1.4 120 days in case of chemicals.
- 6.2 The Letter of Credit shall be operative upon receipt of Performance The Letter of Credit shall be operative upon receipt of Performance 2 and as specified in para 6.1) and integrity pact, any delay due to late submission of Performance Bond will be on stopping account. Late submission of PBG should not affect the delivery schedule.
- The performance bond shall be denominated in foreign currency or in currency of the contract/purchase 6.3 order or in a freely convertible currency acceptable to the Company and sha the form of a bank guarantee.
 - In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G. supplier shall deposit short fall amount due to Pak Rupee exchange rate.

6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

Delivery:

In case of "FOE" orden/contract, shipment(s) shall be effected per vessel of Pakistra National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - 7.2... . The goods/material will be shapped dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supposer shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4. The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company or a count of short shipment by the supplier for all items subsequently shipped on a no-charge basis or otherwise year supplier. The supplier shall also reimburse the Company all additional duties to the y se supplier. The supplier shall also reimburse the Company all additional duties, taxes and other such charge had by the Company on account of incorrect invoicing by the supplier.
- 7.5 Shipment shall be deer ed to have been made when the supplier has shipped the goods against a clean bill of lading and all other such do mentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company
- The supplier shall ensure that the mentioned acts and other incidental and ancillary functions are conducted in accordance with sound are acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice dopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to corrective action/measure forthwith to corrective suppliers the point of localizer th 7.6 The supplier shall ensure that unacceptable at the point of loading, the supply all be responsible for replacement free of all charges and costs to the Company within the delivery eriod specified in the purchase order/contract.

8. Insurance:

- 8.1 All goods supplied under the purchase order/conhe fully insured in a freely convertible currency against loss or damage incidental to manufacture or ar of lition, transportation, storage and delivery in the manner specified in delivery clause 7.
- Marine Insurance shall be the responsibility of the Company of the southerwise specified.
- The supplier shall advise the Company by fax at least seven days or to the expected date of shipment, the following particulars:-UPD.
 - 8.3.1 Name of the vessel and of the shipping company.
 - 8.3.2 Age of the vessel (which should be less than 20 years).
 - 8.3.3 Lloyds 100A1 or equivalent classification of the vessel.
 - 8.3.4 ETD from Port of dispatch and ETA at Karachi
 - FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, I Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF/M/

9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

ern Gas

Procuremen

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consigning

9.3.1-Invoice 9.3.2-4 copies Packing list Bill of lading "freight to be paid by consignee 4 copies 9.3.3-3 originals & at destination" evidencing shipment in terms of the purchase order to Karachi-Pakistan made copies. 6 non-negotiable out to order in the name of Co.'s bank, Notify party Sui Southern Gas Company Ltd., Certificate of Origin (Verified/ Endorsed by Chamber of Commerce) 9.3.4-2 copies 9.3.5-Manufacturers test certificate/

· 斯林·

e at Six.

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at

9.4.1 Avoice
9.4.2 Billof Lading
9.4.3 -Packing List
9.4.4 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Manufacture Test Certificate/
9.4.5 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.6 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.7 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.8 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.9 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.0 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.1 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.2 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.3 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.6 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.7 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.8 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.9 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.0 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.1 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.1 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.2 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.3 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.4 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)

9.4.6 The invoice to be any use per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.

9.5 No payment hereunder shall or deemed to be accepted by the Company of the goods covered by such payment nor release the surplic from responsibility thereof under the terms of the purchase order/contract.

9.6 If the Company is compelled to pay term tryge or storage charges or incurs any loss or suffers any damage at Karachi Port on account of notice appliance by the supplier of above requirements, the Company shall be entitled at their sole discretor to recover the same amount from supplier.

10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract passes order if:-
- 10.1.1 The Company fails to establish the letter of credit within the tipy ated period as required under clause 9.1 hereof after the supplier has made compliance with the provisic 5 of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 10.1.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupes and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer.

 After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumate i.e (fuel/oil & lubricant/spares) are easily available in Pakistan.



On Not Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO	
DATE OF ISSUE	
DATE OF EXPIRY	
AMOUNT	

Sui Southern gas Company ST. 4/B, Block-14, Gulshan-e-Iqbal, Sir Shah Suleman Road, Karachi.

Dear Sirs,

Bid Bad Sank Guarantee

In consideration of M/s having submitted the accompanying bid & in consideration of value received from Bidder we hereby agree and undertake as follows:

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the exist ace of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly within 12 days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect of the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, freet this Guarantee and our liabilities & commitments hereunder:
- 4. This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

	BANK	GUARANTEE NO
•		OF ISSUE
	DATE	OF EXPIRY
	AMO	UNT
Sui Son	outhern a Company Limited	
ST. 4/B	/B; Block	-
Gulshar	nan-e-Iqbal,	
Sir Sha	hah Suleman Road,	
Karachi	chi.	•
Dear Si	Sirs.	
•		Account
	ou in Karachi und	ler the Purchase
Tn		•
dated:	onsideration of your having placed of these Order	No
	deration for value, received from Supplier, ve her by ag	
	, and a supplied, we make a g	tee and undertake as under:
1.	To make unconditional payments to you fram in	to time as called upon or make an unconditional
	payments Rs Being Ten Percen	to time as called upon or make an unconditional 10%), of the value of the Purchase Order price
	reference to Supplier or any other person in the	it of lefault or non-performance and / or non-
Total Con-		
21 at at a	Purchase Order of which you shall be the sole judg	e.
2.	To accent written intimation of	
	breach as aforesaid on the part of Supplies and to	and sufficient vicinos of the existence of a default or
	receipt thereof.	and sufficient vicinity of the existence of a default or make payment accordingly within 3 (three) days of
3.	To keep this guarantee in full force from the date	hereof as specified in G terp or Special terms &
•	conditions.	O Chora in ma fi
4.	That on grant of time or other indulgence to amend	ment in the terms of the purchase order by agreement
	with Supplier in respect of the Performance of his o	bligations under and in pursuance of the said Purchase
	Guarantee and our liabilities and commitments there	under.
5.	This Guarantee shall be binding on us and our success	
5.	This Guarantee shall not be affected by any chan	ge in the constitution of the Guarantor Bank or the
	constitution of M/st	he Supplier.
		•

Procurement Dept.

Your Lithfully,

(stamp and signature of the issuing bank)

Annexure - C

(Format of Declaration)

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any control, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any admir statice subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt busices.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission feed at the property of the process of agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification of a finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or in altern the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSGCL accept that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and with rake full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation or viarranty.

(The Seller/Supplier) accepts full responsibility and strict liability or taking any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or other contract or as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Saler/Impplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business, factices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any commit stor cratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of conting or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier) Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



SUI SOUTHERN GAS COMPANY LIM! (ED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 **SCOPE**

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern as Company Limited ("SSGC") until any clear instructions or guidelines are impacted by ent through Public Procurement Regulation Authority (PPRA), Pakistan Engineering the Gover Council (FEZ), or any other competent forum. The procedure shall also be applicable on the prequalified firm The procedure shall be applicable on any "Person(s) / Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in continuous with provisions of any applicable guidelines of donor agencies, or any other applicable. Statute of Franciscopic and the stat other applicable Statute or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, of the shall prevail. This SOP shall become a part of the future Bidding Documents.

3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority eal against issuance of Blacklisting Order.
- 3.1 "Appellate Authority" Authority to app. 3.2 "Appeal" Right of firm/individual to 1 dee protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/di son/factory/project exercising general and/or administrative control over the unit,
- 3.4 "Blacklisting Order" An administrative penalty squalifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for . ctions committed during the competitive bidding stage, whereby such firms/individed a prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a projector ontract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution of rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



REASONS FOR BLACKLISTING 4.

The following shall comprise the broad multilateral guidelines for blacklisting: 4.1

4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to

influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm, directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the

procurement process or affect the execution of a contract.

In addition to above, blacklisting of firms/individuals may be resorted to when the 4.2 charges are of serious nature, which include but are not limited to the following:

Competitive Bidding Stage

the competitive bidding stage, the Procuring Agency shall impose on bidders or bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rul for the agency may provide and/or further criminal prosecution. as provided for violations committed which include but are not limited to the by applicable aw. following:

Submission of elicolity requirements containing false information or falsified i. documents.

contain false information or falsified documents, or the Submission of bids and ii. concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.

iii.

Submission of unauthorized or face locuments for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.

Failure of the firm to provide a drain Warranty Undertaking and Performa Invoice of the manufacturers / Principal Trading house. iv.

Failure of the firm to submit specific author letter of the Original Equipment ٧. Manufacturer (OEM) for participation in a part fular tender;

Unauthorized use of one's name, or using the name of the name of another for vi.

purpose of public bidding. Deviations from specifications and terms & continuous of the purchase order/contract.

viii. Withdrawal of a bid, or refusal to accept an award or refusal perform the job or enter into contract with the government without justifiable cause after he had been adjudged as having submitted the Lowest Calculated Responsi Bid or Highest Rated Responsive Bid.

Refusal or failure to post the required performance security within the prescribed ix.

Refusal to clarify or validate in writing its Bid during post qualification within a X. period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

> Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- Failure of the contractor, due solely to his fault or negligence, to mobilize and start work į. or performance within the specified period in the Letter to Proceed.
 - Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful instruction of the Procuring Agency or its representative(s) pursuant to the ple entation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - Er Noyment of competent technical Person(s) / Firm(s)nel, competent engineers and/o wo k supervisors:
 - varning signs and barricades in accordance with approved plans and specifications and contract provisions;
 - Stockpiling in so er places of all materials and removal from the project site of waste and excellent materials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions; Deployment of committee equipment, facilities, support staff and manpower; and

 - Renewal of the effective of the performance security after its expiration during the course of contracting ementation.
 - f. Non-Performance of the supplie spect of tender terms & conditions and the delivery / supply of material.
- Assignment and subcontracting of the contractor any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier or distributor arising from his or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- For the procurement of consulting services, poor performance v. consultant of his services arising from his fault or negligence, any of the following the consultant shall be construed as poor performance:
 - Defective design resulting in substantial corrective works in design and/or construction:
 - Failure to deliver critical outputs due to. consultant's fault or negligence;
 - Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obsering fraudulent payments;
 - ii. Obtaining contracts by misleading the purchaser:
 - iii. Refusa to ay SSGC dues etc.;
 - iv. Failure to full a contractual obligations;
 - v. Changes in the streets of firm's ownership/partnership etc. causing dissolution of the firm which existed a the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of a f my ith a new name by the Proprietor or family or a nominee thereof of a firm that has been an experienced lacklisted;
 - vii. Consequential operation I damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereof in plied on trial basis or due to failure of such equipment;
- viii. Contractors who have negotived the Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default testoren proved specifically in relation to supplies made to or contracts concluded with SSGC.
- ix. Involved in litigation or needless petitioning influence or obstruct the procurement process either on his own behalf or at the behest of any other vested interest;
- x. A firm may be disqualified for a period extend ole it two years in case a decision by a court is awarded against the said firm after litigation, where the firm is involved in litigation at least three times during two financial years, or where you has on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Charles / Divisions / Departments and organizations / autonomous bodies subordinate thereto; and
- xii. Blacklisting in case of Joint Venture firms will also result in the lation of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1. Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated : 12th October 2020 Revision-1 : Dt; 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

supplier or contractor who is to be blacklisted for a specified period is given adequate or sor unity of being heard.

- 2. The stepplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before that any action.
- 3. In case the supplier contractor does not attend the meeting on the given date and time a final notice is served to arm / her to attend the meeting on the revised date and time. Despite the final notice of the supplier or contractor does not attend the meeting as per schedule, automatically becomes ered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will for a emprising of User, Procurement and HSE&QA departments to address the issues in the parting with the supplier or contractor. Members of committee may not below of grade I.
- 5. In case the supplier or contractor is found at describ based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is an all from the management for their temporary or permeant blacklisting along with encast ment of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the leading supplier or contractor through a formal letter.
- A copy of the letter of the defaulted supplier / contractor along with covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated : 12th October 2020 Reviston-1 : Dt: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual state to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the terror blacklisted firm / individual shall be restored.

9. AMENDMENT

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the implement of its specific provisions as the need arises.
- 9.2 Any amendment to this P acklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of a paid amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amending the hereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Public Procurement Rules, 2004.

11. The Steps to be Followed are A Under

The causes and reasons to be taken into consideration for Debarment / Prodisting of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage,

Page 6 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST-AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. In traordinary delay in signing or refusal to accept the Notification of Award and/or the court without any cogent reason.
- ii. Miscondur, e.e., failure to proceed with the signed contract, withdrawal of commitments, quoting an unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, instrating the evaluation/bidding process and not responding to written communication in a basonable time.
- iii. Causes mentioned in Sab-Cleuses i, ii and iii above.
- iv. Submission of fake / frivoleus or mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the accution of the contract / purchase order.
- vi. Non-performance or Breach of provision clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, any defect in a product, equipment, plant, facility or services rendered that may subseque by arface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect havility period as defined in the contract,

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original cut writy letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Protect Authority prior to blacklisting. Member of RPC must be one grade up from the member of RPC.

5. PROCEDURE FOR BLACKLY ONG

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereinable a under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the concernal Project Authority / formation shall promptly formulate its recommendations and submit the burnet the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details of charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Concern of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Persons) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said on a ges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of heating in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After Leonarendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (PPC)", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Black listing on the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an international Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been bracklisted by the government department or the International Financial

Institution (donor agency), the period the apprary blacklisting/debarment shall be for a maximum period of 3 years or the time find for which the concerned government department/International Financial Institution (Donor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Black stare list:

- i. The decision of blacklisting will be immediately circulated to concerned as mentioned herein above under the heading Communication of Decision.
- ii, In case of a contract already awarded to a Person(s) / Firm(s) which (as been blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the late of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- 1 to

9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT TOR BIDDING BURBOSE

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be poactive about safety!

Report Hazard before it put is in an Accident

If it's UNSAFE

- ✓ Report it
- ✓ Remove it
- √ Replace it





1/1



00

Suf Southern Gas SSGC Company Limited

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participation on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director



MR

2

- 775



PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for

SSGC existing facilities/installations. a.

Any routine/non-routine activity, performed within permanent locations or b. outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project.

Covering all the activities performed by SSGC taking into consideration of d. compliance, obligations, risks & opportunities within the scope, external and Internal issues related to scope of operations, requirements, information, needs and practations of relevant interested parties

Providing gardinations of relevant interested particles.

Providing gardination or relevant interested particles.

Providing gardination or relevant interested particles.

Providing gardination or relevant interested particles.

Providing gardinations of relevant interested particles.

Identification, control novitoring and management of environmental aspects f. and assessment of as impa



SCOPE 2.

This procedure is applicable to the term ration of occupational health and safety hazards and associated risks, environmental aspects and impacts associated with activities, processes and equipment related to SSGC existing facilities/installations, any new poject or any routine/non-routine activity, performed within permanent locations or outside nermanent locations or outside nermanent locations or outside nermanent locations. permanent locations or outside permanent identify and mitigate occupational health and

DEFINITIONS & ACRONYMS 3.

n terms of injury or ill health, damage to property. HAZARD: Source or situation with a potential for damage to workplace environment, or a combination of research of a national event or exposure and the resulting

b.

consquences.

OPPORTUNITY: Opportunities can arise as a result of a studion favorable to achieving an intended result, for example, a set of circumstances that allow the organization to attract customers, develop new products and services, reduce waste or improve productivity. Actions address opportunities can also C. include consideration of associated risks.

SWOT: Strength, Weakness, Opportunity & Threat. d.

- RISK MANAGEMENT: The set of control measures used to reduce or elip inst specific risk.
- ification. This is the RISK ASSESSMENT: Risk Assessment is a systematic approach to hazar f. overall process of estimating the priority of risk and deciding significance of risk,
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk nent matrix. g. Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment.
- IEE: Initial Environment Examination. j.
- EIA: Environment Impact Assessment. k.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a I. work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MQC: Management of Change.
- MOC Owner: The employee who initiates the MOC. D.
- JSA: Job Safety Analysis. q.
- **EXECUTING DEPARTMENT:** It refers to the department performing the work or is responsible to get the work done through contractor.





HandBook | February 2022



RESPONSIBILITIES

4.1 Corporate HSE&QA In-charge

Managing OHS&E risks and their controls. a.

Reporting to Senior Management on OHS&E related issues. b.

Providing support to corporate HSE&QA team and zonal representatives. C.

Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.

Maintaining records of the OHS&E with the help of local HSE&QA team.

Implementing this procedure. Liaise with corporate HSE&QA team if required. d.

4.3 Zonal HSE CA representative
a. Coordinating with Xonal HSE team leader for carrying out HIRA and EAIA in their zones.

Liaise with corporate HSE&QA team and zonal HSE team leader for OHS&E. Reviewing/monitors FIRA and EAIA in their zones and providing input on any changes.

4.4 Departmental Head of Executing Department
Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks. b/activity performed outside SSGC permanent locations.

4.5 Employees

Participating in the identification and as ess hent of OHS&E risks when required by either Zonal HSE

4.6 Visitors & Contractors

dentifying and reporting any risk or hazard at any location a SGC. This also includes the worksites and second temporary locations during project executions.

DECISION MATRIX

Type of		
Type of Risk/Hazard Assessment		Responsibility
HIRA.	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Konal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





MOC Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure.	MOC owner
--	-----------

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

6. PROTEDURE

Section 1 Context of the Organization

6.1. Context of the Organization

i. Management defines scope of the company services and its boundaries considering the internal and external issues of the organization.

ii. In consultation with HSE&QA, (It recement & Zonal Heads identify external & internal interested parties and maintain its list with needs & expectations. Interested parties are those stakeholders who receive company services, who may be implicate by them, or those parties who may otherwise have a significant interest in the company. Interested parties may include:

Interested Parties	Requirements
Board of Directors	Good financial permance, legal compliance/avoidance of fines.
Enforcers/Regulators	Identification of applicable statutory and regulatory requirements for the product and services provided and understanding of the requirements.
Customers	Value for money, quality service incilitation and quick response.
Bank/Finance	Good Financial Performance.
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.
Insurance:	No claims/prompt payment/risk management.
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.
External providers	Prompt payment as per agreed terms, health and safety, long-
(Vendors/Suppliers)	term working relationship.
Trade Unions	Compliance of local labor laws.

MR

HandBook | February 2012

By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- a. Operations spread in two provinces.
- Complex transmission and distribution network. b.
- C. Succession planning.
- d. Contractual relationships.
- Availability of reliable, qualified and competent workforce. e.
- Staf retention...
- of unionization

is ues could include in risk & opportunity assessments, but are not 6.1.2. Exter limited to:

- a. Political: Go en ent policies, political stability, international trade agreements etc.
- Economic: Fue utility prices, cash flow, credit availability, exchange rates, tariffs and b.
- Social: Consumer buying pattern, education level, advertising and publicity, ethical &
- Technological: Intellectual property issues, software changes, internet, technology `.d.... legislation, associated/dependent ech hology, renewable energy etc.

 Legal and regulatory: Consumer receition, industry-specific reg
- e. Legal and regulatory: Consumer to ection, industry-specific regulation and permits, trade union regulations, employment swentermational legislation, human rights/othical inmational legislation, human rights/ethical issues etc.
- Environment: Customer demographics and Avironmental issues.
- Government: The directives from Prime Minister, Ministry of Petroleum (energy division),
- Ensuring the policy and objectives are established for the pregrated management system and are compatible with the context and strategic direction of the organization.
- The management shall monitor and review information at external and internal issues during the management review meetings.



Always be proactive about s

Procurement Dept.



Section 2 Hazard Identification and Risk Assessment

I. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations.
- ities of all persons having access to the SSGC permanent and temporary locations. b.
- chavior, capabilities and other human factors. .C.
- d. Designing of work processes.
- e.
- Infrastructure, equipment and materials at the workplace or project site, whether provided by f. organization of ther
- Changes or proposed changes in the organization, its activities or materials. g.
- Fabrication, installation a sommissioning. Handling & disposal of Paste material. h.
- i.
- Purchase of goods & service j.
- Any applicable legal obliga or that is related to risk assessment and implementation of necessary k. controls.
- I. Before commencement of any naw etion/activity.
- azard identification and risk assessment information. Periodic Review for updating the existing m.

At SSGC, we adapt five steps of risk sessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if neces tap

Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below:

Risk Priority Probability					
	orty.	Very Likely	Likely	Unlikely	Very Unlikely
C :	Catastrophic				Medium
n s e	Significant			Medium	Medium
и е п	Harmful		Medium	M a dlum.	
6 8 8	Negligibie	Medium	Medium:	in Arrive	





·	HAZARD CONSEQUENCE RATING TABLE
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
F Angul	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid eatment is required only, very low financial loss.

1		
Pri	1,2	PROBLEMILITY RATING TABLE
	Very Likely	Exposure to har ard likely to occur frequently. Similar incidents reported more than once has SeC during last 10 years.
	Likely	Exposure to hazard metric occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
	Unlikely	Exposure to hazard unlikely to cour.
	Highly Unlikely	Exposure to hazard so unlikely that he be assumed that it will not happen.
	•	

	
	RISK PRIORITY TABLE
Risk Priority	Definitions of Priority
	Situation is considered critical, stop work immediately or consider cessation of this operation/task. Must be fixed ASAP, Zonal HSE team leader should take immediate actions.
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
Low	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.









Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- Classification of risk/impact. b.
- Description or reference to control the risks/impacts.
- Description or reference to monitor the risks/impacts. d.
- tified competency and or training requirements. e.
 - for setting improvement objectives and programs for its achievement.

The risk/impast measures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation,

assessments as input for the following: Use output of risk/impac

- Setting objectives
- Training needs identifi
- Terminating the risk/in pact it is practical.
- Facility engineering contract
- Emergency Preparedness
- Administrative controls.
- Insurance.

The ultimate requirement is to reduce the riskle nor to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further reduce to becomes unreasonably inconsistent to the additional risk reduction obtained.

iv. Risk Control

Elimination.

Engineering

Administrative







The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. Elimination: The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- b. **Substitution:** Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. Engineering: Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any project process and must seek out for best possible solution in terms of OHS&E.
- d. Administrative: Administrative controls involve making changes to the way in which people work and promoting safe work practices via education and training. Administrative controls may involve\ training employees in operating procedures, good housekeeping practices, emergency response in the event of in cents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. PP sould be properly identified for specific process/job.

4	
System & work area Hazards	Likely Consequences
Access / Egress Obstructions	alir or injury, trips and falls
Asphyxiate Gas (COz fire suppression)	as tols death by asphyxiation
Buried Cables	Expesi reto buried cables – major / minor injury
Electricity (HV/LV))	Fatality of electric shock or serious burn injuries:
Falling Loads / Objects	Serious hand and or body injury
Flammable Vapors / Gases / liquids	Explosion or file
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disorientate light consciousness
Moving Parts	Entrapment, major of mine tip inv
Noise dans the transfer	Long term hearing loss, tinnit
Openings in Floor / Walkways	Falls from height, major injury poss. P fatality
Flammable Materials / Gasesi	Creation of hazardous area; fire exp son, or
Heat, sparks and naked flames	Burns to exposed skin
High Intensity light (welding)	Arc flash, short term discomfort long term loss of vision
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and 7 or body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes
	The state of the s







Oxygen deficiency	*Death of asphyxiation
Poor Lighting / Visibility	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, texic, poisoning, irritants, pollutant
Penetitive Task / Operation	: Muscular / skeletal injuries
Rotating / Moving Part	Major injury, potential for fatality
Sham Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume	Chriconsciousness, respiratory problems
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hand ob	Minor laceration and impact injuries
	Burns to skin, eyes, and respiratory system. Environment
Use of Hazardous Sylostances	Hazards
5°	Impact injury, hand / arm vibration—loss of sensation over :
Use of Power Tools	grume, se, in the enterior of the enterior of the enterior
i lisa ot vvorksnob Equipment	Major / minor injuries - entrapment, cutting tools
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury

v. Environmental Aspect Identification & Impact Assessment

a. Environmental Aspects:

An Environmental aspect is any element of SSCz by siness operation that negatively affect the Environment. While conducting environmental assessment, following appects are usually considered:

"REDUCE CARBON FOOTPRINT"

What we can do:


- Recycle: what you can
- Reduce: avoid : unnecessary : consumption of : resources
- Reuse: Buy items
 that are reusable:
 and reuse them.
- Unplug electrical devices that are not in use
- Avoid unnecessary driving
- . Use LED bulbs.
- Plant a tree

Emissions to air	Water Discharges		
Solid non-hazardous waste Solid Hazardous Waste			
Consumption of natural resources/ Engly	Noise		
Heat	Nor .		
Dust	ibr Con		
Effect on visual / aesthetics	Use of Cone depleting substance		
Use of radioactive / nuclear material	Spillage of Laternicals		

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

WR





b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety deces (Relieve valves, NRVs, indicators etc.), measuring or monitoring evices/gauges, computerized feedback monitoring and control systems.
- g. Environment y disposal or treatment systems etc.
- h. Fire prevention/s ppression systems.
- i. Containment walls.
- i. Scrubbers.
- k. Dust Collectors.
- J. Other controls: Training, SOR

The record of operational controls on significant environmental risks is maintained on Environmental Aspect & ... Impact Assessment Form (SSGC-IM

After identification of aspects and asset of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where re tire In-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned for il HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related activities/processes/equipment are kept current by condu a. Once every six months to update the information, and identification same assessment:

SSGC-IMS/CRM-F-02 for recording new hazards and aspects) 🕦 environmental aspects. (Use

- b. Carry out assessment, for new or changes in activities/process
- c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment inpict Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required by regulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to ens new projects. the compliance for all

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2

Р_{госигетелі}

Integrated Management System



Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)

- c. Maintenance Work on High Voltage electrical equipment.
 d. Any janiforal cervice involving Safety Risks such as work at height.
 e. Any Maintenance activity by any department/contractor which compromises critical safety system.
 f. Work involving interaction with asbestos.
- g. Work in areas where here is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity that requires additional precautions.

 i. Any specific activity periorped during development, modification and up gradation of SSGC's Vital Installations including SMc/Va re Assembly/TBS/PRS etc.

II. Exclusion


Following activities are not under the scape of PTW management, however the risk assessment, JSA and or process SOPs are implemented to cannot the associated risks for the following: process SOPs are implemented to con-

- a. Providing Gas connections to new
- b. Emergency Response to Consumer cal
- c. Planned enhancement of Distribution new
- d. Work on live pipelines like hot tapping, installing
- e. Any major/minor rehabilitation/reinforcement wo

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it







III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTVV. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	task/a hyity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTW requirements.
3	Contractor	The Individual/organization carrying out the Tast Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If rendired, Monitor the task/esticity during execution and identify my gaps related to proposed contos. Responsible to close the Privariand maintains records. Authorized to stop work in case of noncompliance to PTW requirements.


W

Integrated Management System

14



IV. PTW Process Flow



Procurement

- HandBook | February 2022




V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.



W





Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission network.
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).


d. Any Empiriescy maintenance work.

e. Any particular tel vactivity requiring JS Vactivity requiring JSA as necessitated by HSE&QA.

II. Responsibiliti

S No.	S No. Functions Details		Responsibilities			
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/activity requiring 36/4	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation 			
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Authorize JSA Ensure Adequate resources are provided to carry out the task activity in safe manner. Select ampetent team and team leader for the activity/task. Submit a copy of JSA:prior to job execution to JSE QA/Zonal HSE Team Leader.			
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA			

NR



Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of manage-

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

II. Scope

This procedure is intraced to address those changes which may have a direct impact on SSGC's Integrated Management System, or the subsequent delivery of services.


To make sure that changes are assessed and documented in a consistent manner so that:
a. Unnecessary or counterproduct of changes are prevented.

- a. Unnecessary or counterproductive changes are prevented.


 b. Changes do not adversely affect safety, the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals with continuous and/or agreement of all relevant parties. d. A record of the assessment rationale and the age assessment process is produced.
- o ring operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the cinnated section of the MOC-form (SSGC-IMS/CRM-F-05) which briefly describe the detail (Sope of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorize risk and their controls. change after assessing the







IV. Definition of Change

For the purpose of this procedure a "change" an alteration to Processes;

- a. Documented information maintained by this MS
- b. Equipment, hardware, software, infrastructure.
 - c. Personnel assignments and training.
 - d. Vendor selection and management.

Other types of changes not listed above can be related to any element of the process, such as inputs resources, persons, activities, controls, measurements, outputs, et al.

Note: Not all alterations to a system require the Management of Change Process (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

V. Levels of Change

Lavel 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Level 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work emvironment.

Level 3

 c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

NR



HandBook | February 2022 .



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associate crisk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management. (Major impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

if the request is accepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and for and the request to the appropriate process owner for implementation.

Step 3 - Implementation in an

The process owner will be responsible or implementing and coordinating the actions required for the proposed change. If it is determined that further accessment is required during the course of implementing the change, these assessments will be documented and submitted for review prior to completing the change process. Only after all assessments have been reviewed shall the MOC process be continued and monitored through completion.


VII. Closing out the MOC

The In-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control) under of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the actions taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

N





MOC Process Flow



NR





7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

Hazards 💥 📜	Control Measures
Advers leather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad hor sekeeping	Improved safety attitude, good management, safety inspection,
Contact with hot / co	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning	guarding, lifesaving equipment, presence of first Aider
Excavation work	caut in tape.
Fall from height	Edge protection, safety lines / harnesses, safe means of access, (e.g. secfolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting	Good work area design and lighting equipment, measuring of illumination (LUX level), approximation (LUX level).
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical means for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.





7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance.
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manual fandling	Regular assessment of handling techniques: Improvisation to eliminate stress / fatigue; training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	oper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV's where required, periodic increasion.

7.3. ELECTRICAL

Control of the contro	
Hazards	Control Measures
Live working	Avoid (i.e. No Live Working), use competent / trained staff.
Hand tools	Regular inspection, testing of electrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material, seeling.
Machines / Electrical cables	Electrical testing and maintenance, good restrical safety design, periodic inspection for design load vs actually douse of circuit breakers, lockout / tag out, anti-static materials. Use double insulation, proper grounding
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Burled)	Look out for signs, contact local utilities (KE WAPDA) for locations istay at least 10 feet away from overhead lines, use proper PPE.

MR

Procurement Dept.

Integrated Management System

23

7.4. FIRE

Combustible materials Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition. Flammable gases Flammable solvents Flammable solvents Flammable solvents Controlled storage, use and disposal (e.g. limit quantities heid), fire proof storage, signs, no smoking, no naked flames, emergency plans. Segregation from sources of combustion, guarding special construction if used in hazardous areas. Oxidizing agents Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion controlled storage and sage. Smoking materials December of storage and incomplete from sources of combustion controlled storage and sage. Static electricity Limit use g static generators in hazardous areas. Use of antistatic devices, earthling. Gas Leaks Odourization of tipely detection where possible, proper joining methods, Field Line, training, leak detection techniques.							
Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition. Flammable gases Flammable solvents Flammable solvents Flammable solvents Flammable solvents Flammable solvents Flammable solvents Flammable solvents Flammable solvents Flammable solvents Flammable solvents Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans. Segregation from sources of combustion, guarding special construction if used in hazardous areas. Chemicals that are a source of oxygen, e.g., hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents). Segregate from sources of combustion, controlled storage and sage. Designated smoking areas with proper ventilation, promote no shaking applicy. Limiture of static generators in hazardous areas. Use of anti-static devices, parthling.	Hazards	Control Messures					
Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area; signs, no smoking, color-coding. Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans. Segregation from sources of combustion, guarding special construction if used in hazardous areas. Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents). Segregate from sources of combustion, controlled storage and sage. De to tated smoking areas with proper ventilation, promote no sheating aplicy. Static electricity. Chamicals that are a source of combustion, controlled storage and sage. Oxygen (gas and liquid). Segregate from sources of combustion, controlled storage and sage. Oxygen (gas and liquid). Segregate from sources of combustion, controlled storage and sage. Oxygen (gas and liquid). Segregate from sources of combustion, controlled storage and sage. Oxygen (gas and liquid). Segregate from sources of combustion, controlled storage and sage. Oxygen (gas and liquid). Segregate from sources of combustion, controlled storage and sage. Oxygen (gas and liquid).	Combustible materials	Avoid, reduce storage of combustible materials, isolate from					
Flammable solvents Flamma	Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) gytside its oni					
Oxidizing agents Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents). Segregate from sources of combustion, controlled storage and asage. Smoking materials Date sated smoking areas with proper ventilation, promote no sinciply aplicy. Limiture o static generators in hazardous areas. Use of anti-static devices, earthling. Gas Leaks Codourization to sincely detection where possible proper icining.	Flammable solvents	fire proof storage, signs, no smoking, no naked flames.					
Oxidizing agents Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents). Segregate from sources of combustion, controlled storage and asage. Smoking materials Date sated smoking areas with proper ventilation, promote no sinciply aplicy. Limiture o static generators in hazardous areas. Use of anti-static devices, earthling. Gas Leaks Odourization to sincely detection where possible proper icining	Heaters (Segregation from sources of combustion, quarding special					
Smoking materials Description sources of combustion, controlled storage and sage. Description and sources of combustion, controlled storage and sage. Description and storage and sage. Description and storage and sage. Description and storage and sage. Description and storage and sage. Description and sage. Descr		Chemicals that are a source of oxygen, e.g. hydrogen perceids					
Static electricity. Limitude of static generators in hazardous areas. Use of anti- static devices, earthling. Gas Leaks Odourization to timely detection where possible proper icining.		pegregate from sources of combustion, controlled storage and					
Gas Leaks Odourization to tirrely detection where possible proper icining	Smoking materials	De to lated smoking areas with proper ventilation, promote no single policy.					
Gas Leaks Odourization to sirgely detection where possible proper joining	Static electricity	Limiture o static generators in hazardous areas. Use of anti-					
	Gas Leaks Odourization to timely detection where possible pro						

7.5. OTHER

Hazards	Cont of Measures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harmane betances, use, maintain and test engineering controls, monitor of hazardous substances; inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled less. Avoid use, substitute less harmful substances.
Biological: Biological agents (micro-organisms; pathogens) mutagens, carcinogens) Rodents, Snake Bite	test engineering controls, monitor for haza deus substances, inform and train employees, use personal protective equipment. (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergenomics	Educate / Train employees; avoid repetitive tasks; procure- ergonomically design products (e.g. chair, Computer desk.

W

- HandBook | February 2022

8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period	
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years	
SSGC MS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years	
SSGC-IMS/SRI4-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-P-05	Management of Change Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-07	SW@ F Amilysis	HSE&QA Department	3 Years	
	ONGS,			
NR	Sve Miliyala			



Integrated Management System



IMS Form

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

Nox

Zone		Department			Location		Date	
Hazard			Existing	Risk Priority			Date	
S. No	(E.g. Wom out electrical cord)	Wrong (E.g. Electrical shock to any employee)	Control (a.g. Cov. no.i with place (c.y.a)	PROBABILITY CONSEQUENCE (E.g. (E.g. Likely) Significant)		PRIORITY (E.g. High)	Additional Operational Controls (E.g. Isolate/Replace the wire).	
				0/1		<u>-</u>		•
	·			V		· · · · · · · · · · · · · · · · · · ·		•
					D,			
		·			6	S.		
Addition	nal Comments	(If any):	I 1			40	7	
		HSE Team Leader				HIRA T		
Name & Designation Signature S. No Name &			No Name & Designation Signature					
				1			oignatur	e
				2				
			-	3				

W





SSGC HSE&QA Department

IMS Form

Environmental Aspect & Impact Assessment Form

SSGC-IMS/CRM-F-02

Revision 01

Issue Date: July, 2021

10,

Zone		Department			Locatio	n		Date	
Proce	ss / Operati	ion Descriptio	n: A was sone	ration)					
5.No	Activity (E.g. Fuel Combustion)	input (E.g. fuel, air)	Output (E.g. Hydrocartings CO2. H ₂ O, CO, particulate matters)	Øq. s	mental aspect ir emissions)	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Low)	Operat	ional controls
				\	In.				
					G		<u> </u>	·	
						0		· ·	•
Addit	ional Comm	ents (If any):		,		P	٥		
		Zonal Team L	eader			EAIA Te			
Name	e & Designa	ition Signa	ature	S. No	Name & Des	ignation	TOS	ignature	
		•• ••	٠.	2		· ·	~		
	•			3		<u> </u>			

NR

stem.

Integrated Management System,

SSGC HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

Wo	rk Permit Number (1							
	Department Na			Section				
٠ <u>٠</u> ٠.			•	Contrac	or Details	. Contact Na	me: ·	
	Responsible Person	Name:	·	(if Any):		Signature:	,	
_		Signatu	re:			Date & Tim	0:	
į.	P Tit Valld	Time:	` `			Time:		
51.E	French	Date:		Permit	aild Until *	Date:		
ă.	Lo af alo the	Work						
Execuling Department	Type tW k ☐ Hot Work ☐ ☐ Hazardon ch ☐ Working w	ectrical r	naintenance w	ork [] Mechanic	cal maintena	ice work	etall of Work	
filled by	☐ Working w ☐ Excavation/I ☐ Other (Please) Equipment/tools	reficilie	Handling	eignt 🗆 Workin is 🗎 Janiton Asbestos 🗍			· · .	
To be	Please mention			of this activity	·	40		
*** * **	Following service	es to he	enlated IIC	7 11		. Ew		
	·	as m wat	er LI AIr LI OV	er ·	district the second second second second second second second second second second second second second second	Annual or Eller was made	the contribution of process of the second	
	I authorize the tas	k / activiry	to be carried -	ec on				
I authorize the task / activity to be carried out at the ments identified by HSE&QA Department in section: C								
Y A		york in cor	•		ements iden	ified by HSE	ed time. Executing SQA Department i	in section∴
-by Ale		york in cor	mpliance to saf Designation			ified by HSE	adv nebamietii	in section:(
∴ Eby Ale		york in cor	•		ements iden	ified by HSE	Date and T	in section:(
, fa		york in cor	•	on ,	agin ture	ified by HSE	adv nebamietii	in section:(
, co		york in cor	. Designatio	Section	C _n		adv nebamietii	in section:(
by variable	Name Name		Designation	Section '	C" Lighture		Date and Ti	in section:(
HSE&QA : Land	Name Name Following controls PPE Required: Hard Hat Dis Shleids D Weldin Others: Any additional or	must be i	Designation Design D	Section fraction mitigate the sa	igniture C" S sety risk/hazz	Mature 150 Alex	Date and Ti	in section::(ime
HSE&QAby A	Name Name Following controls PPE Required: Hard Hat U: Si Shields U Weldin O Others:	must be i	Designation Desig	Section ' nation mitigate the sa If Reflective J. Hamess If Section Section Section Section Section Section Section Section If Other:	ign ture C" S fety risk/hazz ackets □ Ea	nature Southern South	Date and Ti	in section:(
HSE&QAby A	Name Name Following controls PPE Required: □ Hard Hat □ Si Shields □ Weldin □ Others: Any additional o	must be i	Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation Designation	Section in the same of the sam	ignature C" S Sety risk/hazz ackets □ Ea afety Goggle	nature Plug IV E	Date and Ti Date Date with the test/act Dust Miles	me vity: ask Fac
HSERGA (TELDY A	Name Name Name Following controls PPE Required: Hard Hat Si Shields Weldin Others: Any additional of Fire Extinguishe Area Authorft	must be interest of the state o	Designation Desig	Section in the same of the sam	ign ture C" S S S S S S S S S S S S S	nature Flug to E Hant G	Date and Ti Date and Ti Date With the task/acti Date Dust Miss Doust Misses Department	me vity: ask Fac
NSE OA	Name Name Following controls PPE Required: □ Hard Hat □ Si Shields □ Weldin □ Others: Any additional o	must be infety Shoe g Shields perational ambu	Designation Designation Designation Designation Designation Designation Exemplemented to Safety Beit Controls (Plesiance Barries Section Exemplemented to Lideclare that been carried controls / required	Section in the same section is mutigate the same section is described. A section is described in the same section in the same section in compliant the same section in compliant	fety risk/hazzakets [] Ea afety Goggle hing & Closin ment [] activity has been been been been been been been bee	Plug V E G Han G	Date and Ti Date and Ti Date i with the task/acti Date Breathing DEAGA Departm Observations duri	me vity: ask Fac
NSE&QA	Name Name Following controls PPE Required: ☐ Hard Hat ☐ Si Shields ☐ Weldin ☐ Others: Any additional of ☐ Fire Extinguishe Area Authority physically inspect site and verified the	must be infety Shoe g Shields perational ambu	Designation Designation Designation Designation Designation Designation Exemplemented to Safety Belt Controls (Pleat lance © Barrical Barrical Exemplemented to Exemplemented to Exemplemented to Exemplemented to Exemplemented to Exemplemented to Section Exemplemented to Section The task / accountrols / required to Site is safe for	Section sation Tation	fety risk/hazze ackets II Ea afety Goggle ring & Closin ment / activity has ce with the tioned above ripleted and ions.	Plug IV E	Date and Ti Date and Ti Date i with the task/acti Date Breathing DEAGA Departm Observations duri	me vity: ask Fac
HSE GOA	Name Name Following controls PPE Required: □ Hard Hard □ Sa Shields □ Weldin □ Others: Any additional of □ Fire Extinguish Area Authority physically inspect site and verified the	must be infety Shoe g Shields perational ambu	Designation Designation Designation Designation Designation Designation Section Execution Execution Execution Lideclare that been carried controls / required site is safe for Any incident	Section in the same section is multigate the same specify: attended to the same section in the same sectio	fety risk/hazzakets	nature Flug II E Hank G HSE&QA monitorin	Date and Ti Date and Ti Date i with the task/acti Date Breathing DEAGA Departm Observations duri	me vity: ask Facility Apparatu
HSEROA : HSEROA	Name Name Following controls PPE Required: Hard Hat Usi Shleids Weldin Others: Any additional or Fire Extinguish Area Authority physically inspect site and verified the	must be infety Shoe g Shields perational ambu	Designation Designation Designation Designation Designation Designation Section Execution Execution Execution Lideclare that been carried controls / required site is safe for Any incident	Section station Tradion Tra	fety risk/hazzakets	nature Plug IV E Hank G HSE&QA monitorin	Date and Ti Date a	me vity: ask Facility Apparatus ent



- HandBook | February 2022



IMS FORM

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executin	g Departm	nent		Zone		Date
Job/Activ	vity:	Activity De	tails:			
Location	O	X				
☐ Face ☐ Breat Any add	Hat □ Saf Shields □ hing Appa ditional or	Welling hields ratus Exiters: perational contro	☐ Safety Belt/ H	ve Jackets □ Ear larness □ Safety Other:	Plug □ Ear Mufi Goggles □ Hand	s □ Dust Mask d Gloves
S.No	Steps o	of field Activity	Potentia	l Hazards	Con	trois
	•		9			
•	٧.				•	
		•••				
	· · · · · · · · · · · · · · · · · · ·	`		C,		· · ·
1531		•				·
		,				
	٠.	•				
		· ·		· •	0	•
•					O ₂	
			,	· · · .		
	Activity	Incharge / Supe	rvisor	Head of	Executing Dep	artment
mention step of job and	ned above the job. T	that all opera e, will be implen he team is trained oment involved in	nented at each d to execute the	I authorize the te	eam to conduct t	he job. The team ite the job safely.
	me & gnation	Sign & Stamp	. Date	Name & Designation	Sign & Stamp	Date

MR

Integrated Management System.





IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

Issue Date: July, 2021

MO	C No:	*				Marke 1	
	Section A : Description	of proposed	change	and notabile be		Date	
1	Me Owner	or proposer	1 Grange	cation of Work:	azaros		
'	expected Duration of			CURRENT OF ANOLK			
	WCK		*	•			
			Type of	Change			
1 2	☐ Pipeline	construction 🗆	Physical str	ucture/building [] N	ew or modif	cation in	
Į	} u reimanem precess/pr	ocednie 🗖 New	or modificat	ion in equipment/m	achine 🗆 M	aterial	
٥	Ca remporary Sepstar	ce 🛘 Other:		•			
8	Detail of MOC/Sco e of	AOC: (Summa	ize the bas	is for the propose	d change o	nd one	-A
be filled by MOC Owner	safety and environment in	a is resulting	from the p	oposed change.	u. Wienige a	mu any po	otential health,
먊		Y : '		PP unungun			
ļ		' 🛆					
. څر	Sec. Sec.	O .	•		•		
2	ŀ			•			
1	<u>.</u>			•			
1	The proposed change is	now submitte	d to rea	Authority for eval	uation.		
ļ	Name & Designation	1	10 8	Stamp		Date)
		.]					
<u> </u>					<u> </u>		
]. ;	Section B : Evaluation	of the impac	t(s) relate	to the change			
	Evaluation Criteria					No l	Comments
₹	Does the proposed change	meet all appli	cable legal	or othe	1		Johnnettis
<u>ئ</u>	requirements?					ł	
A	All modifications in the exis Manageable and Safe?	sting process/ o	equipment a	are Environmental			
To be filled by Area Authority	Does the change requires	-h i- 00	<u> </u>				
٠Ā	Does the change will affect	the use of E	GC HOE P	rocedures	40		
ģ	equipment of the location	* # # # # # # # # # # # # # # # # # # #	mergency i	eshouse			
3	Does the change requires	any specialize	training fo	r SSGC staff]	
=	Note: I	n case of "YES	" please or	ovide details on a	senerate s		
ă.	The proposed change is	now submitte	d to in cha	rge HSE&QA for	authoriza	tion	\
=	 Name & Designation 	7	Sign &	Stamp		ate	
[]	• • • • • • • • • • • • • • • • • • • •			•	 		
	<u> </u>			•	İ		•
	Section C : Authorizati	on for chang	e to proc	and and			
8	Following proposed control	ls should be in	miamented	while everytime a	f dhan Inda	·	<u> </u>
ER	Potential hazard/risk	Risk level	Pron	osed control		- dilita	
呈			1.55	COOL COINTO	Keaho	naibility	Timeline
ā			 		 		
filled by HSE&QA					 		
be	Name& Designation		Sign &	Stamp	Ť	Date	-
12							
		i			[:-	1
							1





SSGC

HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Context of the Organization

Issue Date: July, 2021

LIST OF INTERESTED PARTIES

LIST OF INTERESTED PARTIES				
External Interested Parties	Needs & Expectation			
oard Of Treators	Profitability, good financial and legal compliance, avoidance of fine and penalty OR			
*	Protect shareholders interest.			
O	Ensure adherence / compliance to GOP / SECP guidelines.			
	Allocate resources to maximize revenue.			
	collow best practices of corporate governance.			
	• En use committee meetings are held as per plan.			
	Finance benefits of the organization.			
	Avoidant of any fines / penalties.			
	Reputation enhancement.			
	Corporate Social Reso insibility (CSR).			
	Enhanced corporate governance (CG).			
	Allocation of all resources to acrove quality goals.			
	 Achievement of safe and health, conditions in organization. 			
	 Commitment to quality, safety and health. 			
·	Be prepared to seek advices from industry experts as required.			
•	No major accident at company premises.			
Management	Take policy decisions to increase revenue per employee.			

Integrated Management System

31

75,	4		1
``	×	\	
1	\	Ś	_
_	/	Ć	"
•		ゝ	



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

Non

- Ensure that policy and related objectives are established.
- Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
 - Effective management of hazards, risks, incident, smergency, and injury.
- Worker engage and participation in all quality, environment, health and safety activities.
- Continue growth in quality and productivity.
- Effective controls on quality, health & safety issues.
- No major accident a purkplace / safe working conditions for all employed.
- · Develop positive quality and bealth & safety culture.
- Continuously improve quality, saley and health performance with review process.
- Well performed employees.
- Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
- __Job security.

-916

HandBook | February-2022



HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

Training and development opportunities. Sustained reputation and image of company. 10xop Consultation. Communication and participation. No accident / injury / ill-health. Reward and recognitions. Opportunities for dialogue / improvement / changes. Timely and fair provision of remuneration coupled vith career progression. Client/Customer ro ride high quality services, quick response on any ow all local laws and QH&S requirements. compla OR gas supply. Customer racilit Quick response of queries & complaints. Value for money. No health and safety issue in product. Prompt actions on quality; health and safety issues. Minimize the risk of injuries when receiving a services. Socially and environmentally responsible. Suppliers/Contractor Continuous orders, prompt payments as per agreed terms, good long terms working relationship. Fair chance of participating in bid opening. Communication of hazards present at workplace. Timely payment.

Integrated Management System

3





HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00


Context of the Organization

Issue Date: July, 2021

1	•	
Trad	e Union & Work	er
	entative	
- 1		
•		
	\mathcal{C}_{λ}	
	• •	
		7
		▼.
1.168	1.67	•

- Transparency.
- Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
- Conducive and safe environment for work
- Timely provision of information necessary for workers
- No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media management.
	Patient and pusitive attitude.
·	Effective communication.
Visitors	Safe entry and exit deriver tay at SSGC.
	Communication of pertine t in ormation.
•	Emergency response.
· · · · · · · · · · · · · · · · · · ·	Briefing necessary safety rules.
	Necessary PPE available.
	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
. · · · · · · · · · · · · · · · · · · ·	Emergency procedure in place and drilled.
	Regulatory compliance.





IMS Form

SSGC-IMS/CRM-F-06

HSE&QA

Department

Context of the Organization

Revision 00

Issue Date: July, 2021

	 Regular drills for flooding, spillage, site excavation and first aid etc.
1	Availability of adequate resources.
Utility Playders .	Prompt payment.
(Power/water full, Telecom)	Good Management.
Academic Institutes	Effective learning programs for employees.
Op 1	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Learning from SSGC.
Insurance Companies	lo claims, risk management, prompt payment.
Banks	• Pinancial performance, cash flow.
Neighborhood/Community/	Safe warding conditions.
Society	 Environment fries as operations.
	 Contribute positive to local environment and populations.
	No complaint relating to have pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
	Return on investment.
	Transparency.
	Rights are protected.
•	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System





IMS Form

SSGC-IMS/CRM-F-06

Revision 00

HSE&QA
Department

Context of the Organization

Issue Date: July, 2021

Third party auditors- Finance	Smooth data collection
	Better financial performance
1 /0	Effective communication
	On time response on queries
^	No fraud or illegal acts detection
Certification bodies	Effective implementation of ISO standards with all
~	relevant clauses in the organization
Creditor/Financial Institution	Repaid on time, good financial performance
Government/ Regulators	Contified and limble state t
(Local/Regional/Provincial/	requirements for Ouelity and regulatory
National/International)	easiements for Quality and health & safety.
1. 1.	Prompt esponses in case of any non-conformance.
	Proper in estigation on uncontrollable.
	Implementation of safe policy in the field of occupational safety.
	 Fulfill the requirements all applicable laws, rules, regulation, orders, guidelines, interpretations and directives.
	JX

WF



SSGC HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-07

SWOT Analysis

Revision 00

Issue Date: July, 2021

POSITIVE	
STRENGTHS	WEAKNESSES
Having vast experance of Transmission and Distribution of Natural nas.	Complex distribution network leading to UFG.
Infrastructure available in two provinces.	Substantial resources required for up gradation.
Highly competent human resource.	Lack of succession planning.
Certified to international standards	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakistal	High price.
Serving the nation since decades.	Government new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	THREATS
Monopolistic market.	Depleting natural da
Over 2.8 million customers.	Customers may turn to renewable energy sources.
import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.

Integrated Management System

MR

37

1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

3. DEFINITION


a. Incident: (Vo k-related event(s) in which an injury or ill health or property damage (regardless of severity) or fatality occurred, or could have occurred.

b. Accident: An incider in which an injury or illness or property damage act all accurs.

c. Near Miss: A Near Miss: I an unplanned event that did not result in an injury or property damage, but had the potential to do so.

d. CPR: Cardiopulmonary resuscitation

e. Emergency: An emergency is a situal on that poses an immediate risk to health, life, property, a prironment.





Harmful



INCIDENT / ACCIDENT LOSSES

educed quality of life. DIRECTLOSSE Visible) Injury to people Damage to Company Investigation line Reputation INDIRECTLOSSE (Invisible) Clearing the Site and Damage to Equipment, conducting repairs Building, Tools etc. Time and resources utilized in hiring Legal costs and training new worker

MR

Integrated Management System



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	Major fire Major gas leakage Explosion Bornb blast Vehicular accident		Inform respective departmental head/in-charge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
[] 	Significant Significant Is let / have loss		Follow the Emergency	Security department in case within SSGC premises, Site/ Zonal	SSGC-
	due to ar untoward situation		Response Procedure.	HSE team leader in case it is outside the SSGC premises.	IMS/ER P-04
	including natural disaster,	O _A	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	·
	damage or theft of asset / property having an estimated amount of more than	76	Report the incident using incident notification form via web portal to in-charge ISE&QA immediately (or within 24 hours) after the case mence of incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSSP 24 will complete the investigation report via web portal virthin seven working days after receiving includit notification form. Additional days may also be required depending up of the criticality of investigation.	HSE&QA	SSGC- IMS/IAM -F-02
			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.		•
			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
			Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	

- Phi

HandBook | February-2022

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
•	Minor Injuries where only basic first Aid or less than		Inform respective departmental head / in- charge.	Anyone who has witnessed or received the initial information about the incident.	
2	provided to the victim Minor Vehicular accidents where there	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
z A Report de	is no significant injury or loss.	8/2	HSE&QA will share the information with all concerned to avoid recurrence.	HSE&QA	·
3	Any Near Miss Occurred / Observed.		Neport the Near Miss using ordine Near Miss Notification that we web portal. En er details as mentioned on the form attach evidence (fear) and submit.	All Employees	SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset dangereds, will be considered as accidents and will be reported through online Incident Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR


Integrated Management System

40 Procurements

4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:


- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- a. Determination of root cause using any suitable method like tripod analysis etc.
- Investigation via the conducted as soon as possible after the incident, following the activities required controlling the hazard. b. Investigation
- c. When indicated by the siverity of the incident, steps to secure the incident site must be initiated immediately consure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be to dicted with each person present at the time of the incident. The following rules are robowed for interviews with all individuals:
 1. The witnesses should be interviewed promptly, separately and privately.
 2. The interviewer should avoid questions that give a yes or no answer.

 - 3. After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:

 1. The investigator or investigating team must locus on getting accurate and complete information.
 - 2. Facts must be separated from opinions, and direct evidence from circumstantial evidence.
 - 3. Each concern identified in the investigation must be full a
- f. Upon completion of the investigation, the team will fill and sub nit the Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background in rmation, Root Cause Analysis, Conclusion and Recommended Corrective / Prevent
- g. In all cases, the Incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the Zonal HSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be applied including controls, risk level, likelihood etc.

4.5. Data Applysis and Review of Actions

The data of incidence will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measure Mactions implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification Furp	In-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation: Form	h-charge HSE&QA /	5 Yeárs
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	It charge HSE&QA / Zonak SE Team Leader	3 Years

NR



· ...

SSGC HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F-01

Incident Notification Form

Revision 01

Issue Date: Aug, 2021

Date: Time:			Report No			
eported by:				_	•	
ogation:	•,			-		g = 40 mm sin
S at I remis	.· ses	\Box	utside SSC	C Premis	es 🔲.	
ocason Can	ils:		•			
Responsible		•	7	onal HSF	Team Leader	
Region						•••
-	\mathcal{O}		•		Details of Affi	ected Asset gramy
Senai No	of Altocis	rson(s)	2	3	Details of Afre	CIEG ASSET (If any)
Name(s)			•			:
	<u></u>	9			<u>.</u>	
Employee ID	(S) · .					•
Designation	•					
	Pennangnt	•				
	Contractual				1	e
Type of Employment	Contractor	1	<u> </u>		*	
Circholiumir	Visitor			~		
• .	Other ·		<u> </u>			
· · · · · · · · · · · · · · · · · · ·		<u> </u>		!		
Age	•			<u> </u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	· ·
Note: For furthe	r details addiā	onal page may	be used)	. •		0_
Incident Typ		• .	•			$\mathbf{O}_{\mathbf{a}}$
Fire 🔲 Exp	plosion	Vehicular A	ccident /	sset Dam	age . Work R	elateu nji y
Theft 🔲 Sa	botage 🗌	Natural Disa	ester 🔲	Gas Leaka	ge 🗌 Other:	<u> </u>
Incident Co		:es: ·		•		
Fatality SSG	ᄓ	spitalization [Asset D	втаде	First Aid O	ther
Othe Incident Cla	• Ш					
_		_ `	e: []	•		
Major	Minor _	Near N	1155 <u> </u>		•	÷
Incident De	tail:					
	•					

M



IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

Incident Detail (Brief)
•
•
· · · · · · · · · · · · · · · · · · ·
VE AND PRESENTIVE ACTIONS
Action till (date)
(
- $ -$
ρlease mention the serial numbers for the
•

Integrated Management System

SSGC HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F-03

Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Catego Type:	☐ Linsafe Act ☐ Unsefe Condition
Name:	
Executive / Employer No.:	
Designation:	THE RESERVE OF THE PARTY OF THE
Departments	《大學》,一個學生學的學生學的學生學的學生學的學生學的學生學的學生學的學生學的學生學的學生學
Location / Area:	
Near Miss Detail:	
Date:	PRINTER (1)
Time:	
Location:	· 网络种类的种类的
Hear hilas Related To:	Leakinge
Brief description of wha you saw! (max. 108 won	
Attach Pictures	Choose File. No file chosen

N



- HandBook | February 2022


PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- Define __echanism and frequency to test plan so as to ensure s and effectiveness of emergency response system.



SCOPE 2.

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency are to variations in nature of operations, various departments/sections have developed their own ER Plans catering for their strategic, operational and physical requirements. The same includes HSE emergencies absorbed in company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations major environmental damage, external terror or bomb threats, public unrest,

DEFINITIONS

- Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines, distributions and other assets.


 Rescue: It refers to responsive operations that smally involve the saving of life or prevention of injury
- Emergency Response Organization (ERO): It is a group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any er expency incident, such as a natural disaster or an interruption of business operations.
- Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency : situations. All emergencies are to be reported here.
- First Aid: It is the provision of initial care for an illness or injury. It is usually performed by non-expert, but trained personnel to a sick or injured person until definitive medical tream at can be accessed.

 Assembly Areas: If an evacuation to the outside is appropriate, the no hinated assembly areas for
- f. personnel shall be far enough away from the building, structure or workplace to ensure that, where practicable, everyone is protected from falling glass and other objects.
- Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- Call the fire brigade & other emergency services like ambulances if required. C.
- Ask/inform all personnel present within premises, using megaphone or any other means, for complete d. evacuation if situation goes out of control.
- Inform all to go back to their work places using megaphone or any other suitable means when the situation comes under control and the area is free from any hazard.



- HandBook | February 2022 .

5. PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are listed below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

6. Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the same need to be limited to these areas:

- Fire & Explosion
- Heavy Spilage of Toxic/flammable chemicals or leakage of gas
- Heavy rain/ nood
- Earth quake
- Bomb threat
- Building & office lockd wn/ helter in place
- Active shooter/hostage

6.1. Fire & Explosion

In case of fire & explosion each personne present within the premises must act as per but not limited to the following in any tions:

- a. Give voice alarm FIRE! In case of fire for air ry reliate employees in the area.
- b. Push the nearest located call point button in any of fire (if present):
- c. Immediately inform Emergency Response Organization through phone or in person.
- d. Try to control the fire by using fire extinguishers. Use file extinguisher only if you have been trained.
- e. Remove all explosive, inflammable and poisonous material away to the maximum possibility.
- f. Shut off main valves of gas and circuit breakers.
- g. Stay away from the fire in case it is not controllable.
- h. Report to the designated Assembly Point away from the scene of his polosion if asked by Emergency Response Organization through emergency exits and wait for the further his actions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage of sa

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Eliminate all ignition sources (sparks/flames/heat) from the immediate areas.
- c. Turn off gas supply from nearest control valve...
- d. In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be taken to ventilate the gas. Ensure the availability of fire extinguishers.
- e. Stop leaks if this can be done without having any risk.
- f.. Do not touch or walk through spilled material.
- g. Prevent entry into waterways, sewers or confined space.
- h. If available wear the Personal Protective Equipment recommended.
- i. Arrange immediate cleaning of spilled chemical by taking suitable precautions

FUEL FIRETRIANGLE

Integrated Management System

to suitement Dept.



In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but

- Try to stop water by keeping sand bags.
- Protect building, machines, equipment, tools, parts & material. b.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. a.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. b. . C.
- Sufficient quentity of tarpaulin and rain suit is available to meet the rainy condition. . d.
- Keep the rain line open all the time.
- e. All pumps used f draining out the rainy water are in running condition.
- Sufficient quarkity of pand bags is available to stop entering the water inside, which may be placed in advance if required

C 1-		CLASSES OF FIR	* E
Class	Material	Examples	Type of Fire Extinguisher to t
· A .	Solids.	Paper, wood plastic, etc.	used
В:	Flammable Liquids	Paraffin, petro, an etc.	• Water
`;Q -	Flammable Gases		Dry Powder
		Propane, butane, mahane, etc.	Dry powder
<u>. h</u> .	Metals	Aluminum, magnesium, tita ur	Sodium chloride based dry
E	Electrical Apparatus	Short-circuiting, over loaded	powder fire extinguisher
		electrical cables, etc.	202 Fire Extinguisher
F . w	Cooking Oil & Fat	Animal fat, etc.	bica cona e
arthqu			• Wet: The Clenical mist

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately inform Emergency Response Organization through phone or in person. a..
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) C.
- Maintain your senses, do not let them disperse. d.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, e. debris, heavy objects and electrical wires. f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. g.
- Wait for further instructions from Emergency Response Organization.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts. h.



- e. The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Maintain your senses, do not let them disperse.
- c. Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- d. Bomb Disposal Department shall be called by Emergency Response Organization.
- e. The Box Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergence Response Organization.

6.6. Building or office Lockdown/shelter-in-place

If a situation calls for building a office lockdown, the personnel present within premises should act as per left no limited to following instructions:

- a. Remain calm and stay want u colleagues.
- b. Try to stay in pairs.
- c. Do not leave the room and/or built to under a lockdown situation until asked otherwise.
- d. Keep quiet and away from doors and windows
- e. If a gunshot is heard, lay down on the man exhibited under/behind furniture as much as possible.

Take care:

Don't try to be a hero in emergency situations; do not place your own life on health or that of others in danger

Be prepared for the

6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel preser within the premises must act as per but not limited to the following instructions:

- a. If it is safe to do so, exit the building; if not, lock or barricade self inside a room.
- b. Turn off lights, cover and lock the windows, and lay on the floor
- c. If the shooter(s) leave the area, go to a safer place, if possible. Here are scape route/plan in mind, keep your hands open and visible, and follow any instructions given by law environment.
- d. Call the Police/Rangers when it is safe to do so. Remain calm, use the typice, and provide as much information as possible (your name and location, details about the shooter () appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen that the property of the prop
- e. Cooperate and negotiate with the shooter, in order to buy as much time as possible until the rescue team reaches.


7. EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System

49



EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. b.
- Leave the building/premises immediately, do not try to investigate the source of the emergency. C.
- Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- Assist people with special needs. e.
- As you make your way out, encourage those you encounter to exit as well.

IO BE EVACUATED

In case of en errents, evacuation should be carried in the following order: 9.1. Personnel

Those personnel who point have sound health such as patients of Heart, Asthma and physically/mentally. vacuated on priority basis. 9.2. Raw Material

Raw material which is explain , inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to car must also be removed. 9.3. Documents

Important records and files must also

9.4. Equipment


Cash Lockers, Computer Sets, External Har -dp Expensive Tools and Fixtures must also be removed.

10. TESTING AND EXERCISES

Testing and exercise of the emergency response planshuld be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible periodically conduct the exercise. The frequency and type of drill at each location should be as below:

Location	Type of Emergency Drill	
 a. Head Office b. Regional Offices c: Billing Offices d. P&C Offices e. Store (all locations) f. KT (Transmission) g. Distribution (Zonal 	Evacuation and Mock Emergency Drill (all employees) Fire Fighting Drill by Emergency Response	Six Monthly Six Monthly
g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Respon Team	se [.]



HandBook | February 2022

Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
· ·	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Headquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonai HSE dam leaders ensure that emergency detection and response equipment are identified, available and properly validation in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of ER Equipment. The record shall be maintained on inspection and Monitoring of ER Equipment Form (SSGC-IME/EP F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with in-charge HSE&QA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular

location/operation/equipment/in tallation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher.
- b. Fire hydrant/hose/bucket.
- c. Smoke/gas detectors.
- d. Communication equipment. (New phones, Alarm systems, walkie-talkie etc.)
- e. First aid box.
- . f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of the charge HSE&QA or Zonal HSE team leader.

	Location	Frequency
.a.	Head Quarter Stations	P
'b.	Meter Manufacturing Plant	Monthly
C.	K.T (Transmission)	
a.	Head Office	0
b.	Regional Offices	JA.
c.	Billing Offices	Cumtant
d.	P&C Offices	Quarterly
e.	Store (alf locations)	
f.	Distribution (Zonal and Sub-zonal offices)	

12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period
SSGC-IMS/ERP-F-01	Emergency Drill Form	HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

ARC Mar







IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

Zone		Region		Location	1_ 7-	
Type	Of Emergency Drill				Date	•
□ Fire	an Explosion Heavy Other:	snillage of toxi				
□ Bon	no beat of Other	spinage of toxi	Girammable	chemicals II He	evy gas leakage 🗆 E	arlbousiks
	- Ourier				*	- a ideale
S.No			Observa	itions	the second	
1	- Descripti	on:	Time	``	Comment	· .
2	Emergency Sire ang	at ·			Comments	
	Evacuation started					:
3	Last person reached a point		1 .	:		· · ·
4	Firefighting/Bomb dispo	s il squad/othe	- 	 	<u> </u>	<i>**</i> * **
	interested party reached	Tat site		1		•
5	FIRECOENCY Under contri	ol ai	 	 		
Otal t	Ime of Drill (minutes).			<u> </u>		•
-uuitti	onal Observations (If ar	1y):				
.•			(). .			
						35 4.4.
. •	•			•		
T			V		apparent	
.No			Assessme	The state of the s	Transfer for the State of the S	
1 .	Emergency responders v	vere present at	the site	A		Yes. N
	Cilibioaee were blobella	instructed		~		
3	Behavior of employees w	/as satisfactor				
4 .	Evacuation route was sa	tisfactor/				
5	SSGC firefighters were w	vell trained	· ·			
6	Firefighting equipment w	en named				
7 1	Response of the modified	ere up to the m	ark			
vomil	Response of the medical	Staff was satis	factory		-V	
	Assessment:			Sation	- UA	
No	Corrective A	ctions/!		CHBA	factory D Susat	sfactory 🗆
	201100DAG W	ctions/improv	ements Re	quired	Responsibility	Target Date
					,	- Griger Date
					<u> </u>	
	Missing a large and a large an					
	Security Services Re	nenganiali	بموادنته ويسطون الوافظ فلسيان فالمستحدث ومشاولين		ti e andre e estado de deserva e en de la Calendaria de deserva e en en en el entre en en el entre en entre en	
	Name .			HSE	&QA Representativ	A
		Signature		Name		
					Signa	ature
	1		,			



- HandBook | February 2022



IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

A state of the sta

Issue Date: Aug, 2021

Zone		··					••		
		gion		Location	1	<u> </u>		1	
iype	o Of Equipment				 -			Date	
	ia exinguishar 🗆 F	Fire Hydr	ant/Water Pump/Bucket Communication Equipm	N/Hose III Si	noke#	Zan Na		_	•
U A	TIDULANCE I FIRST A	id Box	Communication Equipm	ent (1 Othe	+ !	249 DE		Emergen	cy light
			CHEC	KLIST	' :				
S,No		W	nat to check						100 00 100
Hire	Ext				Yes	No		Comme	ents.
01			operable condition and r	ot		Ť			
02	Pipe and a zzle	do not h	ave cracks.			-			·
03	Lever and lever	are in	place and locked			-+			
04	All extinguishers	andies	y visible and accessible				·		
Fire F	- AGISTINUOSE/PIC	Ket	A .	<u>"·</u>					
01.	No leakage in fin	e hydran	s stem.	 -	-				
02	Hydrant valves a	re prope	ly lythria that and and the	lonal			.		
03	attached at the e	end.	openy puce. Nozzles à	ire		-	•		
04	Fire buckets are	maintain	ed and adequate filled	with			·		
First A	Ald Box		— ()				·		
01	All necessary/req box.	uired me	dicines are available	i Aid	-	,,,T			
02	Medicines are no	t expired	and valid for use.		-		•		•
Smake	ALCAS PRIBCIOL						_		
01	Alarms and Smok	ce/gas de	tectors are properly fund		-				
Other	Equipment (If any	<u>y)</u>	and property full	Lioning.	AU				
01	••				1				<i>i</i> - }
02					}	44	-		
S.No		Ohe	ervations			4	4		
1			OT VALUE IS			. Ř	-comp	dations	
	•		•				-	}	
2	•							ZP.	.]
					• •			X	
. 3	*	•	7						
Additlor	nal Comments (if a	iny):							.}
	•	•							
								•	-
	Security Service	es Repre	sentative		Uer	204 =			•
Nam	e & Designation		Signature	M	пас	AWA R	epresent	ative	
			Guerri e	Name & D	esign	ation		Signa	ture
	•			•		• .			
,		<u> </u>				•	_		J
•	•								———

Integrated Management System

53



1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and

2. SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs b. Supplie
- s an independent employer/organization that is responsible to provide goods or
- ord ator: Is an executive of SSGC procurement department, who has been delegated/give responsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environmental Quality Standards. ď.
- SEPA: Sindh Environn Arotection Agency.

RESPONSIBILITIES

4.1 Suppliers/Contractors and Contractors

- The contractor must take all necessar sefety precautions related to the performance of the contract in order to protect the work site including all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety as well-being of their employees.

 c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors have their own HSE&QA management system, shall provide details of the same on request.
- The contractor shall ensure that all personnel are adequately trained to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC policies. cedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for mental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract

- HandBook | February 2022



5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the requirement of this procedure.
- hall adhere to technical specifications provided by SSGC to ensure quality of goods provide
- or shall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HELLACA department to seek guidance and awareness on risk/hazards related to activity and its possible controls.
- h. The contract is liable to light stand and implement "permit to work (PTW), job safety analysis (JSA)" has risk assessment and management procedure (SSGC-IMS/CRM-02). where required. Please
- The contractors are responsible to dispose of any waste generated during their activities in any environmentally safe & responsible manner.
- The contractors must ensure that on rained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with 55 a Cts safety procedures and NEQS and SEPA set standards.

 I. Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contractor and HSE&QA department in writing.

 The contractors must ensure that the workforce by lived must be physically fit and should not carry.
- any contagious disease. SSGC reserves the right to a k for medical examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests.
- n. For contracts related to providing food services/canteen epica medical reports from accredited labs must be submitted to head of administration services as attment for entire crew once the contract is awarded and annually for following diseases hepartic C, tuberculosis, and chest
- o. In case of violations from SSGC safety standards/policies/procede ons will be taken to penalize the contractor depending on the severity/recurrence of breaches postollowing matrix:

S. No	Violation	Action Control of the City
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
. 4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract



6. ACCESS

- Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from e. Contracto
- provees must stay in their assigned area(s) at the job site and not visit other areas or make any distribute to any piece of equipment or device unless authorized to do so by an authorized SSGC representative. Failure to abide by this work rule will result in immediate dismissal
- f. Each zone maintains scur work areas with limited access at all times. No one is permitted to override any security device convenience. If access to a secured area is required contact the SSGC area without prior authorization.
- Any work not performed during no an austiness hours must be approved in advance by the SSGC
- All contractor employees will go through ctor safety/induction training upon initial work at SSGC: and annually thereafter. A copy of authoriced kept at guard shack. corrent) personnel for contractors will be updated and .

6.1 Tools and Property

- For any situation in which the Contractors activity may endanger in duct quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments, stavings or dirt in exposed product of manufacturing equipment areas, approval must be made through the SS crepresentative and conditionally approved by the ZTL or representative before work is to commence. The established by the Zonal Team Leader or representative to protect the equipment of the control o actor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for any case is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the SSG · Pay telephones are not available.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

:=/Procuremant

HandBook | February 2022



- Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.
- b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination of dulteration, (i.e., nothing is to be carried in snirt pockets, lapel, and etc.).
- be worn by all personnel, including dress as appropriate. Contractor is responsible to c. Appropriate PPE provide PPE to the workforce.
- d. Proper clothing must be your at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- e. Persons with suspected compunicable diseases, respiratory infections, infected open cuts, sores or skin
- abrasions will not be permitted to work in any area that could result in contamination of SSGC personnel. The use of tobacco in any form is probabled at all times except in the designated Smoking areas. Chewing gum, candy, storing lunches, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. The will be a designated area for contractors to eat. (Cafeteria)
- h. In the event that there are open tanks, seed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate me possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hamman, hipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chips or other debris may be generated.)
- bailding or storing parts, lubricants, solvents or The use of containers, boxes, cans, jugs etc., fr construction material is strictly prohibited.
- The contractor is responsible to notify the SSGC represe ration immediately if foreign material used or generated by the contractor's activity, was accidentally spill in the zone area/ SSGC premises.
- k. Contractor will follow 'Spill Response Procedure' of SSGC in case spill occurred.

7. CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

- All applicable Occupational Safety and Environmental regulations must be followed
- a. All applicable Occupational Safety and Environmental regulations must be follower.
 b. Contractors shall supply to their personnel and to the SSGC representative: emergency contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to their consite work.
- c. Contractors shall provide the SSGC representative with a current copy of their Safety Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (r applicable) and associated training certificates.
- d. The Contractor shall supply all required first aid supplies and safety equipment to support his/ner personnel.
- e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

Integrated Management System

- g. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydranis or All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- n. Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- compressed gas cylinders must be supported and secured standing upright according to Pakistan plards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks the empty or full. Acetylene cylinders, when in use must have a wrench in place.
- wing coverhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation projects, night lights shall be provided by the contractor.
- In the event an organ vapor or other harmful volatile release is caused or discovered, the contractor and/or his employees sharter to at once to the nearest SSGC office and request for further actions immediately. Any contractor, contractor exclusee or subcontractor violating Zone area safety or security rules shall be.

7.2 Accident Reporting.


- a. Accidents occurring in Zone jurisdiction must be reported immediately to the SSGC representative.

 b. In the event of a fire, medical or other emanders, contractors are required to notify zone security or the SSGC representative immediately. When probably potification give all pertinent information, including your.
- c. All contractor injuries requiring medical assistance beyond asic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor cident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the HSTAGA Department.
- d. All contractors and subcontractors must maintain their own OF uired document/records

7.3 Confined Space Entry

- The SSGC representative will notify the Contractor prior to being hire confined spaces. The form included in documents will be used to make this Ne To work will involve entry into
- b. All Contractors who conduct confined space entries must adhere to the SGC confined space entry
- At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System



7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety hamess.
- d. Working with cranes and demicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safety operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upon regrest.
- f. In the every mat overhead work must occur in locations within the Zone where high voltage, overhead power lines are located all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event somet be maintained, the power lines are to be de-energized and locked out prior to performing work in the event the lines must be de-energized, prior approval must be given by the SSGC representative.

7.5 Hazardous Energy Contol (Lockout) Procedures

- a. All contractors, contractor emplyees and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, a ninetr remployee or subcontractor servicing or entering a piece of machinery where the danger of injury with from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or energy and lock/tag out this equipment before beginning wark.
- fown persons have locked/tagged out equipment, the c: In the event that SSGC employees or other contractor is not to remove the lock/tag or energize the equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represent or remove LC/TO without communicating to all affected associates.
- d. Contractors are required to supply their own lockout locks, ags and hasps.

 e. In the event that a contractor or subcontractor has de-energized and locked out a piece of equipment; the equipment specific lockout procedure must be adhered to A contractor, contractor employ contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedur
- The lockout tag used by the contractor must have the contractor's phan ber and a person name, SSGC to be contacted concerning the lockout.

7.6 Zone Equipment and Tools

- Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and indemnification Agreement. Use of all shop equipment is prohibited.
- c. Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to a.
- Provide the SSGC representative with a listing of all hazardous chemicals. i. ii.
- Property label all containers, adhering to SSGC labeling requirements. iii.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property. C.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed d.
- pen the use or storage of explosives or other hazardous materials or equipment is necessary for the cition of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the vis on of properly qualified personnel and in conformance with all applicable Zone Requirements and
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their employees of all hazardous substances in use at the job site and of the appropriate safety procedures and police

Emergency Procedures

- In the event of a fire, medical or the remergency, Contractors are required to notify zone security or the SSGC representative immediately. It is security personnel the location of the fire and any other pertinent information. In the event that Zone so curity or SSGC representative cannot be reached, evacuate the area
- and call area/city emergency department as soon as possible.

 All contractors, contractor employees are a possible at the facility.
- All contractors, contractor employees and successful to exit the work area/building in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the proovee staging area located at guard strack.


Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of an proa. . ne or gasoline powered equipment b.
- SSGC Management discourages the use of internal combustion engine (inc no reasonable alternative means are available to complete the job. and will only permit it when

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices. a.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have

integrated Management System



7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot a. Work procedure.
- The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the b. necessary precautions have been taken.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC C. representative will issue a new permit.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been d. made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding:

- All land is belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet and meet SSCC Work at Height Requirements.
- All ladders used in Zone property must be properly secured.
- All scaffolding plust be equipped with railings and toe boards.
- All "swinging" type scalibles must be inspected by the contractor and repaired if necessary before use.

 All overhead work iron a tarklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors comparitival applicable environmental rules & regulations

8.1 Non-Hazardous Waste

- Construction refuse and debris will not be to accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in a contract document.

 Contractors shall take ownership of all waste and tebris generated from materials they brought to the job.
- site or from demolition activities, and shall dispose of uch waste and debris in accordance with all applicable laws and regulations.
- Reference to SSGC, The SSGC Company or any of its transmission less shall not be used in any documentation associated with the disposal of such waste and debris.
- Contractors shall coordinate with the Zone, whenever practical, of egate debris or waste which may be recycled or re-used in a safe and environmentally responsible manuar,
- Worksites may be periodically inspected by the SSGC representative to be me that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such time as the worksite and property have had a final inspection and removal of all containers, debris, wastes and in Exials has been confirmed. by the SSGC representative and documentation has been printed that all the wastes have been properly disposed.
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
 - i. Provide the SSGC representative with a listing of all hazardous chemicals.
 - .ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.



- HandBook | February 2022



- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- ctor shall assure that all employees dealing with hazardous materials and hazardous wastes have had all legs by required training and are familiar with the hazards presented by such wastes or materials.

Spill Response rocedures


- Each contractor is equired to have a written emergency response plan to handle spills and releases which elivery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its imergency response plan to the SSGC representative prior to beginning work.
- be equipped with appropriate spill response equipment. All contractors, who engage in the emergency response of a hazardous material release must have been trained ar the street appropriate spills response certification and meet response
- Contractor must provide documentation be write that it has contracted with at least one reputable outside spill response contractor, that is reasonably agreeable to SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of has arrous materials.

 The contractor shall be responsible for appropriate local-up of spills caused by their activities. Such clean-up
- will include removal or remediation of any materials imposs by such spill; such as: building materials, soil, e.
- In the event that a spill or release of contractor's material occur. not respond to the release to the satisfaction of SSGC, SSGC stall as e the right to take any reasonably all costs incurred by SSGC to respond to such spill or release. ector shall reimburse SSGC for f.
- Spills and releases of hazardous materials must be reported immediately by the contractor to the SSGC representative. g.
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to h.
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized referentiative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and undergood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledge that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by the der is listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who polate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, company with these rules.

Compliance with the SSGC Contractor Work Rules does not in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local fafety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable of centractors and/or suppliers.

The undersigned represents and warrants that we shall comply with an applicable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services it as SCC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold harmless SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breast other above warranty and/or any violation of applicable laws, regulations and/or rules.








Company	
Date	
SSGC (Print)	
Signature	
Title	·
SSGC Representative	
cc: Project Manager File Zone Hand Manager Contractor	

11. DOCUMENTED REPORMATION

			•
Record No.	Record SSGC.	Maintained by	Retention Period
SSGC-IMS/GSC-F-01	HSESO Awareness Form	HSE&QA Department	3 Years

NR

areness r.



HandBook | February 2022





IMS Form

SSGC-IMS/GSC-F-01

HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

		c	ontact name						
Organization Name			ontact number		•				
Type of County Mechanical Vork Contractor Pipeline	Electrical Work nstruction Th	Civil Work □ Was ird party inspection	te Disposal □ Cante n □ Goods Supplier	een □ Transport □ □ Other:	Manpower				
Area of Working:									
Contract Coordinate	or:								
	7	HSE&QA AW	/areness	•					
	Description	9,	د و خام دیا ودانور ⁶ یا ۱۹۰۰ _د اول اود	., Remarks ,	•				
ISO & OHSAS Stand	lards								
HSE&QA Policy			•						
PPE Policy				•					
Risk Assessment an	d Management Pro	cedure		·	dot-				
Incident and Acciden	nt Management Pro	cedure	<u>G'</u>	· ·					
Emergency Respon	se Procedure								
Technical Specificat	tions/Performance	and Testing							
Remarks:									
Supplier/0	Contractor Repres	entative	HSE	BQA Republic	ive				
within company pre	understand that the supplying goods, emises or outside co temployees of our outsides understand a	requirements will works or services ompany premises. company and Sub-	I have met the Supprovided basic infintegrated Manage shown its comminmed to the second policies and related requirements of the good the second provided integrity of the second provided integrity o	formation of HSE8 ement System. The tment in adherend s/procedures/techni rements to ensure	QA Policies and e Contractor has ce to Company's cal specifications quality, safety and				
Name	Signature	Date	Name	Signature	Date				
· L		l							

Integrated Management System





PENALIZATION MECHANISM

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep, 2022


for Service Confects Only


1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Pepaization mechanism

Following ow chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and *Annexure-J-1* can be found below.







(A)	·		SSGC-HSEQP-F-10
 1915年で 1915年で	PENALIZATION FORM		Revision 01
USE&QA Department	for Service Contrac	ts Only.	Issue Date: Sep, 2022
MP.	J	0	
Project		Date	
Section		Contractor	
User Dept.		Focal Person	
Nature of	Non-Compliance (As per Anne	xure J-1)	
1			
V			
	*		
 	0		
Made of F	enalization		
			•
	·O _^		
	0/00/		
	lniti		
	Name	Sig	nature
		6	
		70	
	Recommende		
	Name	Siò	melist
		•	~
	Recommended by User De	par.tmental/Divisio	nal Head
		L	
Following S	Section is applicable ONLY in (case of Financial P	enalization
_	1		· · · · · · · · · · · · · · · · · · ·
		·	
	DMD (Ops)	DMD (F	inance)
			
Copy to: Pr	ocurement/Finance/P&D Department, (Contractor	STOUS CO
	rate evidences MUST be furnished alor		S crossing of
,	4	£ =	Solotochiewen
· · · (Many Missel.	in, 6.1	HI COM

SSCC HSE&QA Department

PENALIZATION MECHANISM Sexvice Contracts only ANNEXURE J-1

SSGC-HSEQP-F-1

Revision () (

Issue Date: Sep. :'0

HSE	S. No.	Nature of Non- Compliance	Mode of Penalization
2 Institute Condition Cond	HSE		nation Penalization
2 Ons fe Act / Unsafe Condition Not report is any major incidents within the time frame secolic din Tender documents / HSE&QA Plant No proper tag out locks with barrication / signage boards and sign make PPE noncompliance as advised by serious preparentative(s) at Site or sease sed in SSGC SOPs, work instructions or Tot's Deviation in actual manpower provided varied and spower (Organogram) submitted in tender documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Deviation in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Providing in Tender documents / Construction Plant International Construction Plant International Standards at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Financial Penalization up to Rs. 200,000 for each accident Financial Penalization up to Rs. 200,000 and be penalization up to Removal from dutics. Financial Penalization up to Rs. 200,000 and be penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Removal from dutics. Financial Penalization up to Re	1	PPE related	Explanation Letter Written warning
Not reporting any major incidents within the time frame seeched in Tender documents / HSE&QA Plant No proper tag out locked/ barrication / signage boards and sign natic PPE noncompliance as advised by \$2. Tepresentative(s) at Site or see fixed in SSGC SOPs, work instructions or Tors. Deviation in actual manpower provided varied manpower (Organogram) submitted in tender documents Non-Compliance related to Quality Parameters outlined in ToR, BQQ, applicable international Standards & Codes and SSGC's SOPs. Poorting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SQP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Financial Penalization up to Rs. 200,000 for each accident Financial Penalization up to Rs. 200,000 for each accident Financial Penalization up to Rs. 200,000 for each accident It time — Warning Letter Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Warning Letter Plant I time — Warning Letter 2nd time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time — Stoppage of Work and time —	2		1st Time ———— Stop work 2nd Time ————————————————————————————————————
No proper tag out lockeyt/ barrication / signage boards and standards PPE non-compliance as advised by \$2 representative(s) at Site or sectioned in SSGC SOPs, work instructions or Tots. 2	F	HSE&QA P	Financial Penalization was a R
Deviation in actual manpower provided value manpower (Organogram) submitted in tender documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Up to 2% of the invoice amount of the billing period Non Submission of time bound reports (as anentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization Up to 2% of the invoice amount of the billing period Financial Penalization	4 c	No proper tag out lockent/ barrication / signage boards and spot matic PPE non- compliance as advised by \$50.5 epresentative(s) at Site or	1st time Warning Letter 2nd time Stoppage of Work 3rd Time Firement P
documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Porting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial Penalization up to 2% of the invoice amount of the billing period Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization Financial Penalization up to 2% of the invoice amount of the billing period Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization	Quality	1/1	(Wax.Rs. 200,000 can be penalized)
Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Porting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information False reporting, misleading information Financial penalization Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization	1 1	1 - · · • (U) EUI () U () ITT (II 1 I I I I I I I I I I I I I I I I	ost of unavailable staff on liets
Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial penalization up to 2% of the invoice amount of the billing period Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization	6 ou Sta	on-Compliance related to Quality Parameters tlined in ToR, BOQ, applicable international and ards & Codes and SSGC's SOPs	:
Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Financial penalization up to 2% of the invoice amount of the billing period Explanation letter Financial penalization up to 2% of the billing period Financial penalization up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period	eportin	g	S per S
Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Explanation letter Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization up to 7% of the invoice amount of the billing period Financial Penalization up to 7% of the invoice amount of the billing period	Plan	n render documents / Construction	Financial penalization up to 2% of the invoice amount of the time.
Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization Financial Penalization Financial Penalization Financial Penalization Financial Penalization	Tecl	hnical data at site office	and the billing period
False reporting, misleading information Financial Penalization up to 70%	invo	olding wrong / insufficient information in picing pertaining to equipment and	Financial penalization Up to 2% of the invoice
LAUTODO A A A A A A A A A A A A A A A A A A	False	e reporting, misleading information	Financial Penalization un to 30'

ENALIZATION WECHANISM will Contracts Only

Revision 01

SSGO-HSEGP-F-10

MARKER ! MSE&QA Department

ANNEXURE J-1

Issue Date: Sep. 2001

Ethics & Conduct

Tan	Non-cooperation with SSGE team by any staff of Contractor. Non-cooperation includes non-sharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or included to works given by SSGC's
. •	instructions related to works given by 3300, a
	Description in the second inavailability of site

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head:

f during surprise visits of

Financial penalization (One day salary deduction of entire site staff of audited site)

1. Note:

Penalization amount will not exceed the 5% of the total contract-value:

If Three (03) non-total sance (on any one issue or combination of issues) are issued to any contractor, Management will decide to impose additional penalization (e.g. forfeiting of Performance Bank Granting / retention money), termination of contract or temporary

Tender/ Project/specific requirements and penalization are outlined in tender documents/

