(BY INVOKING PPRA CLAUSES 42(D)(I) & (II) "NEGOTIATED TENDERING" (VENDORIZED ITEMS))

(UNDER SINGLE STAGE TWO ENVELOPE BIDDING PROCEDURE)

AS PER PPRA RULES 2004

TENDER ENQUIRY NO: SSGC/LP/NT/PT/2059298

Bid Closing date & time: 14-04-2025 at 1000 hrs Bid Opening date & time: 14-04-2025 at 1030 hrs

Supplier must be active in FBR Active Tax Payer List (ATL)
Sealed quotation of above referred requirement to be submitted in PKR

enue:

Tender Room, CRD Filding, Ground Floor SSGC Head office complex Karachi -75300 Ph. +92-21-99021024,+92-21-99021116.

Earnest Money (Fixed Bid Bond): 22 710,000/-

"Note: Tender document is also available online on SSGC website for view or Bidder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."



Sui Southern Gas Company Limited

Procurement Department

ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan Phone: +92-21-99021223, Fax: +92-21-99231583

www.ssgc.com.pk/ssgc

Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

	RFQ_Numbe Document_N	92 (2.1	SSGC/LP/PT/2059 2059298	298	Open Bidd Close Bidd	fing Date, ling Date	18-MAR-25	
S#	Item_Code	Item Description		Uni t	Quantity	Make / Brand	Ufilt Price inclusive of all discount (If any) & Exclusive of GST	
1	1	3 COCK METER LOCK CAST MAXIMUM 50 PIECES IN PER SPECS. MLC-003/23	NEW CARTON (AS	Each ·	200000	;	:	- 7 = 5 x 6
	ry Schedule: I Fix Bid Bond A	ML Cock 1/2" is required mount PKR: 710,000		th after place	ment of P.O.		***	

NOTE:

- ponding total amount shall be inclusive of all duties and taxes and discount (if any) except 1. The quoted unit price and General Sales Tax. (GST). Sales Tax will be applicable as per GST act and subsequent amendments of time to time. GST will be reimbursed to manufacturer and importers only subject to production of paid invoice.

 2 Takes are essentially required to quote a bid form. Rates quoted on other then bid form will not be entertained.

 3 Tay queries / complaints regarding subject tender enquiry shall be addressed to GM(P) / DGM(P) in writing

 4. EVALUATION CRITERIA: Order will be placed on the Lowest Technically / Commercially Compliant bidder (s), unless specified

- 5. In case when bidder submit alternate bids, a s In case when bidder submit alternate bids, a ser at Bid Bond for each bid is required. All the bidders are advised to furnish fixed bid security amount appearing in price schedule/BOQ otherwise bid will be liable for rejection. The submission of fixed amount of bid security is also real datory for all the bids valuing RS.500,000/- of less.
- andatory for all the bids valuing RS.500,000/- of less.
 ules (Description, Quantity, UOM etc.) will render the bid as conditional bid 6. Any Bidder who change/amend the BOQ or Price S and will be liable for rejection.
- 7. Bid bond submission (2%) of the bid amount as mentioned clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain und
- f bids and bid bond shall remain valid for 150 days.
- & void, however, other contents of clause 9 will remain uncleaned.

 8. All offers shall remain valid up to 120 days from the date of opening

 9. Special terms & conditions and warranty guaranty attached at all

		·		
Signature	;			
Person Name	:		75	
Gany's Name	:		STAM	
Date	:		5	

End of page, any entry beyond this line would be invalid

Evaluation Criteria and Special Terms and Conditions attached at Annexure:- A

SSGC/LP/NT/PT/2059298

(By Invoking PPRA Clauses 42(d)(i) & (ii) "Negotiated Tendering" (Vendorized Items))

1. Evaluation Criteria:

- a. Order will be placed on lowest Technically/Commercially Compliant bidder(s). Order may be placed on more than one bidder subject to technical/Commercial responsiveness of the bids.
- b. Your offered / quoted price shall be supported with cost break-up of various inputs including material, labor etc. Source of procuring raw material rate shall also be indicated.
- c. Variation in major input material price exceeding 10% may be subject to adjustment. However, Vendors will hold the rates for first 6 months delivery schedule by arranging the raw material on receipt of purchase order from SSGC.
- d. Allocation of order quantity will be decided on the following factors:
 - I. Quoted price.
 - II. Past performance both in delivery & quality.
 - II. Manufacturing capacity of vendor with respect to supply of ordered material to SSGC.
- e. Company pay hold discussions with the vendors in order to rationalize the quoted Rates and delivery sandules

2. Performance Bond

a. 05% Performance and is required. (PBG shall be submitted after placement of purchase order).

In case when bidder submit alternate and a separate Bid Bond for each bid is required. Otherwise bid will be liable for rejection.

The quoted unit price and corresponding to a amount shall be inclusive of all duties and taxes and discounted (if any) except General Sales Tax (2ST). Sales Tax will be applicable as per GST act and subsequent amendments of time to time. GST (11) be reimbursed to manufacturer and importers only subject to production of paid invoice.

Special terms & Conditions and Warranty Guaranty a tached at annexure 01.

Bid Validity: 120 days.

Earnest Money (Fixed Bid Bond): PKR 710,000/-

Delivery Schedule: ML Cock 1/2" is required within 20,000 Nos. pe a) onth after placement of PO.

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	CANADA SECTION AND ASSESSMENT OF THE PARTY O		The same of the sa	* A 200
WAS THE WALL WILL STANDED BY THE COL	ical Specification	a at 6	231934	75.5 2
\$1.500 TS 18 95 FACE \$400	The state of the s	Part that the first of the second	Transfer of the second	
TO THE REPORT OF THE PARTY OF T	A STATE OF THE PARTY OF THE PAR	The state of the s		Section of the Parket Section 1
	LEGIST TOTAL AND A LOCAL AND A STATE OF THE PARTY OF THE	The state of the state of the state of	SOC-MLC	大学等的现在分词,但是各种的
The same of the sa	THE PERSON NAMED IN COLUMN TO A STREET OF THE PERSON OF TH	20 22 33		The second second
Transactive also be the day a first where	The state of the s	'9858'''	ML II WERE DE LE	JH 12734
AND THE PARTY SANGER	Lock Cook (Ca	538 No. 10 No. 17		(1997) 4 J
SECTION 11 Transfer at 1170872 Adv.	N. S. Carlos St. of Section 11 and Section 11	ATT AT A STATE OF THE ATTENDED	44 5 400 5 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	STATE OF THE PARTY
HARRY - AND REAL PROPERTY IN SAME AND	The state of the s	Section of the sectio	***	
	and the same of th	. 36	THE PARTY OF THE P	322 41
	COMPANY OF THE PARTY OF THE PAR	19-352 La	. Revision	acate to the state of
THE RESERVE OF THE PARTY OF THE	AND THE RESIDENCE OF THE PARTY AS THE RESIDENCE OF THE PARTY AS THE PA	2003-902-1	CEVISION	45634
		5 4 8 4 4 5 4 5 4 5 5 5 6 5 6 5 6 5 6 5 6 5 6	PROGRAMME.	**************************************
一分配产生的原则的原则是不可以及此处于可以更为。		Service to the same of the sam	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	24.12
134 T. 17 25	The second secon	######################################		Company of the control of the contro
AND THE RESERVE AND THE PROPERTY OF THE PARTY OF THE PART	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			100 100
The same of the sa	4.4	STATE OF THE PARTY	AND SOME OF STREET	1000 000 000
The second secon	in marine and the second	15. 456 Test 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Day inter 7 no	11Ct 3711744 1
The state of the s	The state of the s	36. 14. (40.00)	A Cate: Aug	and the second of the
418 Net a silette, and decrease	The state of the s	1 10 50 10 10 10	A 14 15 15 15 15 15 15 15 15 15 15 15 15 15	20 10 3 3

This specification serves as guidelines for manufacturers of tamper proof % inch Lock wing type Mater Lock Cook meating the design and material requirements of SSGC SENERAL REQUIREMENTS.

2. GENERAL REQUIREMENTS

- 2.1 The Meter Lock Cock shall be used for Suidoor Installation and all its parts and surface must be resistant to almospheric corrosion.
- 2. The normal operating parameters of Kilnoh ML-Cockare.



7	200	0.0	44			4	44	7	14			A.		7	120	36			Σ	٠,			Ĺ'n		1	8		4.		. 70	ent.	ž.
2		:0	13				ř.		33	80	94,	143		*	113			v	E)		×.		4	ŧ.		1				10,6	108.	ল
ň		201				NAS.	4.64	2	20	***		- 25	23	100															Œ	. 3.	1000	Á
ú		a	т	64	37	at	ш	Š	ůž.	8	ř.	100		Æ.	- 2	3	l.	1	11	ı o		2		3		۲Ť	OT.		6,	efect.	7.47	Ų.
É	1		Жů			SX	3				32	* 4	8	117	. 1	988	1	7	*,	26	×	4	9	7.	·	v,			·	354		.*1
1	U	k	Ľζ	ÌΥ	ď	m	, P	ш	Řί	:R	ď.	X.		W.	à	Ż.			XX		d	2	7	2:50	4:-0	u,		4.5	Ħ,	74.	4	7
١,		243			Œ	11.	16	4 22	WA.		V.	200	Σ.		٧.	к.,		ξ.	0.	÷	u	٠,	٠,	21.	de de	ķ	å		্ই		41 4	. [

200		and the same of	4.24.2	W. 3	47	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1 1 2 W 2 1	LASSAN GARAGE	A
W 1	, Nijera	Section Section	200	A 14 4 18 18	* A * * * * * * * * * * * * * * * * * *	2.0. W. 3	20 C	A SECURE AND A SECOND	
		100	20000	Beer an	16 M 91 312	* L/G	tails "	ik	16. 16.
		2000	12.72	200.10	100000000000000000000000000000000000000	300 CH 18 18 18 18 18 18 18 18 18 18 18 18 18	rational state of the	R POLL BOOK POLICY DIST.	25.00
		Carried Land		A CONTR	A-A' ATIC	CONTRACTOR OF	District British	- 4 44 . Sec. 200	Sec. 19-15
33 G	Cast lrop	289 45	100		17'YO 16'D	LIBEST	2		· ····································
144				1	123	THE WALL WALL	272 2 242	Carried Co. Carrie	1000

							1	φ,	Š.	35.		X W		e e			46			1 148	
			::-¥					14				1		1	N.	3.0			ange, n	10	
	-			1						Ties.		äħ		56					1		Ċ
			. 7%					4,000	io.	14.0		16.00	CC 3 3 00				4			200 t	
3								30 A	Contracts:	48000		2 1	5 74.5	agen (*
2 8	ř "	***	. 6	***		w.			MC		200	内	D W		1	ø.	(a)	W.	4.	Tr.	se.
		ž.						13	(43	O	X		4				7				3
× 20	Br	355	4 W				H.	Ġu	nm	stal	34	×				N.Y					1
						*			`		ĸ.	n i	18%	12.7		N T		32.	48		
					14.2								0.0	100							**
			40						In.			i.				, A	it.	32			Í
									Orio	(M	17		e yo		4		. A	1			I
بايد. دانوردا	X	** 12	(ezi	0.7			and S			No.	ery (-	4

31		364 B	12 19 1921	1900 20125		CONTRACTOR OF		10 M	· 2	214 (EV) 244	200.00	7.2	20 M	900	T. M.		600 A	1
λl.		to a dress	To be in the	. 18	100	2	4.00	24 63		11		110 15	Sec. 11.	400		100	12 2 3 4	4 4 4 6
1			95 (A.S.)		200	A	190	26 12 15	40 M			100	32/60 E	*****	G1.		e ale	7.75
X.		3.49	A Mary Aller	100			100						100		100		S 100 W.	
11		7 × × × ×	. 111211		46.5		2000			restation.	1	4.0		1.00	A CONTRACT	10.0	200	486
31	Section 1. Contraction of		3300000	Control of the Control	TO SECURE OF	(4) (1) (4) (4)	Age of the same of				4 (2004	10 48		CLAST ALTO	T POP		B 3-79	
9			and the second	100 N	S. 65	終し歩った。	110			Printer and the	with the bod	40.00	3 B T	1 5 3 05	Matrice and P	بالصواء فتناويته	45.60 P	100
7				100		A (Sell 4)	Section 18	100		A SHARE	34 1	3000		18.0		SIST NEW	all the same	
1	COM	40 F4 W			23. 14.60	1. 42.4	description with all	1	Andread	7.434000	ومصاداته	والمناه في	2.4.03	SALE CO	di anno alca di	2.36.54	1	444.8
*	Control of the Section	CONTRACTOR OF THE	100000000000000000000000000000000000000	OF THE OWNER OF THE OWNER OF	200	1						200	7.2				***	30.20
							177	6	130 533	1116 875	34573		11.71	33.88	1 and 004		经过金属 的	25 49 %
w.	- SH 4 (13)		E-140 6 160		绿色品种种	1377 13			2012	是是是一个	4.8	\mathbf{u}_{X}		. 764	3.3	Sept. Sept.	化聚焦剂	
A		Salar Salar Salar			Charles Mark	第十二次	***	報表で発			618:H3C	4.5	1.0		DESCRIPTION OF THE PERSON OF T			Mar.
* 8		Line & Colors	Secretary of the	2.0	and the	Acres 1	Sime steller		300		2100	120	X 15.544		219. JV		新型無能	

- diceted beating by shall be dead by vendors to lest parformance of Meler Cock in their premises. Vendors shall have to take approval of test it? from a
- 9.3 SSGC representatives will be allowed to writness vendors casting area (extrapres) and testing tacking any time.

10.SAMPLES SUBMISSION

10.1. Vendors valiprevide two side of Meter Look Cook in disassembled state including all as child parts and trace sets of Meter Look Cook in assembled state at the time of sample submission.

Material Last Reports from SSGC approved testing labs must be provided by the study a long optionary of planning and mechanical properties at the time of submission of samples. SSGC tray suggest any other approved by SSGC.


av.

- provided by SSGC

13. CTHER TERMS

13.1. Rejected camples must be replaced by yondo

1	the same of the same of the same	A State Section 1997	A 2 2 2 3 3 5 5 7 7 7 8		7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7	W-124	21.2	Service Services	the state of the s	成 X. 化四颗粒	Sec. 4.12
1	A 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	र १९ जिल्ला			1.11	201 7 1/	100	ALCOHOL: FF I	20 10 10 10 10 10 10 10 10 10 10 10 10 10	The second	article de
1	- La	Mary Salahar	· 1997 - 1 1	Tara Pila			1 X X X	760.238	- 1 ME - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
ı	G- 4	- AND -	44. : NA			25 Y		Company of the second	- A. A. M	 	7 3 A .
1	25°π	1. 1	1			M. M.	10 to	4			***
1		I Maria	1	Star Colonia	200	7.3	7 (2000)	Mary and American			30 12
1	10.00	CHARLES SE		The state of the s	and the same of the same of the				11.		WAR TO
ł	Sh	amai Hada			THE PERSON NAMED IN		16.0			1000	62.4
ä			2022012.31.1	STATE OF STATE	TO THE PARTY OF TH			7.7	353	THE PERSON NAMED IN COLUMN	14.14
ŧ	D51			137.34	CHAIR TO MAKE THE	0 14	BOM SEU	CELEBON PHIL	A A SOLETON		
1	X-12-7-37-37	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a Sales de La	100	Contract of the second	102.250		A STATE OF THE STA			tid the
7	Transaction and the	and the second second	de la companya de la			AL 414	PARTY .	A TOTAL TOTAL			
		Commence of the									ST 72 6
					100000000000000000000000000000000000000				AND	FISCHED FOR	取(計)
,				7,000	A CONTRACTOR OF	5 T	goom c	INCIDED TO	VV.		
ď,		A STATE OF THE PARTY OF		Contract Con	and Star Co. I	5 3 3		344		化砂罐 闭 切除的人 (J. LKD



Marking Criteria for Technical Evaluation and Manufacturing Facility Visit Manufacturing / Assembling of ½" MLC (Cast Iron)

M	andatory Requirements
•	Copy of Valid ISO 9001:2015 Certifications
•	Copy of NTN Registration Certificate.
•	Copy of Income Tax Return of the last year
•	Copy of GST Registration
•	Copy of Professional Tax Certificate
•	Copy of ent/Ownership document
•	Bank start agent for last One Fiscal Year
•	Account M into acce Certificate in a sealed envelope
•	Declaration of Nan Involvement in Litigation/Arbitration / Blacklisting

Sr. No		Descrip	tion		Allocated Marks	Max Marks
01	Work inst	tructions a fore in	res		5	5
02	Safety &	Housekeeping				
	i.	PPE & Fire Fighting	g) pment	•	. 2	5
	ii.	ISO 45001:2018	5 /		3	
03	Sand Cast	ing				
	i.	In-house			6	6
	ii.	Outsource		1/ _G	3	
04	Forging					
	i.	In-house	•		6	6
	ii.	Outsource			3	
05	Machinin	g		0		
•	i.	CNC			6	6
	ii.	Lathe Machine			3	
06	Assembly				U A	6
07	Shot Blast				77-	6
08	Testing Fa	cility				20
	Experienc	е				
	a. No. of Si	milar Jobs completed	= 05 (3 nos. for	each job)	15	
09	b) No. of si	milar Jobs completed	= 04 (3 nos. for	each job)	12	
	c) No. of si	milar Jobs completed	= 03 (3 nos. for	each job)	09	15
	d) No. of si	milar Jobs completed	= 02 (3 nos. for	each job)	06	
	e) No. of si	milar Jobs completed	= 01 (3 nos. for	each job)	03	
		Capabilities				
	a. Annua	Turnover				
		Million PKR	Score			
İ		>20	15			
		15 to 19.9	13			15
Ī		10 to 14.9 7 to 9.9	10 8			
		5 to 6.9	7			
10		<5	0			
Ī	b. Liquid	Assets (In shape of Ca				
	· 「	Million PKR	Score]		
		>10	6	1		
ļ		7 to 8.9	5	1 1		6
		5 to 6.9	4]		J
ĺ		2 to 4.9	3			
		<2	0	l		

my

	TYPE OF COMPANY		
11	a. Sole Proprietorship b. Partnership	2 3	4
	c. Public / Private Limited Firm	4	·

- Total Marks 100 and Passing Criteria for technical qualification is 70 marks
- Bidder filled the details on Form I, II III, IV, V and VI.
- Documentary evidence to be attached for manpower, machinery/tools, project completion and other relevant documents for each sections of evaluation marking.

Inspection or Company's visit can be done for cross verification of quoted manpower/factory's premises, if required by SSGC.

CE-I (Rehab)

AGM (HSEOA)

FOR BIDDING BURBOSK

A	FORM "B"
SSGC	Contractor's Information
HSE&QA Department	

SSGC HSE&QA	Co	ntra	ctor's Info	ormatio	n		Issue Da	te: Nov, 2016	
epartment						SAN TO LEGACI	ig ig	A DANS THE RESERVE AND A SECOND	a ! !
		O	ganization	Informa	tion				·
Date :						<u> </u>	<u> </u>		1:
Business Nar	ne.				. :		101:	210 8	1
Division or G	oup			· · · · · · · · · · · · · · · · · · ·			.,,	NA 🔲	┨.
Address (Manufactur	n (Fa yllby)			· · · ·				•	
Address (Head office above)	if different com			1					
Tel. No:)		Fax	19.16		<u> </u>		+
E-mail Addre	ess.	5		Web Addre		60		The state of the s	700
Please state	the type of busines	3.							
Limite	d Company	Fami	ly Collecti	Sole Pi	roprietors	hip	F	ieratili (XX)	
•				0					80.C
Please attac	ch a copy of your org Manpower qualificati	anizat ons/sk	ional structure ills/Experience	musi be	ateched) }:3.水长			
	ts (Management, HS								
	Name .	.∴.	Title		Num	G be	Emal	Address	が変
·		٠.				J			
			,				1.0	ا المنظمة المن المنظمة المنظمة	-
			·						
Total S	ize of Facility (Sq.yd	.)	Total	Headcour	it was it.		Year Estat	lished.	
						•			
Revenue la (PKR)	st year;			Rented		1:			
Expected (PKR)	revenue this year;			Owned	М			Ein G	*
GST Numb	er	M		NTN	M	•		S OLOGY	City The

SSGC/PQC-00

Revision 00

SSGC	
HSE&QA	
Department	

Contractor's Information

FORM "B"

SSGC/PQC-00

Revision 00

Issue Date: Nov, 2016


Sindh sales Tax Number	Litigations M Yes No No Attach details of litigation if any any
Bank statement / Certificate M Yes Attached No	Financial Audit Firm
Define the core business/es of the company (Detail operations must be attached separately)	s of Tools/Inspection & Testing Equipment and related
10	
What are the Strengths of your organization	
PSI	
List of Customers with % Business share	
1. 2. 3.	1. % 2. % 3. %
Tooling Department	
Out Source	
In House	



Form B-01 Details of Staff

S. No.	Name	Designation	Educational Qualification	I Yeako	Gelevani kaje Jenicel
	7			i ' i.	
	0				
		8/1			
يور		0,	·.		
		1	G,		. ,
			2		

Note: This form provides summary of the manpower. For each employee form, B-01 will be filled, attached with PEC Registration (in case of engineers)/certificate from board of technical education (in case of DAE)/Degree from recognized university (in case of MBA/Masters) shall be enclosed, otherwise no credit/points will be given.



SSGC
HSE&QA
Department

Form B-02 Qualification & Expertise Of Vendors

			i : ,	
lame				
Profession/Expertise				
Qualification / No. of Years of Experiences		·	<u>;</u>	
PEC/DAE/En (1) Prit No.			1 11:	
Date of birth				
Nationality				
Years with the firm	· ;			,
Degree of proficiency:				
Experience)		'	
Membership of Professional Societies	1/0			
Academic Qualification	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	<u> </u>	<u> </u>	,
Other trainings		P		

correctly describes myself, my qualifications and my experience

Signature: Dated:

Note: Please fill one form for each employee as above. Additional experience information may be attached with the form.

1. An affidavit on stamp paper of Rs. 50 stating that the copies of certificates attached of key staff are genuine and will be responsible for any discrepancies arising later on.

2. All the above information provided shall be supported with documentary marks will be awarded.



Form B-03 Assignment Completed By The Vendors In The Last Three Years

NIA SANA EIVIN	
Name of the Firm	2. 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Name of Assignment	
Name of Cle	
Address of Clien	
Start Date:	Month/Year !
Completion Date	Month/Year
Completion Duration	Month/Year
No. of staff / Professionals deployed	V
Approx. Value of Services/ Assignments	1/0
Description of project	
Description of Services provided by the firm	PA

Note:

i) One form for each assignment.

ii) All the above information provided shall be supported with documentary evidence; otherwise no marks will be awarded.








Form B-04 Undertaking of Equipment Owned by Contractor

Tender Enquiry No. SSGC/

and de owner in fit a or ope also a furthe condit	ed and representative of eclare that the quantity of eclare that the quantity of eclare that will be made and operational conditional conditional conditional conditional conditions. se, I fail to provide bath at my contract and conditional conditional contract and conditional cond	of equipment detailed available throughout to the last of any defated hall be liable for penatal losses incurred due quidated damages and with mentioned equipment.	Contractor/Company in below table is under the project duration a nult in the equipment alties as per PPRA reto defaults in misreped penalties as per Standard will be a per service of the company on temporary on t	er my company's nd the same are ownership claim ules. Moreover, I orting the facts. I SGC's terms and have the right to
S.	B	Year of	Owned Capacity	Present Marks
No.	Description	Qty Mana acture	Leased	Location Fig.
1	-		A .	1
2			6	
3			70	
4	· · · · · · · · · · · · · · · · · · ·		0	GW C
•		Na	ure of Contractor: me of Contractor: ontractor's Stamp:	PROTO DEL





Special Terms & Conditions. ML Cock ½" for Open Negotiated Tendering

In addition to General Terms & Conditions of SSGC tender document, following terms & conditions are applicable. Bid will be evaluated on single stage two-envelope basis.

Technical and Commercial Bid Evaluation:

- a) Bidder will be evaluated on the basis of their;
 - i. experti e(s),
 - ii. skiller of Aman Resource,
 - iii. Quality Plan and Procedure being Implemented,
 - iv. Previous supply accord(s),
 - v. Financial strength
 - vi. In House Inspection and Testing facility
 - vii. Production Facility and thechine Shop
- b) A detailed audit to be conducted. Ridder premises to assess the strength of bidder on above domain by evaluation compatte. (MANDATORY).
- c) Bidder may be asked to provide destructive and nondestructive testing of their provided sample from approved laboratories tender technical specification's SSCG-MLC-003/23, Rev. 0, Clause 10.2.
- d) Bidders are essentially required to submit at east two sample in de-assembled form including child part and three samples in assembled state along with the bid as mentioned tender technical specification's SSCG-MLC-003/23, key. O Clause 10.1. This condition is applicable for all bidders / suppliers.
- e) The samples will be checked at SSGC QA lab (D&I Shop).
- f) QA lab (D&I Shop) will check that material test reports of chemical & mechanical properties (submitted by the venders from accredited labs & confirm whether these reports are acceptable/valid).
- g) Once the bidder(s) bid evaluation, site audit and sample qualified as per the equirement of the company, bidder(s) quoted rates will be evaluated and if required, quoted price will be renegotiated.

Award of Purchase Order:

- h) Allocation of order will be decided on the following factors:
 - i. Quoted price.
 - ii. Performance both in delivery & quality.
 - iii. Capacity of Vendor w.r.t supply of ordered material to SSGC.
- i) Order will be placed on Technically Complainant and Commercially Lowest negotiated Bidder (s).
- j) Vendor has to submit the Performance Bank Guarantee of 5% of PO Value.

Delivery Schedule:

- a) The successful bidder to whom Purchase Order (s) is placed, will deliver material at main store SITE.
- b) To maintain the quality standards, each consignment will be checked & inspected by QA lab (D&I Shop). This practice will be done on each supply. During inspection, in case material found substandard/rejected QA lab (D&I Shop) will acknowledge to Stores Department for action as per company policy.

tment will return the reject material to supplier for replacement of material. TOR BIDDING SURBOSE

AGM (HSEQA

CE-I (Rehab)

Checklist for Bidders

Time:	Phone No.
Opening Date:	
Enquiry No.:	M/s.

ed / provided along your bid check { } Please ensure before submitting the bid, that following information / documents have been submit appropriate bod.

Note:

nments, or incomplete/incorrect statement on this checklist may result in rejection of the bid Non-availability of the above information W at / after the bid opening.

rch 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak As per SRO296(I)/2023 dated Acquisition and Disposal Syst

Bidders Authorized



Tender Enquiry No. SSGC/LP/

Special Conditions of Tender Document

<u>Note:</u> In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful bidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully deligered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annex-1, duly filled, signed & stamped.

iv) in case where performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the count of purchase order are new, unused, of most recent or current models and incorporate all recent improve that in design and goods unless and otherwise provided in the contact / purchase order.

v) The Warranty Undertaking being provided by the successful bidder is required to be submitted at least on Rs. 200'—1, and all Stamp paper and should be duly notarized / attested.

vi) in case of Swoly, installation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the pay as at of supplies will be released after successful installation, Testing & Commissioning.

2. Bid Security

- a) Bid bond submissio (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated amount & void, however, other contents of clause 9 will remain unchanged. The submission of fixed amount of hid security is appearing in the Schedule of Requirement/Bid Form.
- b) All the bidders are adviced to furnish fixed bid security amount appearing in Schedule of Requirement/Bid Form, failing which their bid will be rejected.
- c) The submission of fixed amount conductority is also mandatory for all the bids valuing Rs.500,000/or less.
- d) The word lowest bidder or the lowest value ed bid has been substituted to read as most advantageous bid.
- e) Sub-clause 9.2 of the General Terms & Conditions to be treated as null & void, however, other contents of clause 9 will remain unchanged.

3. Method For Submission of Bid Bond (Under Single Star, Two Envelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid bond of a reclause#09 of General Terms &

Conditions to be placed in the Technical Proposal. However, if the bid and is placed in the financial proposal will also be-considered. Without submission of bid bond (either in Technical proposal or financial proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bid sont shall remain valid for 150 days.

5. <u>Declaration / Integrity Pact / Certification:</u> It is required to be submitted by the Suite of November on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of R (10)000,000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4 LP-Rev-22

19 Dec 2023



clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

8. Correct Postal Address.

Budder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.
- PBG (Performance Bank Guarantee) for Proprietary Tenders oprietury Tenders, the Bid Bond & Performunce Bank Guarantee (PBG) are not required / In case Applicab
- uge / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render 14. Any Bidder the bid as conditional bid and will be liable for rejection.
- Arms & Conditions is meant for vendorized items processed through negotiated 15. Clause 14.1 of Genera tendering clauses.
- f the most advantageous bidder is new local manufacturer, 10% trial order 16. For open competitive bilding The order will be awarded to the next most advantageous bidder at their own will be placed and remaining quoted rates.
- 17. SSGC will not pay invoices if they of the med in after 6 months of work completion / material delivered.
- 18. It is mandatory for the bidders to food the terms and conditions given in the tender documents without the bid accordingly. Therefore, in this context, the bidders are any addition / deletion / amendment and subions as it tantamount towards the conditional bid. Otherwise requested not to give their own terms and tone and the Purchase Order / Contract will be awarded based on their terms and conditions will not be considered only as per SSGC tender terms and conditions.
- one Bank Account number (IBAN number) on the The bidders/contractors are required to provide that 'FORM-X' attached duly signed & stamped as one time mation, which shall be firm (not changeable) for all the future payment transactions.
- 20. Payment:

Page 2 of 4

The supplier after delivery of goods and its acceptance shall submit in oice to Finance Department of the CAROL Company, containing following information i.e.

- Purchase order No. & date (a)
- Items (b)
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc.
- (g) Supplier(s) are required to submit signed and stamp acknowledgement Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of stevant Sales Tax (h) invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
 - 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

19 Dec 2023

LP-Rev-22

- deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.

 In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately
 - till the period of the job is completed i commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
- 24. Bidders can quote their rules on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).

27. Fixed Bid Security - Alternative Bid

- A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for ear hake/brand/model.
- 28. Biddle with the blacklisted and henceforth cross debarred for participating in respective category of Public proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and frautation tractices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have with sawn or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified the acceptance of bid by procuring agency during the period of bid validity (i) failure to sight the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to comply with any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" me don'd in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) of Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either or i DQ or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the requirement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following chases to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit a bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be builted against each individual LOT and its validity to be 150 days at the time of opening of consical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be welled separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to suit to Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission
 of his bid may lodge a written complaint concerning his grievances within seven days
 of announcement of the technical evaluation report and five days after issuance of final
 evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.



- In case, the complaint is filed after the issuance of final evaluation report, the
 complainant cannot raise any objection on technical evaluation of the report. Provided
 that the complainant may raise the objection on any part of the final evaluation report
 in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



NOT FOR BIDDING BURBOSK

Form of Bid-Securing Declaration

[The Sidder shall fill in this Form in accordance with the instructions indicated.]

Date: [dare (as day, month and year)] No.: [number of Bilding process] [insert identification No if this is a Bid for an alternative]

To: [complete jame of Procuring Agency]

your conditions, Bids must be support

be blacklisted and henceforth cross debarred for participating in respective categor plic procurement proceedings for a period of (not more than) six months, is fail to this with a bid securing declaration, however without indulging in comupt and fraudules actices, if we are in breach of our obligation(s) under the Bid-conditions, because we

- (a) have withdrawn our Bid he period of Bid validity specified in the l ್ of Bid; or
- (b) having been notified of the accept anduring the period of Bid validity, (i) is our Bid by the Procuring Agency refuse to sign the Contract, or (ii) fail or refuse to furnish the Performance. · accordance with the ITB. (or guarantee), if requ

We understand this Bid Securing Declaration shall exp Bidder, upon the earlier of (i) our receipt of your notific successful Bidder; or (ii) twenty-eight days after the expiration Name of the Bidde

Name of the person duly authorized to sign the Bid on behalf of the Bid

Title of the person signing the Bi

Signature of the person

Date signed

- . In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder
- : Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a fourt Venture, the Bid-Securing Deciaration must be in the name of all members to the fourt Venture that summiss the Bid.I



•	Supplier ander
	Supplier code:
FORM-X	
Bank account details form for a	<u>ll Beneficiaries</u>
(Mandatory requirement for Digital	Online Banking)
As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142 payment online w.e.f. 01-11-2021. All beneficiaries are require mandatory:	2150-R dated 23 rd Sept'2021 to make the ded to fill in the below details, which is
Name of Firm:	_
Address of Firm:	<u> </u>
	_
CNIC #:	_ _
NTN #:	
Bank Name:	
Bank A/C Title name:	T
Branch code:	2 '
Bank A/c #:	(16 Digits)
Bank IBAN #:	34 Digits)
Information already submitted.	
Note: Please be attached copy of Cheque / Account Mainte	nance Certificat (Mandatory)
	Authorized Sign & Stamp

duly signed & stamped.

submitted, please tick the box above "Information already submitted" and also ensure Form-X is



TTI-E GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

ANNEXURE: I

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- Name
- Father's Name/Spouse's Name
- CNIC / NICOP/Passport No.
- 5.
- 6. Email address
- 7. Date on which shall g. control or interest acquired in the business.
- 8. In case of indirect share In case of indirect sharepresses, control or interest being example unduly intermedially companies, entries or other legal persons or legal arrangements in the chain of ownership or control, following additional parts of its to be provided: ing, control or interest being exercised through intermediary

Company/Limited Liability Parmership 'Association of Persons/Single Memper Memper Company/Co	iegal form	<u>:</u> 3	. 4	: 5	6	1 7	0,	· · · ·	
	Company/Limited Liability Parmership /Association of Persons/Single Member Company/Parmership Firm/Trusted/Any other Individual, Body Corporate (to be	of Incorporation / I	of Registering		Country .	ig.	share four controller interest of a in the Legal Person or Legal	Percentage of shareholding, Control or interest of Least Person on Least Arrangement in Arrangement in Control of the Control	Natural Person who Ultimately owns or Controls the Legal Person or

9. information, about the Board of Directors (details small be provided regarding number of snares in the capital of the company as set apposite respective names).

THE GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 !

Sumams (in block Latter's) Case of foreigner Passport No) Passport No) Any other information incidental to or relevant peneficial owaer(s). Any other information incidental to or relevant peneficial owaer(s). Current Nationality Nationality lies) Residenti Any other Nationality ally address in full of the subscribe figures Passport No) Residenti Number shares in full of the tregistered / principle office address for a subscribe resident that natural Person Total numbers of snares taken (in figures)	iaken Ish ers (i	<u></u>						CNIC no (in	Name and
i i i i i i i i i i i i i i i i i i i	ds	Number shares iz by cas subscribe figures a words	ally address in full of the registered / principle office address for a subscribe re other	Occupation	Nationality	Nationally	Husband's	case of foreigner Passport No)	block (Latter's)
Icital numbers of shares taken (in figures words) 10. Any other information incidental to or relevant peneficial owner(s),	<u> </u>		natural	.			0		
10. Any other information incidental to or relevant peneficial owner(s),								!	
10. Any other information incidental to or relevant a beneficial owner(s),			n figures	aken (i	rs of snares t	in words)			
(Person authorized to issue notice on behalf of the company)	1:37	======	s).	wasri	beneficial o	•		120102	Name and sign



Sui Southern Gas Company Limited (SSGCL)

Contents

Part-A

Section -1

Gen al Terms & Conditions Section - 1A al Terms & conditions for

Section - 2 Special Terms Conditions

Annexure-A Format of Bid Bon Guarantee Format of Performan e B Annexure-B Guarantee

Declaration by Supplier Annexure-C

Included /Not required

Included Included

Included

Included

Included /Not required

Part - B

110000

Bid Form (Schedule of requirement) Section - 3 Section - 4 Specifications/Drawing (if applicable)

♪ <u>I</u>ncluded rluded /Not required





	SUI SOUTHERN GAS COMPANY LIMITED
	Procurement Department
M/s	
	<u> </u>
	To do To opins No.
	Tender Enquiry No.
	INVIATION TO BID
subject i	hern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the naterial according to Terms and Conditions specified in the attached Tender Document. Please read g instructions before submission of bid:
	Bids are be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number & its opening date and time on the face of the envelope.
2.	Bid Bond (22) of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is explaine.
	In case the bid opening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on schedules date they'll be opened on next working day at the same time and at the same venue.
4.	The bidder shall bear all explains associated with the preparation and delivery of its bid/sample and the Company will in no case be used at this respect.
5.	Prospective bidder requiring any information or clarification of the tender may notify the same by fax or at the mailing address. The Company of espond to any request for explanation or clarification, if received within reasonable time prior to subnice for of bids.
6.	The Company reserves the right to cancel and delete or amend tendered items/quantities/any part of the tender during the bidding period without a six any reason. However, bidders shall be informed about it prior to bid opening/process.
7.	The Company reserves the right to accept or reject of hid or part of a bid or to annul the bidding process and reject all bids at any time prior to award of condictiourchase order without thereby incurring any liability to the affected bidder(s).
8.	In case of Single stage two (02) envelope bidding procedure (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shakes submitted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" as a "Tenancial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later intin at distance in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along with their bid bond.
9 10.	For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Section 1A will also apply. The Company will appreciate confirmation by fax No 92-21-99231583 or email at printe@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in submission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
11.	Bids are required to be submitted at:
	Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074 Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk
	Hope and look forward for your valued participation.
	Thanking you



Yours sincerely

General Manager (Procurement)

General Terms & Conditions

. Submission of bids:

- 1.1. Bids are to be submitted in sealed envelope provided with the tender (in such a manner that contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.
- 1.2. Sealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, TRD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which not be entertained. In case bid is sent through courier, the same shall be delivered at least he f and our before scheduled opening time.
- 1.3. The company may at its discretion extend the closing date for the submission of bids, in which case all rights and obligations of the purchaser and bidders previously subject to the closing date will thereaft the subject to the date extended. However, any request for extension received from prospective bidders has than one week prior to bid opening date may not be entertained. In case of extension in bidder him date, the same will be advertised in press and simultaneously shall be intimated to prospective bidder who had purchased the tender documents.
- 1.4 The bid shall contain so into the east one of any correction etc. it shall be signed and stamped by the person signing the bid.
- 1.5. The quoted price shall be inch sive of all duties/taxes except GST, which is to be mentioned separately. The supplier shall declare in a splicable) regarding non-applicability of GST for which documentary evidence shall be enclosed a gould be produced upon demand.
- 1.6. Rates shall be item-wise, as given in proceed hedule/schedule of requirement/Bid Form unless otherwise specified.
- 1.7. Bidder is responsible for timely delivery of blass of location specified 1.2 above. Company will not be responsible for misplacement/ tampering/non at endance/delay or any other incident in case the bid is not delivered at the designated place & time.
- 1.8. Any bid received late after the closing date and time, will rejected and returned unopened.
- The quotation shall only be acceptable on/as per Bid Form. It case for foreign tender when Local Agent submits bid on behalf of different bidders, a separate of Bond for each Bid is required. Likewise for tender when bidder submit alternative bids a separate bid bond for each bid is required or else bid will be liable for rejection.
- Deviation from tender terms and conditions is not allowed. iow ver, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: Die F no" deviation on any other page will not be entertained.
- 1.11 Discount offered (if any) shall be mentioned on the "bid form" only.
- 1.12 The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.
- 1.13 The bid is to be completed and returned to the Company in accordance with, General terms & conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

Qualification is squalification of Suppliers:

The Company, against again following the state of the suppliers of contractors to provide information regarding their professional, technical, financial, legal or managerial competence of the suppliers of contractors to provide information regarding their professional, technical, financial, legal or managerial competence.

Please Follow the Attached Eleck Listing Mechanism

SSGC

whether already pre-qualified or **Electric College** shall disqualify a supplier or contractor if it finds, at any time that the information regarded stating inechastically inaccurate or incomplete.

Joint Ventures:

In the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents in extived five working days prior to closing date for the submission of bids prescribed by the Company. The tender documents is explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/reference without be acceptable.

6. Modification and withdrawa of bid:

- 6.1. The bidder may modify or attribute its bid after the bid submission, provided the written notice of the modification or withdrawals received by the Company prior to the deadline prescribed for submission of bid. After the bids/quotations are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or wither wal notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax follows by a signed copy.
- 6.3 Bids once opened cannot be withdrawn dirange at dity period.

7. Bid validity:

All offers shall remain valid up to 90 days (120 days in case of two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. It bidder giving extension to his bid validity will not be required or permitted to modify his bid. If there will be an query/clarification or extension request asked by the Company, the bidder should reply the same within 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their lid which period.

8. Rate Escalation:

8.1 All items except line-pipe:

Quoted prices shall remain valid. firm, irrevocable and fixed till the fulfillment of obligations by the bidder and will not be subject to escalation / change on any account.

8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:
 a) H.R. Coil.
 - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

- The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unbidders while the bid bond of the successful bidder shall be retained, till submission of should (if applicable). Bids without bid bond will not be considered. In case the order value is 0.000 the bid bond in lieu of performance bond will be retained till fulfillment of the suplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replace with appropriate value. If order value is less than Rs. 500,000, the bid bond will order. Bid bonds of non-compliant bidders may be released during evaluation be returned along with the process. The bid bond may be origined if a bidder withdraws the bid duringvalidity period specified by the bidder or if successful bidder

- Accept purchase order,
- accordance with clause 16 of Section 1, Furnish performance guarant
 - Supply material as per require and delivery schedule.
- 9.1 In the event of bid bond validity follows In the event of bid bond validity following show of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the big sub hission date or (ii) where so required by the procuring agency, then in such an event it shall be manuar the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of techniq hbposal / bid, and / or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnished the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping a view the nature of the procurement may consider and allow the bidder to deposit / furnish the balance mount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding the ther terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address p to bids". The bidder's representatives who are present shall sign the bid opening sheet (a sindance sheet) to mark their attendance/witness. Commercial contents of bids will be amounced/recorded in bid opening

11. Preliminary Examination of bids:

- The Company will examine the bids to determine their completion, computational errors, provision 11.1 of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the 11.2 total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- Fid derectioned as not substantially responsive will be rejected by the Company and cannot 11 4 subsequently be about appointive by the bioder through correction of the non-conforming.



12. Ciarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samplew.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
 manufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline
 elsewice under tropical climatic conditions.

13.6 Specific tion Compliance Sheet:

Company requires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to the especifications or a statement of deviations and exceptions to the provisions of the specifications, if so required/desired. For purposes of the commentary to be furnished pursuant to above, the bidder shall note that standards for workmanship, material and equipment and references to brand names of atalogue numbers, designated by the Company in the specifications are intended to be descripated only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or or alogue numbers in its bid provided which demonstrates to the Company's satisfaction that the specifications by the Company.

Bid which does not possess above documers, ertificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical de allocuments/certifications as required under the tender specifications. Evaluation shall be carried out in the basis of data/ documents/certifications submitted with the bid. No clarification, additional is for nation may be sought / accepted after bid opening.
- 13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and ment on offered specifications along with reference to its technical brochure/literature (page/clause No.etc). Station in such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and tennical specification is not acceptable. However, if bidder feels to mention minor deviation, the time shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet stating reference of its technical data sheet/brochure. In case of insufficient information, data or documents the Company is not liable to seek clarification and the bid may be determined non-compliant on provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

Procuremen Մերն

- 14.3 Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure
- 14.4 Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

- The cost of compensation / loading amount for that item shall be derived from the bid itself. 15.2
- If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming technical specification, shall form the basis for cost compensation/loading.
- company will encourage participation by local bidders who will be given price preference. cost factor shall be determined as per prevailing Government policy / SRO. However they red details of local value addition on raw material imported by them and percentage of locally me animactured component with documentary evidence.

16. Performance Bond:

- In case purchase order value is above Rs:500,000, the successful bidders shall submit performance bond guarantee where it is be submitted within ten days from receipt of LOL or order along with 16.1 be submitted within ten days from receipt of LOI or order along with integrity pact. The succe still bidders shall submit a performance bank guarantee (PBG) in the form of a pay order or bank guarav & (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equite and 10% of the total value of the purchase order or as specified, in the "letter of intent". The performance band unless specified otherwise; shall remain valid till;
 - 16.1.2
 - Completion of final satisfactory in case of consumable nems.

 12-18 months from the date of fair actory delivery of the equipment/machinery. 16.1.3
 - Satisfactory delivery/installation system in case the installation responsibility is on supplier's part. 16.1.4 120 days in case of chemicals.

 - 16.1.5 In case of locally manufacturing item, the DEG equivalent to 3 months delivery schedule will be required after placement of purchase for which should remain valid till completion of final satisfactory delivery of the ordered quantity.
 - In case of small diameter line pipe (MS/MDPE) months after completion of satisfactory final delivery shall remain valid up to 3
 - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in lev
- The guarantee will be released after sompletion of this period, subject to a usfal only performance 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. the guarantee valid at their cost until fulfillment of the obligations. over shall keep 16.3
- In case the bidder does not submit the performance bond as specified, the deliver, time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier. 16.4
- The performance bond will be discharged / returned by the Company not later than thirty (30) days following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance. lć.5
- The Company shall promptly notify the supplier in writing for any claim arising under this granantee. Upon receipt of such notice, the supplier shall monathly ropes of replace the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nothing herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to the value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most 16.8 recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

ontract: 17. Purchase Ord

ed material may be placed on fulfillment of conditions mentioned at 14 &16 above Purchase order al confirmation for proceedings with the suppliers. which is through

18. Assurance:

The successful bidder will bequired to give satisfactory assurance of its ability and intention to deliver nquiry and contract within the time set forth therein. the goods, pursuant to the ter

19. Force Majeure:

- In the event of either part, hereto being rendered unable, wholly or partially, by force majeure circumstances to carry out its contact the purchase order/contract documents, such party shall give notice and full particulars and other satisfactory evidence of such force majeure shall give notice and run paractal and other satisfactory evidence of shell force majeure circumstance(s) in writing or by first to the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligation of the party giving such notice so far as they are affected by cause(s). Relied upon the obligation of the party giving such nonce so far as they are affected by such force majeure shall be suspended for the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable the patch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy, in this surfection, fires, floods, earthquakes or other physical disasters, order or request of governments blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of ray materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplies side shall not be included in the term 'force majeure'.
 - In case the force majeure contingencies last continuously or for than one month, both parties will agree on the necessary arrangements for the further in mentation of the purchase order/contract. In case further implementation is unforeseeable a distance both parties shall order/contract. 19.2 arrange for the termination of the purchase order/contract, but without prejudice to their rights and obligations prior to such termination it being understood that each party shall fulfill its contractual obligations so far as they have fallen due before the operation of force m

20. Amendment in purchase order/contract:

- The Company may at any time by a written notice to the supplier make changes within the general scope of the purchase order/contract in any one or more of the following:-20.1
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - The method of shipment or packing. 20.1.2
 - 20.1.3 The place of delivery.
 - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
- Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason. 20.2
- Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the modification, if applicable. Procurement

րբիլ.

- 20.4 The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension in deli ery period:

- 21.1 Delivery on the goods shall be made by the supplier in accordance with the schedule of requirement and delivery period; however, the supplier may claim extension of the time limits as set forth in the chedule of requirements and delivery period in case of
 - 21.1.1 Modification in the goods ordered by the Company pursuant to clause 20.
 - 21.1.2 Delay in no of any services which are to be provided by the Company (services provided by the Company shall be interpreted to include all approvals by the Company under the contract
 - 21.1.3 Delay in perform no of work caused by orders issued by the Company.
- The supplier shall demonstrate to the Company's satisfaction that it has used its best endeavors to avoid or overcome such causes for de lay and the parties will mutually agree upon remedies to mitigate or overcome such causes for de lay.
- Not withstanding clause 21.1 above, the step to shall not be entitled to an extension of time for completion unless the supplier at the time of calcumstances arising, immediately has notified the Company in writing of any delay that it may faim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company, the supplier shall substantiate that the delay occurred is due to the circumstances referred by the supplier

22. Packing:

- .22.1 The material shall be in original/sealed packing to ensure deliver without any damage during transit.
- 22.2 If any of the good is discovered to be damaged or unacceptable at the point of embarkation, the supplier shall be responsible for replacement of those goods free of my charge and cost to the Company, within the delivery time schedule of the contract/purchase order.
- 22.3 The identification marks showing contents, quantity and contract/purchase order number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- 22.4 Handling and Transportation:

 The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- 23.1 Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of delivery and at the goods final destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

Procurement

purchase order/contract. If goods fail to conform to the specifications, the Company may reject

24. Delivery:

- Free delivery at any of the following locations, unless specified otherwise: 24.1
 - 26.1.1 R & D Section, Stores Department Abul Hasan Ispaham Road Fisrachi
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter 24.2 of interior from the date of purchase order/contract whichever is earlier, unless otherwise
- hall replace defective material at their risk & cost including transportation, duty, 24.3 taxes etc.
- sicable be submitted at R&D section Stores Department along with material & GST Invoice if 24.4 delivery challan.
- ing through cranes, fork lifters, labor etc. will be arranged by supplier at 24.5 Unloading and state delivery site (for material live Pipes/Heavy Machinery & Equipment etc).

 Delivery is to be materially in accordance with "delivery schedule" as specified by the
- 24.6
- The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation by the Tompany. Beyond specified period, the Company shall not be responsible for storage/safety of the prooffected material. 24.7

25. Delivery Failure:

- In case the supplier fails to supply/ship the natural within the stipulated period, the Company have the right to make an alternative arranget and or the purchase of the goods on such terms as may be offered. In such event all losses, cost and or ges sustained/incurred by the Company on stated purchase shall be recovered from the Supplia without prejudice to any other right or remedy available to the Company which includes resolvery of losses sustained by the Company 25.1 from any due payment of the said supplier.
- In the event Company remains unable to make such alternative rangements, the Company has 25.2 the right to recover from the supplier any or all losses sustained as a sesult of the supplier's failure to ship/supply the goods as per schedule of delivery.
- In the event Company being forced to purchase any quantity or any ternative not specified 25.3 in this document as a result of any failure to supply/ship the material mpany shall have the right to terminate the contract/purchase order without prejudice to any of a r ghts or remedies available to the Company.

26. Payment:

- The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department 26.1 of the Company, containing following information i.e.
 - (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at 26.2 source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice)

ocuremen

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- 27.2 Thenever liquidated damages become payable, in the event that delivery of all goods and component is not made within the time period specified except on account of force majeure, the capacy shall quantify the same and shall serve notice to the supplier requiring payment thereof. If the applier fails to remit payment within 15 days of receipt of such notice, the Company shall forth-will become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance hond.
- 27.3 The payment of light dated damages shall not relieve the supplier from performing and fulfilling all its obligations under till contract/purchase order nor shall the right and entitlements of the Company be affected at reduced in any manner.
- 27.4 In case of order placed or FyE/C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, defined submission of PBG period in excess of time limit will be deducted from the delivery period for the purpose of recovery of late delivery charges.
- deducted from the delivery period for the purpose of recovery of late delivery charges.

 The liquidated damages shall be the sure equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperiodical for each day of delay, until actual delivery or performance, up to a maximum deduction of the (10) percent of the Contract price. Once this maximum is reached, the Company may counted remination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

- 28.1 The Company may, without prejudice to any other remainst printing of default sent to the supplier, cancel the purchase order whole or in part; in:
 - 28.1.1 The supplier fails to deliver any or all of the ordered or all ty as per specified delivery schedule or any extension thereof granted by the Company
 - 28.1.2 The supplier fails to perform any other obligation(s) under the "purchase order".
 - 28.1.3 The Company during the delivery period has reasons to believe the the supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment
 - 28.2.3 The supplier becomes becomes becomes or insolvent or makes an assignment for the benefit of its creditors.
 - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
 - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.

Procurement

- 28.2.6 Penalty on higher rejection rate of supplied goods.
- 28.3 The supplier shall have the right to terminate the contract/purchase order if:-
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
 - 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order:

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applicable

The purchase of the contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

31. Declaration/Integrity ProsCertification:

- 31.1 Successful supplier stall urnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of the contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase of the Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required that this clause.
- 31.3 Bidders to submit a certificate on as job non-judicial stamp paper certifying that they are not black listed by the Government/Auto, one as hodies and declared as defaulted supplier.

32. Arbitration/resolution of disputes:

- Any difference or dispute arising out of or incorrection with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the other shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpire has be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act. 1940 as a pended from time to time
- he disputes in accordance with the Arbitration Act, 1940, as monded from time to time.

 Prior to exercising any right by the Company or supplier to terminal the purchase order/contract under the conditions stipulated above, a return notice shall be required to e given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stirillated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and Se arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.

33. Redressal of grievances by the procuring agency.

- Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
- Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
- 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email

33.4 The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint

Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. 33.5 Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in the standard and fraudulent practices as defined below:

Corrupt and fraudulent practices, includes the offering, giving, receiving, or soliciting of anything of value to influence the action of anything. Company.

the supplier/contractor found spot one for the detriment of the Company during proceedings ore urement/contract, pro 0 is execution.

ore entation of facts a gr to influence the procurement process or the execution of the purchase order/contract.

Collusive provices among bidders (prior to or after bid submission) designed to establish bid prices at a di cial gon- competitive levels and to deprive the Company of the benefits of free and open competition.

Supplier's Guarantee and Responsibilities:

Supplier's Guarantee and Responsibilities:

The Bidder/Supplier shall guarantee that the materials supplied against this tender enquiry is new and is of acceptable quality and has been feet and approved on similar jobs. The validity and scope of such guarantee will be in accordance with conditions stated in this document. In case the opinion of the Company the Goods fail to perform the daylices in accordance with the specifications specified in Section IV due to manufacturing defects/dejective material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at manufacturing at manufacturing to the such goods at manufacturing to the such goods shall be located so that such Goods shall be restored to such and it in that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier so that the goods shall perform in accordance with the specifications and details as set forth in the Contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this effects served on him by the Company, the fail to do so after expiry of 15 days notice to this efficience on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct the desart its costs provided in the event, the Company shall be entitled to recover total cost of such replacement mm the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents ha to the bid exchanged by the bidder and the Company shall be written in English language. Any print a lite ature furnished by the bidder may be written in another language provided that this literature is in mied by an English translation in which case for purpose of interpretation of the bid, English translation rovern.

37. Vehicle Applied by Authorized dealer of local manufacturer: Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procuremen

Additional Terms for Tenders on F.O.BJC&F basis:

1. Submission of bids:

1.1 Bid bond (Earnest money) @ 7% of the total F.O.B value as per clause ?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection s are not met. if these condition

to supply goods which the bidder did not manufacture or otherwise produce, the 1.3 In case of Bidd bidder shall be dity a thorized by the goods manufacturer or the producer to submit bid or supply the goods on their behalf

1.4 Bids shall be submitted (preferably through local agents) in two copies, (original + copy).

1.5 The price on unit FOB and the basis is to be quoted separately. Following are to be essentially indicated in the bid form:

Country of origin. 1:5.1

Port of shipment. 1.5.2

- Estimated gross/net weight, dim a join & volume of offered item and estimated weight of each 1.5.3
- quantities. Delivery period or schedule in case 1.5.4

Original technical literature. 1.5.5

Beneficiary's complete address.

ome by the supplier. 1.6 Foreign bank charges and L/C confirmation charges

17 Bid Currency:

Dates Dollars. A bidder expecting to incur The rates shall be quoted in bidder's home country or in I a portion of its expenditures in the performance of the contact in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. However, eier from Pakistan would be paid in Pak Rupee.

(Clause 1.5 of General Terms & Conditions is not applicable)

2. Bid bond:

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value in four of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, can deposit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Pak an. he bid bond shall specified otherwise. The bid bond shall be returned/refunded to the un-successful bidder shall be retained, till submission of Performance hand. remain valid for 120 days (150 days in case of Single Stage Two Envelope bids will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
 - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or , any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis".

(Clause 14.3 to 14.4 of General Terms & Conditions are also to be applicable).

5. Loading of Bid

Freight charges it am port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which id will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive iccrase in price of material.

(Clause 15 of General Para & Conditions is also applicable).

6. Performance bond:

مريدة المراجعة

- In case purchase order value is JSS:25,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders for a Unission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O... The puccessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10 to 10 to 11 to 12 to 12 to 13 to 14 to 15 to 15 to 15 to 15 to 15 to 16 to 17 to
 - 6.1.1 Completion of final satisfactory delivery is a spof consumable items.
 - 6.1.2 12-18 months from the date of satisfactory carry of the equipment/machinery.
 - 6.1.3 Satisfactory delivery/installation of system in so the installation liabilities will be on supplier's part.
 - 6.1.4 120 days in case of chemicals.
 - The Letter of Credit shall be operative upon receipt of Performance I one as specified in para6.1) and integrity pact, any delay due to late submission of Performance Bond will be on sepal it account. Late submission of PBG should not affect the delivery schedule.
 - 6.3 The performance bond shall be denominated in foreign currency or in currency or be contract/purchase order or in a freely convertible currency acceptable to the Company and shall be at the form of a bank guarantee.
 - 6.4 In very special case subject to approval of the management, the P.B.G could be accept ale in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G supplier shall deposit short fall amount due to Pak Rupee exchange rate.

6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

7. Delivery:

7.1 To case of "FOP" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

Southern Gas Colors (Colors of the Colors of

· AND STREET

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - 7.2.2 The goods/material will be shapped dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supplier shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company on account of short shipment by the supplier for all items subsequently shipped on a no-charge basis or otherwise the supplier. The supplier shall also reimburse the Company all additional duties, taxes and other such charges and by the Company on account of incorrect invoicing by the supplier.
- 7.5 Shipment shall be deemed to have been made when the supplier has shipped the goods against a clean bill of lading and all other such dog montation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company.
- The supplier shall ensure that All occurrent mentioned acts and other incidental and ancillary functions are conducted in accordance with sound at acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate plactic adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to correct such omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the supplier shall be responsible for replacement free of all charges and 7.6 The supplier shall ensure that costs to the Company within the deliver riod specified in the purchase order/contract.

8. Insurance:

- All goods supplied under the purchase order/contract stall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or according it in, transportation, storage and delivery in the 8.1 All goods supplied under the purchase order/contract manner specified in delivery clause 7.
- Marine insurance shall be the responsibility of the Company aless otherwise specified.
- The supplier shall advise the Company by fax at least seven days or to the expected date of shipment, the following particulars:-UPD.
 - 8.3.1 Name of the vessel and of the shipping company.
 - 8.3.2 Age of the vessel (which should be less than 20 years).
 - 8.3.3 Lloyds 100A1 or equivalent classification of the vessel.
 - 8.3.4 . ETD from Port of dispatch and ETA at Karachi
 - FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, M at on al Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF/NV

9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

ern Gas

Procuremen!

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consigning

46 T

9.3.1-	Invoice		•
9.3.2-	Packing list		4 copies
9.3.3-	Bill of lading " freight to be paid by consignee	. ******	4 copies
	at destination" evidencing shipment in terms	***********	3 originals &
	of the purchase order to Karachi-Pakistan made copies,		6 non-negotiable
	out to order in the name of Co.'s bank, Notify	• •	•
	party Sui Southern Gas Company Ltd.,		•
9.3.4-	Certificate of Oili Girls up 1		•
035	Certificate of Origin (Verified/ Endorsed by Chamber of Commerce)		2 copies

Manufacturers test certificate/ 2copies Inspection report. 9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5

above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the

Karach	ort.	-P rount 13 days prior a) me airiy	ANT OL THE A
9.4.1	invoice		•	6
9.4.2	fill d Lading	••	*******	6 copies
9.4.3	-I sing ist			6 copies
9.4.4	-Certificate of Origin (Verified /Endorsed	I by Chamban as Ca	100000	6 copies
9.4.5	-Manufactures Yest Certificate/	by Chamber of Commerce)	tenten	2 copies
	Tool Caramonia		-	2 copies
'		•	Incorporation	TO 4

9.4.6 The invoice to be vac y s per order/contract. Any deviation which render or cause the company to charges with respect to clearance/handling etc. will be borne by the supplier.

9.5 No payment hereunder shares demed to be accepted by the Company of the goods covered by such payment nor release the sampler from responsibility thereof under the terms of the purchase order/contract.

If the Company is compelled to pay ige or storage charges or incurs any loss or suffers any damage at Karachi Port on account of pliance by the supplier of above requirements, the Company shall be entitled at their sole discrete to recover the same amount from supplier.

. 10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract/pr ci se order if:-
- 10.1.1 The Company fails to establish the letter of credit within the stipulated period as required under clause 9.1 hereof after the supplier has made compliance with the province of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment furth benefit of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities un er the contract/purchase

Installation/Commissioning/Training: 11

If installation/commissioning and training is required, the charges will be paid in Pak Rupes and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable to the labricant. spares) are carily available in Pakistan.



Annexure - A

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO	
DATE OF ISSUE	
DATE OF EXPIRY	
AMOUNT.	

Sui Southern gas Company ST. 4/B, Block-14, Gulshan-e-Iqhal, Sir Shah Suleman Road, Karachi.

Dear Sirs,

Bid Be d ank Guarantee

In consideration of M/s hereinafter called the Bidder having submitted the accompanying bid & in consideration of value received from Bidder we hereby agree and undertake as follows:

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the explanation of non-compliance as aforesaid on the part of Bidder and to make payment accordingly with the days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect to the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, a feet this Guarantee and our liabilities & commitments hereunder:
- This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

	BANK GUA	ARANTEE NO.
·	DATE OF 1	SSUE
	DATE OF 1	EXPIRY
	AMOUNT	
··- ·	and the second s	
ST. 4/B	Southern ga Company Limited, 4/B, Block-1	-
Gulshar	Shan-e-Iqbal,	••
Sir Sna Karach	Shah Suleman Ro	•
Dear Si		•
-	In the Sur of RsAccor	IIII
	u in Karachi under the	•
In cons	onsideration of your having placed Parchase Order No	•
dated:	d: On M/s or value, received from Supplier, we lere y agree an	called Supplier and in
	not another value, received from Supplier, we here y agree as	nd undertake as under:
1.	To make unconditional payments to you from the eto payments Rs Being Ten Percen (12)	time as called mon or make an unconditional
•	payments Rs Being Ten Percer	%), of the value of the Purchase Order price
	payments Rs	mand(s) without further resource, question or
tain Ar	fulfillment by Supplier of his obligations liabilities & re	efault or non-performance and for non-
eddinaeu gelig nen B. holf et suu Su n. e g _{m.} et . e n g n		
2.	To accept written intimation from you as conclusive and s	ufficient o idente of the existence of a default or
	breach as aforesaid on the part of Supplier and to make receipt thereof.	payment accordingly within 3 (three) days of
3.	To keep this guarantee in full force from the date here conditions.	of as specified in German Special terms
•	conditions.	or a special in determine &
4.	That on grant of time or other indulgence to include	J'A
	That on grant of time or other indulgence to amendment with Supplier in respect of the Performance of his obligate. Order with or without notice to us, shall in one of the performance of his obligate.	
	Guarantee and our liabilities and commitments there unde	t.
5.	This Guarantee shall be binding on us and our successors i	n interest and shall be irrecoverable
<u>-</u>	•	
5.	This Guarantee shall not be affected by any change in constitution of M/sthe Su	the constitution of the Guarantor Bank or the pplier.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - C

(Format of Declaration)

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir.

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any contrast, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any admirate subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt business and tice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission feesests, paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone washin or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, a sent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification of finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or indicate the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSGC accept that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation a varianty.

(The Seller/Supplier) accepts full responsibility and strict liability or taking any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation any warranty. It agrees that any contract right interest, privileges or other and ration or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Safer/Inpplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business of stices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any commit stor certainication, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of continuous inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Gas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PCC), or any other competent forum. The procedure shall also be applicable on the prequalified firm. The procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organisations transacting business with SSGC. Wherever any provision of this Mechanism shall be in condition with provisions of any applicable guidelines of donor agencies, or any other applicable Statute (Law or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or all a shall prevail. This SOP shall become a part of the future Bidding Documents.

3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority to reeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual of large protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/div sign factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penal, squalifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed to intractions committed during the competitive bidding stage, whereby such firms/individuals are prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a project or contract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution of rescission under applicable rules/regulations/laws arising from the default of the tirms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



REASONS FOR BLACKLISTING 4.

The following shall comprise the broad multilateral guidelines for blacklisting: 4.1

4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to

influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm, directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the

procurement process or affect the execution of a contract.

In addition to above, blacklisting of firms/individuals may be resorted to when the 4.2 charges are of serious nature, which include but are not limited to the following:

Competitive Bidding Stage

the competitive bidding stage, the Procuring Agency shall impose on bidders or bidders the penalty of Suspension from participating in the public hidding process, without prejudice to the imposition of additional administrative sanctions as the internal rule of the agency may provide and/or further criminal prosecution, as provided for violations committed which include but are not limited to the by applicable aw. following:

- Submission of elicality requirements containing false information or falsified í. documents.
- contain false information or falsified documents, or the Submission of bids day iί. concealment of such in eligibility screening or any other stage of the public bidding.
- iii.
- Submission of unauthorized or lake documents for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.

 Failure of the firm to provide authorize Warranty Undertaking and Performa Invoice of the manufacturers / Principal Trading house. iv.
- Failure of the firm to submit specific author letter of the Original Equipment ٧. Manufacturer (OEM) for participation in a particular tender;
- Unauthorized use of one's name, or using the place of the name of another for vi. purpose of public bidding.
- vii. Deviations from specifications and terms & co d ions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or refusal perform the job or enter into contract with the government without justifiable caus , affer he had been adjudged as having submitted the Lowest Calculated Responsi Bid or Highest Rated Responsive Bid.
- Refusal or failure to post the required performance security within the prescribed ix.
- Refusal to clarify or validate in writing its Bid during post qualification within a X, period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
- ii. Failure by the contractor to fully and faithfully comply with its contractual obligations yethout valid cause, or failure by the contractor to comply with any written lawful text ction of the Procuring Agency or its representative(s) pursuant to the unimentation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - a. Employment of competent technical Person(s) / Firm(s)nel, competent engineers and or your supervisors;
 - b. Provision of yearning signs and barricades in accordance with approved plans and specification and contract provisions;
 - c. Stockpiling in proof places of all materials and removal from the project site of waste and excess that rials, including broken pavement and excavated debris in accordance with appropriate and specifications and contract provisions;
 - d. Deployment of commetter equipment, facilities, support staff and manpower; and
 - e. Renewal of the effectivit days of the performance security after its expiration during the course of contract in prementation.
 - f. Non-Performance of the supplier prespect of tender terms & conditions and the delivery / supply of material.
- iii. Assignment and subcontracting of the contrator any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progress is the delivery of the goods by the manufacturer, supplier or distributor arising from it. It or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- v. For the procurement of consulting services, poor performance to be consultant of his services arising from his fault or negligence, any of the following to be the consultant shall be construed as poor performance:
 - a. Defective design resulting in substantial corrective works in design and/or construction;
 - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
 - c. Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated: | Zth October 2020 Revision-1: Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obtaing fraudulent payments;
 - ii. Obta and contracts by misleading the purchaser:
 - iii. Refusa to pay SSGC dues etc.;
 - iv. Failure to all contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed at the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of a film with a new name by the Proprietor or family or a nominee thereof of a firm that has been an add lacklisted:
 - firm that has been as the blacklisted;
 vii. Consequential operation of damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereof the plied on trial basis or due to failure of such equipment;
- viii. Contractors who have negociated lea Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default has been proved specifically in relation to supplies made to or contracts concluded with SSGC
- ix. Involved in litigation or needless petition in influence or obstruct the procurement process either on his own behalf or at the behest of any other vested interest;
- x. A firm may be disqualified for a period extendence to two years in case a decision by a court is awarded against the said firm after litigation, where the firm is involved in litigation at least three times during two financial years, or where the firm is involved in litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Markies / Divisions / Departments and organizations / autonomous bodies subordinate thereto; at I
- xii. Blacklisting in case of Joint Venture firms will also result in the nation of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated : 12th October 2020 Revision-1 : Dt; 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

- he supplier or contractor who is to be blacklisted for a specified period is given adequate op muity of being heard.
- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before talking any action.
- 3. In case the supplier contractor does not attend the meeting on the given date and time a final notice is served to bim / her to attend the meeting on the revised date and time. Despite the final notice dische supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will learn comprising of User, Procurement and HSE&QA departments to address the issues in the neeting with the supplier or contractor. Members of committee may not below of grade IV
- 5. In case the supplier or contractor is found at defran based on the fact of the case as well as the tender terms and conditions, and do not just by the grounds of his default as per the tender terms and conditions, the approval is sought from the management for their temporary or permeant blacklisting along with encast as int of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the left led supplier or contractor through a formal letter.
- A copy of the letter of the defaulted supplier / contractor along with covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual in to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

9. AMENDMENTS

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the ameriment of its specific provisions as the need arises.
- 9.2 Any amendment to this Blacklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the aid amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amendments thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Pulse Programment Rules, 2004.

11. The Steps to be Followed are A Under

The causes and reasons to be taken into consideration for Debarment / Die Misting of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating precedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage,

Page 6 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- I. Explordinary delay in signing or refusal to accept the Notification of Award and/or the correct without any cogent reason.
- ii. Miscondict i.e., failure to proceed with the signed contract, withdrawal of commitments, quoting ar unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, sustrating the evaluation/bidding process and not responding to written communication in a re-sonable time.
- iii. Causes mentioned in su clauses i, ii and iii above.
- iv. Submission of fake / frivoler of mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions transes of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect as aity period as defined in the contract.

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, in equal of the foreign bidder shall be enclosed. However, at the time of bidding, the original artistic letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SSCC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Protect Authority prior to blacklisting. Member of RPC must be one grade up from the member of Committee.

5. PROCEDURE FOR BLACKLY ING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereinable and under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the concernal Project Authority / formation shall promptly formulate its recommendations and submit through the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details a charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Convener of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Person (s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said that ges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of heating in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After fee subsendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RP))", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The accion of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Blackli ring on the grounds and reasons specified herein above shall be for a reasonable specified pent of the and as a general rule of prudence, the period may not exceed three years, except in case, where debarment/blacklisting has been done by any other government department or an introductional Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of temporary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution Conor Agency) debarred the contractor (whichever is higher). However the permanent black asting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blackling List:

- i. The decision of blacklisting will be immediately circulated to concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Analo by may proceed in this case to complete the contract with the approval of Competent with Aty. (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the are of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT TOR BIDDING BURBOSK

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be practive about safety!

Report Hazard before in each in an Accident

If it's UNSAFE!

- √ Report it
- ✓ Remove it
- √ Replace it



1/1



000

Sul Southern Gas SSIGC Company Limited

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its. Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continuat improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participations on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director.
August 2021



MR

2



PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

SSGC existing facilities/installations.

Any routine/non-routine activity, performed within permanent locations or b. outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project.

- Covering all the activities performed by SSGC taking into consideration of d. compliance, obligations, risks & opportunities within the scope, external and internal issue related to scope of operations, requirements, information, needs and expectations of relevant interested parties.
- Providing guidance of employees in relation to hazard identification, risk e, assessment and rick control in respective areas.
- Identification, control control control and management of environmental aspects f. and assessment of its impa



SCOPE

This procedure is applicable to the reprinction of occupational health and safety hazards and associated risks, environmental aspects and impact associated with activities, processes and equipment related to SSGC existing facilities/installations, any new of ject or any routine/non-routine activity, performed within permanent locations or outside permanent for locations of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and sa

DEFINITIONS & ACRONYMS 3.

in terms of injury or ill health, damage to property, HAZARD: Source or situation with a potential for damage to workplace environment, or a combination of

ous event or exposure and the resulting RISK: Combination of probability of occurrence of a haz b.

don favorable to achieving an intended OPPORTUNITY: Opportunities can arise as a result of a sil result, for example, a set of circumstances that allow the organization to attract customers, develop new products and services, reduce waste or improve productivity. Actions address opportunities can also include consideration of associated risks.

SWOT: Strength, Weakness, Opportunity & Threat.

- d. RISK MANAGEMENT: The set of control measures used to reduce or eliginal specific risk.
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazar in tification. This is the f. overall process of estimating the priority of risk and deciding significance of risk. ment matrix.
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk g. Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard Identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment. ī.
- IEE: Initial Environment Examination. j.
- EIA: Environment Impact Assessment.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MOC: Management of Change. o.
- MOC Owner: The employee who initiates the MOC. p.
- JSA: Job Safety Analysis.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the q. work done through contractor.



HandBook | February 2022

RESPONSIBILITIES

4.1 Corporate HSE&QA In-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues.
- Providing support to corporate HSE&QA team and zonal representatives.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team. b.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.
- Maintaining records of the OHS&E with the help of local HSE&QA team.
- Implementing this procedure. Liaise with corporate HSE&QA team if required.

4.3 Zonal

- Zonal HSE DA representative
 Coordinating with conal HSE team leader for carrying out HIRA and EAIA in their zones.
- Liaise with comprate HSE&QA team and zonal HSE team leader for OHS&E.
- Reviewing/monitoring HiRA and EAIA in their zones and providing input on any changes.

4.4 Departmental Head

Departmental Head Acquiring Department

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks. Ensure implementation of JSA for a /activity performed outside SSGC permanent locations. to a state of the

4.5 Employees

Participating in the identification and assessment of OHS&E risks when required by either Zonal HSE

4.6 Visitors & Contractors

Identifying and reporting any risk or hazard at any location of SGC. This also includes the worksites and

DECISION MATRIX

Type of Risk/Hazard Assessment	Methodology	Responsibility
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	aonal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





MOC	Risk assessments for new Projects, major changes or modifications in existing designs	MOC owner
·	and infrastructure.	

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

6. PROGETURE

Section 1 Context of the Organization

6.1. Context of the Occasion

- i. Management defines score or the company services and its boundaries considering the internal and external issues of the organization.
- ii. In consultation with HSE&QA, the accement & Zonal Heads identify external & internal interested parties and maintain its list with needs & expectations. Interested parties are those stakeholders who receive company services, who may be impacted by them, or those parties who may otherwise have a significant interest in the company. Interested parties may include:

Interested Parties	Requirements	
Board of Directors	Good financial performance, legal compliance/avoidance of fines.	
Law Enforcers/Regulators	Identification of application statutory and regulatory requirements for the product and services provided and understanding of the requirements:	
Customers	Value for money, quality services felitation and quick response.	
Bank/Finance Good Financial Performance.		
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.	
Insurance: Additional	No claims/prompt payment/risk management.	
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.	
External providers (Vendors/Suppliers)	Prompt payment as per agreed terms, health and safety, long-term working relationship.	
Trade Unions	Compliance of local labor laws.	

MR

HandBook | February 222

By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces.
- Complex transmission and distribution network. b.
- C. Succession planning.
- d. Contractual relationships.
- Availability of reliable, qualified and competent workforce. e.
- f. Staff_retention...
- t of unionization.

6.1.2. External sayes could include in risk & opportunity assessments, but are not

- Political: Government policies, political stability, international trade agreements etc. a.
- Economic: Fuel/vality prices, cash flow, credit availability, exchange rates, tariffs and inflation, general tax the layer etc. b.
- Social: Consumer buy pattern, education level, advertising and publicity, ethical & religious issues, demographics
- Technological: Intellectual popular issues, software changes, internet, technology legislation, associated/dependent to an ology, renewable energy etc.

 Lagal and regulatory: Consultar projection, industry-specific regulation and permitted.
- ection, industry-specific regulation and permits, trade union regulations, employment law, international legislation, human rights/ethical issues
- prironmental issues.
- Environment: Customer demographics and enfire Government: The directives from Prime Mirestrange regulatory bodies like OGRA, SEPA & BEPA etc. , ministry of Petroleum (energy division),
 - Ensuring the policy and objectives are established for the disegrated management system and are compatible with the context and strategic direction The organization.
- The management shall monitor and review information ab ut issues during the management review meetings. external and internal



Always be proactive about s

Report Hazard before it results in an Accident

Integratea kanagement System





Section 2 Hazard Identification and Risk Assessment

I. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations. a.
- ties of all persons having access to the SSGC permanent and temporary locations. b.
- bavior, capabilities and other human factors. .C.
- Designing fework processes. d.
- Materia⊓n y e. A.
- Infrastructure, eggioment and materials at the workplace or project site, whether provided by f. organization or other
- Changes or proposed hanges in the organization, its activities or materials. g.
- Fabrication, installation commissioning. Handling & disposal or Vaste material. h.
- i.
- Purchase of goods & service j.
- Any applicable legal obligator that is related to risk assessment and implementation of necessary k. controls.
- Before commencement of any nav ation/activity. I.
- azard identification and risk assessment information. Periodic Review for updating the existing m.

At SSGC, we adapt five steps of risk, sessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- Step 4: Record your findings and implement them.
 - Step 5: Review your risk assessment and update if neces

Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below:

Risk Priority		Probabilit			
	orthy	Very Likely	Likely	Unlikely	Very Unlikely
Co	Catastrophic				Medium
n s e q	Significant			Medium	Medium
u e n	Harmful		Medium	Medium.	
e 8	Negligible	. Medium	Medium	6 5 6 6 6	



	HAZARD CONSEQUENCE RATING TABLE
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
Haparul	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid treatment is required only, very low financial loss.

197.	TATAL TATAL
Very Likely	Exposure to have a kely to occur frequently. Similar incidents reported more than once is \$2000 during last 10 years.
Likeiy	Exposure to hazard likely to occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
Unlikely	Exposure to hazard unlikely to occur.
Highly Unlikely	Exposure to hazard so unlikely that con be assumed that it will not happen.

	RISK PRIORITY TABLE
Risk Priority	Definitions of Priority
	Situation is considered critical, stop work immediately or consider cessation of this operation/task. Must be fixed ASAP, Zonal HSE team leader should take immediate actions.
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
Low	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.

W





Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- Classification of risk/impact. b.
- Description or reference to control the risks/impacts. C.
- Description or reference to monitor the risks/impacts. d.
- fijed competency and or training requirements. e.
- ion setting improvement objectives and programs for its achievement. f.


The risk/impactmes was identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/impacr ss ssments as input for the following:

- Setting objectives ar
- Training needs identific ь.
- Terminating the risk/impact is practical. c.
- Facility engineering contract d.
- Emergency Preparedness.
- Administrative controls. f.
- insurance. g.

The ultimate requirement is to reduce the risk/it ip to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further red on becomes unreasonably inconsistent to the additional risk reduction obtained.

iv. Risk Control



Administrative





HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. Elimination: The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- b. **Substitution:** Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. **Engineering:** Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any project the rocess and must seek out for best possible solution in terms of OHS&E.
- d. Administrative: Administrative controls involve making changes to the way in which people work and protection safe work practices via education and training. Administrative controls may involve training employees in operating procedures, good housekeeping practices, emergency response in the event of incident such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. To puld be properly identified for specific process/job.

System & work area Hazards	Likely Consequences
Access / Egress Obstructions	mar injury, trips and falls
Asphyxiate Gas (COz fire suppression)	Re death by asphyxiation
Buried Cables.	Exposule to buried cables - major / minor injury
Electricity (HV/LV)	Fatality av ale tric shock or serious burn injuries
Falling Loads / Objects	Serious has and or body injury
Flammable Vapors / Gases / liquids	Explosion or fix
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disoriemate of consciousness
Moving Parts	Entrapment, major or minor of ry
Noise design to the thirt of	Long term.hearing loss, thruit
Openings in Floor / Walkways	Falls from height, major injury peesi (le fatality
Flammable Materials / Gases	Creation of hazardous area; fire expression of hazardous area; fire expression of hazardous area;
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort long term loss of vision
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and for body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatique
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes





	*Death of asphyxiation			
Poor Lighting / Visibility	Minor / major injury, fall or impact injury			
Slipping / Tripping Hazards	Minor injury, trips and falls			
Spillages (Oil and chemicals)	Land contamination			
Substances hazardous to health	Chemical burns, texic, poisoning, irritants, pollutant			
Repetitive Task / Operation	: Muscular / skeletal injuries			
Rotating / Moving Part	Major injury, potential for fatality			
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands ;			
Smoke / Furne				
Trailing Cables and Hoses	· · · · · · · · · · · · · · · · · · ·			
Use of Hand (10) Minor laceration and impact injuries				
1 000 01 10.10.10	Burns to skin, eyes, and respiratory system. Environment			
Use of Hazardou Sybstances	' Hazards			
Use of Power Tools Line Line Line Line Line Line Line Line				
	Major / minor injuries - entrapment, cutting tools			
Vibration				
Work at Height	Major / minor injury			
Use of Workshop Equipment Vibration Work at Height				

v. Environmental Aspect log riferation & Impact Assessment

a. Environmental Aspects:

An Environmental aspect is any element of SSC b siness operation that negatively affect the Environment. While conducting environmental assessment, following a pects are usually considered:

"REDUCE CARBON FOOTPRINT"

What we can do:

- Recycle: what you can
- Reduce: avoid : unnecessary : consumption of : resources
- Reuse: Buy items that are reusable: and reuse them.
- Unplug electrical
 devices that are
 not in use
- Avoid unnecessary driving
- . Use LED bulbs.
- · Plant a tree

Water Discharges
Solid Hazardous Waste
gv Noise
O'pr
Vib a on
Use of Stene depleting substances
Spillage of hemicals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

MR





b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring sevices/gauges, computerized feedback monitoring and consystems. ces/gauges, computerized feedback monitoring and control
- g. Environmenta frie dix disposal or treatment systems etc.
- h. Fire prevention/sup ression systems.
- i. Containment walls.
- i. Scrubbers.
- k. Dust Collectors.
- J. Other controls: Training, SO

The record of operational controls of significant environmental risks is maintained on Environmental Aspect & Impact Assessment Form (SSGC-IMS/22).1-F-02). Impact Assessment Form (SSGC-IMS

After identification of aspects and assess of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where requ In-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts activities/processes/equipment are kept current by conductor the same assessment

a. Once every six months to update the information, and identify to venvironmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects)

b. Carry out assessment, for new or changes in activities/processe

c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment la part Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required regulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to en compliance for all new projects.



When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2

Integrated Management System







Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)

- c. Maintenance Work on High Voltage electrical equipment.
 d. Any janitonia service involving Safety Risks such as work at height.
 e. Any Maintenance critical safety system.
- f. Work involving interaction with asbestos.
- g. Work in areas when there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity that equires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SMS Valle Assembly/TBS/PRS etc.


II. Exclusion

Following activities are not under the scape of PTW management, however the risk assessment, JSA and or the associated risks for the following: process SOPs are implemented to come

- a. Providing Gas connections to new co
- b. Emergency Response to Consumer call
- c. Planned enhancement of Distribution network
- vice Tee etc. d. Work on live pipelines like hot tapping, instal
- e. Any major/minor rehabilitation/reinforcement wo

CAL If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it





III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	A ta Facility where the task/activity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTW requirements.
3	Contractor	The Individual/organization carrying out the Task Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If a wired, Monitor the task a civity during execution and identify any gaps related to proposed with a. Responsible to close the Now and maintains records Authorized to stop work in case of noncompliance to PTVV requirements.

No




Integrated Management System,

14



IV. PTW Process Flow








V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.



M





Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

- a. Work on live pipelines like hot tapping.
- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission network.
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).
 d. Any Empty entry maintenance work.
- objectivity requiring JSA as necessitated by HSE&QA.

II. Responsibilit

S No.	Functions	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/activity requiring JSA	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Authorize JSA Authorize JSA Ensure Adequate resources are provided to carry out the task activity in safe manner. Selection petent team and team leader for in activity/task. Submit as prof JSA:prior to job execution to JSA:prior to
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

NR





Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

II. Scope


This procedure is interged to address those changes which may have a direct impact on SSGC's Integrated Management System, or the subsequent delivery of services.

To make sure that changes are as sessed and documented in a consistent manner so that:


- a. Unnecessary or counterproduction hanges are prevented.
 b. Changes do not adversely affect, arety, the environment, quality, operations, or the level of service to the
- c. No:changes are made by individuals the at knowledge and/or agreement of all relevant parties.
 d. A record of the assessment rationale and a large assessment process is produced.
- e. To make sure proper change out of employ ing operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out in eaignated section of the MOC form .s. (SSGC-IMS/CRM-F-05) which briefly describe the details soppe of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorite risk and their controls: change after assessing the







IV. Definition of Change

For the purpose of this procedure a "change" is an alteration to Processes;

- a. Documented information maintained by this IMS
- b. Equipment, hardware, software, infrastructure.
 - c. Personnel assignments and training.
 - d. Vendor selection and management.

Other types of changes not listed above can be related to any slomest of the process, such as inputs resources, persons, activities, controls, measurements, outputs, measurements, me

Note: Not all alterations to a system require the Management of Change Reses (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

V. Levels of Change

Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Lavel 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work emironment.

Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

NR



- HandBook | February 2022



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated ask, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management, Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is accepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward he request to the appropriate process owner for implementation.

Step 3 - Implementation

The process owner will be responsible to implementing and coordinating the actions required for the proposed change. If it is determined that furth the season section is required during the course of implementing the change, these assessments will be documented and so bmitted for review prior to completing the change process. Only after all assessments have been reviewed half the MOC process be continued and monitored through completion.


VII. Closing out the MOC

The In-charge HSE&QA will review the satisfactory imple negretion of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control V mitter of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the and staken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

M





MOC Process Flow



NR



HandBook | February 2022



7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

Hazards	Control Measures
Advers Petther	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad hous keeping	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / cold surfaces	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning Transfer of the Property of the Prope	Liferquarding, lifesaving equipment, presence of first Aider.
Excavation work	As siral barriers; fencing, shoring, safe system of work, signs, caution take.
Fall from height.	Edge protection, safety lines / harnesses, safe means of access, (e.g. caffolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting	Good work area design and ighting equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical cane for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.

nt



7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance.
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manual be dung	Regulariassessment of handling techniques (Improvisation to eliminate stress / fatigue, training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	pper identification of pressure vessels, preventive maintenance, tressure indicators, alarms, PRV's where required, periodic ins @ uos.

7.3. ELECTRICAL

Hazards	Control Measures
Live working	Avoid (i.e. No Live Working) use competent / trained staff.
Hand tools	Regular inspection, testing relectrical integrity and replacement.
Heaters (elements)	Isolate from combustible material, quading.
Machines / Electrical cables	Electrical testing and maintenance, good electrical safety design, periodic inspection for design load vs. actual periodic use of circuit breakers, lockout / itag out, anti-static materials, Use double insulation, proper grounding
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Buried)	Look out for signs, contact local utilities (KE:WAPDA) for locations stay at least 10 feet away from overhead lines, use proper PPE

MP

Procurement Dept.

Integrated Management System

23

7.4. FIRE

Hazards	Control Measures
Combustible materials	Avoid, reduce storage of combustible materials, isolate from
	sources of heat and ignition.
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an
in the second	isolated, well-ventilated area; signs, no smoking, color-coding.
	Controlled storage, use and disposal (e.g. limit quantities held),
Fiammable solvents	fire proof storage, signs, no smoking, no naked flames,
	emergency plans.
Heaters	Segregation from sources of combustion, guarding special
	construction if used in hazardous areas.
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide,
	segregate from sources of combustion(e.g. flammable solvents)
Oxygen (gas and liquid	Segregate from sources of combustion, controlled storage and
	Vage.
Smoking materials	Designated smoking areas with proper ventilation, promote no
	shall appolicy.
Static electricity	Limit es of static generators in hazardous areas. Use of anti-
A. T. P. V.	static device At arthling。多数性的概念是是非常的。如果是是是是是是
Gas Leaks	Odourization to mely detection where possible, proper joining
	methods, Field syn ex training, leak detection techniques.

7.5. OTHER

Hazards	Contratilleasures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harming a betances, use, maintain and test engineering controls, monitor of hazardous substances; inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled recess.
Blological: Biological agents: (micro-organisms: pathogens), mutagens, carcinogens), Rodents, Snake Bite	Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazaratus substances, inform and train employees, use personal protective equipment. (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergonomics	Educate / Train employees; avoid repetitive tasks, procure- ergonomically design products (e.g. chair, Computer desk.

IN

- HandBook | February 2022

8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period	
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years	
SSGC/AS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years	
SSGC-IMS/CRIN-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-V	Management of Change Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-07	SWOT An lysis	HSE&QA Department	3 Years	
-	MGS.			
NR				

rocuremen

Integrated Management System



IMS Form

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

Nox

Zone	·	Department			Location	···	Date	
5 N.	Hazard	What can go	Existing Cartional	·	lisk Priority			
S. No	(E.g. Warn out electrical cord)	Wrong (E.g. Electrical shock to any employee)	(E.g./Covery with plasting and	PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. Signuficant)	PRIORITY (E.g. High)	Additional Operation (E.g. Isolate/Replace	onal Controls to the wire).
	· expression			7 .				
				0,				
	·			1				. · · · · · · · · · · · · · · · · · · ·
					D	•		
		·			-	P		
Addition	nal Comments	(If any):			•			
	Zonal	HSE Team Leader				HIRA T	eart	
Name	& Designation	Signatu	re S	S. No N	ame & Designa		Signatur	re
				1				
		ŀ		2			· · · · · · · · · · · · · · · · · · ·	
				3			•	

W





IMS Form

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

10/A

Zone		Department			Locati	on			Date			
Proce	ss / Operati	on Descriptio	n:(E) W Com	eration)				14				1
3. No	Activity (E.g. Fuel Combustion)	input (E.g. friel, air)	Quinut		onmental aspec air emissions)	(E.	vironmental impact g. Degradation uir, consumption of natural resources, pletion of ozone layer etc.)	Risk Priority (High/Medium/ Low)	Opera	ational	controls	
			·		IN	-	•].		•		
								·		٠.		
:										•	•	
Addit	lonal Comm	ents (If any):			•		P	٥			. :	_
		Zonal Team L	eader				EAIA Tea					
Name	e & Designa			S. No	Name & De	signati	on	S	ignatur	3		
			•,	2	·		·.		`			_
		.	ì	3								

ME

ntegrated Management System



27

.

IMS Form

SSGC-IMS/CRM-F-03

SSGC HSE&QA Department

Permit To Work Form

Revision 01

Issue Date: July, 2021

Work	Permit Number (1	on kiled by H.	EELQAI:						
	•			Section	"A"				
	Department Name: Contractor Details Cont					. Contact Na	me• :		
	Responsible	Name:		(if Any):		Signature		·	
i	Person	Signatur	9:			Date & Time	<u> </u>		
1.	Perr Valld	Time:				Time:			
<u> </u>	Fatt	Date:		Permit V	aild Until *	Date:			
<u>a</u> .		Work					<u></u>		
Bulling C	Type of Vort (a) Hot Work (i) F Hazardous (ii) Working (ii)	eorical m				nce work	tall of Work		
Aq pe	☐ Working w ☐ Excavation/T ☐ Other (Please) Equipment/tools	renching provide de la	Handling	S	iai/Cleanina	Sandra	• •		
					•				
	Please mention Procedure: Context	Obborning	SE OF SELECT OF SELECT	ement):		M3		•	
	Following servic Electricity (1) G	as 🗆 Wate	r 🗆 Air 🗆 Oth	d if requi	red)	·			
		•		S eti n	"B"	atendadi int (ESTE) (Datembur)	to the to be make that #4 shows and #50 .	with seasons and process	
To be filled Dy Atea	should carry out voelow.	york in com	to be carned on the safe	ut at a out of a	nuoned locat nents iden	ton for specific tifled by HSE	sd time. Executing QA Department i	Deparment in section:C	
흔흔	Name	<u> </u>	Designatio	n (Sameure		Date and Time		
					(2)		· Date and 11	1110	
			Market of the second	Section '	ICII		the same of the sa	eg dê egençe	
	lame		Design					,	
- F	ollowing controls	must be in	nniemented to	mitigate the se	d-4 1 12-	icature	Date Date	1	
To be filtred.	7 Hami Hat 17. Ca	afety Shoe g Shields perational	Safety Belt/	☐ Reflective J Harness ☐ S			with the lask/act	•	
		•		"D" (Monito	ring & Closi	nn)		ar in the control base of the late.	
	Area Authorit		Exe	cuting Depart	ment	- 1	SERCIA DE		
I have physically inspected the work site and verified the operational controls are in place. I declare that the above task / activity has been carried out in compliance with the controls / requirements mentioned above. HSE&QA Observations during monitoring (if any):						ing			
		·.	The task / act site is safe for	tivity is now cor r routine opera	mpleted and tions.			•	
			Any incident happened during execution: This w			I I I I I MOLK	work permit is now considered .		
Name	Sign & Stamp	Date	Name	Sign & stamp	Date	Gose.			
		1	٠.		Date	- Name	Sign & stamp	Date	





IMS FORM

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executing Departme				Zone		Date	
Job/Activity:	Activity D	etails:					
1.	:.				•		
Location		•	•			•	
	<u> </u>		•				
PPE Required:	^		•				
☐ Hard Hat ☐ Safe ☐ Face Shields ☐ \ ☐ Breathing Appara	Welding Shields	ver all □ Reflecti : □ Safetv Belt/ F	ve Jackets Jamess M	Safety (Plug □ Ear Mufl Goggles □ Han	fs □ Dust Mask	
☐ Breathing Appara	atus L 🐠 🙃			Calcty (Coddies Titlali	a Gioves	
Any additional opi	Any additional operational controls (If required) I Fire Extinguihser Ambulance Darrication Other:						
	The state of the s	200 1 200 100 100 100 100 100 100 100 10	e et l'aggrer l'étre.	·			
S.No Steps of	field Activity	Potentia	l Hazards		. Соп	itrols	
			• .				
. ,	<u> </u>				٠		
			G ',				
5521	•	***	Z				
					· · · · · · · · · · · · · · · · · · ·		
	······			P			
	· · · · · · · · · · · · · · · · · · ·					: .	
	· · · · · · · · · · · · · · · · · · ·	· .			$-\mathbf{O}_{-}$		
<u> </u>			•	· ·	- S	· · · · ·	
		•		•			
	ncharge / Supe		ŀ	lead of	Executing Dep	artment	
I hereby certify mentioned above,			l authoriz	e the te	am to conduct the	ne job. The team te the job safely.	
step of the job. The	e team is traine	to execute the	·	ioly loa	i. Calced to exect	te tile job salety.	
	job and the equipment involved in this activity a safe to operate.						
Name &	Sign & Stamp	. Date	Name		C: 8 C:-		
Designation	Aidir & Sramb	. Date	Designa	ition	Sign & Stamp	Date	
		•					
							

MR

Integrated Management System.





To be filled by

Name& Designation

IMS FORM


SSGC-IMS/CRM-F-05

Management of Change Revision 01

Issue Date: July, 2021

					•					
ſ	MO	C No:	***				Date			
1		Section A: Description	of pro	nosed	change and potential hi	azarde	1 54.0 1			
i	ı	MOC wner /.	. O. p	POOGL	Location of Work:	<u> </u>	·			
	·	Experted Duration of World			-					
1	ı	WOI			Type of Change					
	. ъ	Pipeline	constru	ction 🛘	Physical structure/building I N	ew or mod	liffcation in			
	C Owner	☐ Permanent process/pt ☐ Temporary ☐ Substan	rocedure	☐ New	or modification in equipment/m	achine 🗆	Material			
	MOC	Detail of MOC/Scope of I) DC: (S	Summar	ize the basis for the propose	d. change	and any pote	ential health."		
- 	To be filled by	safety and environment la pasts resulting from the proposed change.)								
		The proposed change is now submitted to A pa Authority for evaluation.								
	. •	Name & Designation	Sign & Stamp	Date						
			•		11/		• .:			
1	. 1	Section B : Evaluation	of the	impac	(s) related of the change	3				
,	٠,٠	Evaluation.Criteria			0	Yes	No Co	mments		
	ority	Does the proposed change requirements?	e meet :	all applic	cable legal or other		à			
	filled by Area Authority	All modifications in the existing process/ equipment are Environmental Manageable and Sefe?								
	rea	Does the change requires	change	s in SS	GC HSE Procedures	7				
	γ	Does the change will affe	ct the us	se of Er	nergency response	7/0				
	d b	equipment of the location		···				· · · · · · · · · · · · · · · · · · ·		
	119	Does the change requires	any spe	cializec	training for SSGC staff					
	be (Note:	n case	OF YES	" please provide details on a d to in charge HSE&QA for	separate	Snee			
	Tol	Name & Designatio			Sign & Stamp	authon		<u> </u>		
		ivallie a Designatio	<u>n</u>	<u> </u>	Sign & Stamp	<u> </u>	ate			
			•		· ·			•		
		Section C : Authorizat	on for	chang	e to proceed					
	8				plemented while execution of	f the job.	•			
	HSE&QA	Potential hazard/risk-		level	Proposed control		oonsibility	Timeline		
	E									

Sign & Stamp



Date



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

LIST OF INTERESTED PARTIES

External Interested	Needs & Expectation
Board Of Directors	Profitability, good financial and legal compliance, avoidance of fine and penalty
A	Protect shareholders interest.
O _x	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	allow best practices of corporate governance.
,	• Committee meetings are held as per plan.
	Finance benefits of the organization.
	Avoidance of any fines / penalties.
	Reputation enhancement.
	Corporate Social Respensibility (CSR).
	Enhanced corporate governance (CG).
	 Allocation of all resources to ac feve quality goals.
	 Achievement of safe and healthy conditions in organization.
·	Commitment to quality, safety and health.
·	Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrațed Management System

3

2.	
7	
_ X^	
18	
18	١



HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Context of the Organization

Issue Date: July, 2021



- Ensure that policy and related objectives are established.
 - Communicate clear roles to employees.
 - Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
 - offective management of hazards, risks, incident, by rgency, and injury.
- Worker engage and participation in all quality, environment, health and safety activities.
- Continue cowth in quality and productivity.
- · Effective controls of quality, health & safety issues.
- No major accident at . 6 kplace / safe working conditions for all emply year
- Develop positive quality and health & safety culture.
- Continuously improve quality, sales and health performance with review process.
- · Well performed employees.
- · Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
 - _Job security.

L Coren

HandBook | February-2022



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

Land State of the	
	 Training and development opportunities.
	 Sustained reputation and image of company.
1,	Consultation.
'O \ '	Communication and participation.
	No accident / injury / ill-health.
^	Reward and recognitions.
	Opportunities for dialogue / improvement / changes.
	Timely and fair provision of remuneration coupled with career progression.
Client/Customer	Timely provide high quality services, quick response on any complaint, follow all local laws and QH&S requirements. OR Unintertracting gas supply:
	Customer racilita jon.
·	 Quick response if or eries & complaints.
	Value for money.
	No health and safety issue in product.
	 Prompt actions on quality, head safety issues.
	Minimize the risk of injuries when receiving a services.
	Socially and environmentally responsible.
Suppliers/Contractor	Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
	Fair chance of participating in bid opening.
	Communication of hazards present at workplace.
	Timely payment.

Integrated Management System



IMS Form

SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department Context of the Organization

Issue Date: July, 2021

Trade Union & Worker
Representative
•
~
\$.3x. 3.40

- Transparency.
- Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
- Conducive and safe environment for work
- Timely provision of information necessary for workers
- No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media Caragement.
	Patient and positive attitude.
• •	Effective communication.
Visitors	Safe entry and exit during stay at SSGC.
	 Communication of pertinen information.
	Emergency response.
	Briefing necessary safety rules.
	Necessary PPE available.
	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
, visiting and the second	Emergency procedure in place and drilled.
	Regulatory compliance.

A Country Con Control of the Control



HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Context of the Organization

Issue Date: July, 2021

	 Regular drills for flooding, spillage, site excavation and first aid etc.
1.	Availability of adequate resources.
Utility Providers	Prompt payment.
(Power/wat Plue Telecom)	Good Management.
Academic Institutes	Effective learning programs for employees.
P	 Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Learning from SSGC.
Insurance Companies	o claims, risk management, prompt payment.
Banks	Financial performance, cash flow.
Neighborhood/Community/	Safe working conditions.
Society _s	Environment frieral operations.
	Contribute positive to local environment and populations.
	No complaint relating to new pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
	Return on investment.
	Transparency.
	Rights are protected.
•	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

MR

35

Tracurement

_	7
~	
١.	
<i>X</i>	
`	
୍ଷ ଦୃ	
∖~~	
` .	,

SSGC

HSE&QA

Department

Context of the Organization

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Third party auditors-Finance



Smooth data collection

Better financial performance

• Effective communication

• On time response on queries

No fraud or illegal acts detection

Certification bodies

 Effective implementation of ISO standards with all relevant clauses in the organization

Creditor/Financial Institution

Government/ Regulators (Local/Regional/Provincial/ National/International)

Repaid on time, good financial performance

regulatory and regulatory regulatory rements for Quality and health & safety.

Prompt sponses in case of any non-conformance.

Proper in extigation on uncontrollable.

Implementation of afe policy in the field of occupational safe v

 Fulfill the requirements of a applicable laws, rules, regulation, orders, guideline, interpretations and directives.

No





IMS Form

SSGC-IMS/CRM-F-07

Revision 00

SWOT Analysis

. Issue Date: July, 2021

POSITIVE	
STRENGTHS	WEAKNESSES
Having vast experience of Transmission and Distribution of Natural 23s.	Complex distribution network leading to UFG.
Infrastructure available in tyo provinces.	Substantial resources required for up gradation.
Highly competent human resource	Lack of succession planning.
Certified to international standards	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakistar.	High price.
Serving the nation since decades.	overnment new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	AH) EATS
Monopolistic market.	Depleting natural gas
Over 2.8 million customers.	Customers may turn to renewable energy sources.
Import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.
	16. 27. 27. 27. 20.

Integrated Management System —

37

1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.


"Anything that can go wrong, will go wrong"

3. DEFINION

- a. Incident. Vork related event(s) in which an injury or ill health or property demay. (regardless of severity) or fatality occurred, or could have occurred.
- b. Accident: An incident in which an injury or illness or property damage actually occurs.
- c. Near Miss: A Near Miss on unplanned event that did not result in an injury or prore ty damage, but had the potential to do so.

d. CPR: Cardiopulmonary resuscitato

Emergency: An emergency is a situation that poses an immediate risk to health, life, property, or prironment.




Incident

harmful


Harmless

INCIDENT / ACCIDENT COSES



MR

Integrated Management System



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	Major fire Major gas leakage Explosion Bomb blast Vehicular accident		Inform respective departmental head/incharge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	Significant signal https://www.ss due.co.an untoward situation including natural	\$ C	Follow the Emergency Response Procedure. Provide Help/Support to the victims such as First	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises. Only trained persons in case of CPR/First	SSGC- IMS/ER P-04
	disaster, damage or theft of asset / property having an estimated amount of more than	PO	Aid or CPR if needed. Report the incident using incident notification form via web portal to in-charge HSE&QA immediately (or wit in 24 hours) after the occurrence of incident.	Aid is needed. Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSEach will complete the investigation report via web portal ariting seven working days aftereceiving increasit notification form. Additional days may also be required depending upon	HSE&QA	SSGC- IMS/IAM -F-02
·			the criticality of investigation HSE&QA will share the report with all concerned for necessary corrective / preventive actions.	OS BAA	•
			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action. Follow-up to verify the implementation of recommended corrective/preventive actions.	Zonal HSE Team Leader and anyone who is identified in Investigation report. HSE&QA	

HandBook | February 2022

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
	Minor Injuries where only lesic first Aid est than		Inform respective departmental head / in- charge.	Anyone who has witnessed or received the initial information about the incident.	
. 2	providents providents providents providents	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
य क्षीरणम्बी	where there is no significant injury or loss.	8/2	HSE&QA will share the information with all oncerned to avoid enscurrence.	HSE&QA	
3	 Any Near Miss Occurred / Observed. 		Notification Form via web portal. Enter details as mentioned withe form attach evidence (a) y and submit.	All Employees	SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset dan age etc. will be considered as accidents and will be reported through online Incide t Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR


- (Procuremental)

Integrated Management System

4.3. Investigation and Corrective Action


Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:

- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- Investigation village conducted as soon as possible after the incident, following the activities required controlling the hazard. b. Investigation
- When indicated by the severity of the incident, steps to secure the incident site must be initiated immediate sure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be conducted with each person present at the time of the incident. The following rules are followed for interviews with all individuals:
 1. The witnesses should be interviewed promptly, separately and privately.
 2. The interviewer should avoid questers that give a yes or no answer.

 - 3. After the interview, the interviewer should document any concerns identified.
- The investigation will be focused at determining the root cause and therefore:
 - 1. The investigator or investigating team must rocu on getting accurate and complete information.
 - 2. Facts must be separated from opinions, and decoevidence from circumstantial evidence.
 - 3. Each concern identified in the investigation must be full a nessed.
- f. Upon completion of the investigation, the team will fill and subjet the Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background I formation, Root Cause Analysis, Conclusion and Recommended Corrective / Prevent
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the ZonaLHSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be uplated including controls, risk level, likelihood etc.

4.5. Dat A alysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measure / actions implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Var e	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification Voly	In-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation:Form	In-charge HSE&QA / of al HSE Team Leader	5 Years
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In-marge HSE&QA / Zoner H & Team Leader	3 Years

MR



SSGC HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F-01

Incident Natification Form

Revision 01

Issue Date: Aug, 2021

ם	Date: Time:			Report No		· ·		
R	eported by:				`	(10 00 max 0)		
4	ocation:	٠,					·	
Ų	s Chremis	 ses	☐ Ou	itside SSC	C Premis	es 🔲.		
	ocasen D			•				
	esponsible	•	•	z	onal HSE	Team Leade	· r	
	egion	X						•
	articulars o		Aerson(s):			Details of Aff	arted Ass	
-	Senal No	JI AN AS	1	2	3	Datama de All	erma Ass	set (it any)
	Name(s)		8	•			•	:
'	Employee ID	/=> ·	G		•			
		(3)					•	
	Designation	•						
		Permanent	.				•	•
		Contractual						
	Type of Employment	Contractor		 		·	·	
		Visitor						
٠,	٠,٠	Other ·					•	
	Ace				<u> </u>	U		
	Age		<u> </u>		<u> </u>			
			onal page may b	e used)		.▼ 🍎		•
1	incident Ty	•	<i>:</i> .	🗀 .				<u> </u>
				• ==		age	elatec inj	
			Natural Disas	iter []	Gas Leaka	ge Other.		
	Incident Consequences:							
• •	Fatality SSG Othe	ᄬᆔᇕ	pitalization	Asset D	amage	First Aid C	ther	
	Incident Cl	· 🗀	n:		•	•	•	
	Major 🔲	Minor	•	ss			•	
	Incident De		•	_		•		
								

N

HandBook | February, 2022

43



IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

Inclident Date Investigated by ROOT CAUSE AFALYSIS: CONCLUSION: RECOMMENDATION OF CORRECTIVE AND BREVENTIVE ACTIONS Recommended Actions Action till (date) 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	incident Notification Form Ref. No.	-1
ROOT CAUSE ALALYSS: CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	·	incident Detail (Brief)
ROOT CAUSE ALALYSIS: GONGLUSION: RECOMMENDATION OF CORRECTIVE AND BREVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:		·. ·
RECOMMENDATION OF CORRECTIVE AND BLEVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please maniforn the serial numbers for the recommended actions:	nvestigated by	
ROOT CAUSE ARALYSE: GONCLUSION: RECOMMENDATION OF CORRECTIVE AND BLEVENTIVE ACTIONS Recommended Actions Action til (date) 1. 2. 3. 4. Is risk assessment required for the corrective ections? If yes, please mention the serial numbers for the recommended actions:	Agreement was a second	
CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	ROUND INFORMATION:	
CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	\(\)	•
CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:		
CONCLUSION: RECOMMENDATION OF CORRECTIVE AND PREVENTIVE ACTIONS Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:		
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	ROOT CAUSE ALALYS B:	
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:		
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	7	
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	A	
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:		•
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	·O _A	
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:		
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	CONCLUSION:	
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	· · · · · · · · · · · · · · · · · · ·	///
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	•	enter Method professor 19
Recommended Actions Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:		
Recommended Actions 1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:		
1. 2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	KESSIMILIADA NON OF CO	DRRECTIVE AND BUEVENTIVE ACTIONS
2. 3. 4. Is risk assessment required for the corrective actions? If yes, please mantion the serial numbers for the recommended actions:	Recommended Actions	Action till
2. 3. 4. Is risk assassment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:		
4. Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	1.	
Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	2.	
Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	3	
Is risk assessment required for the corrective actions? If yes, please mention the serial numbers for the recommended actions:	J.	
	4.	
	Is risk accommon manimal for the	· .
	·racommended actions:	ins? If yes, please mention the serial numbers for the
Incharge Meta OA		·
Inchame USER OA		
· · · · · · · · · · · · · · · · · · ·	Inch	harge HSE&QA

- NO. 12:

 1. Please include sketch / photo where ever required to explain the accident scane / conditions

 2. Additional pages can be used for mentioning other details

 3. Transmission/Distribution department must submit the quantity of gas loss in case of any gas leakage or sabolage.

Integrated Management System





IMS FORM

SSGC-IMS/IAM-F-03


Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Categor ype:	Unsafe Act Unsafe Condition
Name:	THE CONTRACTOR PROPERTY AND ADDRESS OF THE PERSON OF THE P
Executive / Employer flor	
Designation:	THE COMPANY OF THE PROPERTY OF
Department	[2] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2
Location / Area:	The state of the s
Near Miss Details	%).
Date:	· · · · · · · · · · · · · · · · · · ·
Time:	
Location:	建设和1987年
Near files Rélated To:	Leakage
Brief description of what you saw! (max., 100 words):	
Attach Pictures	Choose File. No file chosen

N






PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- Define machanism and frequency to test plan so as to ensure spand effectiveness of emergency response system.



2. SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency sites Due to variations in nature of operations, various departments/sections have developed their own ER Plan ca ering for their strategic, operational and physical requirements. The same includes HSE emergencies are included to day operations in terms natural calamities, fire, major incidents with loss in our operations, rajor environmental damage, external terror or bomb threats, public unrest, war and etc.

3. DEFINITIONS.

- Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machine with installations and other assets. life of persons, protecting buildings, machine
- Rescue: It refers to responsive operations that a july involve the saving of life or prevention of injury during an incident or dangerous situation.
- Emergency Response Organization (ERO): It is a group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any emergency incident, such as a natural disaster or an interruption of business operations.
- Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency situations. All emergencies are to be reported here.
- First Aid: It is the provision of initial care for an illness or injury. It is used by performed by non-expert, but trained personnel to a sick or injured person until definitive medical training training to a sick or injured person until definitive medical training training to a sick or injured person until definitive medical training training to a sick or injured person until definitive medical training training to a sick or injured person until definitive medical training - Assembly Areas: If an evacuation to the outside is appropriate, the non nated assembly areas for f, personnel shall be far enough away from the building, structure or workplate to ensure that, where practicable, everyone is protected from falling glass and other objects.
- Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

RESPONSIBILITIES .

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- Call the fire brigade & other emergency services like ambulances if required.
- Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- Inform all to go back to their work places using megaphone or any other suitable means when the situation e. comes under control and the area is free from any hazard.



- HandBook | February 2022 .

5. PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are listed below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

6. Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the same need publimited to these areas:

- Fire & Explosi
- Heavy Spillage of Joxic/flammable chemicals or leakage of gas
- Heavy rain/ flood
- Earth quake
- Bomb threat
- Building & office lockdo /n/s elter in place
- Active shooter/hostage siteation

6.1. Fire & Explosion

In case of fire & explosion each personnel propert within the premises must act as per but not limited to the following in auc ons:

- a. Give voice alarm FIRE! In case of fire for all in the area.
- b. Push the nearest located call point button as of fire (if present):
- c. Immediately inform Emergency Response Organization through phone or in person.
- d. Try to control the fire by using fire extinguishers. Use fire extinguisher only if you have been trained.
- e. Remove all explosive, inflammable and poisonous mater a away to the maximum possibility.
- f. Shut off main valves of gas and circuit breakers.
- g. Stay away from the fire in case it is not controllable.
- h. Report to the designated Assembly Point away from the scene of fire and plosion if asked by Emergency Response Organization through emergency exits and wait for the further instructions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage of g

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Eliminate all ignition sources (sparks/flames/heat) from the immediate areas.
- c. Turn off gas supply from nearest control valve...
- d. In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be taken to ventilate the gas. Ensure the availability of fire extinguishers.
- e. Stop leaks if this can be done without having any risk.
- f.. Do not touch or walk through spilled material.
- g. Prevent entry into waterways, sewers or confined space.
- h. If available wear the Personal Protective Equipment recommended.
- i. Arrange immediate cleaning of spilled chemical by taking suitable precautions

FUEL

Integrated Management System

nourement Dept.



In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but not limited to the following instructions:

- Try to stop water by keeping sand bags.
- b. Protect building, machines, equipment, tools, parts & material.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. a. b.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be accessible in case of any emergency.


 Sufficient to antity of tarpaulin and rain suit is available to meet the rainy condition. C.
- d.
- e. All pumps d of training out the rainy water are in running condition.
- Sufficient quantity of sand bags is available to stop entering the water inside, which may be placed in

Class	Material	Examples	Type of Fire Extinguisher to
· A .	Solids.	Paper, wood phastic, etc.	used • Water:
В	Flammable Liquids	Paraffin, petrol, II, Ac.	• CO2
:O	Flammable Gases	Propane, butane, metrane, etc.	Dry Powder Dry powder
Ď.	Metals	Aluminum, magnesium, titanium etc.	Sodium chloride hased flor
E	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	powder fire extinguisher 2 Fire Extinguisher
F	Cooking Oil & Fat	Animal fat, etc.	Or chemical based: Potassiur bicarb na

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately inform Emergency Response Organization through phone or in person. b.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen. C.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) d.
- Maintain your senses, do not let them disperse.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires. f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. g.
- Wait for further instructions from Emergency Response Organization. h.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- e. The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Maintain your senses, do not let them disperse.
- c. Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- d. Bomb Disposal Department shall be called by Emergency Response Organization.
- e. The Bory Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergence Response Organization.

6.6. Building or Office Lockdown/shelter-in-place

If a situation calls for building or office lockdown, the personnel present within premises should act as per but no limited to following instructions:

- a. Remain calm and stay with y tip colleagues.
- b. Try to stay in pairs.
- c. Do not leave the room and/or build to under a lockdown situation until asked otherwise.
- d. . Keep quiet and away from doors and windows
- e. If a gunshot is heard, lay down on the its artishield under/behind furniture as much as possible.

Take care:

Don't try to be a hero in emergency situations; do not place your own life on health or that of others in danger

Be prepared for the unexpected.

6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel preser within the premises must act as per but not limited to the following instructions:

- a. If it is safe to do so, exit the building; if not, lock or barricade years of inside a room.
- b. Turn off lights; cover and lock the windows, and lay on the floor
- c. If the shooter(s) leave the area, go to a safer place, if possible. Have a rescape route/plan in mind, keep your hands open and visible, and follow any instructions given by law emorganeout.
- d. Call the Police/Rangers when it is safe to do so. Remain calm, use the voice, and provide as much information as possible (your name and location, details about the shooter() appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen the location.
- e. Cooperate and negotiate with the shooter, in order to buy as much time as possible until the rescue team reaches.

7. EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System

49 San Good Poort

EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. b.
- Leave the building/premises immediately, do not try to investigate the source of the emergency. C.
- Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- Assist people with special needs.
- As you make your way out, encourage those you encounter to exit as well.

TO BE EVACUATED

In case of eme gen evacuation should be carried in the following order:

9.1. Personner

Those personnel who do set have sound health such as patients of Heart, Asthma and physically/mentally disabled people are to be avacuated on priority basis.

Raw material which is express a inflammable and poisonous must be removed. Similarly, important, lightweight items that are easy to carry pust also be removed. 9.3. Documents

Important records and files must also

9.4. Equipment

Cash Lockers, Computer Sets, External Hard expensive Tools and Fixtures must also be removed.

10. TESTING AND EXERCISES

Testing and exercise of the emergency response plan notif be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The cord and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible frequency and type of drill at each location should be as below:

periodically conduct the exercise: The

٠	AND THE PROPERTY OF THE PARTY O	120	
	Location	Type of Emergency Drill	Frequency
	 a. Head Office b. Regional Offices c. Billing Offices d. P&C Offices e. Store (all locations) 	Evacuation and Mock Emergency Drill (all employees)	Six Monthly
ł	f. KT (Transmission) g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Response Team	Six Monthly



HandBook | February 2022

Meter Manufacturing	Evacuation and Emergency Mock Drill (all 'employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Unadavadas Stationa	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Headquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSE cam leaders ensure that emergency detection and response equipment are identified, available and properly caintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of ER Equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC-live/EP XF-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge HSE*QA as and when required. The need for the emergency response equipment is determined by consider a the hazards and associated risks with the particular

location/operation/equipme n/in tallation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher.
- b. Fire hydrant/hose/bucket-water pump.
- c. Smoke/gas detectors.
- d., Communication equipment. (Med. pitones, Alarm systems, walkie-talkie etc.)
- e. First aid box.
- . f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment vill be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of in charge HSE&QA or Zonal HSE team leader.

: /3 :: 27	Location	- Frequency
.a.	Head Quarter Stations	7
b.	Meter Manufacturing Plant	Monthly
C.	K.T (Transmission)	
a.	Head Office	
b.	Regional Offices	
C.	Billing Offices	Constants
d.	P&C Offices	Quarterly
е	Store (all locations)	* * *
f.	Distribution (Zonal and Sub-zonal offices)	

12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period	
SSGC-IMS/ERP-F-01	.Emergency Drill Form	HSE&QA Department	3 Years	
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years	

Integrated Management System

MR Manag







IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

			_			
Zone		Region		Location .		
Type	Of Emergency Dri			<u> </u>	Date	
□ Fir	e and polosion H	eavy spillage of to	yic/flammable	obamiania		
□.Во	re and Explosion II Homb	., -pg- u. to		chemicals 🗆 He	avy gas leakage 🗆 E	arthquake
			Observa			
S.No		ription:	Time	uons	e e e e e e e e e e e e e e e e e e e	
1	Emergency siren	and at	11110		Comments	
2	Evacuation start	at	. 	 		
. 3	Last person reache point		1 .			M _C
. 4	Firefighting/Bomb interested party rea	ached avsite 🙈 .	ner	*		
<u>5</u>	tmergency under	control at	• .			· · · ·
1 Otal	time of Drill (minutional Observations	agi:			· ·	•
	,		70/1			
Ş.No		· ·	Assessmer		The contract of the second	1
Ĩ# ·	Emergency respond	ers were gresent	at the site	V		Yes. No
2 .	Employee were pro	perly instructed				
3	Benavior of employe	ees was satisfacto	īV			
4	Evacuation route wa	as satisfactory .			0	
5	SSGC firefighters w	ere well trained			FA-	
6 7	Firefighting equipme	ent were up to the	mark			
	Response of the me	dical staff was sat	isfactory			
Overal	II Assessment:			Satie	factory [] Gat	
S.No	Correct	ive Actions/impro	Warnagia D.	Alternative in the state of the	the single state of the state o	sfactory
		The state of the s	Svementa Rec	drited	Responsibility	Target Date
					·	
	Security Sonday	Succession in the state of the second contraction and the	the second section of the second second	and the real of the second of	to the property of the state of the second o	
	Name .	Services Representative Signature		HSE&QA Represent		de interméte de la
	ratte .			Name		Signature
					Signa	ital 6
	i					

Procurement E

HandBook | February 2022



IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

	· · ·	۹				•		7		
.Zone		Region		Location		<u> </u>	<u> </u>			
lype C	of Equipmen	t						Date		
U Fire	Extinguisher	□ Fire Hy	drant/Water Pump/	Buckets/Hose III S		•				
u Amb	ulance Fin	st Aid Box	☐ Communication	Buckets/Hose I S	i i okavi	Jas Det	ector 🗆	Emerge	ncy light	
	_			CHECKLIST	: :					
S,No	4_	1	What to check		· V					
Fire Ex					Yes	No		Comm	ents.	
	expire :	ners are i	n operable conditio	n and not						
		zie do sot	have cracks.				•			
03 [ever and lev	er ar	in place and locker			·			<u>_</u>	
04	All extinguish	Ars are	ear visible and acc	d						
ire Hy	drant/Hose/E	ucket	visible and acc	cessible.						
01. 1	No leakage in	fire hydra	D STORE TO	<u> </u>						<u></u>
02 F	fydrant valve	s are prom	arty lubric to the							
וי דו	LOSE TIME IS	Olied and	properly 1 a N	operational.			.,			
					\cdot \top					
04	ire buckets a and.	ire maintai	ned and aded state	illed with						
irst Aid	Box						•			
01 A	il necessary/	required in	edicines are availa	bla is district.						
_					ı					
72 M	edicines are las Detector	not expire	d and valid for use.		-				<u> </u>	
MANBAC	149 ABLECTO	•					<u> </u>		<u> </u>	
ther Ea	uipment (if a	noke/gas c	letectors are prope	rly functioning.	Z				<u>.</u>	
11	brugue (11)	anyj								<u> </u>
2			·						<i>j</i> - '	
.						7		-		
No	•	Ot	servations				+		e per e conserva de	
1						Rei	comp .	niations	;	
. -				·			T	70		
2 .								N.	·	
								~	•	
	,		,							
ובחסוווב	Comments (If any):					<u> </u>			
		• •								\neg
- 8	Acurity Ca-	deen S								
Name o	ecurity Serv	icea Kebi			HSE	QA Res	resent	athro		4
rains &	Designation		Signature	Name & D	esione	tion				_
					COIALIS	nOU		Signa	ture	
			•			• .:				\neg

Integrated Management System

n them

53



1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and

SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs
- an independent employer/organization that is responsible to provide goods or
- Contract operator: Is an executive of SSGC procurement department, who has been delegated/given preponsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environ ental Quality Standards.
- SEPA: Sindh Environmenta Protection Agency.

4. RESPONSIBILITIES

4.1 Suppliers/Contractors and S. Intractors

- The contractor must take all necessity afety precautions related to the performance of the contract in order to protect the work site, including all personnel and property of the SSGC, the
- b. Suppliers/Contractors are responsible for safety of well-being of their employees.

 c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors was have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequately
- e. Supplier/Contractor shall ensure compliance with SSGC polic es procedures and applicable legal
- The contractor shall adhere to set standards and requirements for engineering nental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between HSE&QA department within 10 days of issuance of a letter to proceed. contractors and

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

- HandBook | February 2022



5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the requirement of this procedure.
- Supplie shall adhere to technical specifications provided by SSGC to ensure quality of goods
- s all perform hazard identification and risk assessment related to their activities for g. The contri the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HSCAQA department to seek guidance and awareness on risk/hazards related to h. The contract is liable and destand
- destand and implement "permit to work (PTW), job safety analysis (JSA)" risk assessment and management procedure (SSGC-IMS/CRM-02). where required. Please refe
- The contractors are responsible of dispose of any waste generated during their activities in any environmentally safe & responding nanner.
- The contractors must ensure that any alined individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with SS 20 safety procedures and NEQS and SEPA set standards. concerns, and should be in accordance with SSEC safety procedures and NEQS and SEPA set standards.

 I. Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contractor and HSE&QA department in writing.

 The contractors must ensure that the workforce is used must be physically fit and should not carry
- any contagious disease. SSGC reserves the right to a k for medical examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests.
- For contracts related to providing food services/canteen services medical reports from accredited labs must be submitted to head of administration services be at ment for entire crew once the contract is awarded and annually for following diseases hepatrical C, tuberculosis, and chest X-ray.
- o. In case of violations from SSGC safety standards/policies/procedu mons will be taken to penalize the contractor depending on the severity/recurrence of breaches following matrix:

S. No.	Violation	Action Action
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
. 4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract



6. ACCESS

- a. Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from
- Contractor in the contractor i authorized SSGC epresentative. Failure to abide by this work rule will result in immediate dismissal
- from the facility and including prosecution.

 Each zone maintains secure work areas with limited access at all times. No one is permitted to override any security device for convenience. If access to a secured area is required contact the SSGC representative for authorization at no time should contractor or subcontractor employees enter the
- Anywork not performed during no it pasiness hours must be approved in advance by the SSGC representative.
- h. All contractor employees will go through contractor safety/induction training upon initial work at SSGC? kept at guard shack. current) personnel for contractors will be updated and .

6.1 Tools and Property

- For any situation in which the Contractors activity may endanger product quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments, spevings or dirt in exposed product of manufacturing equipment areas, approval must be made through the SSC representative and conditionally established by the Zonal Team Leader or representative to protect the equit no actor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature forant is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the Pay telephones are not available. d. . Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Carneras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

Procurem ant Dapt.

HandBook | February 2022



h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.

Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.

b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination of authorisms, (i.e., nothing is to be carried in snirt pockets, lapel, and etc.).

c. Appropriate PPE and be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to their work orce.

d. Proper clothing must be want at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.

e. Persons with suspected counturicable diseases, respiratory infections, infected open cuts, sores or skin abrasions will not be permitted to wor in any area that could result in contamination of SSGC personnel.

The use of tobacco in any form is problemed at all times except in the designated Smoking areas.

f. The use of tobacco in any form is probabled at all times except in the designated Smoking areas.
g. Chewing gum, candy, storing lunched, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. The will be a designated area for contractors to eat. (Cafeteria)

In the event that there are open tanks, or worked product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the cos libility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hamments, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chips or their debris may be generated.)

The use of containers, boxes, cans, jugs etc., for bading or storing parts, lubricants, solvents or

construction material is strictly prohibited.

The contractor is responsible to notify the SSGC represertative immediately if foreign material used or generated by the contractor's activity, was accidentally spill into the zone area/ SSGC premises.

k. Contractor will follow 'Spill Response Procedure' of SSGC in case spill occurred.

7. CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

a. All applicable Occupational Safety and Environmental regulations must be follower.b. Contractors shall supply to their personnel and to the SSGC representative: contractors snall supply to their personnel and to the SSGC representative: and gancy contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to their on-site work.
 c. Contractors shall provide the SSGC representative with a current copy of their Safety mogram including: Confined Space Entiry Lockout/Taggett and Marcel Communication.

Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and associated training certificates.

d. The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.

e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property, Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.

Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In

addition, SSGC personnel may initiate we/they lockout system to ensure compliance.



- g. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatty and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- k. Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or All electrical equipment must be property grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- n. Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- All compressed gas cylinders must be supported and secured standing upright according to Pakistan Pards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks er ampty or full. Acetylene cylinders, when in use must have a wrench in place.
- ereseverhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation rojects, night lights shall be provided by the contractor.
- In the event air oil, as, apor or other harmful volatile release is caused or discovered, the contractor and/or his employees shall contract that once to the nearest SSGC office and request for further actions immediately. Vehicles in Zone are required to adhere to the declared speed limit.
- Any contractor, contractor employee or subcontractor violating Zone area safety or security rules shall be.

7.2 Accident Reporting.


- a. Accidents occurring in Zone jurisdiction in se
- a. Accidents occurring in Zone jurisdiction in section reported immediately to the SSGC representative.

 b. In the event of a fire, medical or other emergiality, contractors are required to notify zone security or the SSGC representative immediately. When providing settification give all pertinent information, including view. SSGC, location, and emergency situation involved.

 All contractor injuries provides a state of the state of t
- c. All contractor injuries requiring medical assistance beyond a sic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor oldent Investigation Form). This report must be submitted to the SSGC representative for forwarding to the HoEs CA Department.
 - d. All contractors and subcontractors must maintain their own OF ired document/record.

7.3 Confined Space Entry

- The SSGC representative will notify the Contractor prior to being hire confined spaces. The form included in documents will be used to make this national work will involve entry into
- b. All Contractors who conduct confined space entries must adhere to the Stac confined space entry
- c. At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in : immediate dismissal.
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA



7.4 Cranes and Overhead Work

- All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and demicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safety operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upon reg
- f. In the Ev that overhead work must occur in locations within the Zone where high voltage, overhead power lines are to ated all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event anot be maintained, the power lines are to be de-energized and locked out prior to proper deal performing work in the event the lines must be de-energized, prior approval must be given by the SSGC representative.

opto (Lockout) Procedures 7.5-Hazardous Energy (

- All contractors, contractor employees and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, contractor employee or subcontractor servicing or entering a piece of machinery where the danger of injury exists from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or optract employee must disconnect the source of energy and
- lock/tag out this equipment before beginning wark.

 In the event that SSGC employees or other unit down persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize the equipment. Likewise, the contractors are not to LO/TO C. equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represent to allaffected associates.
- d. Contractors are required to supply their own lockout locks. tags
- e. In the event that a contractor or subcontractor has de-energized and lock equipment specific lockout procedure. and locked out a piece of equipment; the equipment specific lockout procedure must be adhered to A contractor, contractor employee or . subcontractor can acquire the specific equipment lockout procedures in the SSGC representative.
- The lockout tag used by the contractor must have the contractor's phone of oper and a person name, SSGC to be contacted concerning the lockout.

7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited.
- c. Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- e. All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to i.
- Provide the SSGC representative with a listing of all hazardous chemicals. ii.
- Property label all containers, adhering to SSGC labeling requirements.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas C. overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed with the Company representative.
- When the use or storage of explosives or other hazardous materials or equipment is necessary for the d. in of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the an of properly qualified personnel and in conformance with all applicable Zone Requirements and
- The contra constant shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their employees of all hazardous substances in use at the job site and of the appropriate safety

7.8 Emergency Proce

- In the event of a fire, medical contractors are required to notify zone security or the SSGC representative immediately. The security personnel the location of the fire and any other pertinent information. In the event that Zong set unity or SSGC representative cannot be reached, evacuate the area and call area/city emergency department at soon as possible. All contractors, contractor employees and
- ippontractors are required to follow the predetermined exit routes and emergency evacuation procedures porte the facility.
- All contractors, contractor employees and subevent of emergency alarm activation or if instructed to by an SSGC representative. In the event of an in the work area/building in the evacuation, contractors are required to go directly to the exployee staging area located at guard shack.

Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of any that is to be used indoors. programe or gasoline powered equipment
- SSGC Management discourages the use of internal combustion engines indo no reasonable alternative means are available to complete the job. rs, and will only permit it when

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have ground-fault circuit interrupters (GFCI).

7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- b. The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the necessary precautions have been taken.
- c. The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC representative will issue a new permit.
- d. The contractor employee designated as the "fire watch" shall sign the permit after the final check has been made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding

- a. All lands belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet and meat SGC Work at Height Requirements.
- b. All ladders used to Zone property must be properly secured.
- c. All scaffolding plust be equipped with railings and toe boards.
- d: All "swinging" type samelds must be inspected by the contractor and repaired if necessary before use.
- e. All overhead work from a sklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors comply libell applicable environmental rules & regulations.

8.1 Non-Hazardous Waste

- a. Construction refuse and debris will not be allowed to accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in the contract document.
 b. Contractors shall take ownership of all waste and the integer and the contractors.
- b. Contractors shall take ownership of all waste and debris generated from materials they brought to the job site or from demolition activities, and shall dispose of a loweste and debris in accordance with all applicable laws and regulations.
- c. Reference to SSGC, The SSGC Company or any of its trademaks shall not be used in any documentation associated with the disposal of such waste and debris.
- d. Contractors shall coordinate with the Zone, whenever practical, to sain gate debris or waste which may be recycled or re-used in a safe and environmentally responsible manner.
- Worksites may be periodically inspected by the SSGC representative to ensure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such the stipe worksite and property have had a final inspection and removal of all containers, debris, wastes and materials has been confirmed by the SSGC representative and documentation has been printed that all hazardus wastes have been properly disposed.
- f. For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

8.2 Hazardous Materials

- a. Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
 - i. Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.



- HandBook | February 2022



- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- The carriagtor shall assure that all employees dealing with hazardous materials and hazardous wastes have had air legally required training and are familiar with the hazards presented by such wastes or materials.


Spill Response Procedures

- a. Each contractor is recurrent to have a written emergency response plan to handle spills and releases which may occur during trailing a livery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its an eigency response plan to the SSGC representative prior to beginning work.
- Each contractor must provide at the equipped with appropriate spill response equipment. All contractors, contractor employees or subcontractors who engage in the emergency response of a hazardous material release must have been trained and lay the appropriate spills response certification and meet response C,
- Contractor must provide documentation is contractor must provide documentation to the provide contracted with at least one reputable outside spill response contractor, that is reasonably agree to be to SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of haze to materials.

 The contractor shall be responsible for appropriate clear up of spills caused by their activities. Such clean-up
- will include removal or remediation of any materials impacted by such spill, such as: building materials, soil, e.
- In the event that a spill or release of contractor's material occurs (1986C's property and the contractor does not respond to the release to the satisfaction of SSGC, SSGC sta necessary steps to respond to or remediate such spill or release. The e the right to take any reasonably all costs incurred by SSGC to respond to such spill or release. tractor shall reimburse SSGC for
- Spills and releases of hazardous materials must be reported immediately f. representative. e contractor to the SSGC
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.





9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized records.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and understood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by the leave listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors was volate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, comparing these rules.

Compliance with the SSGC Contractor Work Rules do pet in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local fafety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable to contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with an a picable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services for SSSC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold har nies. SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breach of the above warranty and/or any violation of applicable laws, regulations and/or rules.








Company	 	
Date		
SSGC (Print)		
Signature		
Title		
SSGC Representative		
cc: Project Manager File Zone HSF Manager		

11. DOCUMENTED INFORMATION

		· ·	•
Record No.	Record SSGC	Maintained by	Retention Period
SSGC-IMS/GSC-F-0	1 HSE A Awareness Form	HSE&QA Department	3 Years

NR

ON CONTRACTOR OF THE PROPERTY






IMS Form

SSGC-IMS/GSC-F-01

HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

Organization		C	ontact name		
ame		C	ontact number		
ype of Congacture Mechanical V ork. Contractor Pipemin	Electrical Work Construction Th	Civil Work □ Was ird party inspection	te Disposal □ Cante ι □ Goods Supplier	een 🗆 Transport 🗅 🗆 Other:	Manpower
Area of Working:			, <u> </u>	• .	
Contract Coordinat	or:				
•	7	HSE&QA AW	/areness		
1	Description	8.	معديدي والماسي	, Remarks ,	
ISO & OHSAS Stan	dards				
HSE&QA Policy			•		
PPE Policy					
Risk Assessment a	nd Management Pro	cedure			wr
Incident and Accide	nt Management Pro	cedure	C'		
Emergency Respor			<i>D</i> ,	•	···
Technical Specifica	itions/Performance a	and Testing			
Remarks:		•	·./	P O	
Supplier	Contractor Repres	entative	HSE	&QA Re	ive
I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.			provided basic information of HSE&QA Policies and integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specifications (and polety).		
Name	Signature	Date	Name	Signature	Date
1	1	i.	1	ì	1

ment System



HSE&QA Department

PENALIZATION MECHANISM

Revision 01

SSGC-HSEQP-F-10

Issue Date: Sep. 2022


or Service Combacts Only

1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Penalization mechanism

hart depicts the mechanism/ hierarchy, which will be followed for the penalization or the contractor. Penalization Form and Annexure-J-1 can be found below.





ISE&QA epartment	PENALIZ	ATIONITODIA	
partment	. —	A LION FORIN	Revision 01
	for Service Co	entracts Only	Issue Date: Sep, 20
MR	<u> </u>		
Project		Date	
Section		Contractor	
User Dept.		Focal Person	n
Nature of N	on-Compliance (As p	per Annexure J-1)	
		· · · · · · · · · · · · · · · · · · ·	•
10,			
	/ _እ		
		•	
	^^		
l a			
Mode of Pe	nalization		
Mode of Pe	•	·	
Mode of Pe	•	^	
Mode of Pe	•	2	
Mode of Pe	•		·
Mode of Pe	•	00/1/2	
Mode of Pe	•	Initiat	
Mode of Pe	•		Signature
Mode of Pe			Signature
Mode of Pe			Signature
Mode of Pe	Name	Initiatus	Po
Mode of Pe	Name		P _P
Mode of Pe	Name	Initiatus	Po
Mode of Pe	Name	Initiatus	P _D
Mode of Pe	Name Reco	mmended by HSEQA	Signature
Mode of Pe	Name Reco	Initiatus	Signature
Mode of Pe	Name Reco	mmended by HSEQA	Signature
	Name Reco	Initiat was mended by HSEQA	Signature Sivisional Head
	Name Reconnended by	Initiat was mended by HSEQA	Signature Sivisional Head
	Name Reconnended by	Initiat was mended by HSEQA	Signature Sivisional Head
	Name Reconnended by	Initiat was mmended by HSEQA User Departmental/D	Signature Sivisional Head

(Jahan Jana) 81:

ins

tiator oprophenent

SSC:(*)
HSE&QA
Department

PENALIZATION MECHANISM Service Contracts only ANNEXURE J-1

SSGC-HSEQP-F-1

Revision III

Issue Date: Sep. 20

HSE	Mode of Penalization
PPE related	1 st Time — Verbal Warning her site in charge 2 nd Time — Written warning ' Explanation Letter 3 rd Time — Removal of worker from duties
2 Act / Unsafe Condition	1 st Time ———— Stop work 2 nd Time ———— Stop work along with written warning letter
Not report any major incidents within the time frame specified in Tender documents. No proper to a second to the time frame specified in Tender documents.	1 Ime Removal C
No proper tag out bekort/ barrication / signage boards and systematic PPE non-compliance as advised by \$500 representative(s) at Site or ment oved in SS SOPs, work instructions or ToR	1st time Warning Letter
Deviation in actual	
Deviation in actual manpower provided vs in manpower (Organogram) submitted in tender documents Non-Compliance in tender in t	er Cost of unavailable staff, as listed in 1900.
Non-Compliance related to Quality Paramete outlined in ToR, BOQ, applicable internation Standards & Codes and SSGC's SOPs.	Up to 2% of the invoice amount of the billing period
porting	S
Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan	Financial penalization up to 2% of the invoice amount of the
Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office.	invoice amount of the billing period Explanation letter
Providing wrong / insufficient information in invoicing pertaining to equipment and manpower.	Financial penalization Up to 2% of the invoice amount of the billing period
maripower.	

Junio Junio .

Fris.

6 8 2 200 Hope

SSSC-HSEUP-F-10

ALIZATION MECHANISM GENTLE COMMENTS ONLY

Ravision 01

MSE&QA Department

12

ANNEXURE J-1

Issue Date: Sep. 2000:

Fithics & Conduct

SSGC team

	SCOR team by any statt.
4	Non-camperation with SSGE team by any staff of Contractor. Non-cooperation includes non-sharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or
•	instructions related to works given by 3300 a
	Deport di (13) absence/Unavailability of site
	Contractors stall during surprise visits of
	Contractors and during surprise visite

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head:

Financial penalization (One day salary deduction of entire site staff of audited site)

Note:

Penalization amount of not exceed the 5% of the total contract value:

If Three (03) non-computance (on any one issue or combination of issues) are issued to any contractor. Management will decide to impose additional penalization (e.g. forfeiting of Performance Bank Give heat / retention money), termination of contract or temporary blacklist (Blacklisting will be up to one (01) year.

and penalization are outlined in tender documents

