#### SPARES FOR PIPELINE PAY WELDER (UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE) AS PER PPRA RULES 2004

# TENDER ENQUIRY NO:

# SSGC/LP/PT/2043036

Bid Closing date & time: 20-12-2024 at 11:00 hrs Bid Opening date & time: 20-12-2024 at 11:30 hrs

#### Venue:

Tender Room, CRD Building, Ground Floor SSGC Head office complex Karachi -75300 In 199021024 – 99021173 - 99021116.

Supplier notes be active in FBR Active Tax Prayer List (ATL)
Sealed quotation at Poye referred requirement to be submitted in PKR EARNEST MOVING (FIXED BID BOND): PKR 190,000/-

Note: Tender document is also available online on SSGC website for view any. Bidder is eligible to participate in bidding process only after purchasing the tender document from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents.



# Sui Southern Gas Company Limited

Procurement Department ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan Phone: 99021279, Fax: 99231583 www.ssgc.com.pk/ssgc

#### Schedule of Requirement.& Bid Form

	RFQ_Numbe		SSGC/LP/PT/204	3036	'	dding Date	26-NOV-24 10:44			
	Document_	Number	2043036		Close Bidding Date 20			0-DEC-24 11:00		
S#		Item Descriptior		Unit	Quantity	Make / Brand	Unit Price inclusive of all discount (if any) & Exclusive of GST	Value PKR		
1	20151122	CDARES FOR HINGO	3	<u>4</u>	5		6	$7 = 5 \times 6$		
<b>.</b>	38151133	SPARES FOR 'LINCO W.PLANT,ENGINE # 22 SWITCH TOGGLI	PERKINS 404C-	Each	4					
Delive	ery Schedule:	Delivery within 45-	60 Days after confirmation	of P.O.						
2	37329343	CONTROL BOX COVI	ENGER PAY WELDER   ER ASS'Y (P-234-G.1)   ICH (S5) PART # M157501	Each ·	4					
Delive	ry Schedule:	Delivery with 1 5-	60 Days after confirmation	of P.O.						
3	37601633	FILTERS FOR P (1) FILTER, P/NO. LFE /		Each	20					
Delive	ry Schedule:	Delivery within 45-6	60 Days after confirmation	of P O			<u> </u>			
4		FILTERS FOR PIPELIN		Each	8					
_		PASS FILTER, P/NO.		)	8					
Delive	ry Schedule:	Delivery within 45-	60 Days after confirmation							
5	37601673	FILTERS FOR PIPELIN FILTER INNER, P/NO	NEMAN PAYWELDERS   AIR D. AF26558							
Delive	ry Schedule:	Delivery within 45-	60 Days after confirmation	of P.O.						
6	37601683	FILTERS FOR PIPELIN FILTER OUTER, P/NO	NEMAN PAYWELDERS   AIR D. AF26557	Each	7/	3				
Delive	ry Schedule:	Delivery within 45-	60 Days after confirmation	of P.O.		10,				
7	37601693	FILTERS FOR PIPELIN PAYWELDERS HYDF P/NO. LH0240R010I	RULIC OIL RETURN FILTER,	Each	4	4				
Delive	Schedule:	Delivery within 45-	60 Days after confirmation	of P.O.						
8	37601703 ·	FILTERS FOR PIPELIN PAYWELDERS HYDF P/NO. LH0060D010I	RULIC OIL RETURN FILTER,	Each	2		S.			
Delive	ry Schedule:	Delivery within 45-6	i 60 Days after confirmation	of P.O.						
9	37329413	SPARES FOR PIPELIN CONTROL PC BOARD		Each	12					
Delive	ry Schedule:	Delivery within 45-6	60 Days after confirmation	of P.O.			**************************************			
10	37329443	SPARES FOR PIPELIN P.NO E00035502440	JE PAY WELDER   AVR	Each	2					
Deliver	ry Schedule:	Delivery within 45-6	50 Days after confirmation	of P.O.			L			

27-NOV-24

E-Business Suite 11i - Sourcing Module



#### Schedule of Requirement & Bid Form

	RFQ_Number SSGC/LP/PT/2043			3036	Open Bio	dding Date	26-NOV-24 10:44		
	Document_	Number	2043036			dding Date	20-DEC-24 11:00		
S#		Item Description		Unit	Quantity	Make / Brand	Unit Price inclusive of all discount (if any) & Exclusive of GST	Value PKR	
1	2		3	4	5		6	$7 = 5 \times 6$	
11	37329473	SPB2354 P.NO 2196	IE PAY WELDER   V-BELT   2584	Each	4			All the second s	
Delive	ry Schedule:	Delivery within 45-6	io Days after confirmation	of P.O.					
12	37329483	SPARES FOR PIPELIN PRESSURE GUAGE N 21982319	• •	Each	2				
elive	ry Schedule:	Delivery with 45-6	O Days after confirmation	of P.O.					
13	37329493	SPARES FOR PARALE PINGS	E-PAY WELDER   204 71	Each	4				
Delive	y Schedule:	Delivery within 45-6	0 Days after confirmation	of P O					
14	37329503		E PAY WELDER JO PUT	Each	20				
1-4	37323303	TERMINAL ASSEMBL		Each	20				
elive	y Schedule:	Delivery within 45-6	0 Days after confirmation	0					
15	37329513	SPARES FOR PIPELIN (SPST)(S1,S3) P.NO T	E PAY WELDER! SWITCH 108004						
elive	y Schedule:	Delivery within 45-6	0 Days after confirmation	of P.O.			L	•	
16	37329523	SPARES FOR PIPELIN BRAKER (10 AMPS) P	E PAY WELDER   CIRCUIT NO 11228720	Each	1/	\$			
elive	y Schedule:	Delivery within 45-6	0 Days after confirmation	of P.O.		79.			
17	37329533	SPARES FOR PIPELIN POTENTIOMETER (R4	E PAY WELDER   4,R5) P.NO T10812122	Each	4	6			
(	<u> </u>								
	Schedule:		0 Days after confirmation						
18	37329543	SPARES FOR PIPELINI (S6) P.NO T135621	E PAY WELDER  SWITCH	Each	4		<b>1</b> /2		
eliver		Delivery within 45-6	0 Days after confirmation	of P.O.					
19		SPARES FOR PIPELINI BRAKER P.NO T1228	E PAY WELDER   CIRCUIT 737	Each	4				
eliver	y Schedule:	Delivery within 45-60	O Days after confirmation	of P.O		<u> </u>			
20	37329563		PAY WELDER   SAFETY	Each	4			·	
eliver	y Schedule:	Delivery within 45-66	Days after confirmation	of P.O					
				J. 1.J.					

27-NOV-24

E-Business Suite 11i - Sourcing Module



Page 2 of 4

#### Schedule of Requirement & Bid Form


	RFQ_Numbe	>r	SSGC/LP/PT/204	3036	Open Bid	dding Date .	26-NOV 24 1	0.44	
	Document_I		2043036		'	dding Date			
	D G G G G G G G G G G G G G G G G G G G	14111001	2043030		Close Dit	ding Date	20-DEC-24 I	1.00	
5#	Item_Code	Item Description	n	Unit	Quantity	Make / Brand	Unit Price inclusive of all discount (if any) & Exclusive of GST	Value PKR	
1_	2		3	4	5		6	$7 = 5 \times 6$	
21	37329573		NE PAY WELDER  SAFETY DPSIG P.NO 32385693	Each	4				
elive	ry Schedule:	Delivery within 45-	60 Days after confirmation	of P.O.					
22	37329603	SPARES FOR PIPELII	NE PAY WELDER   GASKET	Set	3 .		T		
		FLANGE P.NO 3029				•			
elive	ry Schedule:	Delivery with 15-	60 Days after confirmation	of P.O.			<u> </u>		
23			YE SAY WELDER! VALVE	Each	4				
•		RELIEF 80PSIG P.I	720 2185		·				
elive	ry Schedule:	Delivery within 45-	60 Days afte confirmation	of P.O.					
24	37329623	SPARES FOR PIPELII INJECTOR P.NO 526		Each	18				
elive	ry Schedule:	Delivery within 45-	60 Days after confirmation				<u> </u>		
25			NE PAY WELDER   FUEL						
elive	ry Schedule:	Delivery within 45-	60 Days after confirmation	of P.O.			<u> </u>	NECK!	
Fotal	Fix Bid Bond A		,000		A,				
0	Deli	ivery Location	n: Khadeji Stores.			SCA.	CHAN GAS		



#### Schedule of Requirement & Bid Form

#### NOTE:

- 1. The quoted unit price and corresponding total amount shall be inclusive of all duties and taxes and discount (if any) except General Sales Tax. (GST). Sales Tax will be applicable as per GST act and subsequent amendments of time to time. GST will be reimbursed to manufacturer and importers only subject to production of paid invoice.
- 2. Bidders are essentially required to quote on bid form. Rates quoted on other then bid form will not be entertained.
- 3. Any queries / complaints regarding subject tender enquiry shall be addressed to GM(P) / DGM(P) in writing
- 4. EVALUATION CRITERIA: Order will be placed on the Lowest Technically / Commercially Compliant bidder (s), unless specified otherwise.
- 5. In case when bidder submit alternate bids, a seprate Bid Bond for each bid is required. All the bidders are advised to furnish fixed bid security amount appearing in price schedule/BOQ otherwise bid will be liable for rejection.
  - The submission of fixed amount of bid security is also mandatory for all the bids valuing RS,500,000/- of less.
- 6. Any Bidder who change/amend the BOQ or Price Schedule (Description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- 7. Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain unchanged.
- 8. All offers shall remain valid up to 120 days from the date of opening of bids and bid bond shall remain valid for 150 days.



SPECIAL TERMS AND CONDITIONS (INDENT Ref #: KDI/BWS-1 31/2024-25) Following Special Terms and Conditions shall be incorporated in the Tender RFO for strict compliance, in addition to Tender General Terms & Conditions of Tender enquiry. Only Genuine Spare parts are required for Pipeline pay welder Model= PMHY140, Machine Sr. #=1601001, 002, 003, 004. Engine Model No Cummins QSB6.7 Indiana, Generator Set Sr. No. X15E19 5437, Air Compressor Sr. No.H7100XB10 / 18-1620178. The bidder shall submit following required documents, clarifications confirmations along with bid. IN CASE THE GOODS ARE ARRANGED LOCALLY: The bidder shall submit following: The bidder shall submit samples of the offered spare parts at Material Control Unit (MCU), projects & Construction department, KT if a) required/ demanded by user department. IN CASE THE GOODS ARE IMPORTED: The bidder shall submit following: b) The principal/ supplier abroad unpriced quotation with brand & country of origin of the offered spare parts. 1-The principal/ supplier abroad undertaking on original letter pad clearly mentioning the spare parts shoud be supplied same brand and 2origin as offered. The undertaking Bidder's original letter pad clearly mentioning that the supply spare parts would be of the same brand and origin as 3mentioned in RFO and the spares shall be supplied in genuine packing proper part No. and along. (The spare parts in non genuine, loose or loca pac ing are not acceptable). The bidder,s confirmation ong with bid that the original Custom/import documents would be in the name of his firm and from the same designated principal/suppl broad shall be submitted at the time of delivery of goods. DRB/OD/

Zuh B

Zubair Mubarak Trainee Engineer (P&C) Executive. No. (12178) Sui Southern Gas Company

or Engineer Construction Deptt. Sui Southern Gas Company Limited

Ghulam Ali Mahar General Manager **Projects & Construction Dept** 

# Checklist for Bidders

	Phone No.	
Opening Date:	٠.	
Enquiry No.:		M/s.

// provided along your bid check { } Please ensure before submitting the bid, that following information / documents have been appropriate bod.

												,
ŝ											_	
Zes Zes												
No See No	ents	1. Fixed Bid Bond as specified is enclosed.	2. Original Technical literature is enclosed, Il any	3. Any change in your current address, phone, 18x no. & change	4. Bid validity as specified is mentioned.	5. Delivery period has been specified.	6. All correction /cutting/ overwriting are signed & standard	7. Sample (if necessary) is enclosed.	8. Each & Every Page of the bidding documents of the Signey and Started	the bidder.	9. Original Bid + One copy is submitted.	10 Form V & Rid Securing Declaration (1) gned & statuffed

on decuments, or incomplete/incorrect statement on this checklist may result in rejection of the bid Non-availability of the above informa at / after the bid opening.

March 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak PADS). As per SRO296(T)/2023 dated 08 Acquisition and Disposal

Bidders Authorized Representative



# Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

<u>Nate:</u> In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will gavem / prevail.

#### 1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful bidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully delivered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annex-l, duly filled, signed & stamped.

iv) by use where performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the conflict / purchase order are new, unused, of most recent or current models and incorporate all recent improvement in design and goods unless and otherwise provided in the contact / purchase order.

v) The Vary ht, Undertaking being provided by the successful bidder is required to be submitted at least on Rs. 200'—Non-Admial Stamp paper and should be duly notarized / attested.

vi) in case of Supply Installation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the syment of supplies will be released after successful installation, Testing & Commissioning.

#### 2. Bid Security:

- a) Bid bond submass (1 2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be tree led as null & void, however, other contents of clause 9 will remain unchanged. The submission of fixed amount to Rid security is appearing in the Schedule of Requirement/Bid Form.
- b) All the bidders are a wiled to furnish fixed bid security amount appearing in Schedule of Requirement/Bid Form, failing y and their bid will be rejected.
- c) The submission of fixed amount of hidesecurity is also mandatory for all the bids valuing Rs.500,000/- or less.
- d) The word lowest bidder or the lowest endured bid has been substituted to read as most advantageous
- e) Sub-clause 9.2 of the General Terms & Conditions to be treated as null & void, however, other contents of clause 9 will remain unchanged.

# 3. Method For Submission of Bid Bond (Under Single Stage To Envelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid Kond as per clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the old bond is placed in the financial proposal will also be considered. Without submission of bid bond (either in Example) proposal or financial proposal) the bid will be rejected.

#### 4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and id bad shall remain valid for 150 days.

5. <u>Declaration / Integrity Pact / Certification:</u> It is required to be submitted by the packs of Bibber on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of 2s.10,000,000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

#### 6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

#### 7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4 LP-Rev-22 19 Dec 2023



clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

#### 8. Correct Postal Address.

Budder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.
- hd & PBG (Performance Bank Guarantee) for Proprietary Tenders proprietury Tenders, the Bid Bond & Performunce Bank Guarantee (PBG) are not required / In Ca. Applica
- Lange / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- al Terms & Conditions is meant for vendorized items processed through negotiated 15. Clause 14.1 of Gen tendering clauses.
- the most advantageous bidder is new local manufacturer, 10% trial order 16. For open competitive idd g order will be awarded to the next most advantageous bidder at their own will be placed and remaining quoted rates.
- urned in after 6 months of work completion / material delivered. 17. SSGC will not pay invoices if the
- 18. It is mandatory for the bidders to man the terms and conditions given in the tender documents without abilit the bid accordingly. Therefore, in this context, the bidders are any addition / deletion / amendment and ons as it tantamount towards the conditional bid. Otherwise requested not to give their own terms an d the Purchase Order / Contract will be awarded based on their terms and conditions will not be consid only as per SSGC tender terms and condition
- nly one Bank Account number (IBAN number) on the 19. The bidders/contractors are required to provide the ation, which shall be firm (not changeable) for 'FORM-X' attached duly signed & stamped as one tin all the future payment transactions.
- 20. Payment:

The supplier after delivery of goods and its acceptance shall sub at avoice to Finance Department of the CARO, Company, containing following information i.e.

- Purchase order No. & date (a)
- (b) Items
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc. (g)
- des Tax return. Supplier(s) are required to submit signed and stamp acknowledgement (h) Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (or felevant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
  - 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

19 Dec 2023

IP-Rev-22

and the contract of the contra

deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.

- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
  - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).

#### 27. Fixed Bid Security - Alternative Bid

A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that we also be considered as an Alternative bid/offer and require to submit separate Bid bond for each make/brand/model.

- 28. Bidd r will be blacklisted and henceforth cross debarred for participating in respective category of Public Process ment proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and a number practices, if in breach of obligation(s) under the Bid conditions:
  - a) The bidder have wit drawn or modified their bid during the period of bid validity as specified in the tender terms.
  - b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign be contract or accept purchase order (ii) fail or refuse to furnish the performance security of the comply with any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" in Law Lin clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either a) 200 or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the rightal procurement for the same items as given in the BOQ for package basis. In case the require what is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following chases to be applied:
  - a) The bidder(s) are essentially / mandatorily required to submit the bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
  - b) Evaluation for each LOT will be carried out separately. Each LOT will be warded separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to show 10% Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
  - Any bidder feeling aggrieved by any act of the procuring agency after the submission
    of his bid may lodge a written complaint concerning his grievances within seven days
    of announcement of the technical evaluation report and five days after issuance of final
    evaluation report.
  - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.

Procurenters | F

LP-Rev-22 19 Dec 2023

- in case, the complaint is filed after the issuance of final evaluation report, the
  complainant cannot raise any objection on technical evaluation of the report. Provided
  that the complainant may raise the objection on any part of the final evaluation report
  in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



NOT FOR BIDDING BURBOSK

# Form of Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)] No.: [number of Bidding process] No.: [insert identification No if this is a Bid for an alternative]

To: [complese plame of

according to your conditions, Bids must be supported

will be blacklisted and henceforth cross debarred for participating in ublic procurement proceedings for a period of (not more than) six months, is fail t ewith a bid securing declaration, however without indulging in commupt and frauduler practices, if we are in breach of our obligation(s) under the

- (a) have withdrawn our Bid ಕೌಂf Bid; or period of Bid validity specified in the Letter
- (b) having been notified of the accept anduring the period of Bid validity. (i) f our Bid by the Procuring Agency or reruse to furnish the Performance efise to sign the Connact or (ii) fail decordance with the ITB ing (or guarantee), if

We understand this Bid Securing Declaration shall ex Bidder, upon the earlier of (i) our receipt of your notice successful Bidder; or (ii) iwenivelight days after the expiration us of the name of the Name of the Biggs

Name of the person duly authorized to sign the Bid-on behalf of the

Title of the person signing the Bid

Signature of the person named above

Date signed.


. In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

F: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a formt Venture, the Bid-Securing Deciarmon must be in the name of all members to the formt Venture that suomiss the Bid.!



Supplier code:	
FORM-X	
Bank account details form for all Beneficiaries	
(Mandatory requirement for Digital Online Banking)	
s per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R dated 23 <sup>rd</sup> Sept'2021 to yment online w.e.f. 01-11-2021. All beneficiaries are required to fill in the below details, wandatory:	
ame of Firm:	
Idress of Firm:	
NIC#:	
ΓN #:	
ink Name:	
ank A/C Title name:	
anch code:	
ink A/c #: (16 Digits)	
ank IBAN #:24 Digits)	
Information already submitted.	
ote: Please be attached copy of Cheque / Account Maintenance Certifica e. Landator	<b>y</b> )
	.1
Authorized Sign &	Stamp
nte:	
ote: All payments transactions will be made on above mentioned Account details. This is time information to be provided by the all beneficiaries. Incase if the above detail has been been been been been been above "Information already submitted" and also ensure ally signed & stamped.	as already



# TTHE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

#### ANNEXURE: I

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- 1. Name
- Father's Name/Spouse's Name
- 3. C/ NICOP/Passport No.
- 4.
- 5.
- 6. Email address
- 7. Date on which shareh L control or interest acquired in the business.
- In case of indirect shareh liding, control or interest being exercised through intermediary companies, entries or other legal errors or legal arrangements in the chain of ownership or 8.

Legal form (Company/Limits (Company/Limits) Liability Partners (Association of Persons/Single Member Company/Partners Firm/Trusted/Any of Individual, Body Corporate (to be Specified)	dien / Registrall	Name of Registering Authority	Aushoss Adhess	Country	Enwil Addiens	Perpant a of shares city control impress of in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or least of design Person or legal Arra development in Control or legal arra development or legal arrangement or legal ar	I 10 Identity of Natural Person who Utimately owns or Controls the Legal Person of Arrangement
--	-------------------	-------------------------------	----------------	---------	---------------	--	--	--

9. information about the Board of Directors (details small be provided regarding number of snares in the capital of the company as set coposite respective names).



# THE GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 I

Sumame (in block Latter's)  Passport No)  Any other information incidental to or relaxation beneficial owner(s).  Any other information incidental to or relaxation beneficial owner(s).  Any other information incidental to or relaxation beneficial owner(s).		CNIC no rio i	Eathara			16	17	18
Ferson    Cotal numbers of shares taken (in figures and words)  10. Any other information incidental to or relationation beneficial owners).  Name and signature	x Latter's)	case of foreigner	Husband's	. Current Nationally	Nationality	Occupation	ally address in full of the registered / principle office address for a subscribe rs other that	Numbers of shares taker by cash subscribers (i figures and words
10. Any other information incidental to or relationated owner(s).  Name and supparate			7					
10. Any other information incidental to or relevento beneficial owners).  Name and signature	· i		<b>A</b>				·	
10. Any other information incidental to or relevento beneficial owners).  Name and signature			- U	Total numbe	ers of snares t	aken (	in figures :	
(Person sufficient to include	Any office	er informatio:	n incidental to d	<b>分</b> .	· · · · · · · · · · · · · · · · · · ·			
(Person authorized to issue notice on behalf of the company)	erson authoriza	ed to issue noti	ca on behalf of th	ое соправу)	S	, //	(3) (3) (3)	Treus ment



## Sui Southern Gas Company Limited (SSGCL)

#### Contents

Section -1 ral Terms & Conditions Included Section -1A al Terms & conditions for Included Section - 2 Conditions Included /Not required Annexure-A Format of Bid Bo k Guarantee Included Annexure-B Format of Performa Included

Declaration by Supplier

Annexure-C

Part - B Bid Form (Schedule of requirement) Section - 3 Included Specifications/Drawing (if applicable) Section - 4 cluded /Not required

Included /Not required



#### SUI SOUTHERN GAS COMPANY LIMITED Procurement Department

	1 tocal carone popul amount	
M/s		_
	1	
••	Tender Enquiry No	

#### INVIATION TO BID

Sui Southern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the subject material according to Terms and Conditions specified in the attached Tender Document. Please read following instructions before submission of bid:

- Bids to be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number ning date and time on the face of the envelope.
- Bid Bon @ 1/2 of the total FOR / FOB value shall be enclosed with the bid without which bid will be ed to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is spiring.
- In case the bid oper up late falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled care, t will be opened on next working day at the same time and at the same venue. The bidder shall bear ill expresses associated with the preparation and delivery of its bid/sample and the
- Company will in no case by the in this respect.
- Prospective bidder requiring by information or clarification of the tender may notify the same by fax or at the mailing address. The Comparative respond to any request for explanation or clarification, if received the mailing address. The Company will respond to within reasonable time prior to subject in of bids.
- The Company reserves the right to can al, aid, delete or amend tendered items/quantities/any part of the tender during the bidding period without g any reason. However, bidders shall be informed about it prior to bid opening/process.
- The Company reserves the right to accept or reject and reject all bids at any time prior to award of or bid or part of a bid or to annul the bidding process rat/purchase order without thereby incurring any liability to the affected bidder(s).
- 8. In case of Single stage two (02) envelope bidding procedure (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be samulated in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" and Pinancial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and valueted first. Financial offers of only technically compliant bidders will be opened at a later interacted date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along representatives. Financial proposal of technically non-compliant bidd with their bid bond.
- 9. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Santa-1A will also apply.
- 10. The Company will appreciate confirmation by fax No 92-21-99231583 or emit at any e@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in sub pission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
- 11. Bids are required to be submitted at:

Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074, Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk

Hope and look forward for your valued participation.

Thanking you Yours sincerely General Manager (Procurement)





SSGC

Section - I

ocureme

#### General Terms & Conditions

#### 1. Submission of bids:

Bids are to be submitted in sealed envelope provided with the tender (in such a manner that 1.1. contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.

Sealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, Building, SSGC Head Office. Bids are to be delivered on or before closing time after which ill not be entertained. In case bid is sent through courier, the same shall be delivered at least

ur before scheduled opening time.

The company may at its discretion extend the closing date for the submission of bids, in which 1.3. is and obligations of the purchaser and bidders previously subject to the closing date be ubject to the date extended. However, any request for extension received from prospective baide less than one week prior to bid opening date may not be entertained. In case of g date, the same will be advertised in press and simultaneously shall be extension in bid o

intimated to prospective bidder who had purchased the tender documents.

The bid shall contain no attainment in case of any correction etc. it shall be signed and stamped by the

person signing the bid.

1.5. The quoted price shall be inc f all duties/taxes except GST, which is to be mentioned separately. The supplier shall declare 6 applicable) regarding non-applicability of GST for which documentary evidence shall be enclosed or suld be produced upon demand.

Rates shall be item-wise, as given in profess hedule/schedule of requirement/Bid Form unless

1.6. schedule/schedule of requirement/Bid Form unless

otherwise specified.

Bidder is responsible for timely delivery of bits of location specified 1.2 above. Company will not be responsible for misplacement/ tampering/non-atterior nee/delay or any other incident in case the bid is not delivered at the designated place & time. 1.7.

1.8.

Any bid received late after the closing date and time, with be rejected and returned unopened. The quotation shall only be acceptable on/as per Bid Frank I have for foreign tender when 1.9 ase for foreign tender when Local Agent submits bid on behalf of different bidders, a separate bid Bond for each Bid is required. Likewise for tender when bidder submit alternative bids a ate bid bond for each bid is required or else bid will be liable for rejection.

Deviation from tender terms and conditions is not allowed 1.10 wer, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: Bid deviation on any other page will not be entertained.

Discount offered (if any) shall be mentioned on the "bid form" only. 1.11

The bidder(s) or their authorized representative shall put his full signature with stamp & date on 1.12 each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.

The bid is to be completed and returned to the Company in accordance with, General terms & 1.13 conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

#### 2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

ż. Qualification is signalification of Suppliers: The Conquery, arrang mass For a followithe Attacheds, having credible mesons for or production evidence of any defect in surtain tisting Mechanismies, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial compete

> Please Follow the Attached Black Listing Mechanism

whether already pre-qualified or **Electrical college to Attached** as supplier or contractor if it finds, at any time that the information regar**itation** instruments of incomplete.

#### 4. Joint Ventures:

In the event that the successful bidder is a toint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

#### Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents of eccived five working days prior to closing date for the submission of bids prescribed by the Company. In Company response (including an explanation of the query) will be sent in writing or by fax/e-mail to a prospective bidders who have purchased the tender documents. Verbal instructions/reference will not be acceptable.

#### 6. Modification and with a wel of bid:

- 6.1. The bidder may modify to the draw its bid after the bid submission, provided the written notice of the modification or within val is received by the Company prior to the deadline prescribed for submission of bid. After the bids/s to tions are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or with a notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax allowed by a signed copy.
- 6.3 Bids once opened cannot be withdrawn during validity period.

#### 7. Bid validity:

All offers shall remain valid up to 90 days (120 days in care of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the hidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. Sidder giving extension to his bid validity will not be required or permitted to modify his bid. If there will be a y query/clarification or extension request asked by the Company, the bidder should reply the same within 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their bid validity period.

#### 8. Rate Escalation:

#### 8.1 All items except line-pipe:

Quoted prices shall remain valid. firm, irrevocable and fixed till the fulfill nent of obligations by the bidder and will not be subject to escalation / change on any account.

#### 8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:

  a) H.R. Coil.
  - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Fracuremen

- The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

#### 9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unbidders while the bid bond of the successful bidder shall be retained, till submission of e band (if applicable). Bids without bid bond will not be considered. In case the order value is .Performan 0000 the bid bond in lieu of performance bond will be retained till fulfillment of less than obligations by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as respectivement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with me o der. Bid bonds of non-compliant bidders may be released during evaluation a feited if a bidder withdraws the bid duringvalidity period specified by the process. The bid bond me bidder or if successful bidder fins to

- Accept purchase order,
- Supply material as per requirement and delivery schedule
- In the event of bid bond validity following sho t of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the ball of hission date or (ii) where so required by the procuring 9.1 In the event of bid bond validity following agency, then in such an event it shall be man att. On the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of tech bposal / bid, and / or where so required by the procuring agency.
- In the event of the bid security amount deposited / furnished by the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in the nature of the procurement may consider and allow the bidder to deposit / furnish the balance. The amount, provided the bidder to deposit / furnish the balance. 9.2 In the event of the bid security amount deposited / furnished does so within 15 days of the opening of the bid. Notwithstanding he all other terms & conditions have been fully complied with.

#### 10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (atendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

#### 11. Preliminary Examination of bids:

- The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the 11.2 total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each 11.3 bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- Fid determined as not substantially responsive will be rejected by the Company and cannot 11 4 subsequently be alone deponsive by the bioder through correction of the non-conformity.



#### 12. Ciarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

#### 13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
  material bidders must also attach a "proof from supplier/
  material facturer, that goods offered have been used successfully on a high pressure natural gas pipeline
  as where under tropical climatic conditions.

#### 13.6 Specification Compliance Sheet:

Company equires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to usose specifications or a statement of deviations and exceptions to the provisions of the specifications after required/desired. For purposes of the commentary to be furnished pursuant to above, the bid er stall note that standards for workmanship, material and equipment and references to brand many to catalogue numbers, designated by the Company in the specifications are intended to be descriptive only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or enalogue numbers in its bid provided which demonstrates to the Company's satisfaction that he substitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above document certificates etc., may be considered technically Non-compliant.

13.7 The offer shall be accompanied with all technical it addocuments/certifications as required under the tender specifications. Evaluation shall be carried out on the basis of data/ documents/certifications submitted with the bid. No clarification, additional information may be sought / accepted after bid opening.

13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and me tior offered specifications along with reference to its technical brochure/literature (page/clause No.etc). It is nest such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and ecclaral specification is not acceptable. However, if bidder feels to mention minor deviation the same shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet string reference of its technical data sheet/brochure. In case of insufficient information, data or does are so the Company is not liable to seek clarification and the bid may be determined non-control and an provided information.

#### 14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

**ს**երե

- Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure
- Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

#### 15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

The cost of compensation / loading amount for that item shall be derived from the bid itself.

If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming to technical specification, shall form the basis for cost compensation/loading.

empany will encourage participation by local bidders who will be given price preference. ost factor shall be determined as per prevailing Government policy / SRO. However they details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

#### ·16. Performance Bond:

- In case purchas tue is above Rs:500,000, the successful bidders shall submit performance be submitted within ten days from receipt of LOI or order along with bond guarantee which bond guarantee which the description of a pay order or bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in 0% of the total value of the purchase order or as specified, in the "letter of intent". The perform and unless specified otherwise; shall remain valid till;
  - Completion of final satisfact ay d livery in case of consumable items. 16.1.2
  - actory delivery of the equipment/machinery. 16.1.3
  - Satisfactory delivery/installation spem in case the installation responsibility is on supplier's part.
  - 16.1.4 120 days in case of chemicals.
  - 16.1.5 In case of locally manufacturing item, in PBC quivalent to 3 months delivery schedule will be required after placement of purchase der which should remain valid till completion of final satisfactory delivery of the Atlered quantity.
  - In case of small diameter line pipe (MS/MDPE) months after completion of satisfactory final delivery. shall remain valid up to 3
  - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in
- The guarantee will be released after completion of this period, subject to 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. In ty performance the guarantee valid at their cost until fulfillment of the obligations. 16.3
- In case the bidder does not submit the performance bond as specified, the deliver time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/ contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier.
- The performance bond will be discharged / returned by the Company not later than thirty (30) days 16.4 following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance. lć.5
- The Company shall premptly notify the supplier in writing for any claim arising under this grammatee. Upon receipt of such notice, the supplier shall promptly repair or replace the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nothing herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to fue value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall 16.8 confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.
- Contract: 17. Purchase C

Purchase order of groted material may be placed on fulfillment of conditions mentioned at 14 &16 above which is through one confirmation for proceedings with the suppliers.

18. Assurance:

The successful bidder was be required to give satisfactory assurance of its ability and intention to deliver ade enquiry and contract within the time set forth therein. the goods, pursuant to the

19. Force Majeure:

- In the event of either party hearto being rendered unable, wholly or partially, by force majeure circumstances to carry out is configurations under the purchase order/contract documents, such party shall give notice and full partially and other satisfactory evidence of such force majeure 19.1 circumstance(s) in writing or by ax to the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligations of an party giving such notice so far as they are affected by such force majeure shall be suspends for the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable as atch. The term force majeure' as employed herein, shall mean acts of God or public enemy, by I insurrection, fires, floods, earthquakes or other religionship of the period disparters and acts of God or public enemy. shall mean acts of God or public enemy, and insurrection, fires, floods, earthquakes or other physical disasters, order or request of government, blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplier's side shall not be included in the term 'force majeure'.
  - more than one month, both parties not ementation of the purchase In case the force majeure contingencies last continuously 19.2 will agree on the necessary arrangements for the further will agree on the necessary arrangements for the jurine in the parties shall order/contract. In case further implementation is unforeseeable in a ossible, both parties shall dice to their rights and arrange for the termination of the purchase order/contract, but without of ligations prior to such termination it being understood that each party sha fulfill its contractual obligations so far as they have fallen due before the operation of force m

# 20. Amendment in purchase order/contract:

- The Company may at any time by a written notice to the supplier make changes within the general 20.1 scope of the purchase order/contract in any one or more of the following:-
  - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
  - The method of shipment or packing. 20.1.2
  - 20.1.3 The place of delivery.
  - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
- Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason. 20.2
- Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the modification, if applicable.

Procurement שבטו.

Gulshau

- The supplier shall not perform modification in accordance with clause 20.1 above until the 20,4 Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- Modification mutually agreed upon shall constitute a part of the work under the purchase 20.5 order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

livry period: 21. Extension

- Delivery of the goods shall be made by the supplier in accordance with the schedule of 21.1 requirement and delivery period; however, the supplier may claim extension of the time limits as dule of requirements and delivery period in case of
  - 21.1.1
  - the goods ordered by the Company pursuant to clause 20.

    Assion of any services which are to be provided by the Company (services) Delay in 21.1.2 provided by the Company shall be interpreted to include all approvals by the Company under the cont .c
  - Delay in perform 21.1.3 ork caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to Company's satisfaction that it has used its best endeavors to avoid or overcome such causes for the parties will mutually agree upon remedies to mitigate or overcome such causes for des
- Not withstanding clause 21.1 above, the sugglisheshall not be entitled to an extension of time for completion unless the supplier at the time of such circumstances arising, immediately has notified 21.3 the Company in writing of any delay that it may claim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company, the supplier shall substantiate that the delay occurred is due to the circumstances referred by the supp

#### 22. Packing:

- we without any damage during .22:1 The material shall be in original/sealed packing to ensure it
- If any of the good is discovered to be damaged or unacceptable at the p int of embarkation, the 22.2 supplier shall be responsible for replacement of those goods free rge and cost to the Company, within the delivery time schedule of the contract/purchase ord
- 22.3 The identification marks showing contents, quantity and contract/purchase or er number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- 22.4 Handling and Transportation: The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

#### 23. Inspection:

- Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery 23.1 inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- 23.2 The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of doliver; and at the goods final destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspector, at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

purchase order/contract. If goods fail to conform to the specifications, the Company may reject them.

#### 24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
  - 24.1.1 R & D Section, Stores Department Abul Hasan Ispaham Road Flatachi
  - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
  - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
  - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
  - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
  - 24.1.6 Any other location specified by the company.
- 24.2 Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of joint or from the date of purchase order/contract whichever is earlier, unless otherwise
- 24.3 The surplie shall replace defective material at their risk & cost including transportation, duty,
- 24.4 GST Invoice applicable be submitted at R&D section Stores Department along with material & delivery challan.
- Unloading and castles, through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for material like Pipes/Heavy Machinery & Equipment etc).
- Delivery is to be made in thy in accordance with "delivery schedule" as specified by the Company.
- 24.7 The rejected material is to be projected/lifted by the supplier within a maximum period of one month after its intimation by the company. Beyond specified period, the Company shall not be responsible for storage/safety of the modellected material:

#### 25. Delivery Failure:

- In case the supplier fails to supply/ship to interial within the stipulated period, the Company have the right to make an alternative arrangement for the purchase of the goods on such terms as may be offered. In such event all losses, cost and tharges sustained/incurred by the Company on stated purchase shall be recovered from the Sapraer vithout prejudice to any other right or remedy available to the Company which includes no very of losses sustained by the Company from any due payment of the said supplier.
- 25.2 In the event Company remains unable to make such alternative arrangements, the Company has the right to recover from the supplier any or all losses sustained as a result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- In the event Company being forced to purchase any quantity or any the Atemative not specified in this document as a result of any failure to supply/ship the material, and appears shall have the right to terminate the contract/purchase order without prejudice to any other lights or remedies available to the Company.

#### 26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.
  - (a) Purchase order No. & date
  - (b) Items
  - (c) Quantity
  - (d) Price
  - (e) Invoice value
  - (f) Point of delivery
  - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

26.2 Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) jumples.

Procurement

Constitution of Market

SSGC

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

#### 27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- Whenever liquidated damages become payable, in the event that delivery of all goods and examinent is not made within the time period specified except on account of force majeure, the Com any shall quantify the same and shall serve notice to the supplier requiring payment thereof. If he replier fails to remit payment within 15 days of receipt of such notice, the Company shall forth with become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance bond.
- 27.3 The payment of the contract/purchase order nor shall the right and entitlements of the Company be affected or an end in any manner.
- 27.4 In case of order placed and E/C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, do ayed submission of PBG period in excess of time limit will be deducted from the delivery period for the purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be the any equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperforms deduction of the delay, until actual delivery or performance, up to a maximum deduction of ten (10) percent of the Contract price. Once this maximum is reached, the Company may consider termination of the Contract at the risk and cost of the Supplier.

#### Default by Supplier:

L. 20 7 00

- 28.1 The Company may, without prejudice to any other remarks written "notice of default" sent to the supplier, cancel the purchase order whole or in part; in
  - 28.1.1 The supplier fails to deliver any or all of the ordered quantity as per specified delivery schedule or any extension thereof granted by the Compan
  - 28.1.2 The supplier fails to perform any other obligation(s) under the performance order.
  - 28.1.3 The Company during the delivery period has reasons to believe that a supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
  - 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
    - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
    - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment
    - 28.2.3 The supplier becomes barderupt or insolvent or makes an assignment for the benefit of its creditors.
    - One or more consignments of material delayed by a period of more than three months or non-supplied.
    - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.



- 28.2.6 Penalty on higher rejection rate of supplied goods.
- 28.3 The supplier shall have the right to terminate the contract/purchase order if:-
  - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
  - 28.3.2 The Company becomes bankempt or insolvent or makes an assignment for the benefit of its creditors.
  - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

#### 29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

#### 30. Applicable low:

The purchase of er/contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

#### 31. Declaration/Integrit Pact/Certification:

- 31.1 Successful supplier shalf urnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of the funder/contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase of ler/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required to the this clause.
- 31.3 Bidders to submit a certificate of 1.11 0/- non-judicial stamp paper certifying that they are not black listed by the Government/Am page bodies and declared as defaulted supplier.

#### 32. Arbitration/resolution of disputes:

- 32.1 Any difference or dispute arising out of or in connection with the contract between the Company and the supplier which can not be amicably representable by referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the matter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpire shall be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act, 1940, a spended from time to time.
- he disputes in accordance with the Arbitration Act, 194 a spended from time to time.

  Prior to exercising any right by the Company or supplier to terminable purchase order/contract under the conditions stipulated above, a return notice shall be required be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the similared time or if so furnished, is found to be unsatisfactory, and the default(s) continuous, the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and the arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.
- 33. Redressal of grievances by the procuring agency.-
  - Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
  - Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
  - 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email

Procurement

- address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.
- 33.4 The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint
- 33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in contract and fraudulent practices as defined below:

- 34.1 Corrupt and fraudulent practices, includes the offering, giving, receiving, or soliciting of anything of value to influence the action of a fulfilled Company.
- 34. The supplier/contractor found supposed le for the detriment of the Company during proceedings of procurement/contract, proceedings of procurement/contract, proceedings of the company during proceedings.
- 34.3 Ansre resentation of facts in even to influence the procurement process or the execution of the pure case order/contract.
- 34.4 Collusive ractices among bidders (prior to or after bid submission) designed to establish bid prices at articles non-competitive levels and to deprive the Company of the benefits of free and open competitio.

# 35. Supplier's Guarantee and Remonsibilities:

The Bidder/Supplier shall go to negothat the materials supplied against this tender enquiry is new and is of acceptable quality and has be a and approved on similar jobs. The validity and scope of such guarantee will be in accordance with orditions stated in this document. In case the opinion of the Company the Goods fail to perform the specifications specified in Section IV due to manufacturing defe tive material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at as so that such Goods shall be restored to such conditions that it shall perform in satisfactory operating condition or to replace it with new Goods at Suppliers, cost so that the goods shall perform in accordance with the specifications and details as set forth in the Contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this gerved on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct th doods at its costs provided in the event, the Company shall be entitled to recover total cost of such replacement form the Supplier withdrawing from the Performance Guarantee.

#### 36. Language:

The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the Company shall be written in English language. Any priced because furnished by the bidder may be written in another language provided that this literature is accordanced by an English translation in which case for purpose of interpretation of the bid, English translation and all govern.

37. Vehicle Applied by Authorized dealer of local manufacturer:

Incase of vehicle supplied by authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procurement

#### Additional Terms for Tenders on F.O.BJC&F basis:

#### 1. Submission of bids:

1.1 Bid bond (Earnest money) @ 7% of the tatal F.O.B value as per clause ?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection

if these could live are not met.

1.3 In case of Bud Covering to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be duly a thorized by the goods manufacturer or the producer to submit bid or supply the goods on their behalf

1.4 Bids shall be submitted (principle) through local agents) in two copies, (original + copy).

basis is to be quoted separately. Following are to be essentially indicated 1.5 The price on unit FOB and in the bid form:

Country of origin. 1:5.1

1.5.2 Port of shipment.

- msion & volume of offered item and estimated weight of each Estimated gross/net weight, 1.5.3 item.
- Delivery period or schedule in of ılk quantities. 1.5.4

Original technical literature. 1.5.5

1.5.6 Beneficiary's complete address.

1.6 Foreign bank charges and L/C confirmation charge borne by the supplier.

1.7 Bid Currency:

ife. States Dollars. A bidder expecting to incur The rates shall be quoted in bidder's home country or it a portion of its expenditures in the performance of the court of in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. Howey didder from Pakistan would be paid in Pak Rupee.

(Clause 1.5 of General Terms & Conditions is not applicable)

#### 2. Bid bond:

- Bid bond shall be equivalent to two percent (2%) of the total F.O.B value. In yor of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, can demand receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Proceeding Diocedure) unless remain valid for 120 days (150 days in case of Single Stage Two Envelope broad procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful idea, while the bid specified otherwise. The bid bond shall be returned for the un-successful idea, while the bid specified otherwise. 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B vale, bond of the successful bidder shall be retained, till submission of Performance bond. Bid without bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
  - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

#### 4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis ".

14.3 to 14.4 of General Terms & Conditions are also to be applicable).

#### 5. Loading of Bids

Freight charges from port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive increase in price of material. ease in price of material.

(Clause 15 of Gener 1 Ter ns & Conditions is also applicable).

#### 6. Performance bond:

35.

be the store

سندنة مذه

- 6.1 In case purchase order value is US 22,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders or submission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O. The successful bidders shall submit a performance bank guarantee e uccessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless the red otherwise, shall remain valid till: otherwise, shall remain valid till:
  - Completion of final satisfactory delivery 6.1.1 se of consumable items.
  - 6.1.2
  - 12-18 months from the date of satisfactory derivery of the equipment/machinery. Satisfactory delivery/installation of system in case the installation liabilities will be 6.1.3 installation liabilities will be on supplier's part.
  - 120 days in case of chemicals. 6.1.4
  - and a specified in para6.1) and integrity The Letter of Credit shall be operative upon receipt of Performance pact, any delay due to late submission of Performance Bond will be of s s account. Late submission of PBG should not affect the delivery schedule.
  - The performance bond shall be denominated in foreign currency or in currency of the contract/purchase 6.3 order or in a freely convertible currency acceptable to the Company and sh pe form of a bank guarantee.
    - In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G supplier shall deposit short fall amount due to Pak Rupee exchange rate.

#### 6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

#### Delivery:

To case of "FOF" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
  - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
  - 7.2.2 The goods/material will be shapped dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supposer shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
  - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier stall reimburse the Company all additional duties, taxes and other such charges paid by the Company on a count of short shipment by the supplier for all items subsequently shipped on a no-charge basis or other wise by the supplier. The supplier shall also reimburse the Company all additional duties, taxes es paid by the Company on account of incorrect invoicing by the supplier. and other such d
- 7.5 Shipment shall be desired to have been made when the supplier has shipped the goods against a clean bill of lading and all other such chimentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company
- The supplier shall ensure that all dove mentioned acts and other incidental and ancillary functions are conducted in accordance with sound and acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take 7.6 The supplier shall ensure th corrective action/measure forthwith to the track of high omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the surplice shall be responsible for replacement free of all charges and costs to the Company within the delivery period specified in the purchase order/contract.

#### 8. Insurance:

- against loss or damage incidental to manufacture or contribution, transportation, etcomos convertible currency manner specified in delivery clause 7 All goods supplied under the purchase order/conna manner specified in delivery clause 7.
- Marine Insurance shall be the responsibility of the Company we's otherwise specified.
- The supplier shall advise the Company by fax at least seven (1) days rior to the expected date of shipment, the following particulars:-PA
  - 8.3.1 Name of the vessel and of the shipping company.
  - Age of the vessel (which should be less than 20 years). 8.3.2
  - Lloyds 100A1 or equivalent classification of the vessel. 8.3.3
  - 8.3.4 . ETD from Port of dispatch and ETA at Karachi
  - 8.3.5 FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, N m nal Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF V002/73.

#### 9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
  - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
  - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

Procurement

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consignment

1.

9.3.1-Invoice 4 copies 9.3.2-Packing list 4 copies 9.3.3-Bill of lading " freight to be paid by consignee 3 originals & at destination" evidencing shipment in terms 6 non-negotiable of the purchase order to Karachi-Pakistan made copies. out to order in the name of Co.'s bank, Notify party Sui Southern Gas Company Ltd., Certificate of Origin (Verified/ Endorsed by Chamber of Commerce) 9.3.4-2 copies 9.3.5-Manufacturers test certificate/ 2copies Inspection report.

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at Karaci Lort.

9.4.1 Invoice
9.4.2 Brook ading
9.4.3 -Packing List
9.4.4 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Manufactive Test Certificate/

9.4.1 Invoice
6 copies
6 copies
7 copies
9.4.2 -Certificate Corigin (Verified /Endorsed by Chamber of Commerce)
9.4.5 -Manufactive Test Certificate/

9.4.5 -Manufactive Test Certificate

9.4.6 The invoice to be warnly as per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.

9.5 No payment hereunder shall be desimed to be accepted by the Company of the goods covered by such payment nor release the staplify from responsibility thereof under the terms of the purchase order/contract.

9.6 If the Company is compelled to pay terrarge or storage charges or incurs any loss or suffers any damage at Karachi Port on account of near-compliance by the supplier of above requirements, the Company shall be entitled at their sole discrete that o recover the same amount from supplier.

#### 10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract pachase order if:-
- 10.1.1 The Company fails to establish the letter of credit within the stip rated period as required under clause 9.1 hereof after the supplier has made compliance with the provisions of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities inder the contract/purchase order.

### 11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupe, and will be subject to deduction of all local duty and taxes (as applicable).

# 12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumate i.e (fuel/ori & lubricant/sparses) are easily available in Pakistan.



#### On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid. Bond Guarantee

BANK GUARANTEE NO	
DATE OF ISSUE	
DATE OF EXPIRY	
AMOUNT	

Sui Southern gas Compan ST. 4/B, Block-14, Gulshan-e-Iqbal, Sir Shah Suleman Road, Karachi.

Dear Sira,

Bid Bank Guarantee

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the distance of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly with 133 days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in happer of the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, effect this Guarantee and our liabilities & commitments hereunder:
- 4. This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

#### On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

	BANK GUARANTEE NO
	DATE OF ISSUE
	DATE OF EXPIRY
	AMOUNT
ST. 4/B Gulsha	then go Company Limited, b, Block 14 n-e-Iqbal, h Suleman Road
Dear Si	
	o You in Karachi under the Purchase
·_	· ·
In con	sideration of your having places Processe Order No
conside	called Supplier and in called Supplier, we have a gree and undertake as under:
	and undertake as under:
1.	To make unconditional payments to you fit the to time as called upon or make an unconditional
	reference to Supplier or any other person in the event condensated without further resource, question or
The Chi	
The same of the sa	Purchase Order of which you shall be the sole judge.
) •••	To accent written intimation from your se conclusion and accent written intimation from your second
	To accept written intimation from you as conclusive and sufficient evidence of the existence of a default of breach as aforesaid on the part of Supplier and to make payment acceptable within 3 (three) days of receipt thereof.
	To keep this guarantee in full force from the date hereof as specified in G ner or Special terms & conditions.
I.	That on grant of time or other indulgence to amendment in the terms of the purchase order by agreemen with Supplier in respect of the Performance of his obligations under and in pursuance of the said Purchase Order with or without notice to us, shall in any manner discharge or otherwise, however, affect this Guarantee and our liabilities and commitments there under.
5.	This Guarantee shall be binding on us and our successors in interest and shall be irrecoverable.
6.	This Guarantee shall not be affected by any change in the constitution of the Guarantor Bank or the constitution of M/s

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - C

(Format of Declaration)

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir,

#### Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any confact, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any administrative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt business practice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission from etc. paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, gen associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, laby, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or indicing the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSG, accept that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and roll as ke full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representance or varianty.

(The Seller/Supplier) accepts full responsibility and strict liability for naking any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or one cobligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies a wild ble to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The selle Supplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business or ctices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any comin six in gratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever for from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



#### SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

#### BLACKLISTING MECHANISM (REVISION-1)

#### 1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

#### 2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Souther as Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Gove ment through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PIC) for any other competent forum. The procedure shall also be applicable on the preprocedure shall be applicable on any "Person(s) / Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and or sizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in onti et with provisions of any applicable guidelines of donor agencies, or any other applicable Statute or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, of rules shall prevail. This SOP shall become a part of the future Bidding Documents.

#### DEFINITION OF TERMS 3

- 3.1 "Appellate Authority" Authority to Armeal against issuance of Blacklisting Order.
  3.2 "Appeal" Right of firm/individual to orge protest against the issuance of Blacklisting Order. ge protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/d. is on/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty asqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for actions committed during the competitive bidding stage, whereby such firms/individue to prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a proje etract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution or rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting,
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



#### REASONS FOR BLACKLISTING 4.

- The following shall comprise the broad multilateral guidelines for blacklisting: 4.1
  - 4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution:
  - 4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
  - 4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and
  - 4.1.4 "Coercive Practice" means harming or threatening to harm. directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the procurement process or affect the execution of a contract.
- In addition to above, blacklisting of firms/individuals may be resorted to when the 4.2 charges are of serious nature, which include but are not limited to the following:

#### Competitive Bidding Stage

the competitive bidding stage, the Procuring Agency shall impose on bidders or prospe are bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rates of the agency may provide and/or further criminal prosecution. as provided s. for violations committed which include but are not limited to the by applicable lay following:

- ility requirements containing false information or falsified Submission of i. documents.
- at ontain false information or falsified documents, or the Submission of bids ii. concealment of such information in the bids in order to influence the outcome of
- eligibility screening or an of enstage of the public bidding.

  Submission of unauthorized of the documents for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.

  Failure of the firm to provide au nemic Warranty Undertaking and Performa iii.
- iv. Invoice of the manufacturers / Prince / Trading house.
- Failure of the firm to submit specific average ty letter of the Original Equipment ٧. Manufacturer (OEM) for participation in a projecular tender;
- of the name of another for vi. Unauthorized use of one's name, or using the purpose of public bidding.
- Deviations from specifications and terms & tions of the purchase vii. order/contract.
- erform the job or viii. Withdrawal of a bid, or refusal to accept an award or reenter into contract with the government without justifiable of after he had been adjudged as having submitted the Lowest Calculated Responsability Bid or Highest Rated Responsive Bid.
- Refusal or failure to post the required performance security within the prescribed ix,
- Refusal to clarify or validate in writing its Bid during post qualification within a X, period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

#### 4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
  - Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful instruction of the Procuring Agency or its representative(s) pursuant to the implementation of the contract. For the procurement of infrastructure projects or consultance contracts, lawful instructions include but are not limited to the following:
  - a. Employment of competent technical Person(s) / Firm(s)nel, competent engineers and/r w/rk supervisors;
  - b. Provision a varning signs and barricades in accordance with approved plans and specifications and contract provisions;
  - c. Stockpiling in corper places of all materials and removal from the project site of waste and excess materials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions;
  - d. Deployment of commutate uipment, facilities, support staff and manpower; and
  - e. Renewal of the effective trees of the performance security after its expiration during the course of contract in lementation.
  - f. Non-Performance of the supplied spect of tender terms & conditions and the delivery / supply of material.
  - iii. Assignment and subcontracting of the contract of any part thereof or substitution of key Person(s) / Firm(s)nel named in the propositive without prior written approval by the Procuring Agency.
  - iv. For the procurement of goods, unsatisfactory progres, in the delivery of the goods by the manufacturer, supplier or distributor arising from his trait or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
  - v. For the procurement of consulting services, poor performance by the consultant of his services arising from his fault or negligence, any of the following act by the consultant shall be construed as poor performance:
    - a. Defective design resulting in substantial corrective works in design and/or construction;
    - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
    - c. Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated : 12<sup>th</sup> October 2020 Revision-1 : Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
  - i. O' fining fraudulent payments;
  - ii. Ob sping contracts by misleading the purchaser:
  - iii. Refusal to pay SSGC dues etc.;
  - iv. Failure to fall contractual obligations;
  - v. Changes in the sectus of firm's ownership/partnership etc. causing dissolution of the firm which existed at the time of inspection / bidding prior to original registration of the firm;
  - vi. Registration of a firm with a new name by the Proprietor or family or a nominee thereof of a firm that has been and di blacklisted;
- vii. Consequential operational damages caused to SSGC equipment or infrastructure as a result of equipment or parts there is applied on trial basis or due to failure of such equipment; viii. Contractors who have negociated Plea Bargain under the National Accountability Ordinance
- viii. Contractors who have negotiat a Plea Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default between proved specifically in relation to supplies made to or contracts concluded with SSO.
- ix. Involved in litigation or needless petitic are to influence or obstruct the procurement process either on his own behalf or at the behest of reflect of two years in case a decision by a court
  x. A firm may be disqualified for a period extentiable to two years in case a decision by a court
- x. A firm may be disqualified for a period extendable to two years in case a decision by a court is awarded against the said firm after litigation, or where the firm is involved in litigation at least three times during two financial years, or where a firm has on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Air Stries / Divisions / Departments and organizations / autonomous bodies subordinate thereto; and
- xii. Blacklisting in case of Joint Venture firms will also result in the interior of the concerned Joint Ventures Partners.

#### 5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1 Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated: 12th October 2020 Revision-1: Dt; 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings:

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

#### 6. SUSPENSION AND BLACKLISTING PROCEDURE

A ... 12 9"

he supplier or contractor who is to be blacklisted for a specified period is given adequate opportunity of being heard.

- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before aking any action.
- 3. In case the supplier or contractor does not attend the meeting on the given date and time a final notice is served to both. her to attend the meeting on the revised date and time. Despite the final notice of the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will four imprising of User, Procurement and HSE&QA departments to address the issues in the preting with the supplier or contractor. Members of committee may not below of grade IV
- 5. In case the supplier or contractor is found at day t based on the fact of the case as well as the tender terms and conditions, and do not astify the grounds of his default as per the tender terms and conditions, the approval is the from the management for their temporary or permeant blacklisting along with eneasure at of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the left med supplier or contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor alongwith covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

#### STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

#### 8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual the to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

#### 9. AMENDMEN'S

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the arm adment of its specific provisions as the need arises.
- 9.2 Any amendment to this lackleting Mechanism shall be applicable to tenders advertised for bid after the effectivity and said amendment.

#### 10. EFFECTIVITY

The Blacklisting Mechanism or any amendment, thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Post Apocurement Rules, 2004.

# 11. The Steps to be Followed are s Under

The causes and reasons to be taken into consideration for Debarment (3) acklisting of any Person(s) / Firm(s) are given as under:

#### 1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating precedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery. falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

#### 2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- ordinary delay in signing or refusal to accept the Notification of Award and/or the ithout any cogent reason.
- ii. Miscondy at, i.e., failure to proceed with the signed contract, withdrawal of commitments, quoting an up anonably and unfairly low financial offer and subsequently withdrawing such an offer, ating the evaluation/bidding process and not responding to written communication aconable time.
- iii. Causes mentioned in Sub-Chuses i, ii and iii above.
- iv. Submission of fake / frivolor utilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during ecution of the contract / purchase order.
- vi. Non-performance or Breach of provision ses of the contract agreements/tender
- vii. Notwithstanding the warranty/defect liability period, defect in a product, equipment. plant, facility or services rendered that may subseque fly surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect has period as defined in the contract.

#### 3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated: 12th October 2020

Revision-1: Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
  - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
  - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned corn, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original actionity letter shall be attached with the bid. In the absence of the same, the bid shall be rejected
  - 4. FORMULATION of SGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Poject Authority prior to blacklisting. Member of RPC must be one grade up from the member of PA.

# 5. PROCEDURE FOR BLACK STING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereitably under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the contental Project Authority / formation shall promptly formulate its recommendations and submit any gh the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details of charges and documentary evidences to initiate proceedings under this Mechanism.

#### 6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recomble dations of Blacklisting / Debarment from the concerned Project Authority, the Combert of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the resorts / Firm(s) about the alleged charges and shall provide an opportunity to the defend sa d charges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

#### 7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

#### 8. COMMUNICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (P. C., the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be convey also Pakistan Engineering Council.

The temporary Black isting on the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an international Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period is innorary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution (Donor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blackisms List:

- i. The decision of blacklisting will be immediately circulated to a concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Aut. Unity may proceed in this case to complete the contract with the approval of Competent Aut. Ority. (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



#### 9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT ROP BIDDING BURBOSK

Page 10 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024





# Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

# HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be proactive about safety!

Report Hazard before it spits in an Accident

# If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it



26



OMO

Sul Southern Gas SSGC Company Limited

# HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its. Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participations on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director
August 2021



Procurement E

MR



#### **PURPOSE**

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

SSGC existing facilities/installations. a.

Any routine/non-routine activity, performed within permanent locations or b. outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project. C.

Covering all the activities performed by SSGC taking into consideration of d. compliance, obligations, risks & opportunities within the scope, external and internal int needs an <u>xpectations</u> of relevant interested parties.

Providing gradal e to employees in relation to hazard identification, risk

ris control in respective areas. assessment

Identification, control, monitoring and management of environmental aspects f. and assessment of its in



#### SCOPE 2.

ication of occupational health and safety hazards and associated This procedure is applicable to the risks, environmental aspects and implicis associated with activities, processes and equipment related to SSGC existing facilities/installations, any project or any routine/non-routine activity, performed within permanent locations or outside permanent location ons of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and sai

#### **DEFINITIONS & ACRONYMS**

MAZARD: Source or situation with a potential for purpose terms of injury or ill health, damage to property, damage to workplace environment, or a combination of these. HAZARD: Source or situation with a potential to

RISK: Combination of probability of occurrence of a h b.

consquences.

OPPORTUNITY: Opportunities can arise as a result of a chiation favorable to achieving an intended result, for example, a set of circumstances that allow the organization to attract customers, develop new products and services, reduce waste or improve productivity. Actions to address opportunities can also include consideration of associated risks.

SWOT: Strength, Weakness, Opportunity & Threat. d.

- RISK MANAGEMENT: The set of control measures used to reduce or a militare specific risk.
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazarone itication. This is the f. overall process of estimating the priority of risk and deciding significance of risk
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the in Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard Identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment.
- IEE: Initial Environment Examination.
- EIA: Environment Impact Assessment. k.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a L work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MOC: Management of Change. o.
- MOC Owner: The employee who initiates the MOC. p.
- JSA: Job Safety Analysis. q.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.





HandBook | February 2022



#### RESPONSIBILITIES

# 4.1 Corporate HSE&QA In-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues. b.
- Providing support to corporate HSE&QA team and zonal representatives. C. d.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

# 4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team. b.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.
- Maintaining records of the OHS&E with the help of local HSE&QA team.
- nting this procedure. Liaise with corporate HSE&QA team if required. d.

# 4.3 Zonal I SFLOA representative

- Coordinating win Zonal HSE team leader for carrying out HIRA and EAIA in their zones.
- Liaise with corporat ASE&QA team and zonal HSE team leader for OHS&E. Ь.
- Reviewing/monitoring\_URA and EAIA in their zones and providing input on any changes.

# 4.4 Departmental Head Accuting Department

Acquiring PTW for any activity the requires prior permit to identify and mitigate safety risks.

Ensure implementation of JSA to poblactivity performed outside SSGC permanent locations. \*\* Ensure implementation of JSA . .

#### 4.5 Employees

Participating in the identification and as esment of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

# 4.6 Visitors & Contractors

1.6 Visitors & Contractors

Adaptifying and reporting any risk or hazard at any location of SSGC. This also includes the worksites and

#### **DECISION MATRIX**

Type of		·
Type of Risk/Hazard Assessment		Responsibility
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Yonal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure.	MOC owner
---	-----------

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

# 6. PRODEDURE

# Section 1 Context of the Organization

#### 6.1. Context of the Group ration

i. Management defines score of the company services and its boundaries considering the internal and external issues of the organization

ii. In consultation with HSE&QA, Var agement & Zonal Heads identify external & internal interested parties and maintain its list with needs a superctations. Interested parties are those stakeholders who receive company services, who may be impossed by them, or those parties who may otherwise have a significant interest in the company. Interested parties that include:

Interested Parties	Requirements
Board of Directors	Good financial performance, legal compliance/avoidance of fines.
Enforcers/Regulators	Identification of applie of statutory and regulatory requirements for the products and services provided and understanding of the requirements
Customers	Value for money, quality service, acilitation and quick response.
Bank/Finance	Good Financial Performance
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.
Insurance:	No claims/prompt payment/risk management.
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.
External providers (Vendors/Suppliers)	Prompt payment as per agreed terms, health and safety, long-term working relationship.
Trade Unions	Compliance of local labor laws.

MR

- HandBook | February



By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

## 6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces. a.
- Complex transmission and distribution network. b,
- C. Succession planning.
- d. Contractual relationships.
- Availability of reliable, qualified and competent workforce. e.
- retention..
- of unionization.

#### 6.1.2. External soues could include in risk & opportunity assessments, but are not limited to:

- Political: GSV ant policies, political stability, international trade agreements etc.
- Economic: Fue (util y prices, cash flow, credit availability, exchange rates, tariffs and inflation, general taxa sues etc.
- Social: Consumer buying pattern, education level, advertising and publicity, ethical & religious issues, demograp
- . **d.**5--Technological: Intellectual ty issues, software changes, internet, technology legislation, associated/depender ater inclogy, renewable energy etc.

  Legal and regulatory: Consumer protection, industry-specific regulation and permits,
- trade union regulations, employment remational legislation, human rights/ethical issues etc.
- Environment: Customer demographics at environmental issues.
- Government: The directives from Prime Min ster, Ministry of Petroleum (energy division),
  - regulatory bodies like OGRA, SEPA & BEPA etc.
- Ensuring the policy and objectives are established for the integrated management system and are compatible with the context and strategic direction of the organization.
- The management shall monitor and review information a e external and internal issues during the management review meetings.



Report Hazard before it results in an Accident

ntegrated Kanagement System -





# Section 2 Hazard Identification and Risk Assessment

#### I. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations.
- b. ities of all persons having access to the SSGC permanent and temporary locations.
- hehavior, capabilities and other human factors. .C.
- d. Designing of work processes.
- Material in ase. e.
- Infrastructure, expipment and materials at the workplace or project site, whether provided by f. organization
- Changes or promose changes in the organization, its activities or materials. g.
- Fabrication, instance & commissioning. Handling & disposal of waste material. h.
- i.
- i. Purchase of goods & servi
- Any applicable legal obligation is related to risk assessment and implementation of necessary k. controls.
- l. Before commencement of any new ation/activity.
- Periodic Review for updating the existing hazard identification and risk assessment information.

#### ssessment: At SSGC, we adapt five steps of ris

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions
- Step 4: Record your findings and implement them.
  - Step 5: Review your risk assessment and update if nece

#### Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below:

Risk Priority		Probabili			
.•	-iny	Very Likely	Likely	Unlikely	Very Unlikely
C :	Catastrophic				Medium
n s e	Significant			Medium	Medium'
u e n	Harmful		Medium	Medium.	
e s	Negligibie	Medium	Medium <sup>.</sup>	Articles (Articles)	





	HAZARD CONSEQUENCE RATING TABLE
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
Margul 4	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid teatment is required only, very low financial loss.

.17.	TATHE IABLE
Very Likely	Exposure to hazarr likely to occur frequently. Similar incidents reported more than once in SaC C during last 10 years.
Likely	Exposure to hazard like, to occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
Unlikely	Exposure to hazard unlikely of ccur.
Highly Unlikely	Exposure to hazard so unlikely that it will be assumed that it will not happen.

	RISK PRIORITY TABLE
Risk Priority	Definitions of Priority
	Situation is considered critical, stop work immediately or consider cessation of this operation/task.
	Must be fixed ASAP, Zonal HSE team leader should take immediate actions.
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
Low-	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.







# Section 2 Hazard Identification and Risk Assessment

#### iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- a. Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- b. Classification of risk/impact.
- c. Description or reference to control the risks/impacts.
- d. Description or reference to monitor the risks/impacts.
- e. Prified competency and or training requirements.
- f. setting improvement objectives and programs for its achievement.


The risk/impact ressures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/imprata sessments as input for the following:

- a. Setting objective and argets.
- b. Training needs identification.
- c. Terminating the risk impact it is practical.
- d. Facility engineering con to
- e. Emergency Preparedness.
- f. Administrative controls.
- a. Insurance.

The ultimate requirement is to reduce the risking plot to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further resection becomes unreasonably inconsistent to the additional risk reduction obtained.

#### iv. Risk Control



Administrative



MR

HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. **Elimination:** The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. Engineering: Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any process and must seek out for best possible solution in terms of OHS&E.
- d. Adm nis trative: Administrative controls involve making changes to the way in which people work and promoting safe work practices via education and training. Administrative controls may involve\ training employees in operating procedures, good housekeeping practices, emergency response in the event of incidents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protect e Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. P Should be properly identified for specific process/job.

System & work area Hazards	Likely Consequences
Access / Egress Obstructions	M or injury, trips and falls
Asphyxiate Gas (COz fire suppression)	To site death by asphyxiation
Buried Cables	Exposure to buried cables - major / minor injury
Electricity (HV/LVA) 工作工作技术。	Fatality Welectric shock or serious burn injuries
Falling Loads / Objects	Serious head and or body injury
Flammable Vapors / Gases / liquids: "	Explosion or fire
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disoriemai sa tass of consciousness
Moving Parts	Entrapment, major or misor rivry
Noise 可以解析 法证明的 中性性	Long term.hearing loss, tihn distribution in the state of
Openings in Floor / Walkways	Falls from height, major injury postible fatality
Flammable Materials / Gases	Creation of hazardous area; fire expusion.
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort, long term loss of vision.
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and hor body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes





Oxygen deficiency	Death of asphyxiation
: Poor Lighting / Visibility	Minor / major injury, fall or impact injury
	Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, texic, poisoning, irritants, pollutant
: Repetitive Task / Operation	Muscular / skeletal injuries
Rotating / Moving Part	Major injury, potential for fatality
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume	Thiconsciousness, respiratory problems 🖎
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hard ools	Minor laceration and impact injuries
	Burns to skin, eyes, and respiratory system. Environment
Use of Hazardous Junstances	' Hazards
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Impact injury, hand / arm vibration—loss of sensation over the time.
Use of Workshop Equipment	Major / minor injuries - entrapment, cutting tools
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury
	· ·

#### v. Environmental Aspect Identification & Impact Assessment

#### a. Environmental Aspects:

An Environmental aspect is any element of SSGC usiness operation that negatively affect the Environment. While conducting environmental assessment, following spects are usually considered:

# "REDUCE CARBON FOOTPRINT"

What we can do:

- Recycle: what you can
- Reduce: avoid :
   unnecessary :
   consumption of :
   resources
- Reuse: Buy items that are reusable: and reuse them
- Unplug electrical
   devices that are
   not in use
- Avoid unnecessary driving
- Use LED bulbs.
- Plant a tree

Emissions to air	Water Discharges
Solid non-hazardous waste	Solid Hazardous Waste
Consumption of natural resources/ Filer	Noise .
Heat	Odor .
Dust	Y' are tion
Effect on visual / aesthetics	Use a Otone depleting substances
Use of radioactive / nuclear material	Spillage of the picals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

NR



# b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- cas (Relieve valves, NRVs, indicators etc.), measuring or f. Safety de monitann ses/gauges, computerized feedback monitoring and control systems.
- g. Environmenta niegaly disposal or treatment systems etc.
- h. Fire prevention/suppression systems.
- i. Containment walls.
- i. Scrubbers.
- k. Dust Collectors.
- J. Other controls: Training, SO

The record of operational controls on sep ificant environmental risks is maintained on Environmental Aspect & .. Impact Assessment Form (SSGC-IM3)

After identification of aspects and assets adequacy and correctness. Where required In-charge HSF&OA suggests and several improvement for reviewing In-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned Zo ALHSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related activities/processes/equipment are kept current by conditioning same assessment:

- a. Once every six months to update the information, and ideal w environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects
- b. Carry out assessment, for new or changes in activities/process
- c. When there is a change in laws & regulations.

# d. IEE (Initial Environment Examination) / EIA (Environment mract Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required y for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to ena requirements new projects. the compliance for all

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2 .

Procurement

Integrated Management System



# Section 3 Permit to Work

#### I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)
- c. Maintenante Work on High Voltage electrical equipment.
- d. Any janko a service involving Safety Risks such as work at height.
- e. Any Maintenance activity by any department/contractor which compromises critical safety system.
- f. Work involving interaction with asbestos.
- g. Work in areas where there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity the requires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SI S/V live Assembly/TBS/PRS etc.

#### II. Exclusion


Following activities are not under the stope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to control the associated risks for the following:

- a. Providing Gas connections to new customers
- b. Emergency Response to Consumer cass (\* 199
- c. Planned enhancement of Distribution network
- d. Work on live pipelines like hot tapping, installing Service Tee etc.
- e. Any major/minor rehabilitation/reinforcement war

If it's UNSAFE!

- ✓ Report it
- √ Remove it
- ✓ Replace it

MR





# III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTVV.  Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations.  Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	A ea/Facility where the task/ civity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity.  Authorized to stop work in case of noncompliance to PTW requirements.
3	Contractor	The Individual/organization carrying out the Takk/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If r quired, Monitor the task accurits during execution and ide tify any gaps related to proposed controls. Responsible to close the Park and maintains records.  Authorized to stop work in case of noncompliance to PTW requirements.


Wo

Gouthern Good Procurement Good Procureme

Integrated Management System



#### IV. PTW Process Flow








#### V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

#### VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.









# Section 4 Job Safety Analysis

## I. Job Safety Analysis (JSA)


Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

- a. Work on live pipelines like hot tapping.
- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission network.
- c. Installing pervice connection for new schemes. (Blanket JSA may be carried out for each scheme). d. Any Emprency maintenance work.
- b/activity requiring JSA as necessitated by HSE&QA.

#### II. Responsibilities

S No.	Functive	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task activity requiring JSA	<ul> <li>List down the activities step wise and identify hazards and their controls</li> <li>Ensure that task/activity is carried with proposed controls</li> <li>Ensure the team/equipment involved are competent and safe</li> </ul>
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Report any untoward situation  Authorize JSA  Ensure Adequate resources are provided to carry out the talk activity in safe manner  Soler Competent team and team leader of the activity/task.  Submit a control JSA prior to job execution of JSA prior to job execution to HSA prior to job
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

NR





# Section 5 Management of Change

# I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of manage-

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

### II. Scope


This procedure is intended to address those changes which may have a direct impact on SSGC's Integrated Management System, grine subsequent delivery of services.

To make sure that changes ar assessed and documented in a consistent manner so that: a. Unnecessary or counterproria


- b. Changes do not adversely affect safety, the environment, quality, operations, or the level of service to the c. No changes are made by individuals with
- at knowledge and/or agreement of all relevant parties. d. A record of the assessment rationale a d
- ange assessment process is produced.
- e. To make sure proper change out of employ uring operations is addressed.

# III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out in . MOC Owner: MOC owner is responsible to fill out the designated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the details scope of the project.
- b. Area Authority: Area authority is responsible to identify the poable impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is or id red the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorize the change after assessing the







#### IV. Definition of Change

For the purpose of this procedure a "change" is an alteration to Processes;

- a. Documented information maintained by this IN
- b. Equipment, hardware, software, infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management.

Other types of changes not listed above can be related to any compart of the process, such as inputs resources, persons, activities, controls, measurements, outputs, at

Note: Not all alterations to a system require the Management of Change Process (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

#### V. Levels of Change

#### Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

#### Level 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work environment.

#### Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

MR



HandBook | February 2022



#### VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

#### Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is accepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward the request to the appropriate process owner for implementation.

#### Step 3 - Implementation of single

The process owner will be responsible or implementing and coordinating the actions required for the proposed change. If it is determined that further assessment is required during the course of implementing the change, these assessments will be documented and ubmitted for review prior to completing the change process. Only after all assessments have been reviewed an if the MOC process be continued and monitored through completion.


#### VII. Closing out the MOC

The In-charge HSE&QA will review the satisfactory imperientation of the proposed change, and effectiveness of any corresponding control measures.

#### VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control August er of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the action taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

N





#### **MOC Process Flow**









7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

#### 7.1. PHYSICAL

Hazards *	Control Measures
Adversacionather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad housekeeping	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / cod	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning	guarding, lifesaving equipment, presence of first Aider.
Excavation work	Physical barriers; fencing, shoring, safe system of work, signs, caution lane.
Fail from height	Edge plates ion, safety lines / harnesses, safe means of access, (e.g. saffolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting 1	Good work area design at 1 introg equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical peans for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.





# 7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interiocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manua landling	Regular assessment of handling techniques://mprovisation to eliminate stress / fatigue; training in good lifting techniques.
Moving vehicles	maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	Proper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV's where required, periodic is ection.

# 7.3. ELECTRICAL

	The state of the s
Hazards	Control Measures
Live working	Avoid (i.e. No Live Work in ), use competent / trained staff.
Hand tools	Regular inspection, testing of electrical integrity and replacement.
Heaters (elements)	Isolate from combustible material, guarding.
Machines / Electrical	Electrical testing and maintenance, goda e extrical safety design, periodic inspection for design load vs actual and use of circuit
cables	breakers, lockout / itag out, anti-static materials, Use double insulation, proper grounding
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines	Look out for signs; contact local utilities (KE WAPDA) for
(Overhead / Buried)	locations, stay at least 10 feet away from overhead lines, use proper PPE.

MP

Procurement Dept.

". Integrated Management System"

## 7.4. FIRE

Hazards	Control Measures				
Combustible materials	Avoid, reduce storage of combustible materials, isolate from				
	sources of heat and ignition.				
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an				
riamitable.gases.	isolated, well-ventilated area; signs, no smoking, color-coding.				
	Controlled storage, use and disposal (e.g. limit quantities held),				
Flammade solvents	fire proof storage, signs, no smoking, no naked flames,				
	emergency plans.				
Heaters	Segregation from sources of combustion, guarding special				
hadeis	construction if used in hazardous areas.				
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide,				
Oxidizing agents	segregate from sources of combustion(e.g. flammable solvents).				
Oxygen (gas and liquid)	Segregate from sources of combustion, controlled storage and				
- Cayyen (gas and inquid)	usage.				
Smoking materials	a snated smoking areas with proper ventilation, promote no				
A state and the	smo me, olicy.				
Static electricity	Limit use of static generators in hazardous areas. Use of anti-				
A A CONTRACTOR	static devices earthling.				
Gas Leaks	Odourization or thely detection where possible, proper joining				
	methods, Field surface, training, leak detection techniques.				
	the state of the s				

With the second

ALTHROPINE.

# 7.5. OTHER

Hazards	Con to Measures
Chemical: Chemical substances, Corrosives (acids; alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harmin sustances, use, maintain and test engineering controls, monitor hazardous substances, inform and train employees, use per one protective equipment (PPE), emergency plans for uncontrols ar leases.
Blological: Biological agents (micro-organisms: pathogens) mutagens, carcinogens) Rodents, Snake Bite	test engineering controls, monitor for hazardous substances, inform and train employees, use personal protective equipment. (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSCC.
Food / Water safety	employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergenomics	Educate / Train employees; avoid repetitive tasks, procure- ergonomically design products (e.g. chair, Computer desk, procure-

NA

lent Co

- HandBook | February 2022

#### 8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
SSG MS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years
SSGC-IME/CPM-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F03	Management of Change Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-07	SWC A alysis	HSE&QA Department	3 Years
	NG PL		
4P	SWOR AND SINGLE	S.	

Integrated Management System



# **IMS Form**

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

Nox

Zone		Department			Location			
	Hazard (E.g. Wom out electrical cord)	What can go	Existing Control Ushock to	· F	Risk Priority		Date	
S. No		Wrong (E.g. Electrical shock to any employee)		PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. Significant)	PRIORITY (E.g. High)	Additional Operational Contro (E.g. Isolate/Replace the wire).	
							·	
					5			
					10,			
						PA		
Addition	nal Comments	(If any):					2_	
	Zonai	HSE Team Leader				HIRA T		
Name	Name & Designation Signature							
				1			Signatur	<del>c</del>
		}		2				
				3				<del> </del>

No





# **IMS Form**

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

10/x

Zone		Department			Locatio	n		Date	
Proces	ss / Operati	on Descriptio	ni E. F. A. Gene	eration)					•
S.No	Activity (E.g. Fuel Combustion)	input (E.g. fijel, air)	Output (E.g. Hydrocare or CO2. H <sub>2</sub> O, CO, particulate matters	Phylronm	ental aspect emissions)	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Low)	Operati	ional controls
					1				
		·			C		÷	·	•
•	<i>J</i>								· ·
Additi	ional Comm	ents (If any):				PL			· .;
	2	Conal Team L	eader			EAIA Te			
Name	& Designa	tion Signa	iture	S. No	Name & Desi	gnation		ignature	
			<del>-</del> .	2	· · · · · · · · · · · · · · · · · · ·	· ·		· 	

NR

Integrated Management System,



27

SSGC HSE&QA Department

# IMS Form

SSGC-IMS/CRM-F-03

Permit To Work Form Revision 01

Issue Date: July, 2021

WOLK H	atmit Number (19	on Mad by HSE	EQAI:					
				Section	"A"			
h i i i i i i i i i i i i i i i i i i i	Department Nam		•		or Details	.Contact N	izme•	
		Name:	`	(If Any):		Signature	in i	
ı —		Signature:			İ	Date & Ti		
Ī. 2	o ni Valld	Time:	;		·	Time:	114.	
		Date:		Permit V	aild Until *	Date:		<del></del>
be filled by Executing Department	on or the V	Vork:		— <u> </u>		Date.	_ <u></u>	
B. 1	ype Work		•			——————————————————————————————————————		
5   2	Hot Work E	ectrical ma	intenance wo	rk 🗆 Mechanic	al maintenar	ce work	Detail of Work	<del></del>
🖁   🖯	Hazardous che Working wi		spaces					
%   6	Excavation/Tr	ALC: (I	:5500 gasa: T Handlina	eignt ⊔ VVorkin s. □ Janifori Asbestos □	lai/Cleaning	Service		
§. [C	I Other (Please p	ovid det		Wangatoa II	Litting or	hoisting		
E   E	quipment/tools	to be use	0					
					•	]		
l le	lease mention t rocedure: Context,	ne associá	ved have de	of this activity	(Please refer l	из		
1		•••		many.		.1		•
-     F	ollowing service	s to be is:	plated / McL	d of the requir	edl		•	
	l Electricity □ Ga	s 🗆 Water	☐ Air ☐ Olar			ľ		
		•	Andread Service and produce	Section '	ucon	And the State of the state of	entropy and the state of the second of the second	Small culture Samuel Street ou State
_ · , 1 :	authorize the tast	c / activity to	be carned o	OB IIII	- D		ifled time. Executing E&QA Department i	
를 등 5	rould carry out w	ork in comp	liance to safe	ety / PPe re	intoled locati	on for spec	ified time. Executing	Deparment
2 2 De					G I SHITZ KI SHI	mien by 112	E&QA Department i	in section∴C'
To be filled by Ales	Name		Designatio	n	Signature		Date and Ti	
					V		Date and 11	me
				Section '	1C"	10 10 20000	and the same of th	
. Na	eme .		Design					
► Fo	ollowing controls	must be im	plemented to	miliante de a a		gnat re	Date   Date	1
HSERQA	PE Required:			mindare mie 25	iety risk/h <u>az</u> a	re de 📵	ed with the lask/acti	vity:
	Hard Hat □·San	fety Shoes	☐ Cover all	☐ Reflective J	ackets III 🖦	r Dlug		
등로 미	Utberes Jieigz M Aveigiud	Shields C	Safety Beit/	Hamess 🗆 S	afety Goggle	S D Hand	ar uffs [] Dust Ma Gloves [] Breathing	ask 🗆 Face
Ar	ry additional op	erational c	Controla /Dia-				or pragring	Apparatus .
	Fire Extinguishe	oradonat ¢ robulan	onuois (Pies	ise Specify);	•	•		
	and the control of th	and the second second		and the same of th	and the state of the state of			
	A A	· ·	Section	"D" (Monito	ring & Closic	1g)		and the second section of
I have ni	Area Authority hysically inspects		EX8	Cuting Denart	ment		HSE&QA Departm	-
work site	and verified the		hern entire	the above tasi	k / activity has		A Observations duri	aut.
operation	nal controls are i		Controls / sec	out in compliar uirements men	ice with the	monitor	ing (if any):	9
			The 4-21.1	eneliairs Wel	goued spoke	•		.
		·.	I no tesk / aci	tivity is now cor	mpleted and			1
				r routine opera		1.		
	Any			happened durk	g execution:			
					I nis work permit is now		rk permit is now con	sidered ·
Name	Sign & Stamp	Date	Name	Sign & stamp	Date	Gose.		
	1	1 i	٠.		Late	· Name	Sign & stamp	Date
			. [			1 .		
		<u> </u>			• •	1_		





### IMS FORM

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executing Depart	ment		Zone	<u> </u>	Datail				
Job/Activity:	. Activity De	ataile:	20116	·	Date				
<b>A</b>	7 locating D	.·	•		·				
			•	•					
Location		•	,						
	<b>^</b>		•						
PPE Required:	PE Required:  ☐ Hard Hat ☐ Safety States ☐ Cover all ☐ Reflective Jackets ☐ Ear Plug ☐ Ear Muffs ☐ Dust Mask ☐ Face Shields ☐ We ding Shields ☐ Safety Belt/ Harness ☐ Safety Goggles ☐ Hand Gloves								
☐ Hard Hat ☐ Sa	itely States II Co	ver all □ Reflecti	ve Jackets 🗆 Ear	Plug □ Ear Muff	fs □ Dust Mask				
☐ Breathing Appa	aratus Li Coers	L Safety Belt F	tamess   Safety	Goggles □ Han	d Gloves				
Any additional o	perational contr	els (If required)	•						
☐ Fire Extinguihs	er 🗆 Ambulan	Barrication □	Other:		J				
S.No Steps	of field Activity	Potentia	l Hazards	Con	trois				
				301	141013				
		0,	· · ·						
<del>  </del>		1							
	****			•					
		. \	Q'		· .				
P. P.	•		<i>D</i> ,						
			P						
					·				
	<u>-</u>			0_	• •				
				7					
	•		• • •						
	Incharge / Supe		Head of	Executing Dep	artment				
	that all opera		I authorize the te	am to conduct t	he job. The team				
	e, will be impler he team is traine		is adequately res	sourced to execu	ite the job safely.				
job and the equi	pment involved in	this activity are	•						
safe to operate.									
Name & Designation	Sign & Stamp	. Date	Name & Designation	Sign & Stamp	Date				
			nesiAugrou						
}									
<del></del>	!				<u> </u>				

MR

Integrated Management System



SSGC HSE&QA

Department

### **IMS FORM**

李 恭 勝


SSGC-IMS/CRM-F-05

Management of Change

Revision 01

Issue Date: July, 2021

MO	C No:								
	Section A: De	scription	of pro	posed	change and potentia		is		
۱. ا	Mar Owner				Location of Wo				
	Ex Stad Durat	on of			-				
	Work								
Type of Change ☐ Pipeline construction ☐ Physical structure/building ☐ New or modification in									
2	I Bamanat	□ Pipeline	construc	tion 🗆 F	hysical structure/building	☐ New or	modificatio	n in	
3	☐ Permanent ☐ Temporary ☐ Demonstration in equipment/machine ☐ Material ☐ Temporary								
To be filled by MOC Owner									
8	Detail of MOC/S	COMB ON	IQC: (St	ımmari	ze the basis for the prop	osed cha	nne and a	nv note	ntial health
Þ	safety and enviro	onment i	ts res	sulting f	rom the proposed chan	ge.)	go cina c	iny pote	iidai ileailii,
2						- ,			
€ :		•							
, <b>e</b> .,	×		U		•	•			
2	· .				•				
				S.					
				omitte	to rea Authority for	evaluatio	on.		
ŀ.	Name & De	esignatior	1		of a Stamp			Date	
								•	
	l						•		
1.	Section B : Ev	aluation	of the i	mpact	(s) relate to the cha	ange			***
<b>!</b> !	Evaluation Crite	eria					es No	Ġo	mments
喜	Does the propos	ed change	meet a	ll applic	able legal or other			<del> </del>	
문	requirements?								-
Ę	All modifications	in the exis	sting pro	cess/ e	quipment are Environ	e (E)			
g	Manageable and			i- 000	30 HOE G- :	4	<u> </u>		
¥.]	Does the change	e requires	changes	in 550	SC HSE Procedures nergency response	_!		ļ	
<u></u>	equipment of the	e will sitted	a ute ust	9 01 EN	leigency response				
To be filled by Area Authority			any sne	cialized	training for SSGC staff			<u> </u>	
=	The state of the s	Note: /	n case o	f "YES"	please provide details	on a sens	rate the		
胃.	The proposed o	change is	LOM SIT	bmitted	i to in charge HSE&Q/	A for auth	Orization		
유	· Name & Do	esignation	n l		Sign & Stamp			Date	
ţ.	•		· · · · · ·					2419	
Ŀ	<u> </u>	•	·		•	.			•
	Section C.: Au	ithorizati	on for a	hann	a to proceed			<del></del>	
I≾					o proceed plemented while execut		i - L		•
To be filled by HSE&QA	Potential haza	ard/rick.	Risk I	and III	Proposed contro			-1114-	***
1 25	. Ctorida (182.8	mmilan,	MISK	2401	Linhosan count		Responsil	DINTY	Timeline
1 =						<del> </del>			
ğ			···		1. 7				
						<del></del>			
B.	Name& De	esignation	1 T		Sign & Stamp	<del>-  </del>		Date	
] @									
1	1		}			-			
•••••	<del></del>				····				T





HSE&QA

Department

### **IMS Form**

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

### Context of the Organization

# LIST OF INTERESTED PARTIES

External interested	Needs & Expectation
Board Of Directors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR
	Protect shareholders interest.
P	Ensure adherence / compliance to GOP / SECP guidelines.
,	Allocate resources to maximize revenue.
	Follow best practices of corporate governance.
	• Casare committee meetings are held as per plan.
	Financial benefits of the organization.
	Avoidance of any fines / penalties.
	Reputation enhancement.
	Corporate Social Responsibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to a chieve quality goals.
	<ul> <li>Achievement of safe and healthy conditions in organization.</li> </ul>
	Commitment to quality, safety and health.
•	<ul> <li>Be prepared to seek advices from industry experts as required.</li> </ul>
•	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

3 |

1 %	
197	
SSGC	

**IMS** Form

SSGC-IMS/CRM-F-06

HSE&QA

Department

Context of the Organization

Revision 00

Issue Date: July, 2021

Non topped

- Ensure that policy and related objectives are established.
  - Communicate clear roles to employees.
  - Develop, lead and promote culture in the organization.
  - Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
- Effective management of hazards, risks, incident, ergency, and injury.
- s engage and participation in all quality, it, health and safety activities.
- Continued growth in quality and productivity.
- Effective controls or quality, health & safety issues.
- No major accident a workplace / safe working conditions for all empl
- Develop positive quality a in with & safety culture.
- Continuously improve quality, safety and health performance with review process.
- Well performed employees.
- Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings. OR

- Good and safe working conditions.
  - Job security.

HandBook | February 2022



HSE&QA

Department

### **IMS Form**

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

Noncops

- Training and development opportunities.
- Sustained reputation and image of company.
- Consultation.
- Communication and participation.
- No accident / injury / ill-health.
- Reward and recognitions.
- Opportunities for dialogue / improvement / changes.

Timely and fair provision of remuneration coupled with career progression.

### Client/Customer

Time of povide high quality services, quick response on any complaint it low all local laws and QH&S requirements.

- Uninter upind gas supply.
- Customer facilition.
- Quick response of queries & complaints.
- Value for money.
- No health and safety issue in product.
- Prompt actions on quality, heart and safety issues.
- Minimize the risk of injuries when receiving a services.
- Socially and environmentally responsible.


### Suppliers/Contractor

- Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
- Fair chance of participating in bid opening.
- Communication of hazards present at workplace.
- Timely payment.

**Integrated Management System** 

93





	Transparency.
rade Union & Worker Representative	Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
	Conducive and safe environment for work
<b>6</b>	Timely provision of information necessary for workers
	No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media nanugement.
	Patient and so tive attitude.
. •	Effective communication.
Visitors	Safe entry and exit to stay at SSGC.
	<ul> <li>Communication of pertining regulation.</li> </ul>
	Emergency response.
	Briefing necessary safety rules.
	Necessary PPE available.
,	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
1. Houseful etc)	Emergency procedure in place and drilled.
	Regulatory compliance.

M Conners



HSE&QA Department

### **IMS Form**

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

### **Context of the Organization**

4	
	<ul> <li>Regular drills for flooding, spillage, site excavation and first aid etc.</li> </ul>
1	<ul> <li>Availability of adequate resources.</li> </ul>
Utility Providers (Power/water/Del,Telecom)	Prompt payment.
(i owenwater, relection)	Good Management.
Academic Institutes	Effective learning programs for employees.
4	<ul> <li>Synchronize the linkage of quality, health and safety with technical and non-technical learnings.</li> </ul>
	Learning from SSGC.
Insurance Companies	claims, risk management, prompt payment.
Banks	• Fipuncial performance, cash flow.
Neighborhood/Community/ Society	Safe working conditions.
Cociety	Environment from ly operations.
	<ul> <li>Contribute positivel to local environment and populations.</li> </ul>
	No complaint relating to woise pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
,	Return on investment.
·	Transparency.
	Rights are protected.
•	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

MR

35


1,00

	IMS Form .	SSGC-IMS/CRM-F-06
SSGC		Revision 00
HSE&QA Department	Context of the Organization	issue Date: July, 2021

机机构

Third party auditors- Finance	Smooth data collection
	Better financial performance
0.	Effective communication
	On time response on queries
~	No fraud or illegal acts detection
Certification bodies	Effective implementation of ISO standards with all
	relevant clauses in the organization
Creditor/Financial Institution	Repaid on time, good financial performance
Government/ Regulators (Local/Regional/Provincial/ National/International)	de tified applicable statutory and regulatory leavisements for Quality and health & safety.
, A	Promption points in case of any non-conformance.
	Proper investigation on uncontrollable.
	Implementation of safe policy in the field of occupational salety.
	• Fulfill the requirements of all applicable laws, rules,
	regulation, orders, guidelies interpretations and directives.
<del></del>	L

M



SSGC
HSE&QA
Department

### IMS Form

SSGC-IMS/CRM-F-07

Revision 00

. Issue Date: July, 2021

### **SWOT** Analysis

POSTHINE:	
STRENGTHS	WEAKNESSES
Having vast experience of Transmission and Distribution of Natural gas.	Complex distribution network leading to UFG.
Infrastructure available in two provinces.	Substantial resources required for up gradation.
Highly competent human resource.	Lack of succession planning.
Certified to international standards.	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakisten	High price.
Serving the nation since decades.	Government new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	TREATS
Monopolistic market.	Depleting natural disc
Over 2.8 million customers.	Customers may turn to renewable energy sources.
Import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.

Integrated Management System

UR

37

#### 1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

#### 2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

### 3. DEPINATION


a. Incident: Work related event(s) in which an injury or ill health or property da hage (regardless of severity) or fatality occurred, or could have occurred.

b. Accident: An incident if which an injury or illness or property damage actions of curs.

c. Near Miss: A Near Miss is an unplanned event that did not result in an injury or makerty damage, but had the potential to do so.

d. CPR: Cardiopulmonary resuscita to

e. Emergency: An emergency is a situation that poses an immediate risk to health, life, property, or entironment.



Accident

Near Miss

riarmfu

Harmless

INCIDENT / ACCIDENTS OSSES

Loss of Life Reduced quality of life PRESIDEN (Visible) Injury to people Damage to Company Investigation Time Reputation INDIRECT LOSS (Invisible) Clearing the Site and Damage to Equipment, conducting repairs Building, Tools etc. Time and resources utilized in hiring Legal costs and training new worker

MR

Integrated Management System



### 4. PROCEDURE

### 4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	<ul> <li>Major fire</li> <li>Major gas leakage</li> <li>Explosion</li> <li>Bomb blast</li> <li>Vehicular accident</li> </ul>		Inform respective departmental head/in- charge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	ignificant set / dram loss due to an untoward situation including		Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	natural disaster, damage or	0	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
٠.	theft of asset / property having an estimated amount of more than	8/	Report the incident using incident notification form via web portal to in-charge SE&QA immediately (or within 24 hours) after the currence of incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSECOLOWIII complete the investigation report vita in seven working dates after receiving incluent notification form	HSE&QA	SSGC- IMS/IAM -F-02
	on workuays.		Additional days may use be required depending proting the criticality of investigation		•
•			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.	O <sub>JEROA</sub>	•
٠			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
	·		Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
			Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	

Phi

- HandBook | February-2022 🋴

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
	Minor Injuries where only canic first Aid or is than		Inform respective departmental head / in-charge.	Anyone who has witnessed or received the initial information about the incident.	
. 2	provided to the viction.  Minor Vehicular accidents	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
ssi, agentini	where there is no significant injury or loss.	8/0	HSE&QA will share the information with all concerned to avoid excourrence.	HSE&QA	
3	<ul> <li>Any Near Miss Occurred / Observed</li> </ul>		Report he Near Miss using the Near Miss Notification Form via web portal. Elite details as mentioned on the form attach evidence (if Tay) and submit.	All Employees	SSGC- IMS/IAM -F-03

### 4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset danage etc. will be considered as accidents and will be reported through online Indiaer Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR

Integrated Management System


Procurements Door

CORRECTIVE

#### 4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:

- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- Lack of supporting information.




- a. Determ ration of root cause using any suitable method like tripod analysis etc.
- b. Investigation with be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- When indicated by me everity of the incident, steps to secure the incident site must be initiated immediately o ensure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be controlled with each person present at the time of the incident. The following rules are allowed for interviews with all individuals:

  1. The witnesses should be interviewed promptly, separately and privately.

  - The witnesses should be interviewed that give a yes or no answer.
     After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:

  1. The investigator or investigating team must focus on getting accurate and complete information.
  - 2. Facts must be separated from opinions, and clippet evidence from circumstantial
  - 3. Each concern identified in the investigation must be fully and ressed.
- f. Upon completion of the investigation, the team will fill and summitte Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background Information, Root Cause Analysis, Conclusion and Recommended Corrective / Prevent
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the ZonaLHSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

#### 4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be plated including controls, risk level, likelihood etc.

### 4.5. Date Applysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measure actions implemented.

#### 5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification	In-charge HSE&QA / Zonal HSE Team Leader.	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation: Form	charge HSE&QA /	5 Years.
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	IL-charge HSE&QA / Zona NSE Team Leader	3 Years

NR



SSGC HSE&QA Department

### IMS FORM

SSGC-IMS/IAM-F-01

Incident Notification Form

Revision 01

Issue Date: Aug, 2021

D	ate:	·	Time:	•		Report No.	
R	eported by:				<u>.</u>	. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	y
	ocation:	٠.			,		
3	SG Premis	ses .·		utside SSC	SC Premi:	ses 🔲.	
L	ocation Deta	alis:		•	-•		
R	esponsible	one		Z	onal HSI	E Team Leader	
R	egion						• •
P	) articulars o		Person(s)	•		Details of Affecte	d Asset areas
	Senal No		1	2	3		- 7.0000 (1.1.1.1)
	Name(s)		9,				:
	Employee ID	(z) · .			•	1	
	Designation			<b>7</b>			
		Permanent				1	
		Contractual		T U		1	
	Type of Employment	Contractor			C.	<u> </u>	
		Visitor				Φ,	
·	•	Other -					
	Age .	•					
.11	Vote: For furthe	r details addili	onal page may	be used)	. •		
ł	ncident Ty	p <b>e:</b> . ·		•	, .	(	
F	ire 🔲 Exp	olosion	Vehicular Ad	cident 🗌 A	sset Dam	age Work Relate	d jury. · 🔲
1	heft 🔲 Sa	botage 🗌	Natural Disa	ester 🔲 (	Gas Leaka	ige Other:	<b>\</b>
	ncident Co		85:				•
F	Fatality SSGC Hospitalization Asset Damage First Ald Other						
1	ncident Cla	· 🗀	n:			٠.	•
1	Major 🔲	Minor	] Near M	liss 🔲			•
1	ncident De	tail:	•			•	· 
ſ		•		<u> </u>			
.							
							Ì

N

HandBook | February. 2022

143



### IMS FORM

SSGC-IMS/IAM-F-02

# Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

incident Notification Form Ref. No.	incident Datail (Brief)
Incident Date	<del> </del>
Investigated by	
GAC IGROUND INFORMATION:	
	•
ROOT CAUSE	·
7	
· <b>&amp;</b>	
<b>S</b>	
1/-	
CONCLUSION:	in malert man et a fille
RECOMMENDATION OF CORRECT	IVE AN APP VENTIVE ACTIONS
Recommended Actions	Action till
1.	. (date)
2.	O <sub>0</sub>
	<b>3</b>
3.	· · · •
4.	
4. Is risk assessment required for the corrective actions? If year	please mention the serial numbers for the
	, please mention the serial numbers for the
4. Is risk assessment required for the corrective actions? If year	

SSGC HSE&QA

Department

### **IMS FORM**

SSGC-IMS/IAM-F-03

### **Near Miss Notification**

Revision 00

Issue Date: Aug, 2019

ateografype:	J'Unsafe Act	Unsafe Condition		
arne:	THE PROPERTY.			
recurive / Employee No.:	The state of the s			e .
esignation:		TO THE THE PARTY OF		na sakakan menguning makebban kanan sembana
epartmenti	10 1 1 Tasks 12 1	河南 自然 四十二十二	545 (Y	<del>Japanese verste en sente de la </del>
ocation / Area:		The Company of the Co	اينك باسيه التخطيب والتنسيسي إداية ومرياساتينات	
lear Miss Detail:		)		
Jatet	所"世界"			
Times	4.75	1/		· · · · · · · · · · · · · · · · · · ·
Location:	Park Kar Ma	物學位例		
Noor Silas Related To:	Leakingo Sip / Trip Falling Hazard Fine Electrical Physical	Chemical Chemical Siological Transport Spill Other		
Brief description of what you saw! (max. 100 words):				
Attach Pictures	Choose File N	lo file chosen		

N

HandBook | February 2022




The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- rechanism and frequency to test plan so as to ensure less and effectiveness of emergency response system.



#### 2, SCOPE

This procedure is application to all locations of SSGC, its employees and any visitor physically present at the location of emergency site to variations in nature of operations, various departments/sections have developed their own ER F and catering for their strategic, operational and physical requirements. The same includes HSE emergencies and their strategic operations in terms natural calamities, fire, major incidents with loss in our operations, major environmental damage, external terror or bomb threats, public unrest,

#### 3. DEFINITIONS.

- Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines with installations and other assets.


  Rescue: It refers to responsive operations that urually involve the saving of life or prevention of injury a.
- ь.
- Emergency Response Organization (ERO): it group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any incident, such as a natural disaster or an interruption of business operations.
- Emergency Response Centre (ERC): It is a room suitable of airped to handle any potential emergency : situations. All emergencies are to be reported here.
- First Aid: It is the provision of initial care for an illness or injury. I is as ally performed by non-expert, but
- trained personnel to a sick or injured person until definitive medical treatment can be accessed.

  Assembly Areas: If an evacuation to the outside is appropriate, the prinated assembly areas for f. personnel shall be far enough away from the building, structure or work lace to ensure that, where practicable, everyone is protected from falling glass and other objects.
- Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

#### RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- Call the fire brigade & other emergency services like ambulances if required. C.
- Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- Inform all to go back to their work places using megaphone or any other suitable means when the situation e. comes under control and the area is free from any hazard.



- HandBook | February 2022 👆

#### 5. PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are lis ted below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

#### 6. **Emergency Considerations**

The following areas of needs to be given consideration while identifying potential emergency situation but the same need of the limited to these areas:

- Fire &
- Heavy Silliag Toxic/flammable chemicals or leakage of gas
- Heavy rain/flog
- Earth quake
- Bomb threat
- Building & office lock bwg shelter in place
- Active shooter/hostage

#### 6.1. Fire & Explosion

... In case of fire & explosion each person sent within the premises must act as per but not limited to the following it structions:

- Give voice alarm FIRE! In case of fire for all immediate employees in the area.
- b. Push the nearest located call point button se of fire (if present).
- Immediately inform Emergency Response Organ C. ation through phone or in person.
- d. Try to control the fire by using fire extinguishers. I se ifre extinguisher anly if you have been trained.
- Remove all explosive, inflammable and poisonous make the maximum possibility.
- f. . Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable.... g.
- Report to the designated Assembly Point away from the scene of file plosion if asked by Emergency Response Organization through emergency exits and wait for the further ins uctions.

### 6.2. Heavy spillage of toxic/flammable chemicals or leakage of

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- Immediately inform Emergency Response Organization through phone or in person. a.
- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas. b.
- Turn off gas supply from nearest control valve... C.
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be d. taken to ventilate the gas. Ensure the availability of fire extinguishers.
- e. Stop leaks if this can be done without having any risk.
- f. . Do not touch or walk through spilled material.
- Prevent entry into waterways, sewers or confined space. g.
- If available wear the Personal Protective Equipment recommended. h.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions i.

**FIRETRIANGLE** 

Integrated Management System

าวประการกำ

### 6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but Try to stop water by keeping sand bags.

- Protect building, machines, equipment, tools, parts & material. b.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. a.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be accessible in case of any emergency.
  Sufficient or autity of tarpaulin and rain suit is available to meet the rainy condition. C.
- Keep the train line open all the time. . d.
- All pumps used of draining out the rainy water are in running condition.
- Sufficient quantity of and bags is available to stop entering the water inside, which may be placed in

Class	# Material	CIASSES OF FIF	
· A	Solids.	Examples	Type of Fire Extinguisher to be used
	<del></del>	Paper, wood pastic, etc.	• Water
В:	Flammable Liquids	Paraffin, petrol, all etc.	• CO2
:0	Flammable Gases		Dry Powder
		Propane, butane, m thene, etc.	Dry powder
D .	Metals	Aluminum, magnesium, titulitate etc.	Sodium chloride based dry
E	Electrical Apparatus	Short-circuiting, over loaded	powder fire extinguisher
		electrical cables, etc.	O2 Fire Extinguisher
F . **	Cooking Oil & Fat	Animal fat, etc.	Oly chamical based: Potassium bica popute

### 6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the

- Immediately inform Emergency Response Organization through phone or in person. b.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen. C.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) d.
- Maintain your senses, do not let them disperse. e.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. g.
- Wait for further instructions from Emergency Response Organization. h.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- e. The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

#### 6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Maintain your senses, do not let them disperse.
- Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- d. Bomb Disposal Department shall be called by Emergency Response Organization.
- e. The Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On gasting plearance from Bomb Disposal Department normal routine shall be adopted as advised by Emerge cy Fesponse Organization.

### 6.6. Building of Office Lockdown/shelter-in-place

If a situation calls for building or office lockdown, the personnel present within premises should act as per but of limited to following instructions:

- a. Remain calm and stay with to r colleagues.
- b. Try to stay in pairs.
- c. Do not leave the room and/or ban blg under a lockdown situation until asked otherwise.
- d. Keep quiet and away from doors and win lows
- e. If a gunshot is heard, lay down on the lico and shield under/behind furniture as much as possible.

#### Take care:

Don't try to be a hero in emergency situations, do not place your own life on health or that of others in danger

Ber prepared for the

### 6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel pres in within the premises must act as per but not limited to the following instructions:

- a... If it is safe to do so, exit the building; if not, lock or barricade, or self inside a room.
- b. Turn off lights, cover and lock the windows, and lay on the flour.
- c. If the shooter(s) leave the area, go to a safer place, if possible. Have at escape route/plan in mind, keep your hands open and visible, and follow any instructions given by law en process ent.
- d. Call the Police/Rangers when it is safe to do so. Remain calm, use a quiet voice, and provide as much information as possible (your name and location, details about the shoote (s) appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can lister an may to pinpoint the location.
- e. Cooperate and negotiate with the shooter, in order to buy as much time as second until the rescue team reaches.

#### 7. EMERGENCY NUMBERS

in consideration of the emergency numbers to be included in the emergency plan, the following should be taken into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System

49

#### **EVACUATION**

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. b.
- Leave the building/premises immediately, do not try to investigate the source of the emergency. C.
- Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- Assist people with special needs.
- As you make your way out, encourage those you encounter to exit as well

### O BE EVACUATED

evacuation should be carried in the following order.

#### 9.1. Personne

Those personnel who so not have sound health such as patients of Heart, Asthma and physically/mentally. disabled people are to be evaluated on priority basis. 9.2. Raw Material

Raw material which is experient, inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to caronust also be removed.

#### 9.3. Documents

Important records and files must also

#### 9.4. Equipment


Cash Lockers, Computer Sets, External Han Expensive Tools and Fixtures must also be removed.

### 10. TESTING AND EXERCISES

Testing and exercise of the emergency response plan should be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible frequency and type of drill at each location should be as below: periodically conduct the exercise. The

Water Street		
Location	Type of Emergency Drill	Frequency
a. Head Office	U <sub>A</sub>	in oquoncy
b. Regional Offices		
c: Billing Offices	Evacuation and Mock Emergency Drill (all	Salar Salar
d. P&C Offices	employees)	Six Monthly
e. Store (all locations)		
f KT /Transmissis		W. Marie Strain
f. KT (Transmission)	Fire Fighting Drill by Emergency Response	1
g. Distribution (Zonal	Team.	Six Monthly
and Sub-zonal offices)		- Convioliting



Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Headquarter Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
neadquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

#### 11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSC team leaders ensure that emergency detection and response equipment are identified, available and properly scintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of LR Fluipment. The record shall be maintained on inspection and Monitoring of ER Equipment Form (SSGC-MS/ZNP-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge Hacada as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular location/operation/equipment installation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher.
- b. Fire hydrant/hose/bucket water pump.
- c. Smoke/gas detectors.
- d., Communication equipment phones, Alarm systems; walkie-talkie etc.)
- e. First aid box. . .
- f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- i. Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as per table given below. However, if situation warrants, this frequency can be changed on the instruction of In-charge HSE&QA or Zonal HSE team leader.


	Location		· -·	Frequency	· 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2
.a.	Head Quarter Stations	7			•
. ხ.	Meter Manufacturing Plant			Monthly	
C.	K.T (Transmission)				
a.	Head Office				
b.	Regional Offices	·			
c.	Billing Offices		. •	· 4g	
d.	P&C Offices			Quarterly	
e.	Store (all locations)				•
f.	Distribution (Zonal and Sub-zonal offices)	•		•	•••

#### 12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period
SSGC-IMS/ERP-F-01 Emergency Drill Form		HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

rated Man







### IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

				• •			· · · ·	
Zone	<u>.L</u> ·	Region		Local	ion .			·
Type	Of Emergency Drill	<del></del>	<del></del>	<del></del>		Date	•••	٠. ٠
□ Fire	Explosion D He	Avv snillage	of toxio#low=					
□ Bo	Explosion - Hearmborn Other:	·· y opinage	or royreviration	nable chemi	cals 🗆 Heavy	/ gas jeakage 🗆 E	arthquake	
			·		<u>. '. :</u>			
S.No	Descri	ntion:		ervations	<u> </u>			<u> </u>
. 1	Emergency Sir A	prioii.		me		Comments		
2	Evacuation starter	ig at	<del></del>	<del> </del> -			·	
3	Last person read ed	the are	embly.	<del></del>				
<u> </u>	POILIE	<b>A b</b>	1.	!. :	;			
. 4	Firefighting/Bomb di	sporal squ	d/other ·		<del> </del>		···	
5	Tilitelested barty read	hed at						
	Emergency under co	ntrol at			<u> </u>		<u> </u>	
Addit	time of Drill (minutes Ional Observations (I	<u>):                                    </u>			•		· ·	
	ionai onselvatious (i	r any):				-		
٠.	•	•		<b>)</b>				 ب
		•		<b>1</b>			· 33 - 34	
	· .	•				200		
S.No		· ·	and the second second second second	And the latest live of the lates		The state of the s		
1	Emergency responde	ITE WORD WE	Asses	smear	<u> </u>		Yes	. No
2 .	Employee were prope	adv inctated	esent at the si	te				1
3	Behavior of employee	e was set	eu .			_	·	<del> </del>
4	Evacuation route was	satisfactor	siactory					+
5	SSGC firefighters we	saustactor	y .					┼──
6	Firefighting equipmen	t word wat	ed				<del></del>	<del> </del> -
7	Response of the med	i were up t	o the mark				<del></del>	<del> </del>
Overal	I Assessment:	ical stair wa	as satisfactory		•			
	. Assessment				Satisfac	tory   Vinsat	icfooto	<u> </u>
S.No	Correctiv	e Actions	lmprovemen	te Doguinal	and the second s		THE REAL PROPERTY OF	
				co vedanea		Responsibility	Target	Date
							<del>                                     </del>	
							<del>                                     </del>	
		<del></del>					<del>                                     </del>	
THE RESIDENCE	Someth 5	ترانفسوم (12 اب) الطفيات المادة . - المادة الم	The same of the contract of th	Helippe and should that a commen	- may		<del> </del>	
	Security Services				HSE&C	A Representativ		A. 4 (22)
	Name .	· Sig	nature		Name			
	1					- Jign	ature	
	ļ			1				ł
						_ 1		ĺ
	,	<i>.</i>			-			

Procurement T

- HandBook | February 2022



### IMS FORM

SSGC-IMS/ERP-F-02

Revision 01

### Inspection and Monitoring of ER Equipment Form

Issue Date: Aug, 2021 Zone Location Type Of Equipment ☐ Fire Extinguisher ☐ Fire Hydrant/Water Pump/Buckets/Hose ☐ Smoke/Gas Detector ☐ Emergency light ☐ Ambulance ☐ First Aid Box ☐ Communication Equipment ☐ Other : CHECKLIST What to check Yes No Comments wahers are in operable condition and not Pipe and nozzle do not have cracks. 03 in place and locked. 04 All extinguishers are cla ny visible and accessible. Fire Hydrant/Hose/Buck No leakage in fire hydran Hydrant valves are properly lu Hose pipe is rolled and propen ozzles are attached at the end. Fire buckets are maintained and add sand. First Aid Box All necessary/required medicines are available Medicines are not expired and valid for use. Smake/Gas Detector Alarms and Smoke/gas detectors are properly functioning. Other Equipment (if any) 02 S.No Observations dations 2 ٠. . Additional Commenta (If any): Security Services Representative HSE&QA Representative Name & Designation Signature Name & Designation Signature

Integrated Management System

R----

S3 🖔



#### 1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and

#### SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

### 3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute Jobs b. Suppli
- s an independent employer/organization that is responsible to provide goods or services.
- correlator: Is an executive of SSGC procurement department, who has been delegated/given responsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environmental Quality Standards.
- SEPA: Sindh Environing nrotection Agency.

### 4. RESPONSIBILITIES

#### 4.1 Suppliers/Contractors and Contractors

- a. The contractor must take all necessary a fety precautions related to the performance of the contract in order to protect the work sit in lucling all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety and well-being of their employees.

  c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors to have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequate trained to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC po es procedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for nental protection.

### 4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

### 4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

- HandBook | February 2022



#### 5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the requirement of this procedure.
- Supplied shall adhere to technical specifications provided by SSGC to ensure quality of goods provide
- hall perform hazard identification and risk assessment related to their activities for The con the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's 1/322QA department to seek guidance and awareness on risk/hazards related to activity and its possible ontrols.
- h. The contract is liable drawrstand and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please et at to risk assessment and management procedure (SSGC-IMS/CRM-02).
- The contractors are responsible to dispose of any waste generated during their activities in anienvironmentally safe & responsible manner.
- The contractors must ensure that gaily trained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with Success safety procedures and NEQS and SEPA set standards. concerns, and should be in accordance with Social safety procedures and NEQS and SEPA set standards. Any identified hazards discovered by the concerns that is beyond their ability and/or responsibility.
- to fix must be immediately reported to the contract coordinator and HSE&QA department in writing. \*

  m. The contractors must ensure that the workforce colved must be physically fit and should not carry
- m. The contractors must ensure that the workforce any contagious disease. SSGC reserves the right of sk for medical examination/tests of any
  - employee. Contractor will bear all expenses incurred during the medical examination/tests.

    n. For contracts related to providing food services/canteen and medical reports from accredited labs must be submitted to head of administration services of parent for entire crew once the C, tuberculosis, and chest contract is awarded and annually for following diseases hepatics X-rav.
  - o. In case of violations from SSGC safety standards/policies/procedure , actions will be taken to penalize the contractor depending on the severity/recurrence of breache soor following matrix:

S. No	Violation	Action Line
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
. 4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract

Integrated Management System



### 6. ACCESS

- Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person unit sign-in and at the beginning of each day all contractors must receive a new badge from
- e. Contractor implyees must stay in their assigned area(s) at the job site and not visit other areas or make any adjustments to any piece of equipment or device unless authorized to do so by an authorized SSG representative. Failure to abide by this work rule will result in immediate dismissal
- Each zone maintains secur work areas with limited access at all times. No one is permitted to overide any security dev onvenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the area without prior authorization. area without prior authorization. Any work not performed during no
- husiness hours must be approved in advance by the SSGC representative.
- h. All contractor employees will go through it actor safety/induction training upon initial work at SSGC: and annually thereafter. A copy of author lurrent) personnel for contractors will be updated and. kept at guard shack.

### 6.1 Tools and Property

- a. For any situation in which the Contractors activity may endange of duct quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments analyings or dirt in exposed product of manufacturing equipment areas, approval must be made through the approved by the ZTL or representative before work is to commence. The representative and conditionally established by the Zonal Team Leader or representative to protect the equip inactor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for any accept is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the S . Pay telephones are not available. . .
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Carneras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

HandBook | February 2022

=/Procuremant



- h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

#### 6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.
- b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product
- contamination of adulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).

  Appropriate Piers must be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to their varieties.
- d. Proper clothing must be worn at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and commination hazards and are not to be worn in working areas.
- e. Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skin abrasions will not be permitted to which in any area that could result in contamination of SSGC personnel.
- The use of tobacco in any form is problemed at all times except in the designated Smoking areas.
- g. Chewing gum, candy, storing luncles, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas and ewill be a designated area for contractors to eat. (Cafeteria)
- the SSGC premises and storage areas in the will be a designated area for contractors to eat. (Cafeteria)

  h. In the event that there are open tanks, or project product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the pressibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hammer ig, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chips Ther debris may be generated.)
  - Tolding or storing parts, lubricants, solvents or The use of containers, boxes, cans, jugs etc., to construction material is strictly prohibited.
  - j. The contractor is responsible to notify the SSGC representative immediately if foreign material used or generated by the contractor's activity, was accidentally spill into the zone area/ SSGC premises.
     k. Contractor will follow 'Spill Response Procedure' of SSGC in case starty spill occurred.

#### 7. CONTRACTOR SAFETY REQUIREMENTS

#### 7.1 General Safety Rules

- a. All applicable Occupational Safety and Environmental regulations must be followed.
- b. Contractors shall supply to their personnel and to the SSGC representative: e procy contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate pheion-site work.
- c. Contractors shall provide the SSGC representative with a current copy of their Safet Program including: Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and associated training certificates.
- d. The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.
- e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

III Integrated Management System

- 9. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatty and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- k. Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or
- All electrical equipment must be property grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- se of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines. compressed gas cylinders must be supported and secured standing upright according to Pakistan
- etherds. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks empty or full. Acetylene cylinders, when in use must have a wrench in place.
- p. Areas where overhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to
- night excavation pojects, night lights shall be provided by the contractor.

  In the event an figure, vapor or other harmful volatile release is caused or discovered, the contractor and/or his employees shall great at once to the nearest SSGC office and request for further actions immediately.
- Vehicles in Zone are required to adhere to the declared speed limit.

  Any contractor, contractor in covee or subcontractor violating Zone area safety or security rules shall be. Any contractor, contractor

### 7.2 Accident Reporting.

- a. Accidents occurring in Zone jurisdiction must be reported immediately to the SSGC representative.

  b. In the event of a fire, medical or other entering icv, contractors are required to notify zone security or the SSGC representative immediately. When providing notification give all pertinent information, including your.
- All contractor injuries requiring medical assistance bey schoasic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor Acoident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the
- d. All contractors and subcontractors must maintain their own OK& tired document/recon

### 7.3 Confined Space Entry

- a. The SSGC representative will notify the Contractor prior to being hired in the work will involve entry into confined spaces. The form included in documents will be used to make this had
- b. All Contractors who conduct confined space entries must adhere to the SSGC confined space entry
- c. At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System



#### 7.4 Cranes and Overhead Work


- All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- b. All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- c. All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness,
- d. Working with cranes and denicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safety operating and rigging procedures and methods must be used.
- All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upon request.
- f. In the cent that overhead work must occur in locations within the Zone where high voltage, overhead power lines are located, all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event proper clearance cannot be maintained, the power lines are to be de-energized and locked out prior to performing work. In the event the lines must be de-energized, prior approval must be given by the SSGC representative.

#### 7.5 Hazardous Energy Carrol (Lockout) Procedures

- a. All contractors, contractor exployees and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, with ctar employee or subcontractor servicing or entering a piece of machinery where the danger of injury kiss from unexpected energizing of the equipment or unexpected release of stored energy, the contractor is tract employee must disconnect the source of energy and lock/tag out this equipment before beginning work.
- In the event that SSGC employees or other anknown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize the equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represent tive or remove LO/TO without communicating to all affected associates.
- d. Contractors are required to supply their own lockout locks, tagget and hasps.
- e. In the event that a contractor or subcontractor has de-energize, and locked out a piece of equipment, the equipment specific lockout procedure must be adhered of contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedure to the SSGC representative.
- f. The lockout tag used by the contractor must have the contractor's phone it inber and a person name, SSGC to be contacted concerning the lockout.

#### 7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited.
- c. Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



# 7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to İ.
- Provide the SSGC representative with a listing of all hazardous chemicals. ii.
- Properly label all containers, adhering to SSGC labeling requirements. iii.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property. C.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed
- hen the use or storage of explosives or other hazardous materials or equipment is necessary for the cution of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the on of properly qualified personnel and in conformance with all applicable Zone Requirements and
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and e. informing the employees of all hazardous substances in use at the job site and of the appropriate safety

### Emergency Procedure

- In the event of a fire, medical profiler emergency, Contractors are required to notify zone security or the SSGC representative immediately. As a security personnel the location of the fire and any other pertinent information. In the event that Zone exprity or SSGC representative cannot be reached, evacuate the area and call area/city emergency department as soon as possible.
- All contractors, contractor employees and authoritactors are required to follow the predetermined exit routes and emergency evacuation procedures poats it at the facility.

  All contractors, contractor employees and soor after the facility.

  All contractors, contractor employees and soor after the facility.

  event of emergency alarm activation or if instanced to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the encloyee staging area located at guard shack. ed to by an SSGC representative. In the event of an

### Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of a y o ane or gasoline powered equipment that is to be used indoors. b.
- SSGC Management discourages the use of internal combustion engin no reasonable alternative means are available to complete the job. and will only permit it when

### 7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices. b.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have

Integrated Management System

d Julius 1920.

#### 7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the b. necessary precautions have been taken.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC C. representative will issue a new permit.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been d. made and return the signed permit to the SSGC representative.

#### 7.12 Ladders and Scaffolding:

- All had as belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet (SSEC Work at Height Requirements.
- b. In Zone property must be properly secured.
- All scaffolding must be equipped with railings and toe boards. C.
- All "swinging" type calfolds must be inspected by the contractor and repaired if necessary before use. d:
- All overhead work from a prklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

#### 8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors compressed applicable environmental rules & regulations.

#### 8.1 Non-Hazardous Waste

- Construction refuse and debris will not be an execute accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in an extract document.

  Contractors shall take ownership of all waste and daily generated from materials they brought to the job site or from demolition activities, and shall dispose out it has waste and debris in accordance with all applicable. ·laws and regulations.
- c. Reference to SSGC, The SSGC Company or any of its trader arks shall not be used in any documentation associated with the disposal of such waste and debris,
- Contractors shall coordinate with the Zone, whenever practical, the regate debris or waste which may be recycled or re-used in a safe and environmentally responsible making
- Worksites may be periodically inspected by the SSGC representative to a state that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such time as the worksite and property have had a final inspection and removal of all containers, debris, wastes and naterials has been confirmed. by the SSGC representative and documentation has been printed that all har arrows wastes have been property disposed.
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility. . . . .

#### 8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior a. to bringing them on-site:
  - i. Provide the SSGC representative with a listing of all hazardous chemicals.
  - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
  - iii. Properly label all containers, adhering to SSGC labeling requirements.





- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- wastor shall assure that all employees dealing with hazardous materials and hazardous wastes have had an legality required training and are familiar with the hazards presented by such wastes or materials.

# 8.3 Spill Response Procedures

- a. Each contractor is equiled to have a written emergency response plan to handle spills and releases which elivery, or use of hazardous materials at the SSGC work site. The contractor
- may occur during transport delivery, or use or mazardous materials at the occur during transport delivery, or use or mazardous materials at the occur during transport delivery, or use or mazardous materials at the occur during transport delivery, or use or mazardous materials at the occur during transport delivery, or use or mazardous materials at the occur during transport delivery, or use or mazardous materials at the occur during transport delivery, or use or mazardous materials at the occur during transport delivery. release must have been trained and by the appropriate spills response certification and meet response who engage in the emergency response of a hazardous material requirements.
- contractor must provide documentation to period that it has contracted with at least one reputable outside spill response contractor, that is reasonably agree ble to SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of hazarous materials.

  The contractor shall be responsible for appropriate than-us of spills caused by their activities. Such clean-up will include removal or remediation of any materials impassed by such spill, such as: building materials, soil,
- e.
- In the event that a spill or release of contractor's material occur not respond to the release to the satisfaction of SSGC, SSGC stall to the right to take any reasonably necessary steps to respond to or remediate such spill or release. The paractor shall reimburse SSGC for f.
- Spills and releases of hazardous materials must be reported immediately by the spntractor to the SSGC g.
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to h.
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

### 8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





#### 9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized presentative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and understood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


### 10. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by use it has listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who violate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, country with these rules.

Compliance with the SSGC Contractor Work Rules (see set in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local safety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable to contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with all policable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services or SSC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold hamless SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breach if he above warranty and/or any violation of applicable laws, regulations and/or rules.








Company	
Date	
SSGC (Print)	
Signature	
Title	·
SSGC Representative	
cc: Project Manager File Zone H. Manager Contract	

#### 11. DOCUMENTED REORMATION

1		<b>A</b>		
٠.	Record No.	Record SSGC	Maintained by	Retention Period
	SSGC-IMS/GSC-F-01	HSEACA Awareness Form	HSE&QA Department	3 Years

NR









### **IMS Form**

SSGC-IMS/GSC-F-01

# HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

· · · · · · · · · · · · · · · · · · ·		<del></del>		-	<del></del>
Organization			ontact name		
Name /	•	C	ontact number		
Type of O. nt ☐ Mechanica Wo Contractor ☐ Preli	Electrical Work □	l Civil Work □ Was aird party inspection	ite Disposal □ Canto n □ Goods Supplier	een 🗆 Transport 🗅	Manpower
Area of Working:	^^			<u>.                                    </u>	
Contract Coordina	ator:				
	7	HSE&QA Av	vareness		
	Description		ويافدني برأواه	Remarks	
ISO & OHSAS Star	ndards				•
HSE&QA Policy					•
PPE Policy				·	,, · · · <b>,</b> , , , · <del></del> -
Risk Assessment	and Management Pro	ocedure			4+
Incident and Accid	lent Management Pro	ocedure	<u>(,                                    </u>	•	
Emergency Respo	onse Procedure		<i>D</i> ,		·
Technical Specific	ations/Performance	and Testing		<b>)</b>	
Remarks:			1.	<b>O</b>	
				0	
Supplier	r/Contractor Repres	entative	HSE&QA Representative		
I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.		provided basic information of HSE&QA Policies and Integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specification (and related sequipments to consume quality confets).			
Name	Signature	Date	Name	Signature	Date
	}				
	_1	<u> </u>		•	

gement System

Dept.

HSE&QA Department

### PENALIZATION MECHANISM

Revision 01

SSGC-HSEQP-F-10

Issue Date: Sep. 2022


r Service Contacts Only


#### 1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

### 1.1 Perflization mechanism

Following 100 chart depicts the mechanism/ hierarchy, which will be followed for the penalization of me contractor. Penalization Form and Annexure-J-1 can be found below.







; <b>4</b> )			SSGC-HSEQP-F-1
SSCC USE&QA	PENALIZATION FORM		Revision 01
epartment)	for Service Contrac	ts Only.	Issue Date: Sep, 20
MR	. • •		
Project		Date	
Section		Contractor	
User Dept.		Focal Person	
· Nature of I	Non-Compliance (As per Anne	exure J-1)	
Mode of P	enalization		±.
	Initi	alo	ignature
		- CA	
		7/	
	Recommende		0
	Name	S	ignal re
	Recommended by User De	partmental/Divisio	onal Head
Following S	ection is applicable ONLY in	case of Financial	Penalization
	DMD (Ops)	DMD (	Finance)
Copy to: Pro Note: Adequa	curement/Finance/P&D Department, (ate evidences MUST be furnished alor	Contractoring with form by Initiator	Sol broshewert

SSECTON HSE&QA

Department

MR

# PENALIZATION MECHANISM Service Contracts only ANNEXURE J-1

SSGC-HSEQP-F-1

Revision () (

Issue Date: Sep. 20

S. N	o. Nature of Non- Compliance	Mode of Penalization	
HS	E	To an an an an an an an an an an an an an	
1	PPE related	1st Time — Verbal Warning Iron site in charge  2nd Time — Written warning ' Explanation Letter  3rd Time — Removal of worker	
2	Insale Act / Unsafe Condition	1 <sup>st</sup> Time ———— Stop work  2 <sup>nd</sup> Time ———— Stop work along with written warning letter	
3	Not reporting any major incidents within the time frame specified in Tender documents / HSE&QA Plan	Financial Penalization up to Rs. 2(11),(101) for each accident	
4	No proper tag out/locked/ barrication / signage boards and systematic PPE non-compliance as advised by \$500 representative(s) at Site or hand hed in SSG(SOPs, work instructions or Toks.	1 <sup>st</sup> time — Warning Letter 2 <sup>nd</sup> time — Stoppage of Work 3 <sup>rd</sup> Time — Financial Park	
Qual	ity .	200,000 can be penalized)	
5	Deviation in actual manpower provided vs he manpower (Organogram) submitted in tender documents	ost of unavailable staff on light	
6	Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs.	related documents	
Repor		The second secon	
7	Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan	Financial penalization up to 2% of the invoice amount of the billing period	
	Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office.	Explanation letter	
9	Providing wrong / insufficient information in invoicing pertaining to equipment and manpower.	Financial penalization Up to 2% of the invoice	
10	False reporting, misleading information	Financial Penalization 4 22	
		amount of the hilling period	

and Immed.

9hi

6 8 3 3 100 Distriction

BBBC-HJEUP-F-10

### LIZATION MECHANISM

GIME Cornects Only

Revision 01

**HSE&QA** Department ANNEXURE J-1

Issue Date: Sep. 2000:

Ethics & Conduct

Non-comperation with SSGE team by any staff. of Contractor. Non-cooperation includes nonsharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSGC's. representative(s).

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head:

Repeated (03) absence/Unavailability of site Contractors so iff during surprise visits of

Financial penalization (One day salar; deduction of entire site staff of audited site

Note:

3.

Penalization in a position of exceed the 5% of the total contract value:

If Three (03) non-5 impliance ( on any one issue or combination of issues) are issued to 1. any contractor, Manage at will decide to impose additional penalization (e.g. forfeiting 2. of Performance Bank (up notes / retention money), termination of contract or temporary blacklist (Blacklisting will be up to one (01) year.

Tenden Project specific requirements and penalization are outlined in tender documents/

