CHEMICAL

(UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE) AS PER PPRA RULES 2004

TENDER ENQUIRY NO: SSGC/LP/PT/2047060

Closing date & time: 15-01-202 at 1030 hrs Opening date & time: 15-01-202**5** at 1100 hrs

Supplier thist be active in FBR Active Tax Payer List (ATL) Sealed quotation of above referred requirement to be submitted in PKR

Venue:

Tender Room D Building, Ground Floor mplex Karachi -75300 SSGC Head of Ph. +92-21-99021024, 9021173,+92-21-99021116.

Earnest Money (Fixed Bid Band): PKR. 60,000/-

UPR

"Note: Tender document is also available online on SSGC website for participate in bidding process only after purchasing the tender documents from er Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence Tender documents. that supplier has purchased Further, Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."

Sui Southern Gas Company Limited

Procurement Department

ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan Phone: +92-21-99021223, Fax: +92-21-99231583

www.ssgc.com.pk/ssgc

Schedule of Requirement & Bid Form

	RFQ_Numbe		/PT/2047060 47060	Supplement to the supplement of the	ding Date	13-DEC-24 15-JAN-25		
S#;		Item:Description	- Unit	Quantity*	Make / Brand	Unit Price inclusive of all discount (Ifany) & Exclusive of GST&	PKR.	
1	2	3	. 4 .	5		6	$7 = 5 \times 6$	
1		CHEMICALS MONOETHYLENE GLYC (ANTI-FREEZE) AS PER SPECS	OL Litre	6400				
Tota	Total Fix Bid Bond Amount PKR: 60,000							

NOTE:

- corresponding total amount shall be inclusive of all duties and taxes and discount (if any) except 1. The quoted unit price a General Sales Tax. (GST). Sa ax will be applicable as per GST act and subsequent amendments of time to time. GST will be reimbursed to manufacturer and ters only subject to production of paid invoice.
- 2. Bidders are essentially require to judge on bid form. Rates quoted on other then bid form will not be entertained.
- 3. Argueries / complaints regarding state tender enquiry shall be addressed to GM(P) / DGM(P) in writing
 4. EVALUATION CRITERIA: Order will be placed on the Lowest Technically / Commercially Compliant bidder (s), unless specified
- rate Bid Bond for each bid is required. All the bidders are advised to furnish 5. In case when bidder submit alternate bas, fixed bid security amount appearing in price sche ule/BOQ otherwise bid will be liable for rejection. mandatory for all the bids valuing RS.500,000/- of less. The submission of fixed amount of bid secur
- The sub.....

 5. Any Bidder who change, and will be liable for rejection.

 7. Bid bond submission (2%) of the bid amount as men...

 8. void, however, other contents of clause 9 will remain unchanged.

 8. All offers shall remain valid up to 120 days from the date of opining of bids and 9. Special terms & conditions and warranty guaranty attached at an exure 01. edule (Description, Quantity, UOM etc.) will render the bid as conditional bid
- 7. Bid bond submission (2%) of the bid amount as mentioner in the clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain up to high.
- ing of bids and bid bond shall remain valid for 150 days.

Signature	:	
Person Name	:	
Company's Name	:	
Date	:	
		End of page, any entry beyond this line would be invalid

Delivery Schedule: Complete delivery is required within 90 days after confirmation of PO.

Delivery Location & Quantity:

LPG Air Mix Plant Kot Ghulam Muhammad

LPG Air Mix Plant Noshki

LPG Air Mix Plant Surab

LPG Air Mix Plant Gwadar LPG Air Mix Plant Awaran

= 1.600 Litre. = 800 Litre.

= 800 Litre.

= 1,600 Litre.

= 1,600 Litre.






Sui Southern Gas Company Limited Technical Services Division LPG - Air Mix Plant Department

Page No. 1

Doc. No. 028

Specifications for Mono-Ethylene Glycol

TECHNICAL RECIFICATIONS FOR THE PROCUREMENT OF MONO-ETHYLENE GLYGOL FOR LPG VAPORIZERS OF LPG AIR MIX PLANTS AT KOT GHULAM MUHAMMAD, AWARAN, NUSHKI, SURAB AND GAWADAR





SSGC

Sui Southern Gas Company Limited **Technical Services Division** LPG - Air Mix Plant Department

Specifications for Mono-Ethylene Glycol

Doc. No. 028

Page No. 2

Contents

GENERAL	3
MANDATORY REQUIREMENT	3
REQUIPMENT	3
SPECIFICATIONS OF MONO-ETHYLENE GLYCOL	4
DOCUMENTS & CURTIFICATES	4
PACKING	4
C SURSO	PROCUREMENT CO
	MANDATORY REQUIREMENT REQUIREMENT SPECIFICATIONS OF MONO-ETHYLENE GLYCOL DOCUMENTS & CARTIFICATES









Sui Southern Gas Company Limited **Technical Services Division** LPG - Air Mix Plant Department

Specifications for Mono-Ethylene Glycol

Doc. No. 028

Page No. 3

1. GENERAL

To be used in water bath LPG Vaporizers in the ratio of 50:50 (Water: Glycol) solution for providing indirect heat to the LPG in circulating coils.

TORY REQUIREMENT

- 1. After deliver of the Mono-Ethylene Glycol by the successful Bidder at SSGC store, SSGC's representative along with bidder representative will collect the sample of Mono-Ethylene Glycof for parity test from reputable Laboratories. The cost of tests will be borne by the bidde
- 2. Single sample may be a Rected from several drums.

3. REQUIREMENT

	ingle sample may be collected. REQUIREMENT	cted from several drums.	
S. No.	Description	Locarion	Quantity Required
1	Mono-Ethylene Glycol	KGM, Awaran, Nishki Surab and Gawadar	6400 Liters







Sui Southern Gas Company Limited Technical Services Division LPG - Air Mix Plant Department

Specifications for Mono-Ethylene Glycol

Doc. No. 028

Page No. 4

4. SPECIFICATIONS OF MONO-ETHYLENE GLYCOL

Purity of Mono-Ethylene Glycol = ≥ 99%

5. **DOCIMENTS & CERTIFICATES**

1. The sopplier must provide purity report of Mono-Ethylene Glycol with the bid documents.

6. PACKING

- 1. Must be in brand new air-tight containers/drums.
- 2. Drum capacity could be 20 Liters.
- 3. Packaging materials must not interact physically or chemically with a packaged article in a manner that causes its safety, interacty, strength, quality, or purity to fail to conform to established requirements.





Checklist for Bidders

Time :	Phone No.
Opening Date:	
Enquiry No.:	M/s

1 / provided along your bid check { } Please ensure before submitting the bid, that following information / documents have been appropriate bod.

aments, or incomplete/incorrect statement on this checklist may result in rejection of the bid Non-availability of the above informa at / after the bid opening. Note:

Pch 2023 "E-Pak Procurement Regulatious, 2023" all bidders are advised to register in e-Pak As per SRO296(D/2023 dated 02 Acquisition and Disposal Sy

Bidders Authorized Representative



Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

<u>Note:</u> In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will gavem / prevail.

1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not tweeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful bidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully delivered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annexd, duly filled, signed & stamped.

iv) in the where performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the color of / purchase order are new, unused, of most recent or current models and incorporate all recent improvements and goods unless and otherwise provided in the contact / purchase order.

v) The Venney Yudertaking being provided by the successful bidder is required to be submitted at least on Rs. 200'— Non-validad Stamp paper and should be duly notarized / attested.

vi) In case of Supply installation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the installation, Testing & Commissioning.

2. Bid Security:

- a) Bid bond submission (1. %) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treat of as null & void, however, other contents of clause 9 will remain unchanged. The submission of fixed amount of hid security is appearing in the Schedule of Requirement/Bid Form.
- b) All the bidders are actived a furnish fixed bid security amount appearing in Schedule of Requirement/Bid Form, failing witch their bid will be rejected.
- c) The submission of fixed amount of 1 descurity is also mandatory for all the bids valuing Rs.500,000/or less.
- d) The word lowest bidder or the lowest want d bid has been substituted to read as most advantageous
- e) Sub-clause 9.2 of the General Terms & Comitting to be treated as mill & void, however, other contents of clause 9 will remain unchanged.

3. Method For Submission of Bid Bond (Under Single Stage Type, nyelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid beat the clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the Lid bond is placed in the financial proposal

will also be considered. Without submission of bid bond (either in Taking a proposal or financial proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and but both shall remain valid for 150 days.

5. <u>Declaration / Integrity Pact / Certification:</u> It is required to be submitted by the Society of Sibber on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of 15, 10,000,000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO,CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4 LP-Rev-22

19 Dec 2023



clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

8. Correct Postal Address.

Budder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentjoned in the General Terms & Conditions.
- d & PBG (Performance Bank Guarantee) for Proprietary Tenders proprietury Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / In cas Applicab
- ange / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render 14. Any Bidde the bid as conditional bid and will be liable for rejection.
- Terms & Conditions is meant for vendorized items processed through negotiated 15. Clause 14.1 of Gene tendering clauses.
- ddir is the most advantageous bidder is new local manufacturer, 10% trial order 16. For open competitive B 💇 order will be awarded to the next most advantageous bidder at their own will be placed and remaining quoted rates.
- rned in after 6 months of work completion / material delivered. 17. SSGC will not pay invoices if they
- 18. It is mandatory for the bidders to heavy all the terms and conditions given in the tender documents without on the bid accordingly. Therefore, in this context, the bidders are any addition / deletion / amendment and as as it tantamount towards the conditional bid. Otherwise requested not to give their own terms and co I the Purchase Order / Contract will be awarded based on their terms and conditions will not be conside only as per SSGC tender terms and conditions
- y one Bank Account number (IBAN number) on the 19. The bidders/contractors are required to provide in e ation, which shall be firm (not changeable) for 'FORM-X' attached duly signed & stamped as one time all the future payment transactions.
- 20. Payment:

Page 2 of 4

The supplier after delivery of goods and its acceptance shall subrativoice to Finance Department of the CAROS Company, containing following information i.e.

- Purchase order No. & date
- (b) Items
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc. (g)
- Supplier(s) are required to submit signed and stamp acknowledgement (h) Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of Sevant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
- 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

1 P-Rev-22 19 Dec 2023

- deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
 - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed i commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
 - 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).

27. Fixed Bid Security - Alternative Bid

- A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will liso be considered as an Alternative bid/offer and require to submit separate Bid bond for each take/brand/model.
- 28. Bidde will be blacklisted and henceforth cross debarred for participating in respective category of Public Procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fandulent practices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have with rawn or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the intract or accept purchase order (ii) fail or refuse to furnish the performance security or the comply with any other condition as mentioned in the tender document
- 29. The term "Call Deposit Receipt" meatient in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) of Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either or \$2.00 or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following classes to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit fixed aid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be a larged separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to submit 10%

 Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission
 of his bid may lodge a written complaint concerning his grievances within seven days
 of announcement of the technical evaluation report and five days after issuance of final
 evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.



- In case, the complaint is filed after the issuance of final evaluation report, the
 complainant cannot raise any objection on technical evaluation of the report. Provided
 that the complainant may raise the objection on any part of the final evaluation report
 in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



NOT FOR BIDDING BURBOSK

Form of Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)] No.: [number of Bidding process] No.: [insert identification No if this is a Bid for an alternative]

To: [complete jinne of P

ccording to your conditions, Bids must be supported by a Bid-

be blacklisted and henceforth cross debarred for participating in ublic procurement proceedings for a period of (not more than) with a bid securing declaration, however without including in comupt and fraudulen rices, if we are in breach of our obligation(s) under the Bid-conditions, becau

- (a) have withdrawn ें कें of Bid; or of Bid validity specified in the L
- (b) having been notified of the accept and uning the period of Bid validity, (i) our Bid by the Procuring Agency or refuse to furnish the Performance. effise to sign the Contract or (ii) fail . accordance with the ITB. ry (or guarantee), if

We understand this Bid Securing Declaration shall exp Bidder, upon the earlier of (i) our receipt of your noting successful Bidder; or (ii) twenty-fight days after the expuesion of Name of the Bigge

Name of the person duly authorized to sign the Bid-on behalf of the

Title of the person signing the Bio

Signature of the person named above

Date signed

. In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a form Venture, the Bid-Securing Deciaration must be in the name of all members to the form Venture that summiss the Bid.!



	Supplier code:
FORM-X	
Bank account details form for al	l Beneficiaries
(Mandatory requirement for Digital	Online Banking)
As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142 payment online w.e.f. 01-11-2021. All beneficiaries are required mandatory:	150-R dated 23 rd Sept'2021 to make the d to fill in the below details, which is
Name of Firm:	-
Address of Firm:	-
CNIC #:	_
NTN#:	-
Bank Name:	_
Bank A/C Title name:	-
Branch code:	· - •
Bank A/c #:	(16 Digits)
Bank IBAN #:	_ \$24 Digits)
Information already submitted.	
Note: Please be attached copy of Cheque / Account Mainten	ance Certifica e.(N andatory)
	Authorized Sign & Stamp
Date:	
Note: All payments transactions will be made on above menone time information to be provided by the all beneficiaries submitted, please tick the box above "Information already study signed & stamped.	. Incase if the above detail has already



TTHE GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 IPART II

ANNEXURE: I

Declaration of Ultimate Sensificial Owners Information for Public Progressent Contracts.

- 1. Name
- Father's Name/Spouse's Name 2
- 3. C / NICOP/Passport No.
- **3**.
- 6. Email address
- 7. Date on which sh o. control or interest acquired in the business.
- In case of indirect shareh liding, control or interest being exercised through intermediary companies, entries or other legal ensons or legal anangements in the chain of ownership or 8.

Legal form (Company/Limited Liability Parmership (Association of Persons/Single Member Company/Parmership Film/Trusted/Any other Individual, Body Corporate (to be Specified)	Uale of Incorporation / Registration	Rushoss Adhess Country	Emeril Addross	Perpart of sinare social control interest of interest of in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Apress of the Rerson or again Analogue antin the Company	identry of Natural Perso who Ultimatel owns of Controls the Legal Person of Arrangement
---	--------------------------------------	------------------------	----------------	---	---	---

9. information about the Board of Directors (details shall be provided regarding number of snares in the capital of the company as set apposite respective names).



THE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 I

surname (in block Latter's) Case of Husband's Name in Full Passport No) Current Nationality Nationality lies) Residenti Numbers Nationality shares tak address by cash in full of subscribers	Name and	CNIC no (in	13	4	5 .	16	17	1.0
Total numbers of snares taken (in figures and words). 10. Any other information incidental to or releases to beneficial owners).	sumame (in	case of foreigner	Husband's	. Current Nationally	Any other Nationality		Residenti ally address in full of the registered / principle office address for a subscribe re other that	Numbers of shares taken by cash subscribers (in figures and
Total numbers of shares taken (in figures and words) 10. Any other information incidental to or relevant b beneficial owners). Name and signature			10					
10. Any other information incidental to or relevants beneficial owners).								
10. Any other information incidental to or release to beneficial owners).		1						
10. Any other information incidental to or release to beneficial owners).				כנבו חנוחספ	es of snares t	aken (infigures (
	Name and sm	בתו וופרון:			peneficial o)Wijer	- (s).	



Sui Southern Gas Company Limited (SSGCL)

Contents

Part - A

Section -1 al Terms & Conditions Included Section - 1A al Terms & conditions for Included

Conditions Section - 2 Special Term

Included /Not required

Annexure-A Format of Bid Bon Guarantee Included Format of Performan Annexure-B L Guarantee Included Annexure-C

Declaration by Supplier Included /Not required

Part - B

Included included included Section - 3 Bid Form (Schedule of requirement) Specifications/Drawing (if applicable) Section - 4 uded /Not required



SUI SOUTHERN GAS COMPANY LIMITED Procurement Department

M/s	
••	Tender Enquiry No.

INVIATION TO BID

Sui Southern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the subject material according to Terms and Conditions specified in the attached Tender Document. Please read following instructions before submission of bid:

- 1. Bids at to be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number & its or and date and time on the face of the envelope.
- 2. Bid Bond @ 2 i of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and same due to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is entring.
- 3. In case the bid opening that falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled day, will be opened on next working day at the same time and at the same venue.
- 4. The bidder shall bear at excenses associated with the preparation and delivery of its bid/sample and the Company will in no case of 1 th in this respect.
- 5. Prospective bidder requiring any information or clarification of the tender may notify the same by fax or at the mailing address. The Company will respond to any request for explanation or clarification, if received within reasonable time prior to submission of bids.
- 6. The Company reserves the right to cauce, and, delete or smend tendered items/quantities/any part of the tender during the bidding period without session any reason. However, bidders shall be informed about it prior to bid opening/process.
- 7. The Company reserves the right to accept or reject my bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or reject my bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or reject my bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or reject my bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or reject my bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award or can accept or reject my bid or part of a bid or to annul the bidding process.
- liability to the affected bidder(s).

 8. In case of Single stage two (02) envelope bidding precedure (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be submitted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" and "junancial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later introduced date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along with their bid bond.
- 9. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Section-1A will also apply.
- 10. The Company will appreciate confirmation by fax No 92-21-99231583 or email at anti-mite@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in sub-fission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
- 11. Bids are required to be submitted at:

Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074, Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk

Hope and look forward for your valued participation.

Thanking you
Yours sincerely
General Manager (Procurement)



-b-;;** :

3

ocureme

General Terms & Conditions

1. Submission of bids:

Bids are to be submitted in sealed envelope provided with the tender (in such a manner that 1.1. contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.

galed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, RD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which Il not be entertained. In case bid is sent through courier, the same shall be delivered at least

in hour before scheduled opening time.

The Company may at its discretion extend the closing date for the submission of bids, in which 1.3. case all right and obligations of the purchaser and bidders previously subject to the closing date subject to the date extended. However, any request for extension received from will thereafter prospective bi derriess than one week prior to bid opening date may not be entertained. In case of date, the same will be advertised in press and simultaneously shall be extension in bid of intimated to prospect e bidder who had purchased the tender documents.

er neations, erasures or overwriting except as necessary to correct the The bid shall contain no ject errors made by the bidds. 1.4 ase of any correction etc. it shall be signed and stamped by the

person signing the bid.

1.5. The quoted price shall be inch The quoted price shall be inclusive fall duties/taxes except GST, which is to be mentioned separately. The supplier shall declare (if implicable) regarding non-applicability of GST for which Rates shall be item-wise, as given in price schedule/schedule of received otherwise specified 1.6.

chedule/schedule of requirement/Bid Form unless

otherwise specified.

Bidder is responsible for timely delivery of bid a location specified 1.2 above. Company will not 1.7. be responsible for misplacement/ tampering/non-attence/delay or any other incident in case the . bid is not delivered at the designated place & time.

Any bid received late after the closing date and time, will be rejected and returned unopened. 1.8.

The quotation shall only be acceptable on/as per Bid For the see for foreign tender when Local 1.9 Agent submits bid on behalf of different bidders, a separate Management Bound for each Bid is required. Likewise for tender when bidder submit alternative bids a secure bid bond for each bid is required or else bid will be liable for rejection.

Deviation from tender terms and conditions is not allowed. He 1.10 r, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: Bid I deviation on any

other page will not be entertained.

1.11 Discount offered (if any) shall be mentioned on the "bid form" only.

The bidder(s) or their authorized representative shall put his full signature with stamp & date on 1.12 each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.

The bid is to be completed and returned to the Company in accordance with, General terms & 1.13 conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

ż. Qualification is squalification of Suppliers: The Congany, a any mass Follow, the Attached s, having predicts mosons for or propagations evidence of any defect in surface tilsting Mechanismies, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial compete

> Please Follow the Attached Block Listing Mechanism

whether already pre-qualified or **Research Company** shart disqualify a supplier or contractor if it finds, at any time that the information regarger that displicitly inaccurate or incomplete.

Joint Ventures:

in the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents, interested five working days prior to closing date for the submission of bids prescribed by the Company. The company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/reference will not be acceptable.

6. Modification and withdrawal of bid:

- 6.1. The bidder may modify withdraw its bid after the bid submission, provided the written notice of the modification or withdraw is received by the Company prior to the deadline prescribed for submission of bid. After the bids/or a tions are opened, no bidder shall be allowed to revise, propose or request any change in the bids.
- 6.2 The bidder's modification or with layer notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax fallowed by a signed copy.
- 6.3 Bids once opened cannot be withdrawn anny validity period.

7. Bid validity:

All offers shall remain valid up to 90 days (120 days in each of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the hidder lift the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. Widder giving extension to his bid validity will not be required or permitted to modify his bid. If there will be any query/clarification or extension request asked by the Company, the bidder should reply the same within a lays after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their pid didity period.

8. Rate Escalation:

8.1 All items except line-pipe:

Quoted prices shall remain valid. firm, irrevocable and fixed till the fulfill tent of obligations by the bidder and will not be subject to escalation / change on any account.

8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:

 a) H.R. Coil.
 - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Fincureman

- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccessful bidders while the bid bond of the successful bidder shall be retained, till submission of Performance and (if applicable). Bids without bid bond will not be considered. In case the order value is less than Rs. 00,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be remarked with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with me oder. Bid bonds of non-compliant bidders may be released during evaluation or an feited if a bidder withdraws the bid duringvalidity period specified by the process. The bid bond ma bidder or if successful bidder it us to:

- Accept purchase order,
- Supply material as per requirement and delivery schedule
- 9.1 In the event of bid bond validity following short of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bid abstraction date or (ii) where so required by the procuring agency, then in such an event it shall be man ato on the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of tech rbposal / bid, and / or where so required by the procuring agency.
- In the event of the bid security amount deposited / furnished by the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in the nature of the procurement may consider and allow the bidder to deposit / furnish the balance the smount, provided the bidder 9.2 In the event of the bid security amount deposited / furnished does so within 15 days of the opening of the bid. Notwithstanding the all other terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (attendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening

11. Preliminary Examination of bids:

- The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the 11.2 total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each 11.3 bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- Pid determined as not substantially responsive will be rejected by the Company and cannot 11 4 subsequently be alone taponsive by the bioder through correction of the non-conformity.



12. Clarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
 maps facturer, that goods offered have been used successfully on a high pressure natural gas pipeline
 elser byte under tropical climatic conditions.

13.6 Specification Compliance Sheet:

Company raquires a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to take specifications or a statement of deviations and exceptions to the provisions of the specifications, if required/desired. For purposes of the commentary to be furnished pursuant to above, the bidder shall note that standards for workmanship, material and equipment and references to brand maner of catalogue numbers, designated by the Company in the specifications are intended to be descriptive only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or at logue numbers in its bid provided which demonstrates to the Company's satisfaction that it is a highlitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, certificates etc., may be considered technically Non-compliant.

13.7 The offer shall be accompanied with all technical in adocuments/certifications as required under the tender specifications. Evaluation shall be carried out on the basis of data/ documents/certifications submitted with the bid. No clarification, additional is formation may be sought / accepted after bid opening.

13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and men on stered specifications along with reference to its technical brochure/literature (page/clause No.etc). Steen ent such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and tehnical specification is not acceptable. However, if bidder feels to mention minor deviation, and the shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet staining reference of its technical data sheet/brochure. In case of insufficient information, data or document the Company is not liable to seek clarification and the bid may be determined non-compliant as provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

Procuremen

- Evaluation may be carried out both en item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure
- 14.4 Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

The cost of compensation / loading amount for that item shall be derived from the bid itself.

If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming 15.2 to technical specification, shall form the basis for cost compensation/loading.

company will encourage participation by local bidders who will be given price preference. cost factor shall be determined as per prevailing Government policy / SRO. However they details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

·16. Performance Bond:

- In case purchas corder plue is above Rs:500,000, the successful bidders shall submit performance bond guarantee which the be submitted within ten days from receipt of LOI or order along with bond guarantee white two De submitted whilm ten days from receipt the successful hiddens shall submit a performance bank guarantee (PBG) in the form of a pay order or bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in of a pay order or bank gus in the typecumen attached at Annexure-D) issued by a scheduled bank in Pakistan, for an amount equivalent 10% of the total value of the purchase order or as specified, in the "letter of intent". The performance and unless specified otherwise; shall remain valid till;

 - Completion of final satisfactory delivery in case of consumable items.

 12-18 months from the date of consumable items. 16.1.2 16.1.3
 - Satisfactory delivery/installation of stem in case the installation responsibility is on supplier's part.
 - 16.1.4 120 days in case of chemicals.
 - 16.1.4 120 days in case of chemicals.

 16.1.5 In case of locally manufacturing item, the PBG survalent to 3 months delivery schedule will be required after placement of purchase they which should remain valid till completion of final satisfactory delivery of the ordered quantity.

 In case of small diameter line pipe (MS/MDPE) by shall re-
 - In case of small diameter line pipe (MS/MDPE) months after completion of satisfactory final delivery. shall remain valid up to 3
 - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in
- The guarantee will be released after completion of this period, subject to atis 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. The s the guarantee valid at their cost until fulfillment of the obligations. 16.3
- In case the bidder does not submit the performance bond as specified, the deliver time of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier.
- The performance bond will be discharged / returned by the Company not later than thirty (30) days 16.4 following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance. 16.5
- The Company shall premptly notify the supplier in writing for saw claim arising under this granantee. Upon receipt of such notice, the supplier shall promptly repay or a place the defenive goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nothing herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to the value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most 16.8 recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

17. Purchase On

Purchase order a qui ted material may be placed on fulfillment of conditions mentioned at 14 &16 above ma confirmation for proceedings with the suppliers. which is through

18. Assurance:

The successful bidder will be required to give satisfactory assurance of its ability and intention to deliver desenquiry and contract within the time set forth therein. the goods, pursuant to the te

19. Force Majeure:

- In the event of either party hereto being rendered unable, wholly or partially, by force majeure in the event of either party out its of lations under the purchase order/contract documents, such party circumstances to carry out its of lations under the purchase order/contract documents, such party shall give notice and full party have and other satisfactory evidence of such force majeure shall give notice and full party have and other satisfactory evidence of such force majeure 19.1 shall give notice and full passionars and other sansactory evidence of such force majeure circumstance(s) in writing or by the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligation of the party giving such notice so far as they are affected by such force majeure shall be suspended for he period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable than the term 'force majeure' as employed herein, shall mean acts of God or public enemy, the insurrection, fires, floods, earthquakes or other physical disasters, order or request of governments blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplier's side shall not be included in the term 'force majeure' majeure'.
 - In case the force majeure contingencies last continuously for more than one month, both parties will agree on the necessary arrangements for the further and mentation of the purchase 19.2 will agree on the necessary arrangements for the further inches shall order/contract. In case further implementation is unforesceable and impossible, both parties shall order/contract, but without preindice to their rights and arrange for the termination of the purchase order/contract, but without obligations prior to such termination it being understood that each part shall fulfill its contractual obligations so far as they have fallen due before the operation of force m
- 20. Amendment in purchase order/contract:
 - The Company may at any time by a written notice to the supplier make changes within the general scope of the purchase order/contract in any one or more of the following:-20.1
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - The method of shipment or packing. 20.1.2
 - 20.1.3 The place of delivery.
 - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
 - Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason. 20.2
 - Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates under the purchase order/contract, as well as a detailed schedule for the delivery dates. the modification, if applicable.

Procurement րոնք.

- The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- Modification mutually agreed upon shall constitute a part of the work under the purchase 20.5 order/contract and the provisions and conditions of the contract shall apply to the said modification.
- If modification made by the Company results in a variation in purchase order/contract quantities 20.6 whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension ivery period:

- Deliver of the goods shall be made by the supplier in accordance with the schedule of delivery period; however, the supplier may claim extension of the time limits as set forth in the dule of requirements and delivery period in case of
 - 21.1.1
 - Modification the goods ordered by the Company pursuant to clause 20.

 Delay in provided by the Company (services which are to be provided by the Company (services 21.1.2 provided by the Company shall be interpreted to include all approvals by the Company under the control
 - Delay in performance of work caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to up to many's satisfaction that it has used its best endeavors to avoid or overcome such causes for the parties will mutually agree upon remedies to mitigate or overcome such causes for de ay
- Not withstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of sub-circumstances arising, immediately has notified the Company in writing of any delay that it may claim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company are supplier shall substantiate that the delay 21.3 occurred is due to the circumstances referred by the supply

22. Packing:

- The material shall be in original/sealed packing to ensure deliver without any damage during 22:1
- If any of the good is discovered to be damaged or unacceptable at the point of embarkation, the 22.2 supplier shall be responsible for replacement of those goods free of ge and cost to the Company, within the delivery time schedule of the contract/purchase order
- The identification marks showing contents, quantity and contract/purchase order number shall be 22.3 printed on each skid/metal container/case containing one copy of invoice & packing list. 22.4
- Handling and Transportation: The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery 23.1 inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- The Company reserves the right to arrange inspections and tests to the goods or manufacturing 23.2 processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of delivery end at the goods firel destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

purchase order/contract. If goods fail to conform to the specifications, the Company may reject

24. Delivery:

- Free delivery at any of the following locations, unless specified otherwise: 24.1
 - 24.1.1 R & D Section. Stores Department Abul Hasan Ispaham Road F. srachi
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter 24.2 of in it or from the date of purchase order/contract whichever is earlier, unless otherwise
- er shall replace defective material at their risk & cost including transportation, duty, 24.3
- GST Invoice is applicable be submitted at R&D section Stores Department along with material & 24.4 delivery chanan.
- through cranes, fork lifters, labor etc. will be arranged by supplier at 24.5 Unloading and and cir delivery site (for material) ke Pipes/Heavy Machinery & Equipment etc).
- tly in accordance with "delivery schedule" as specified by the 24.6 Delivery is to be mi Company.
- The rejected material is to be conceted/lifted by the supplier within a maximum period of one 24.7 month after its intimation by & corspany. Beyond specified period, the Company shall not be lected material: responsible for storage/safety of in-

25. Delivery Failure:

- In case the supplier fails to supply/ship the hazerial within the stipulated period, the Company have the right to make an alternative arrange her for the purchase of the goods on such terms as may be offered. In such event all losses, cost and blages sustained/incurred by the Company on stated purchase shall be recovered from the Sappler without prejudice to any other right or remedy available to the Company which includes her very of losses sustained by the Company 25.1 from any due payment of the said supplier.
- arrangements, the Company has In the event Company remains unable to make such alternative 25.2 the right to recover from the supplier any or all losses sustained as result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- ternative not specified In the event Company being forced to purchase any quantity or an 25.3 in this document as a result of any failure to supply/ship the material, mpany shall have the right to terminate the contract/purchase order without prejudice to any other ights or remedies available to the Company.

26. Payment:

- The supplier after delivery of goods and its acceptance shall submit invoice to Fina ce Department 26.1 of the Company, containing following information i.e.
 - (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at 26.2 source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) is

Procuremen

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- Whenever liquidated damages become payable, in the event that delivery of all goods and eminment is not made within the time period specified except on account of force majeure, the Company shall quantify the same and shall serve notice to the supplier requiring payment thereof. The supplier fails to remit payment within 15 days of receipt of such notice, the Company shall forthwith become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance and
- 27.3 The payment of the ted damages shall not relieve the supplier from performing and fulfilling all its obligations unit in the contract/purchase order nor shall the right and entitlements of the Company be affected or ranged in any manner.
- 27.4 In case of order placed FCB/C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, de ayed submission of PBG period in excess of time limit will be deducted from the delivery period for the purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be the same equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed ervices for each day of delay, until actual delivery or performance, up to a maximum deduction of ten (10) percent of the Contract price. Once this maximum is reached, the Company may consider termination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

1. 30 6

- 28.1 The Company may, without prejudice to any other remains ritten "notice of default" sent to the supplier, cancel the purchase order whole or in part; if
 - 28.1.1 The supplier fails to deliver any or all of the ordered quantity as per specified delivery schedule or any extension thereof granted by the Company
 - 28.1.2 The supplier fails to perform any other obligation(s) under propase order.
 - 28.1.3 The Company during the delivery period has reasons to believe that the supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or shandons the shipment
 - 28.2.3 The supplies becomes be designed or insolvent or makes an assignment for the benefit of its creditors.
 - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
 - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.

Procurement

- 28.2.6 Penalty on higher rejection rate of supplied goods.
- 28.3 The supplier shall have the right to terminate the contract/purchase order if:-
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
 - 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applical Claw:

The purchase ore r/contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

31. Declaration/Integrity act/Certification:

- 31.1 Successful supplier shall furnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of 2 to sder /contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase of r/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required in er this clause.
- 31.3 Bidders to submit a certificate or Ar 10 /- non-judicial stamp paper certifying that they are not black listed by the Government/Aun por opposites and declared as defaulted supplier.

32. Arbitration/resolution of disputes:

- 32.1 Any difference or dispute arising out of or it conjection with the contract between the Company and the supplier which can not be amicably read a shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each part, of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the latter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpireshall be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act. 1940, as arrended from time to time
- he disputes in accordance with the Arbitration Act, 1940 as arrended from time to time.

 Prior to exercising any right by the Company or supplier to terminal the purchase order/contract under the conditions stipulated above, a return notice shall be required to be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the strataged time or if so furnished, is found to be unsatisfactory, and the default(s) continuous the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and the arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.
- 33. Redressal of grievances by the procuring agency.-
 - Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
 - Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
 - 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email

- address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.
- 33.4 The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint
- 33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or consector who either constantly fails to perform satisfactorily performance or found to be indulged in the process of the performance of found to be indulged in the process of the performance of found to be indulged in the process of the performance of found to be indulged in the process of the performance of the per

- 34.1 Corrupt and fraudulent practices, includes the officing, giving, receiving, or soliciting of anything of value to influence the action of anything. Company.
- 34. If the supplier/contractor found, shock the for the detriment of the Company during proceedings of procurement/contract, proceedings of procurement/contract, proceedings
- 34.3 Address contation of facts in order to influence the procurement process or the execution of the purchase order/contract.
- 34.4 Collusive tractices among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Company of the benefits of free and open competition.

35. Supplier's Guarantee and Responsibilities:

The Bidder/Supplier shall go reacce that the materials supplied against this tender enquiry is new and is of acceptable quality and has been total and approved on similar jobs. The validity and scope of such guarantee will be in accordance with onditions stated in this document. In case the opinion of the Company the Goods fail to perform the services in accordance with the specifications specified in Section IV due to manufacturing defects/telefective material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at less on cost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such containing that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier's cost so that the goods shall perform in accordance with the specifications and details as set forth in the contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this a construct/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this a construct/tender documents. If the Company, the Company shall be entitled to recover total cost of such replacement from the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents relating to the bid exchanged by the bidder and the Company shall be written in English language. Any princed literature furnished by the bidder may be written in another language provided that this literature is accompanied by an English translation in which case for purpose of interpretation of the bid, English translation of the bid.

Vehicle Applied by Authorized dealer of local manufacturer:
Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procureme

Additional Terms for Tenders on F.O.BJC&F basis:

Submission of bids:

1.1 Bid bond (Earnest money) @ 2% of the tatel F.O.B value as per clause ?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performs invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection

if these coming mease not met.

1.3 In case of Bid at the ring to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be vely inhorized by the goods manufacturer or the producer to submit bid or supply the goods on their behalf

1.4 Bids shall be submitted (presentably through local agents) in two copies, (original + copy).

1.5 The price on unit FOB and Cor basis is to be quoted separately. Following are to be essentially indicated in the bid form:

Country of origin. 1:5.1

Port of shipment. 1.5.2

- Estimated gross/net weight, direction & volume of offered item and estimated weight of each 1.5.3
- Delivery period or schedule in ca lk quantities. 1.5.4

Original technical literature. 1.5.5

1.5.6 Beneficiary's complete address.

borne by the supplier. 1.6 Foreign bank charges and L/C confirmation charges

1.7 Bid Currency:

tates Dollars. A bidder expecting to incur The rates shall be quoted in bidder's home country or in on a portion of its expenditures in the performance of the contract in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. However older from Pakistan would be paid in Pak Rupec.

(Clause 1.5 of General Terms & Conditions is not applicable)

2. Bid bond:

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value in Avor of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, and deposit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Palestan The bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bidding a cedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful Kiddens while the bid bond of the successful bidder shall be retained, till submission of Performance bond. Bids and out bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
 - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis ".

44.3 to 14.4 of General Terms & Conditions are also to be applicable).

5. Loading of Bas

mom port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive increase in price of material.

(Clause 15 of Genera Terms & Conditions is also applicable).

6. Performance bond:

S. De Sain

Signer.

- 6.1 In case purchase order value is US\$ 2,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders or up hission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O. I have cessful bidders shall submit a performance bank guarantee Auccessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10%, ii) total value of the purchase order or as specified, in the letter of intent. The performance bond unless the sign of otherwise, shall remain valid till:
 - 6.1.1
 - Completion of final satisfactory delivery in the of consumable items.

 12-18 months from the date of satisfactory delivery of the equipment/machinery. 6.1.2
 - STATISTICS. Satisfactory delivery/installation of system in 6.1.3 the installation liabilities will be on supplier's part.
 - 120 days in case of chemicals. 6.1.4
 - The Letter of Credit shall be operative upon receipt of Performance Sout (as pecified in para 6.1) and integrity pact, any delay due to late submission of Performance Bond will be on six pulses account. Late submission of PBG should not affect the delivery schedule.
 - The performance bond shall be denominated in foreign currency or in currency of he contract/purchase order or in a freely convertible currency acceptable to the Company and sha e form of a bank guarantee.
 - In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G. supplier shall deposit short fall amount due to Pak Rupee exchange rate.

6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

7. Delivery:

7.1 In case of "FOE" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - 7.2... . The goods/material will be shapped dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supposer shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company of a count of short shipment by the supplier for all items subsequently shipped on a no-charge basis or other assay he supplier. The supplier shall also reimburse the Company all additional duties, taxes and other such charge paid by the Company on account of incorrect invoicing by the supplier.
- 7.5 Shipment shall be descried to have been made when the supplier has shipped the goods against a clean bill of lading and all other such demandation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company
- The supplier shall ensure that the mentioned acts and other incidental and ancillary functions are conducted in accordance with sound the acceptable engineering practices. The Company shall be entitled to 7.6 The supplier shall ensure that oppose any incorrect or inadequate gractical dopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to corrective action act unacceptable at the point of loading, the sup all be responsible for replacement free of all charges and costs to the Company within the deliv exiod specified in the purchase order/contract.

8. Insurance:

- 8.1 All goods supplied under the purchase order/contract All goods supplied under the purchase order/contract mall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or a 41 sition, transportation, storage and delivery in the sizion, transportation, storage and delivery in the manner specified in delivery clause 7.
- Marine Insurance shall be the responsibility of the Company unless otherwise specified.
- 8.3 The supplier shall advise the Company by fax at least seven days. ior to the expected date of shipment, the following particulars:-SPD.
 - Name of the vessel and of the shipping company.
 - 8.3.2 Age of the vessel (which should be less than 20 years).
 - Lloyds 100A1 or equivalent classification of the vessel.
 - ETD from Port of dispatch and ETA at Karachi
 - FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, N a coal Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF M. <u>4</u>002/73.

9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (LJC) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

ern Ga

Procuremen שטטע.

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consigning

9.3.1-	Invoice		-
9.3.2-	Packing list		4 copies
9.3.3-	Bill of lading " freight to be paid by consignee	********	4 copies
	at destination" evidencing shipment in terms	*********	3 originals &
	of the purchase order to Karachi-Pakistan made copies.		6 non-negotiable
	out to order in the name of Co.'s bank, Notify	• •	·
	party Sui Southern Gas Company Ltd.,		•
9.3.4-	Certificate of Origin (Verified/ Endorsed by Chamber of Commerce)		•
9.3.5-	Manufacturers test certificate/		2 copies
	person	2copies	Inspection report

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at

	A. CIT.	<i>3</i> *			AT OF THE A
9.4.1	Mwice			•	
9.4.2	-Bi of Lading			-	6 copies
9.4.3	-Packing List			-	6 copies
9.4.4	-Certificate Corigin (Verified /	Endoreed by Chambon as C			6 copies
9.4.5	-Mamifa in era Test Certificate/	Endorsed by Chamber of Con	imerce)	******	2 copies
					2 copies
016	The second of th	_	•	Inchectic	m Denom

- 2.4.6 The invoice to be war by as per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.
- such payment nor release the supplies from responsibility thereof under the terms of the purchase order/contract.
- 9.6 If the Company is compelled to pay terrarge or storage charges or incurs any loss or suffers any damage at Karachi Port on account of non-compliance by the supplier of above requirements, the Company shall be entitled at their sole discreption recover the same amount from supplier.

10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract packets order if-
- 10.1.1 The Company fails to establish the letter of credit within the tip sated period as required under clause 9.1 hereof after the supplier has made compliance with the provisions of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for presenting of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities under he contract/purchase order.

11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupe and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable i.e (fuel/or) & lubricant/spaces) are card, available in Pakistan.



Annexure - A

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO
DATE OF ISSUE
DATE OF EXPIRY
AMOUNT
•

Sui Southern gas Company ST. 4/B, Block-14, Gulshan-e-Iqbal, Sir Shah Suleman Road, Karachi.

Dear Sirs,

Bid Pond Bank Guarantee

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the east use of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly within the days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect to the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, a feet this Guarantee and our liabilities & commitments hereunder:
- 4. This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

	•	BANK GUARANTEE NO	********	
		DATE OF ISSUE		
		DATE OF EXPIRY	,	
	•	AMOUNT.	, 0 0 0 2 2 2 2 4 0 0 0 0 0 0 0 0 0 0 0 0	
	•			
ST. 4/B Gulshar			- ·•	
•	In of Rs	Account		
You in Karachi under the Purchase				
In cons	ideration of your having placed P releas	e Order No	•	
COMSIDE		Property and the state of the s	•	
To make unconditional payments to you from the to time as called upon or make an unconditional payments Rs				
2.	To accept written intimation from you as conbreach as aforesaid on the part of Supplier receipt thereof.	nclusive and sufficient witer of and to make payment according	the existence of a default or ly within 3 (three) days of	
3.	To keep this guarantee in full force from conditions.	the date hereof as specified in G	per Special terms &	
4.	That on grant of time or other indulgence to with Supplier in respect of the Performance Order with or without notice to us, shall Guarantee and our liabilities and commitment	in any margar discharge and in pur	urchase order by agreement rsuance of the said Purchase rwise, however, affect this	
5.	This Guarantee shall be binding on us and or	r successors in interest and shall be	e irrecoverable.	
6 .	This Guarantee shall not be affected by a constitution of M/s	Out change in the security of		

Your faithfully.

(stamp and signature of the issuing bank)



Annexure - C

(Format of Declaration)

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any correct, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any administrative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt business practice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission feature. paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, gent associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratificanted proceedings fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or italiant might be procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSGC a cept that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and wall take full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation or arranty.

(The Seller/Supplier) accepts full responsibility and strict liability for haking any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat to purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or this obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Saller cumplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business of ctices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any committee, gratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of contains or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever for from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern as Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Gove ment through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PIC) or any other competent forum. The procedure shall also be applicable on the prequalified firm The procedure shall be applicable on any "Person(s) / Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in contact with provisions of any applicable guidelines of donor agencies, or any other applicable Statute for Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, of the shall prevail. This SOP shall become a part of the future Bidding Documents.

DEFINITION OF TERMS 3

- 3.1 "Appellate Authority" Authority to Appeal against issuance of Blacklisting Order.
 3.2 "Appeal" Right of firm/individual to odge protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/di is n/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty squalifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for a factions committed during the competitive bidding stage, whereby such firms/individual a prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a projector ontract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution of rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page I of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



REASONS FOR BLACKLISTING 4.

The following shall comprise the broad multilateral guidelines for blacklisting: 4.1

4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to

influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm. directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the

procurement process or affect the execution of a contract.

In addition to above, blacklisting of firms/individuals may be resorted to when the 4.2 charges are of serious nature, which include but are not limited to the following:

Competitive Bidding Stage

the competitive bidding stage, the Procuring Agency shall impose on bidders or prospective bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal ry sof the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

Submission of eligibility requirements containing false information or falsified i. documents.

Contain false information or falsified documents, or the Submission of bids ii. concealment of such a function in the bids in order to influence the outcome of eligibility screening or an other stage of the public bidding.

Submission of unauthorized of reladocuments for pre-qualification/ tendering i.e. without specific authorization for the principals/ manufacturers etc.

Failure of the firm to provide authorize Warranty Undertaking and Performa

Invoice of the manufacturers / Principals/ Toding house iv. Invoice of the manufacturers / Prince / Trading house.

Failure of the firm to submit specific and by letter of the Original Equipment ٧.

cular tender; Manufacturer (OEM) for participation in a participa

Unauthorized use of one's name, or using the same of the name of another for vi. purpose of public bidding.

& contions of the purchase vii. Deviations from specifications and terms

order/contract.

- viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable can a, after he had been adjudged as having submitted the Lowest Calculated Respons Bid or Highest Rated Responsive Bid.
- Refusal or failure to post the required performance security within the prescribed ix.
- Refusal to clarify or validate in writing its Bid during post qualification within a X, period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1; Dt: 3 Sept 2024



- Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- Failure of the contractor, due solely to his fault or negligence, to mobilize and start work i. or performance within the specified period in the Letter to Proceed.
 - Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful instruction of the Procuring Agency or its representative(s) pursuant to the ple entation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - Er Novment of competent technical Person(s) / Firm(s)nel, competent engineers and/o wo k supervisors:
 - b. arning signs and barricades in accordance with approved plans and specificate is and contract provisions;
 - Stockpiling in the project site of waste and excess praterials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions; Deployment of commune equipment, facilities, support staff and manpower; and

 - Renewal of the effective of the performance security after its expiration during the course of contracting ementation.
 - f. Non-Performance of the supplied spect of tender terms & conditions and the delivery / supply of material.
- Assignment and subcontracting of the contract or any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- For the procurement of goods, unsatisfactory progress in an delivery of the goods by the manufacturer, supplier or distributor arising from his part or negligence and/or iv. unsatisfactory or inferior quality of goods, as may be provided in the contract.
- For the procurement of consulting services, poor performance-V. no consultant of his services arising from his fault or negligence, any of the following the consultant shall be construed as poor performance:
 - Defective design resulting in substantial corrective works in design and/or construction:
 - Failure to deliver critical outputs due to, consultant's fault or negligence;
 - Specifying materials which are inappropriate, substandard or way above acceptable standards:

Page 3 of 10 Dated: 12th October 2020 Revision-1: Di: 3 Sept 2024



- Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid e. documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - Obsering fraudulent payments:
 - ing contracts by misleading the purchaser: ii.
 - iii. Refuse to ay SSGC dues etc.;
 - iv. Failure to fulfall contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of a fam ith a new name by the Proprietor or family or a nominee thereof of a
 - firm that has been stee placklisted;
 Consequential operation a damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereo is oplied on trial basis or due to failure of such equipment;
- viii. Contractors who have negoticed Plea Bargain under the National Accountability Ordinance 1999, or contractors involved att any other criminal proceedings conducted by any investigation agency where defantation proved specifically in relation to supplies made to or contracts concluded with SSG
- ix. Involved in litigation or needless petition as influence or obstruct the procurement process either on his own behalf or at the behest or a prother vested interest;
- x. A firm may be disqualified for a period extend tole to two years in case a decision by a court is awarded against the said firm after litigation. where the firm is involved in litigation at least three times during two financial years, or where times on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Air ies / Divisions / Departments and organizations / autonomous bodies subordinate thereto, a
- xii. Blacklisting in case of Joint Venture firms will also result in a mation of the concerned Joint Ventures Partners.

SYSTEM OF PENALTIES 5.

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

> Page 4 of 10 Dated: 12th October 2020 Revision-1: Dt; 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

. The supplier or contractor who is to be blacklisted for a specified period is given adequate opportunity of being heard.

- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before taking any action.
- 3. In case the supplier a contractor does not attend the meeting on the given date and time a final notice is served to him / her to attend the meeting on the revised date and time. Despite the final notice of the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will form amprising of User, Procurement and HSE&QA departments to address the issues in the petting with the supplier or contractor. Members of committee may not below of grade I
- 5. In case the supplier or contractor is found at dear t based on the fact of the case as well as the tender terms and conditions, and do not instify the grounds of his default as per the tender terms and conditions, the approval is supply from the management for their temporary or permeant blacklisting along with enc. It ment of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the danged supplier or contractor through a formal letter.
- A copy of the letter of the defaulted supplier / contractor alongwith covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual, the to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

9. AMENDMENT

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the amendment of its specific provisions as the need arises.
- 9.2 Any amendment to this Flacklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the said amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amending its thereof shall take effect immediately and from the date of its issuance. All future tender documents, must be governed by these instructions. However, these cannot override the provisions of Procurement Rules, 2004.

11. The Steps to be Followed are Ad Under

The causes and reasons to be taken into consideration for Debarment / Breaklisting of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating precedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST-AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. Yet reordinary delay in signing or refusal to accept the Notification of Award and/or the court without any cogent reason.
- ii. Misconduct, he., failure to proceed with the signed contract, withdrawal of commitments, quoting an unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, hystoating the evaluation/bidding process and not responding to written communication in a plagonable time.
- iii. Causes mentioned in S. lb-Clauses i, ii and iii above.
- iv. Submission of fake / frivolous or cutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the recution of the contract / purchase order.
- vi. Non-performance or Breach of provisions obuses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, an edefect in a product, equipment, plant, facility or services rendered that may subsequently enface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect hardist period as defined in the contract.

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy are email of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Project Authority prior to blacklisting. Member of RPC must be one grade up from the member of AA.

5. PROCEDURE FOR BLACKLY ING

Upon receipt of or obtaining information ind/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in her case, we under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the come of Project Authority / formation shall promptly formulate its recommendations and submit through the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, detail of charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Convener of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Federals) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said that ges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of heating in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After not an endation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (P. Co", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be convey not Pakistan Engineering Council.

The temporary Black isting on the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an inschational Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of temporary blacklisting/debarment shall be for a maximum period of 3 years or the time of iod for which the concerned government department/International Financial Institution (1) area Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Black sing List:

- i. The decision of blacklisting will be immediately circulated to all concerned as mentioned herein above under the heading Communication of Decision.
- ii, In case of a contract already awarded to a Person(s) / Firm(s) which as been blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



-3 T

9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT TOR BIDDING BURBOSE

Page 10 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024





Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be poactive about safety!

Report Hazard before it is its in an Accident

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- ✓ Replace it







000

Sul Southern Gas SSGC Coungany Limited

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Cuality of products / services along with efforts to promote Safety Culture in the Company. Continuat improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participation on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director August 2021





MR



PURPOSE 1.

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

SSGC existing facilities/installations. a.

Any routine/non-routine activity, performed within permanent locations or b. outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project. C.

Covering all the activities performed by SSGC taking into consideration of d compliance, obligations, risks & opportunities within the scope, external and internal issues related to scope of operations, requirements, information, needs and spectations of relevant interested parties.

Providing to employees in relation to hazard identification, risk e.

k control in respective areas. assessment and ri

Identification, control atonitoring and management of environmental aspects f. and assessment onto impa



SCOPE

This procedure is applicable to the tag an ation of occupational health and safety hazards and associated risks, environmental aspects and impairs associated with activities, processes and equipment related to SSGC existing facilities/installations, any new project or any routine/non-routine activity, performed within permanent locations or outside permanent of more of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and

DEFINITIONS & ACRONYMS

n terms of injury or ill health, damage to property, HAZARD: Source or situation with a potential fo damage to workplace environment, or a combination of present of probability of occurrence of a nar across event or exposure and the resulting

b.

consquences.

OPPORTUNITY: Opportunities can arise as a result of a station favorable to achieving an intended C. result, for example, a set of circumstances that allow the organiz to to attract customers, develop new products and services, reduce waste or improve productivity. Actions address opportunities can also include consideration of associated risks.

SWOT: Strength, Weakness, Opportunity & Threat. d.

- RISK MANAGEMENT: The set of control measures used to reduce or eliminate to have a second t specific risk. e.
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazar tification. This is the f. overall process of estimating the priority of risk and deciding significance of risk
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the ri ment matrix. g. Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment. i.
- IEE: Initial Environment Examination.
- EIA: Environment Impact Assessment. k.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MOC: Management of Change. Q.
- MOC Owner: The employee who initiates the MOC. p.
- JSA: Job Safety Analysis. q.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.





HandBook | February 2022

RESPONSIBILITIES 4.

4.1 Corporate HSE&QA In-charge

Managing OHS&E risks and their controls.

Reporting to Senior Management on OHS&E related issues. Ъ.

Providing support to corporate HSE&QA team and zonal representatives. C.

Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

4.2 Zonal HSE team leaders

Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team. b.

Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.

Maintaining records of the OHS&E with the help of local HSE&QA team.

Implementing this procedure. Liaise with corporate HSE&QA team if required. d.

4.3 Zonar h SE QA representative

Coordinating with Zonal HSE team leader for carrying out HIRA and EAIA in their zones.

Liaise with corporate HSE&QA team and zonal HSE team leader for OHS&E.

Reviewing/monitor of FIRA and EAIA in their zones and providing input on any changes. C.

4.4 Departmental Head

4 Departmental near of Executing Department.

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks.

Ensure implementation of JSA (a) by activity performed outside SSGC permanent locations.

4.5 Employees

Participating in the identification and as ess nent of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

4.6 Visitors & Contractors

dentifying and reporting any risk or hazard at any location SSGC. This also includes the worksites and

DECISION MATRIX

_		
Type of Risk/Hazard Assessment	Methodology	Responsibility
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Yonal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





MOC Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure. MOC owner	MOC changes or modifications in existing designs	
---	--	--

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

Section 1 Context of the Organization

6.1. Context of the Orga ization

Management defines son of the company services and its boundaries considering the internal and wanagement delines adjusted in external issues of the organization

ii. In consultation with HSE&QA, A pagement & Zonal Heads identify external & internal interested parties and maintain its list with needs a tations. Interested parties are those stakeholders who receive company services, who may be impacte by them, or those parties who may otherwise have a significant interest in the company. Interested parties in By include:

Interested Parties	Requirements
Board of Directors	Good financial permance, legal compliance/avoidance of fines.
Law Enforcers/Regulators	Identification of applicable statutory and regulatory requirements for the produce and services provided and understanding of the requirements.
Customers	Value for money, quality serving initiation and quick response.
Bank/Finance	Good Financial Performance.
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.
Insurance:	No claims/prompt payment/risk management.
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.
External providers	Prompt payment as per agreed terms, health and safety, long-
(Vendors/Suppliers)	term working relationship.
Trade Unions	Compliance of local labor laws.



By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces. a.
- Complex transmission and distribution network. b.
- C. Succession planning.
- ď. Contractual relationships.
- Availability of reliable, qualified and competent workforce. e.
- f. Stateretention.
- of unionization.

is ues could include in risk & opportunity assessments, but are not 6.1.2. Exter limited to:

- Political: Government policies, political stability, international trade agreements etc. a.
- b. **Economic:** Fue utili prices, cash flow, credit availability, exchange rates, tariffs and inflation, general taxened issues etc. is sues etc.
- Social: Consumer buy ig pattern, education level, advertising and publicity, ethical & religious issues, demographi
- ...d.
- Technological: Intellectivatory party issues, software changes, internet, technology legislation, associated/dependent technology, renewable energy etc.

 Lagal and regulatory: Consumer reference including burger rights/ethical issues. trade union regulations, employment aw premational legislation, human rights/ethical issues
- Environment: Customer demographics an invironmental issues.
- Government: The directives from Prime Minister, Ministry of Petroleum (energy division), regulatory bodies like OGRA, SEPA & BEPA et
- Ensuring the policy and objectives are established for the integrated management system and are compatible with the context and strategic direction of the organization.
- The management shall monitor and review information a e external and internal issues during the management review meetings.



Always be proactive about s

Report Hazard before it results in an Accident

ntegratech anagement System —





Section 2 Hazard Identification and Risk Assessment

I. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations. a.
- b. vities of all persons having access to the SSGC permanent and temporary locations.
- behavior, capabilities and other human factors. .C.
- d. Designing of work processes.
- e.
- Infrastructure, equipment and materials at the workplace or project site, whether provided by organization existers.
- Changes or proposed changes in the organization, its activities or materials. Fabrication, installed a commissioning.

 Handling & disposal or paste material. g.
- h.
- i.
- j.
- Purchase of goods & services.

 Any applicable legal obligators that is related to risk assessment and implementation of necessary controls.
- paration/activity. Before commencement of any new
- Periodic Review for updating the existing nazard identification and risk assessment information. m.

At SSGC, we adapt five steps of rick sessment:

- Step 1: Identify the hazards...
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if necessar

Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below

Risk Priority		Probability			
	only .	Very Likely	Likely	Unlikely	Very Unlikely
Co	Catastrophic				Medium
п 8 q	Significant			Medium	Medium
е п	Harmful		Medium	Medium.	
C 8 5	Negligible	Medium	Medium [.]	CLEAN TO SERVICE OF THE SERVICE OF T	7,12



	HAZARD CONSEQUENCE RATING TABLE
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
Figure	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid eatment is required only, very low financial loss.

in the state of th	PROPERILITY RATING TABLE
Very Likely	Exposure to har ard likely to occur frequently. Similar incidents reported more than once to SCC during last 10 years.
Likely	Exposure to hazard likely to occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
Unlikely	Exposure to hazard unlikely to occur.
***Highly Unlikely	Exposure to hazard so unlikely that the be assumed that it will not happen.
•	

RISK PRIORITY TABLE
Definitions of Priority
Situation is considered critical, stop work immediately or consider cessation of this operation/task. Must be fixed ASAP, Zonal HSE team leader should take immediate actions.
Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.







Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- a. Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- b. Classification of risk/impact.
- c. Description or reference to control the risks/impacts.
- d. Description or reference to monitor the risks/impacts.
- e. Identified competency and or training requirements.
- f. In vior setting improvement objectives and programs for its achievement.


The risk/impact has sures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/impart as essments as input for the following:

- a. Setting objectives and targets.
- b. Training needs identified ion.
- c. Terminating the risk/in-pact if it is practical.
- d. Facility engineering control
- e. Emergency Preparedness.
- f. Administrative controls.
- a. Insurance.

The ultimate requirement is to reduce the risk/impact to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further reduction becomes unreasonably inconsistent to the additional risk reduction obtained.

iv. Risk Control



NB



HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. **Elimination:** The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- b. Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. **Engineering:** Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any are althorocess and must seek out for best possible solution in terms of OHS&E.
- d. Administrative: Administrative controls involve making changes to the way in which people work and premoting safe work practices via education and training. Administrative controls may involve training employees in operating procedures, good housekeeping practices, emergency response in the event of including such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. Properly identified for specific process/job.

. 47		
1	System & work area Hazard	Likely Consequences
	Access / Egress Obstructions	M or injury, trips and falls
i	Asphyxiate Gas (CO₂ fire suppression)	osalble death by asphyxiation.
• •	Buried Cables	Exposure to buried cables - major / minor injury
	Electricity (HV/LV))	Fatality A en ctric shock or serious burn injuries
	Falling Loads / Objects	Serious need and / or body injury
. !	Flammable Vapors / Gases / liquids	Explosion or re
1	Flammable Materials	Potential for fire
İ	Hot / Humid Work Environment :: 15 -	Heat stress, disorient and loss of consciousness
i	woving Parts	Entrapment, major or mize urv
	Noise 可以持续的 App 中央	Long term.hearing loss, tihnii (st.)
į	Openings in Floor / Walkways	Falls from height, major injury poss ble fatality
1	Flammable Materials / Gases	Creation of hazardous area; fire expression to
	Heat, sparks and naked flames	Burns to exposed skin
j	High intensity light (welding)	Arc flash, short term discomfort long term loss of vision.
1	Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
į	Lifting Operations	Falling or moving loads - serious head and it or body injury
	Live Electrical Work	Fatality by electric shock or serious burn injuries
	Lone Working	No emergency response if injured.
[Long Working Hours	Major / minor accident due to fatigue
:	Manual Handling	Muscular / skeletal injuries
	New Task / Operation	Major / minor injury resulting from mistakes
-		mistakes :

W



Oxygen deficiency	*Death of asphyxiation
Poor Lighting / Visibility	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	*Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, texic; poisoning, irritants, pollutant
Repetitive Task / Operation	Muscular / skeletal injuries
(Rotating / Moving Part)	Major injury, potential for fatality
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume:	"Curconsciousness, respiratory problems
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hand tols	Minor laceration and impact injuries 115
	Burns to skin, eyes, and respiratory system. Environment
Use of Hazardous Syloctances	Hazards
	Impact injury, hand farm vibration—loss of sensation over :
	ATHRES TO A STATE OF THE PARTY
Use of Workshop Equipment	Major / minor injuries - entrapment, cutting tools
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury

v. Environmental Aspect legistication & Impact Assessment

a. Environmental Aspects:

An Environmental aspect is any element of SSC bisiness operation that negatively affect the Environment. While conducting environmental assessment, following spects are usually considered:

"REDUCE CARBON FOOTPRINT"

What we can do:

- Recycle: what you can
- Reduce: avoid:
 unnecessary
 consumption of
 resources
- Reuse: Buy items that are reusable: and reuse them
- Unplug electrical:
 devices that are not in use
- Avoid unnecessary driving
- . Use LED bulbs.
- Plant a tree

	1
Emissions to air	Water Discharges
Solid non-hazardous waste	Solid Hazardous Waste
Consumption of natural resources/ Et at	gy Noise
Heat	Cor .
Dust	Vibration
Effect on visual / aesthetics	Use of the one depleting substance
Use of radioactive / nuclear material	Spillage of Temicals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

NR



b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety deves (Relieve valves, NRVs, indicators etc.), measuring or vices/gauges, computerized feedback monitoring and control monitoring systems.
- g. Environment en disposal or treatment systems etc.
- h. Fire prevention/sy pression systems.
- i. Containment walls...
- i. Scrubbers.
- k. Dust Collectors.
- J. Other controls: Training, SOP

The record of operational controls on significant environmental risks is maintained on Environmental Aspect & ... Impact Assessment Form (SSGC-IM

描述中的

After identification of aspects and asses of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where require In-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned on I HSE Team Leader.



Zonal HSE Team Leader ensures that environ named aspects and impacts related activities/processes/equipment are kept current by conducting the same assessment: · activities/processes/equipment are kept current by condu

a. Once every six months to update the information, and identify environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects)

- b. Carry out assessment, for new or changes in activities/process
- c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment Inpact Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required by regulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to en the compliance for all new projects.

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2 .

Integrated Management System





Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)

- c. Maintenance Work on High Voltage electrical equipment.
 d. Any janitor all cervice involving Safety Risks such as work at height.
 e. Any Maintenance activity by any department/contractor which compromises critical safety system.
 f. Work involving interaction with asbestos.
- g. Work in areas where is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity that equires additional precautions.
- i. Any specific activity periodical during development, modification and up gradation of SSGC's Vital Installations including SN s/Vs ve Assembly/TBS/PRS etc.


II. Exclusion

Following activities are not under the scope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to the associated risks for the following:

- a. Providing Gas connections to new
- b. Emergency Response to Consumer Ca
- c. Planned enhancement of Distribution ne
- d. Work on live pipelines like hot tapping, installing vice Tee etc.
- e. Any major/minor rehabilitation/reinforcement w

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it





III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	Ar a/Facility where the task/scivity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTW requirements.
3	Contractor	The Individual/organization carrying out the Yalk/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	k finduced, Monitor the task activity during execution and identify any gaps related to proposed colorels. Responsible to close the proposed and maintains records Authorized to stop work in case of noncompliance to PTW requirements.


W

Integrated Management System

14



IV. PTW Process Flow





- HandBook | February 2022




V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.









Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission network.
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).

d. Any Emer ency maintenance work.
e. Any particular judy/activity requiring J had/activity requiring JSA as necessitated by HSE&QA.

II. Responsibilit

S No.	Functions	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/actibity requiring 36/2.	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Authorize JSA Ensure Adequate resources are provided to carry out the asyloctivity in safe manner. Select ampetent team and team leader to the activity/task. Submit Copy of JSA:prior to job execution to JSE CA/Zonal HSE Team Leader.
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

MR





Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

II. Scope


This procedure is intrided to address those changes which may have a direct impact on SSGC's Integrated Management System, or subsequent delivery of services.

To make sure that changes are ssessed and documented in a consistent manner so that: a. Unnecessary or counterproductive changes are prevented.


- b. Changes do not adversely affect safety, the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals without knowledge and/or agreement of all relevant parties. d. A record of the assessment rationale and change assessment process is produced.
- e. To make sure proper change out of employe oring operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the signated section of the MOC-form (SSGC-IMS/CRM-F-05) which briefly describe the details/Scope of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to author 26 41 risk and their controls: change after assessing the







IV. Definition of Change

For the purpose of this procedure a "change" is an alteration to Processes;

- a. Documented information maintained by this TM
- b. Equipment, hardware, software, infrastructure.
 - c. Personnel assignments and training.
 - d. Vendor selection and management.

Other types of changes not listed above can be related to an element of the process, such as inputs, resources, persons, activities, controls, measurements, outputs,

Note: Not all alterations to a system require the Management of Change Tracess (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

V. Levels of Change

Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Lavai 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work emrironment.

Level 3

 c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

MR



- HandBook | February 2022 .

Cy



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is accepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and for each the request to the appropriate process owner for implementation.

Step 3 - Implementation Au ns

The process owner will be responsible or implementing and coordinating the actions required for the proposed change. If it is determined that further a sessment is required during the course of implementing the change, these assessments will be documented and submitted for review prior to completing the change process. Only after all assessments have been reviewed shall the MOC process be continued and monitored through completion.


VII. Closing out the MOC

The in-charge HSE&QA will review the satisfactory imperpentation of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control Jurger of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the actions taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

NF






MOC Process Flow



NR



HandBook | February 2022



7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

the state of the state of	· · · · · · · · · · · · · · · · · · ·				
Hazards 💥 🔭	Control Measures				
Adversary eather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).				
Poor / Bad housekeeping	Improved safety attitude, good management, safety inspection, good work layout.				
Contact with hot / co	Insulation, guarding, PPE (gloves, face shields, insulated clothing).				
Drowning	Lie guarding, lifesaving equipment, presence of first Aider.				
Excavation work	caut in type.				
Fall from height	Edge protection, safety lines / harnesses, safe means of access, (e.g. sa folding), safe system of work (e.g. permit to work).				
Fall of material from height	Alternative storage, physical means of securing.				
Lighting 1.5	Good work area design an (lighting equipment, measuring of illumination (LUX level), approximation (LUX level).				
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical means for lifting and laying of pipes.				
Noise	Reduction at source, insulation, PPE				
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.				
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.				
Vibration	Elimination or reduction at source, damping, insulation, PPE.				





7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manual	Regulariassessment of handling techniques (Improvisation to eliminate stress / fatigue, training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	pressure indicators, alarms, PRV's where required, periodic in a dion.

7.3. ELECTRICAL

Part the same and the same and	
Hazards	Control Measures
Live working	Avoid (i.e. No Live Working), use competent / trained staff.
Hand tools	Regular inspection, testing and electrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material, ching.
Machines / Electrical cables	Electrical testing and maintenance, good and include safety design, periodic inspection for design load vs. actual to to, use of circuit breakers, lockout / itag out, anti-static materials, Use double insulation, proper grounding
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Burled)	Look out for signs, contact local utilities (KE, WAPDA) for locations, stay at least 10 feet away from overhead lines, use proper PPE

MP

Procurement Dept.

____Integrated Management System

23

7.4. FIRE

Hazards	Control Measures				
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition. Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area; signs, no smoking, color-coding.				
Flammable gases					
Flammable solvents	Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans.				
Heaters	Segregation from sources of compustion, guarding special construction if used in hazardous areas.				
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents).				
Oxygen (gas and liquid)	sage.				
Smoking materials	De to lated smoking areas with proper ventilation, promote no short a policy.				
Static electricity.	Limiture o static generators in hazardous areas. Use of anti-				
Gas Leaks	Odourization to timely detection where possible, proper joining methods, Field aut 151, training, leak detection techniques.				
	The state of the s				

7.5. 🙀 OTHER

Hazards	Con of Measures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harm and betances, use, maintain and test engineering controls, monitor of hazardous substances; inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled all uses
Biological: Biological agents (micro-organisms, pathogens) mutagens, carcinogens) Rodents, Snake Bite	test engineering controls, monitor for hazi cous substances, linform and train employees, use personal protective equipment (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergonomics	Educate / Train employees; avoid repetitive tasks; procure ergonomically design products (e.g. chair, Computer desk.

W

HandBook | February 2022

8. DOCUMENTED INFORMATION

Record Name	Maintained by	Retention Period
Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
Permit to Work Form	HSE&QA Department	3 Years
Job Safety Analysis Form	HSE&QA Department	3 Years
Management of Change Form	HSE&QA Department	3 Years
Context of the Organization	HSE&QA Department	3 Years
SWOT Alialysis	HSE&QA Department	3 Years
ING.		
	Hazard Identification & Risk Assessment Form Environmental Aspect & Impact Assessment Form Permit to Work Form Job Safety Analysis Form Management of Change Form Context of the Organization	Hazard Identification & Risk Assessment Form Environmental Aspect & Impact Assessment Form Permit to Work Form Job Safety Analysis Form Management of Change Form Context of the Organization HSE&QA Department



Integrated Management System

SSGC
HSE&QA
Department

IMS Form

SSGC-IMS/CRM-F-01

Revision 01

Revision 01

Issue Date: July, 2021

Non

Zone		Department			Location		Ta		_
S. No	electrical cord)	What can go	Existing prational	· . F	Risk Priority		Date		
		Wrong (E.g. Electrical shock to any employee)	Control (E.g. Control with place(C. p.)	PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. · Signaticant)	PRIORITY (E.g. High)	Additional Operational Controls (E.g. Isolate/Replace the wire).		
	/ 中		11						
	·			0/				•	-
•				1					
					D,				
						PA			
Addition	nai Comments	(If any):					7.		
		HSE Team Leader	T	····		HIRA T	** C		
Name & Designation Signature			re s	S. No Name & Designation Signature					
				1			Sign	Hatule -	
		}	Γ	2				- · · · · · · · · · · · · · · · · · · ·	
				3					

W





IMS Form

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

10x

Zone		Department			Location			Date
Proces	s / Operati	on Descriptio	n: Gener	etion)			,	•
S.No	Activity (E.g. Fuel Combustion)	Input (E.g. ivel, air)	Output (E.g. Hydrocare na CO2, H ₂ O, CO, particulate matters)	g, air emi	al aspect : issions)	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Law)	Operational controls
					1			
				Programmes	G	• •	÷	
					•	9,		
Addit	.:. ,	ents (If any):	.1	, .		P		
	2	Zonai Team L	eader			EAIA Tea		
Name	& Designa			S. No Na	me & Desig	nation	S	ignature .
			•.	2	·		~	
1	•		Ī	3				•

ME

Integrated Management System



27



IMS Form

SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

-	Danasas			Section "A"					
١	Department Na			Contractor Det	Contractor Details		Contact Name:		
٠. ا	Responsible Person	Name:		(If Any):		Signature:			
.		Signatu	re:	•		Date & Time:			
.	Parlit Valld	Time:				Time:	i, ,		
	Tree of	Date:		Permit Valld Ur	IXU - (-	Date:			
minnight formace	Local non he	Work:				Jaco;	·		
	Type VW ki								
	Li Hot Work	Electrical 1	naintenance wo	ork 🗆 Mechanical mai	ntensar	B Work	tall of Work		
						SDECES			
	☐ Excavation/	VIII COM	pressed gase:	aigiii Li VVorking in co	ning :	Service			
	Other (Please	provide del	T randling	- Li Janitorial/Cles Asbestos □ Lifting	or h	noisting	•		
· [Equipment/tool	s to b							
				•					
۱ [Please mention	the 8330	clased hazands	of this activity (Please				•	
<u>: L</u>	erocaquie: Confex	, Opponuni	ties & Rights S	menti:	. Laigh M	5			
	·			de (if raquired)		_ 1	•		
	☐ Electricity ☐ G	as 🗆 Wat	er II Alt II Ou	(If required)		•			
	2.431								
7	l market in the			section "B"		*	Could be tomber or no attendance proving	and the second second	
	Epould seem and	sk / activity	to be carned o	ut ateven_equoned eby / PPD rest. sament	locatio	o for enecific	of these Con-		
۱ ا چ	pelow Carry Off.	MOUK IU CO	mpliance to safe	by / PPD Text ament	s identif	ied by HSE	id Genericant) Dapannie	
Dy Ales	Name						, poberniciii	in section:	
7			Designation	<u>।।</u>	ture			ime	
			. Designatio	in light			Date and T	ime	
		·	Designation	G				ime	
	Name		Descrip	Section "C"	ture		Date and T		
	Name	must be	Descrip	Section "C"	ture		Date and T		
	Name Following controls	s winst pe	Design	Section "C" ation mitigate the safety risi	ture s c/haza	natus	Date and T		
¥ .	Name Following controls PPE Required:	afabe Chas	Design	Section "C" ation mitigate the safety risi	ture Si s/haza	matus Spot and	Date and T	l ivity:	
¥ .	Name Following controls PPE Required:	afabe Chas	Design	Section "C" ation mitigate the safety risi	ture Si s/haza	matus Spot and	Date and T	l ivity:	
- undergraph	Name Following controls PPE Required: II Hard Hat II S Shields II Weldin	afety Shoring Shields	Design implemented to set all Cover all all Safety Bellu	Section "C" ation mitigate the safety risi Reflective Jackets Hamess □ Safety G	ture Si s/haza	matus Spot and	Date and T	l ivity:	
Wheeler.	Name Following controls PPE Required: □ Hard Hat □ S Shields □ Weldir □ Others: Any additional o	afety Shoring Shields	Design implemented to set Cover all Cover all Cover all	Section "C" ation mitigate the safety risi Reflective Jackets Hamess Safety G	ture Si s/haza	matus Spot and	Date and T	l ivity:	
Wheeler.	Name Following controls PPE Required: II Hard Hat II S Shields II Weldin	afety Shoring Shields	Design implemented to se Cover all Cover all Safety Belty i controls (Pleadiance Controls	Section "C" ation mitigate the safety risi Reflective Jackets Hamess Safety G use Specify): ution Other:	ture Si Chaza Ear loggles	matus	Date and T	l ivity:	
Wheeler.	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldir ☐ Others: Any additional o ☐ Fire Extinguish	afety Shooting Shields perational er Ambu	Design implemented to se Cover all Cover all Safety Belty i controls (Pleatiance Countrols	Section "C" ation mitigate the safety risi Reflective Jackets Hamess Safety G use Specify): ution Other:	ture Si Chaza Ear loggles	matus	Date and T	l ivity:	
And John Co.	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shields ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit	afety Shoring Shields perational er Ambu	Design Implemented to Be Cover all Safety Belty I controls (Pleadiance Barrica Section Exe	Section "C" ation mitigate the safety risi Reflective Jackets Hamess Safety G use Specify): ution Other:	ture Sulvinaza Closing	natus	Date and T Date with the tesk/act Dust Move Breathin	lvity: ask 🗆 Fac g Apparati	
Ve Ive	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shields ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspec	afety Shoring Shields perationa er Ambu y ted the	Design implemented to se Cover all Controls (Pleatiance Controls (Pleati	Section "C" ation mitigate the safety risi Reflective Jackets Hamess □ Safety G use Specify): ation □ Other: "D" (Monitoring & cuting Department the above test / settle	s s s s s s s s s s s s s s s s s s s	Plug Fr	Date and T Date With the tesk/act Dust Move T Breathin	l Ivity: ask D Fac g Apparati	
k si	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified th	afety Shoring Shields perational er Ambu	Design implemented to set Cover all Controls (Pleatance C Barrice Section Exe	Section "C" ation mitigate the safety risi Reflective Jackets Hamess Safety G use Specify): tion Other: "D" (Monitoring & cuting Department the above task / activ out in compiles	ture S Chaza Chaza Closing	Plug E F	Date and T Date With the task/act Date Dust Move Breathin Descriptions during	l Ivity: ask D Fac g Apparati	
k si	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shields ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspec	afety Shoring Shields perational er Ambu	Design implemented to self Cover all safety Belf/ i controls (Plez liance Barrica Section Exe I declare than been carried controls / req	Section "C" ation mitigate the safety risk Reflective Jackets Hamess Safety G tion Other: "D" (Monitoring & cuting Department the above task / activ out in compliance with uirements mentioned	sure Single Singl	Plug Fr	Date and T Date With the task/act Date Dust Move Breathin Descriptions during	l Ivity: ask D Fac g Apparati	
k si	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified th	afety Shoring Shields perational er Ambu	Design Implemented to Design D	Section "C" ation mitigate the safety risi Reflective Jackets Hamess □ Safety G tice □ Other: "D" (Monitoring & cuting Department the above task / activ out in compliance with uirements mentioned	sure Single Singl	Plug E F	Date and T Date With the task/act Date Dust Move Breathin Descriptions during	l Ivity: ask D Fac g Apparati	
k si	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified th	afety Shoring Shields perational er Ambu	Design Implemented to Design D	Section "C" ation mitigate the safety risi Reflective Jackets Hamess □ Safety G tice □ Other: "D" (Monitoring & cuting Department the above task / activ out in compliance with uirements mentioned	sure Single Singl	Plug E F	Date and T Date With the task/act Date Dust Move Breathin Descriptions during	l Ivity: ask D Fac g Apparati	
k si	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified th	afety Shoring Shields perational er Ambu	Design implemented to see Cover all Controls (Pleating Section Exe I declare than been carried controls / req The task / ac site is safe fo	Section "C" ation mitigate the safety risi mitigate the safety risi Reflective Jackets Hamess Safety G see Specify): ation Other: "D" (Monitoring & cuting Department the above task / activ out in compliance with uirements mentioned tivity is now completed routine operations.	closing the above.	Plug E F	Date and T Date With the task/act Date Dust Move Breathin Descriptions during	l Ivity: ask D Fac g Apparati	
k si	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldin ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified th	afety Shoring Shields perational er Ambu	Design Implemented to Design D	Section "C" ation mitigate the safety risi Reflective Jackets Hamess □ Safety G tion □ Other: "D" (Monitoring & cuting Department the above task / activ out in compliance with uirements mentioned tivity is now completed r routine operations. happened during exec	closing the above.	Plug E F	Date and T Date With the task/act Date Dust Move Breathin Description Description Discrete and T	ivity: ask Fac g Apparatu	
k si rati	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldir ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified the	afety Shoring Shields perationa er Ambu y ted the e	Design implemented to see Gover all safety Belf/ I controls (Pleziance Gention Exe I declare that been carried controls / req The task / ac site is safe fo Any incident I	Section "C" ation mitigate the safety risk Reflective Jackets Hamess □ Safety G use Specify): tion □ Other: "D" (Monitoring & cuting Department the above task / active out in compliance with uirements mentioned tivity is now completed require operations. happened during exectives es □ No □	closing the above.	Plug Far D Hante G	Date and T Date With the task/act Date Dust Move Breathin Descriptions during	ivity: ask Fac g Apparatu	
k si	Name Following controls PPE Required:	afety Shoring Shields perational er Ambu	Design implemented to self Cover all safety Belty controls (Pleatance Barrica Section Exe Lidecture that been carried controls / req The task / act site is safe fo Any incident I	Section "C" ation mitigate the safety risi mitigate the safety risi Reflective Jackets Hamess Safety G see Specify): ation Other: "D" (Monitoring & cutting Department the above task / activ out in compliance with uirements mentioned tivity is now completed routine operations. happened during exec	closing the above.	matus Se da so Plug For Harte G HSE&QA monitoring This work close.	Date and T Date With the task/act Date Dust M Drifs II Dust M Breathin SE&QA Departir Observations dur (if any):	Ivity: ask Fac g Apparati	
k si rati	Name Following controls PPE Required: ☐ Hard Hat ☐ S Shleids ☐ Weldir ☐ Others: Any additional o ☐ Fire Extinguish Area Authorit physically inspectite and verified the	afety Shoring Shields perationa er Ambu y ted the e	Design implemented to see Gover all safety Belf/ I controls (Pleziance Gention Exe I declare that been carried controls / req The task / ac site is safe fo Any incident I	Section "C" ation mitigate the safety risi mitigate the safety risi Reflective Jackets Hamess Safety G see Specify): ation Other: "D" (Monitoring & cutting Department the above task / activ out in compliance with uirements mentioned tivity is now completed routine operations. happened during exec	closing the above.	Plug Far D Hante G	Date and T Date With the task/act Date Dust Move Breathin Description Description Discrete and T	ivity: ask Fac g Apparatu	





Department

IMS FORM

SSGC-IMS/CRM-F-04

Issue Date: July, 2021

Revision 01


Job Safety Analysis Form

Executing Department Zone Date ' Job/Activity: Activity Details: ☐ Hard Hat ☐ Safe Spees ☐ Cover all ☐ Reflective Jackets ☐ Ear Plug ☐ Ear Muffs ☐ Dust Mask ☐ Face Shields ☐ We ding Shields ☐ Safety Belt/ Harness ☐ Safety Goggles ☐ Hand Gloves ☐ Breathing Apparatus ☐ Breathing Apparatus ☐ (in rs:

Any additional operational controls (if required) S.No Steps of field Activity Potential Hazards Controls The state of the s 531 Activity Incharge / Supervisor Head of Executing Department I hereby certify that all operational controls, I authorize the team to conduct the job. The team mentioned above, will be implemented at each is adequately resourced to execute the job safely. step of the job. The team is trained to execute the job and the equipment involved in this activity are safe to operate. Name & Name & Sign & Stamp Date Sign & Stamp Date Designation Designation

MR

Integrated Management System.





IMS FORM


SSGC-IMS/CRM-F-05

Management of Change

Revision 01

issue Date: July, 2021

MO	C No: ·				•			Da	ite	
	Section A : Description	of pro	posed	change	and potent	tial haz	arde			
	MC Owner Expected Duration of Work			Ĭ	ocation of W	/ork:				
'	expected Duration of		-		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
, :	Work			•	•					
]				Type c	f Change					
9	□ Pipeline	constru	ction 🗆 F	Physical s	ructure/buildin	o 🗆 New	ar modi	fication	ı in	
3	u remanem precess/p	rocedure	□ New	or modific	ation in equipm	ient/mac	hine 🗆 N	Aateria	i	
10	☐ Temporary Substance ☐ Other:									
be filled by MOC Owner	Detail of MOCKS	100.70								
2	Detail of MOC/Sco e of	NOC: (S	umman	ze tne ba	isis for the pro	oposed.	change	and a	ny pote	ntial health,
9	safety and environment in	ac S le	isuung 1	irom me	biobosed cus	inge.)				
₽	Ť	!								
5	•)							
٠٠٠٠		V				'	•			
ဦ		•			•					
	The proposed charge in									
Ι.	The proposed change is	now su	omitte	co Area	Authority fo	r evalu	ation.			
ļ	Name & Designatio	n l			& Stamp				Date	
ļ		.j								re-
<u> </u>										
Ϊ.	Section B : Evaluation	of the	impact	(s) relat	ec to the ch	ange				
4 کے	Evaluation Criteria					<u></u>	Yes	No	Co	mments
<u>₹</u>	Does the proposed chang	e meet a	ili applic	able lega	al or othe	•	1.00			minerita
ļ	requirements?			_						
13	All modifications in the exi	sting pro	icess/ e	quipmen	are Environ	ner ally				
4	Manageable and Safe?							ļ.		
2	Does the change requires	change	s in SSC	GC HSE	Procedures					
=	Does the change will affe	ct the us	e of En	nergency	response					
9	equipment of the location							$\mathbf{D}\mathbf{H}$		
To be filled by Area Authority	Does the change requires	any spe	cialized	training	for SSGC sta	ff				
- <u>8</u>	Note:	in case (or YES	<u>" please j</u>	provide detail:	s on a s	eparate	Ste		
	The proposed change is	now su	ibmitted	to in cr	arge HSE&C	A for a	uthoriz	ation	<u> </u>	
-	Name & Designation	<u>n</u>		Sign	& Stamp				Pate	
Γ.					•	1				
					•	•				
آم ا	Section C : Authorizat	ion for	change	e to pro	ceed					
19	Following proposed contro	ols shoul	d be im	plemente	d while execu	tion of t	he ioh			
8	Potential hazard/risk	Risk	level	Pro	posed contr	ol .		onsib	iilty	Timeline
모					1	-		911012	·····	innemia
<u>a</u>										
pi-										
1										
be filled by HSE&QA	Name& Designatio	п		Sign	& Stamp				Date	<u>'</u>
P										
Ľ			1							
							·			





SSGC

HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Context of the Organization

Issue Date: July, 2021

LIST OF INTERESTED PARTIES

External Interested Parties	Needs & Expectation
Board Of Prectors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR
^	Protect shareholders interest.
Op	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	Follow best practices of corporate governance.
	• Ensure committee meetings are held as per plan.
	Finance benefits of the organization.
	Avoidance of any fines / penalties.
	Reputation enner cement.
•	Corporate Social Reso insibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to a mave quality goals.
	 Achievement of safe and health conditions in organization.
	Commitment to quality, safety and health.
•	 Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

31

1 %
1 🗥 j
2222
SSGC

HSE&QA Department

NOX OP

IMS Form

Context of the Organization

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Ensure that policy and related objectives are established.

- Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
- Effective management of hazards, risks, incident, mergency, and injury.
- Wasse engage and participation in all quality, environment, health and safety activities.
- Continue growth in quality and productivity.
- Effective controls on quality, health & safety issues.
- No major accident an erkolace / safe working conditions for all employees.
- Develop positive quality and leath & safety culture.
- Continuously improve quality, salely and health performance with review process.
- Well performed employees.
- Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
- __Job security.

-916

HandBook | February-2022



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

Non

- Training and development opportunities.
- Sustained reputation and image of company.
- Consultation.
- Communication and participation.
- No accident / injury / ill-health.
- Reward and recognitions.
- Opportunities for dialogue / improvement / changes.
- Timely and fair provision of remuneration coupled with career progression.

Client/Customer

or vide high quality services, quick response on any ow all local laws and QH&S requirements.

- gas supply.
- Customer facil
- Quick response of origines & complaints.
- Value for money.
- No health and safety issue in roduct.
- Prompt actions on quality; held nd safety issues.
- Minimize the risk of injuries when receiving a services.
- Socially and environmentally responsible.

Suppliers/Contractor

- Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
- Fair chance of participating in bid opening.
- Communication of hazards present at workplace.
- Timely payment.

Integrated Management System





IMS Form

SSGC-IMS/CRM-F-06


Revision 00

HSE&QA Department Context of the Organization

Issue Date: July, 2021

	Transparency.
Trade Union & Worker Representative	Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
	Conducive and safe environment for work
^6	Timely provision of information necessary for workers
*	No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs Visitors	 Media-management. Patient and positive attitude. Effective communication. Safe entry and exit deriver tay at SSGC. Communication of pertinent information. Emergency response. Briefing necessary safety rules. Necessary PPE available. Site access controls.
Emergency Services (Fire/Medical etc)	 Good Risk management. Emergency procedure in place and drilled. Regulatory compliance.





IMS Form

SSGC-IMS/CRM-F-06

SSGC

HSE&QA

Department

Context of the Organization

Revision 00

Issue Date: July, 2021

	 Regular drills for flooding, spillage, site excavation and first aid etc.
1	Availability of adequate resources.
Utility Playtours (Power/water ruel, Telecom)	Prompt payment.
	Good Management.
Academic Institutes	Effective learning programs for employees.
P	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Addressing from SSGC. The first of the control of t
Insurance Companies	lo claims, risk management, prompt payment.
Banks	• Imageral performance, cash flow.
Neighborhood/Community/ Society	Safe working onditions.
	Environment friendly operations.
	Contribute positive to local environment and populations.
	No complaint relating to hold pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
	Return on investment.
•	Transparency.
	Rights are protected.
•	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating
	

Integrated Management System

1,00

SSGC

HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

Third party auditors-Finance



Smooth data collection

Better financial performance

Effective communication

• On time response on queries

· No fraud or illegal acts detection

Certification bodies

 Effective implementation of ISO standards with all relevant clauses in the organization

Creditor/Financial Institution

Government/ Regulators (Local/Regional/Provincial/ National/International)

Repaid on time, good financial performance

e tified applicable statutory and regulatory ements for Quality and health & safety.

Promp esponses in case of any non-conformance.

Proper in estigation on uncontrollable.

Implementation of safe policy in the field of occupational safety.

• Fulfill the requirements of applicable laws, rules, regulation, orders, guidelines, interpretations and directives.

WF



SSGC HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-07

Revision 00

SWOT Analysis

Issue Date: July, 2021

TO THE PARTY OF TH	
STRENGTHS	WEAKNESSES
	Complex distribution network leading to UFG.
	Substantial resources required for up gradation.
Highly competent human resource.	Lack of succession planning.
Certified to international standards	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakista.	High price.
Serving the nation since decades.	Government new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	IFREATS
Monopolistic market.	Depleting natural na.
Over 2.8 million customers.	Customers may turn to renewable energy sources.
Import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.

Integrated Management System

MR

37

1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

3. DEFINITION

a. Incident: We kerelated event(s) in which an injury or ill health or property darkage (regardless of severity) or fatality occurred, or could have occurred.

b. Accident: An incider in which an injury or illness or property damage activations.

did not result in an injury or property damage, but had the potential to do so.

e. Emergency: An emergency is a situation that poses an immediate risk to health, life, property, or environment.

Accident

Incident

Near Miss

riarmful

Harmless

INCIDENT / ACCIDEN NOSSES

Loss of Life educed quality of life DIRECTLOSSES (Visible) Injury to people **Exployment** Damage to Company Investigation fime Reputation INDIRECT LOSS (Invisible) Clearing the Site and Damage to Equipment, conducting repairs Building, Tools etc. Time and resources utilized in hiring and training new worker

MR

Integrated Management System



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	 Major fire Major gas leakage Explosion Bomb blast Vehicular accident 		Inform respective departmental head/in- charge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	Significant arset / Itemanioss due to aly untoward situation		Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	including natural disaster, damage or	O _A	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
٠.	theft of asset / property having an estimated amount of more than	76	Report the incident using incident notification form wia web portal to in-charge LSE&QA immediately (or within 24 hours) after the security ence of incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSSEA, will complete the investigation report via web portagorithin seven working day after receiving included notification form.	HSE&QA	SSGC- IMS/IAM -F-02
			Additional days may also be required depending upon the criticality of investigation.)	
٠			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.	O _S A	•
			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
			Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	

fr.

- HandBook | February-2022 🋴

S. No	incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	Record
	Minor Injuries where only hasic first Aid or less than officeys		Inform respective departmental head / incharge.	Anyone who has witnessed or received the initial information about the incident.	
2	provided to the victim Minor Vehicular accidents where there	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
in" ett in 199	is no is ignificant injury or loss.	8/0	HSE&QA will share the information with all concerned to avoid recurrence.	HSE&QA	
3	Any Near Miss Occurred / Observed.		Neport he Near Miss using of line Near Miss Notification from via web portal. En endetails as mentioned on the form attach evidence. (Edpy) and submit.	All Employees	SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset da page ic. will be considered as accidents and will be reported through online Incident langement by Incident III.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR


40 Procuremental

Integrated Management System

4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:


- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- a. Determination of root cause using any suitable method like tripod analysis etc.
- Investigator with be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- When indicated by the severity of the incident, steps to secure the incident site must be initiated immediately be ensure that investigating party can reconstruct the events ensure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be challeted with each person present at the time of the incident. The following rules are into red for interviews with all individuals:
 1. The witnesses should be interview a promptly, separately and privately.
 2. The interviewer should avoid questic as that give a yes or no answer.

 - 3. After the interview, the interviewer story document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:

 1. The investigator or investigating team must focus on getting accurate and complete information.
 - 2. Facts must be separated from opinions, and precedevidence from circumstantial evidence.
 - 3. Each concern identified in the investigation must be fully and ressed.
- f. Upon completion of the investigation, the team will fill and sub nit he Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background mormation, Root Cause Analysis, Conclusion and Recommended Corrective / Preventive Actions.
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the ZonaLHSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be rodated including controls, risk level, likelihood etc.

4.5. Data Analysis and Review of Actions

The data of incider swill be evaluated and investigation outcomes will be shared with the management during impagement review meetings to seek advice and to discuss the effectiveness of measurest actions implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification Form	In-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation: Form	In-charge HSEROA	5 Yeárs.
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In charge HSE&QA / Zonak, S. Team Leader	3 Years

MR



¥...

SSGC

IMS FORM

SSGC-IMS/IAM-F-01

Incident Notification Form

Revision 01

Issue Date: Aug, 2021

ate:	·	Time:			Report 1	No.	
eported by: .				• · ·	*		
cation:	·.						
Go Premis	 ies	☐ On	tside SSC	C Premis	es 🔲.	•	
oation sta	ils:		·	••			
esponaible	Сопе		Z	onal HSE	Team Lead	ler	
egion						,	•
articulars o		Person(s):		!	Details of A	ffected A	830t (If any)
Senai No	7	1	2	3		_	
Name(s)	—					•	:
Employee ID((2)						
Designation			—			•	
	Permanent		4	<u> </u>			
	Contractual				-		•
Type of					<u>}</u> ,		
Employment	Contractor			0,			
	Visitor				O		
•	Other			1	().		
Age							
Note: For further	r details addilid	nai page may b	e usad)			0	• • • •
ncident Typ	oe:. ·						
Fire Exp	losion	Vehicular Acc	ident /	Asset Damı	age 🔲 .Work	Related I	<u> </u>
⊓heft 🔲 Sa	botage	Natural Disas	ster 🔲	Gas Leaka	ge 🔲 Othe	r	
ncident Co		es: · ·					
Fatality SSG		pitalization	Asset D	amage 🔲	First Aid	Other	·
Othe Incident Cla	' L	. <u> </u>	-	_		•_	
Major 🔲	Minor [_ •	88			•	
incident De					٠.		,
MICILIANI DE	· settle						
1							

M

43



IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

Incident Notification Form Ref. No.	Incident Detail (Brief)
Incident Date	Trouble Detail (Miles)
Investigated by	
AC GROUND INFORMATION:	·
ROOT CAUSE NAME SIGN	
P	
%	
CONCLUSION:	A
\	Vo neumon qui a gratar
RECOMMENDATION OF COR	
Recommended Actions	- VA
	the by (whom) Action till (date)
<u> </u>	
2.	
3.	
i.	
e date essential	
s risk essessment required for the corrective actions ecommended actions:	? If yes, please mention the serial numbers for the
incha	rge HSE&QA

Integrated Management System

44

SSGC HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F-03

Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Catego Type:	Unsafe Act Unsafe Condition	
Names	三、唯一分成了中国的成立。 (1) 10 10 10 10 10 10 10 10 10 10 10 10 10	
Executive / Employee No.:	A CONTRACTOR OF THE PARTY OF TH	e.
Designation	。 	and the second section of the second
Department	· 是一种生物的 自然的 (基础) 等。	·
Location i Area:	The Part of the Control of the Contr	والمامينية المامينية المامينية المامينية المامينية المامينية المامينية المامينية المامينية المامينية
Near Miss Detail:		
Date:	· · · · · · · · · · · · · · · · · · ·	
Time:		
Location:	REAL MARKET OF	·
Near Mas Related To:	Leakinge Equipment Silp / Trip Chemical Fatting Hazard Biological Fine Transport Escrical Spill Physical Other	
Brief description of what you saw! (max. 108 words)		
Attach Pictures	Choose File No file chosen	

De



- HandBook | February 2022


PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- Define pechanism and frequency to test plan so as to ensure prepared ses and effectiveness of emergency response system.



SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency are the to variations in nature of operations, various departments/sections have developed their own ER Plans extering for their strategic, operational and physical requirements. The same includes HSE emergencies area on more company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations major environmental damage, external terror or bomb threats, public unrest, war and etc.

DEFINITIONS.


- Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines, makinstallations and other assets.

 Rescue: It refers to responsive operations that a smally involve the saving of life or prevention of injury
- Emergency Response Organization (ERO): It is a group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any enterprency incident, such as a natural disaster or an interruption of business operations.
- Emergency Response Centre (ERC): It is a room suitably qui ped to handle any potential emergency : situations. All emergencies are to be reported here.
- First Aid: It is the provision of initial care for an illness or injury. It is useful performed by non-expert, but trained personnel to a sick or injured person until definitive medical treament can be accessed.
- Assembly Areas: If an evacuation to the outside is appropriate, the no linated assembly areas for personnel shall be far enough away from the building, structure or workplice to ensure that, where practicable, everyone is protected from falling glass and other objects.
- Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- Immediately assess the situation and initiate the remedial actions. b.
- Call the fire brigade & other emergency services like ambulances if required. C,
- Ask/inform all personnel present within premises, using megaphone or any other means, for complete d. evacuation if situation goes out of control.
- Inform all to go back to their work places using megaphone or any other suitable means when the situation e. comes under control and the area is free from any hazard.



- HandBook | February 2022 💃

5. PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are lis ted below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the be limited to these areas: same need a

- Fire & E
- Heavy Spillage of Toxic/flammable chemicals or leakage of gas
- Heavy rain
- Earth quake
- Bomb threat
- Building & office lockd helter in place
- Active shooter/hostage

6.1. Fire & Explosion

in case of fire & explosion each personal cresent within the premises must act as per but not limited to the following in a unions:

a. Give voice alarm - FIRE! In case of fire for all muse lia

- liate employees in the area.
- b. Push the nearest located call point button in se of fire (if present):
- . Immediately inform Emergency Response Or ex ation through phone
- Try to control the fire by using fire extinguishers the extinguisher raply if you have been trained.
- Remove all explosive, inflammable and poisonous mater the maximum possibility. . .
- f. Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable. ..
- Report to the designated Assembly Point away from the scene of the colosion if asked by Emergency Response Organization through emergency exits and wait for the further as actions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage of

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- Immediately inform Emergency Response Organization through phone or in person.
- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas. b.
- Turn off gas supply from nearest control valve...
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be d. taken to ventilate the gas. Ensure the availability of fire extinguishers.
- e. Stop leaks if this can be done without having any risk.
- f. . Do not touch or walk through spilled material.
- Prevent entry into waterways, sewers or confined space. g.
- h. If available wear the Personal Protective Equipment recommended.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions

FIRETRIANGLE

Integrated Management System

fasuitement

6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but not limited to the following instructions: Try to stop water by keeping sand bags.

- Protect building, machines, equipment, tools, parts & material. b.
- Shut off Electricity and Gas if necessary. C.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. Ь. . C.
- quantity of tarpaulin and rain suit is available to meet the rainy condition. . d.
- Keep the train line open all the time.

 All pumps and the draining out the rainy water are in running condition. e. f.
- Sufficient quantity of sand bags is available to stop entering the water inside, which may be placed in

Class	Material	CLASSES OF FI	
		Examples	Type of Fire Extinguisher to
· A .	Solids	Paper, would plastic, etc.	• Water
B :	Flammable Liquids	Paraffin, petro, Metc.	• CO2
∵ o -	Flammable Gases		Dry Powder
*	- Cases	Propane, butane, m thene, etc.	Dry powder
<u>D</u> .	Metals	Aluminum, magnesium, titratur, etc.	Sodium chloride based day
E ;	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	powder fire extinguisher
-	Cooking Oil & Fat	Animal fat, etc.	O2 Fire Extinguisher ,

6.4. Earthquake

in case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately inform Emergency Response Organization through phone or in person.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half b. of the height of the building) after the shocks dampen. C.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) Maintain your senses, do not let them disperse. d.
- e.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. f. g.
- Wait for further instructions from Emergency Response Organization. h.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- e. The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Maintain your senses, do not let them disperse.
- c. Report to the designated Assembly Point-if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- d. Bomb Disposal Department shall be called by Emergency Response Organization.
- e. The Boy Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On get by clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergen y R sponse Organization.

6.6. Building or office Lockdown/shelter-in-place

If a situation calls for building or office lockdown, the personnel present within premises should act as per out put limited to following instructions:

- a. Remain calm and stay with our colleagues.
- b. Try to stay in pairs.
- c. Do not leave the room and/or built in under a lockdown situation until asked otherwise.
- d. Keep quiet and away from doors and your ows
- e. If a gunshot is heard, lay down on the lear and shield under/behind furniture as much as possible.

Take care:

Don't try to be a hero in emergency situations; do not place your own life on health or that of others in danger. Be prepared for the unexpected?

6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel present within the premises must act as per but not limited to the following instructions:


- a... If it is safe to do so, exit the building; if not, lock or barricache real inside a room.
- b. Turn off lights, cover and lock the windows, and lay on the floor
- c. If the shooter(s) leave the area, go to a safer place, if possible. Note the scape route/plan in mind, keep your hands open and visible, and follow any instructions given by law exit certaint.
- d. Call the Police/Rangers when it is safe to do so. Remain calm, use a giet voice, and provide as much information as possible (your name and location, details about the shooters) ippearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can liste a companion the location.
- e. Cooperate and negotiate with the shooter, in order to buy as much time as dos libe until the rescue team reaches.

7. EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System



EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. Ь.
- Leave the building/premises immediately, do not try to investigate the source of the emergency. C.
- Walk, don't run, to the nearest exit.
- Use stairs, not elevators. d.
- Assist people with special needs. e.
- As you make your way out, encourage those you encounter to exit as well.

IO BE EVACUATED

In case of entero have evacuation should be carried in the following order: 9.1. Personnel

Those personnel who go not have sound health such as patients of Heart, Asthma and physically/mentally disabled people are to be required on priority basis. 9.2. Raw Material

Raw material which is expl , inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to carry must also be removed. 9.3. Documents

Important records and files must also

9.4. Equipment


Cash Lockers, Computer Sets, External Harrydin Expensive Tools and Fixtures must also be removed.

10. TESTING AND EXERCISES

Testing and exercise of the emergency response has should be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The econd and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible to periodically conduct the exercise. The frequency and type of drill at each location should be as below:

a. Head Office b. Regional Offices c: Billing Offices d. P&C Offices e. Store (all locations) f. KT (Transmission) g. Distribution (Zonal	Location	120	
d. P&C Offices e. Store (all locations) f. KT (Transmission) g. Distribution (Zonal	a. Head Office b. Regional Offices	Type of Emergency Drill	Frequency
f. KT (Transmission) g. Distribution (Zonal Tonal Tonal	d. P&C Offices	employees)	Six Monthly
and Sub-zonal offices)	f. KT (Transmission)	Fire Fighting Drill by Emergency Response Team	Six Monthly



HandBook | February 2022

Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
No de Chaliere	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Headquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSIZ eam leaders ensure that emergency detection and response equipment are identified, available and proper analytained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of Ex Equipment. The record shall be maintained on Inspection and Monitoring of Ex Equipment Form (SSGC-Mc/FR-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge HSE&QA as and when required. The need for the emergency response equipment is determined by consider to the hazards and associated risks with the particular

location/operation/equipment) stallation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher.
- b. Fire hydrant/hose/bucker/hater pump.
- c. Smoke/gas detectors.
- d. Communication equipment. (4) a phones, Alarm systems, walkie-talkie etc.).
- e. First aid box.
- f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of n-charge HSE&QA or Zonal HSE team leader.

	Location	Frequency
.a.	Head Quarter Stations	
b.	Meter Manufacturing Plant	Monthly
C.	K.T (Transmission)	
a.	Head Office	00
b.	Regional Offices	
c.	Billing Offices	Countries
d.	P&C Offices	Quarterly
e.	Store (all locations)	
f.	Distribution (Zonal and Sub-zonal offices)	

12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period
SSGC-IMS/ERP-F-01	. Emergency Drill Form	HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

51

2-OCTIVE WEU





IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

Zone		Region		T T.		
Туре	Of Emergency Dri	n ·		Location .	Date	
□Fir	e and Explosion -	lacine spille				• • • •
□.Bo	Theat C Other	icavy shiilage	or toxic/ilammab	le chemicals 🗆 Hea	wy gas jeakage □ F	arthau union
.	· · ·					
S.No			Observ	ations	ar a	
1		cription:	Time		Comments	<u> </u>
2	Emergency Sirer Evacuation st	ang at			Comments	
	Last person reach					
. 3	Last person react point		F .		· · · · · · · · · · · · · · · · · · ·	
. 4	Firefighting/Bomb	dist of a squa	d/other	-		<i></i>
-	Tivreiesten batty te	ached at six	a curier			
5 Total		control of		 		· · ·
Addit	time of Drill (minut	es):		-	·	•
Addit	ional Observations	(If any):				
	•				***	
1	• • • • • • • • • • • • • • • • • • • •	•				*** *** **** ***
·	·					
S.No	The state of the s		PARTY DESCRIPTION OF THE PARTY OF	And because will all thoughts from the contract of a large	and dist	
.1	Emercenar rosses	-1	Assessm		The state of the s	. Yes. No
2	Emergency respon	ders were pre	sent at the site			· Yes. No
3	Employee were pro	peny instructe	ed		·	
4	Behavior of employ Evacuation route w	ees was satis	factory		· · · · · · · · · · · · · · · · · · ·	
5	SSGC firefighters w	as satisfactor	<u>/ · </u>		A	
6	Firefighting equipme	vere well trains	<u> </u>		\(\)	
7	Firefighting equipm	ent were up to	the mark			
Oversi	Response of the mo	edical staff wa	s satisfactory		- N	
	r vaseasweut:		•	Satist	factory Date	
S.No	Correc	tive Actions/i	mprovements R	and the state of the analysis and the state of the state	The state of the s	sfactory 🗆
			The sometime is	edrited	Responsibility	Target Date
						
And the second	AMBINISTALIZATI, TUVI K., A MAZILIA.	Marie Belle Brime (Pres, South Beauty), 195	ran . C			
	Security Service	s Represent	ative	HSE	&QA Representative	Commence to to make a suite
	Name .	· Signature		Name		
				INdille	Signa	ture
	l		j			
					'	
		\mathcal{D} .				•

Procurement To Dapt.

- HandBook | February 2022



IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

Zone	. 1			•		
	Of Equipment	on	Location	T		· ·
U Fig	or equipment					Date
- A-	a exunguisher of Fr	e Hydrant/Water Pump/B	luckets/Hose 🗆 Sm	oke <i>ll</i>	Gae D	etector Emergency light
U 7(1)	Judiance First Aid	Box C Communication E	quipment (1) Other	:	Dag Di	elector Li Emergency light
			CHECKLIST	<u> </u>		
S,No		What to check		Yes	1	
	x juster			102	NO	Comments.
01		are in operable condition	and not			
02	Pipe and pazzie de	not have cracks.			 	
03	Lever and lever	are in piece and looked				
04	All extinguishers at	Cies dy visible and and	esible .			
ire H	Y- TO SENDUCK		3331018.			
01.	No leakage in fire i	nydra (- :		
02	Hydrant valves are	property lubric and and	nerations!			
03	TOTAL PING 12 TOTIES	ADD BURBER OF THE ALL	rzies are		- 15-1	South the second that the second
04		aintained and ade liate		_	.	
_ '			mued with	T		
	Aid Box			<u> </u>		
01	box.	red medicines are availab	ole i Fi Aid	<u> </u>	- 1	
02			* # * !	_ [.``	
make	Gas Detector	xpired and valid for use.	y so the		1	
01	Alarms and Smoke	gas detectors are proper		_		
ther E	Equipment (if any)	and detectors are proper	ly functioning.			
21	.7.7					
12		· · · · · · · · · · · · · · · · · · ·				<u> </u>
				Γ		
No	<u> </u>	Observations				
1				•	. F	Recommendations
_		•	.			U _a
2 .	•	•				
3	·		·	•		
			ĺ			
ر مسور	ai Comments (if an	<i>(</i>):				•
٠	•	•				
	Security 5					•
	Security Services	Representative		HSF	ROA =	
Name	5 & Designation	Signature	Name 2 D			Representative
			Name & De	Name & Designation		Signature
]	1 .			
		•	1		• :	i

Integrated Management System



1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and

2. SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs
- s an independent employer/organization that is responsible to provide goods or
- rdirector: Is an executive of SSGC procurement department, who has been Contract \ delegated/giver responsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environmental Quality Standards. ď:
- SEPA: Sindh Environment **Notection** Agency.

4. RESPONSIBILITIES

4.1 Suppliers/Contractors and cetractors

- The contractor must take all necessar safety precautions related to the performance of the contract in order to protect the work site including all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety and well-being of their employees.

 c. The contractor will also be responsible to provide in evant safety equipment (PPE) to their workforce where required. Suppliers/Contractors have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequately raised to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC police. cedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for e mental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between HSE&QA department within 10 days of issuance of a letter to proceed. contractors and

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

- HandBook | February 2022



5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the requirement of this procedure.
- f. Supplier shall adhere to technical specifications provided by SSGC to ensure quality of goods provided
- g. The contractor shall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HasaQA department to seek guidance and awareness on risk/hazards related to activity and its possible controls.
- h. The contract is liable to inderstand and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please and to risk assessment and management procedure (SSGC-IMS/CRM-02).
- i. The contractors are responsible to dispose of any waste generated during their activities in any environmentally safe & responsible manner.
- j. The contractors must ensure the or y trained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with a Concerns and NEQS and SEPA set standards.
 l. Any identified hazards discovered by the confractor that is beyond their ability and/or responsibility.
- I. Any identified hazards discovered by the confractor that is beyond their ability and/or responsibility to fix must be immediately reported to the color assordinator and HSE&QA department in writing. The contractors must ensure that the workforce in olved must be physically fit and should not carry
- m. The contractors must ensure that the workforce in olved must be physically fit and should not carry any contagious disease. SSGC reserves the right task for medical examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests.
- n. For contracts related to providing food services/canteen services, medical reports from accredited labs must be submitted to head of administration services of Labrach for entire crew once the contract is awarded and annually for following diseases hepatir D&C, tuberculosis, and chest X-ray.
- o. In case of violations from SSGC safety standards/policies/procedure, extions will be taken to penalize the contractor depending on the severity/recurrence of breaches as an following matrix:

S. No.	Violation	Action
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Written warning / Stop the work on site	
4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract

W

Integrated Management System

54



6. ACCESS

- Prior to comencement; the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from e. Contract
- Contracte supplyees must stay in their assigned area(s) at the job site and not visit other areas or make any adjustificants to any piece of equipment or device unless authorized to do so by an authorized SSGC representative. Failure to abide by this work rule will result in immediate dismissal
- Each zone maintains such a work areas with limited access at all times. No one is permitted to override any security design convenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the
- All contractor employees will go through cactor safety/induction training upon initial work at SSGC; and annually thereafter. A copy of author cer (gurrent) personnel for contractors will be updated and

6.1 Tools and Property

- For any situation in which the Contractors activity may endanger and duct quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments, havings or dirt in exposed product of manufacturing equipment areas, approval must be made through the Stationary approved by the ZTL or representative before work is to commence. The contractor must abide by conditions established by the Zonal Team Leader or representative to protect the equip ractor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for any angle is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the Sac Pay telephones are not available.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

:={Procuremant Dapt.

HandBook | February 2022



- h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.
- b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination redulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).
- c. Appropriate PP roust be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to their workforce.
- d. Proper clothing must be all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- e. Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skin
- abrasions will not be permitted to work in any area that could result in contamination of SSGC personnel.

 f. The use of tobacco in any forms producted at all times except in the designated Smoking areas.

 g. Chewing gum, candy, storing lunches, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. We will be a designated area for contractors to eat. (Cafeteria)
- In the event that there are open tanks, we posed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate in possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hamiltoning, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chik's or other debris may be generated.)

 The use of containers, boxes, cans, jugs etc., in biding or storing parts, lubricants, solvents or
 - construction material is strictly prohibited.
 - The contractor is responsible to notify the SSGC representative immediately if foreign material used or generated by the contractor's activity, was accidentally spill in one zone area/ SSGC premises.
 - k. Contractor will follow 'Spill Response Procedure' of SSGC in case a y spill occurred.

7. CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

- a. All applicable Occupational Safety and Environmental regulations must be followed
- a. All applicable Occupational Safety and Environmental regulations must be tollowed.
 b. Contractors shall supply to their personnel and to the SSGC representative: employed contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to their en-site work.
- c. Contractors shall provide the SSGC representative with a current copy of their Saret Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures if applicable) and associated training certificates.
- d. The Contractor shall supply all required first aid supplies and safety equipment to support his/ner personnel.
- e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

Integrated Management System:

- g. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydranis or
- All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- compressed gas cylinders must be supported and secured standing upright according to Pakistan ndards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks empty or full. Acetylene cylinders, when in use must have a wrench in place.
- who soverhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation projects, night lights shall be provided by the contractor.
- In the event an quegas vapor or other harmful volatile release is caused or discovered, the contractor and/or his employees shall be to at once to the nearest SSGC office and request for further actions immediately. his employees shall be to at once to the nearest SSGC office and request for further actions immediately. Vehicles in Zone are request to adhere to the declared speed limit.
- Any contractor, contractor engineer or subcontractor violating Zone area safety or security rules shall be

7.2 Accident Reporting.


- a. Accidents occurring in Zone jurisdiction
- a. Accidents occurring in Zone jurisdiction massive seported immediately to the SSGC representative.
 b. In the event of a fire, medical or other employery, contractors are required to notify zone security or the SSGC representative immediately. When proteins potification give all pertinent information, including your.

 All contractors, and emergency situation involved.
- c. All contractor injuries requiring medical assistance beyong asic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor (Ccident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the 1852.6A Department.
- d. All contractors and subcontractors must maintain their own OH8 uired document/record

7.3 Confined Space Entry

- a. The SSGC representative will notify the Contractor prior to being him confined spaces. The form included in documents will be used to make this ne work will involve entry into
- b. All Contractors who conduct confined space entries must achieve to the SGC confined space entry
- At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in :
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System



7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and derricks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safety operating and ridging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upon muest.
- f. In the elect that overhead work must occur in locations within the Zone where high voltage, overhead power scand, all cranes and overhead lifting devices must maintain a 10-foot dearance. In the event cannot be maintained, the power lines are to be de-energized and locked out prior to performing work in the event the lines must be de-energized, prior approval must be given by the SSGC representative. .

7.5 Hazardous Energy Courtiel (Lockout) Procedures

- yees and subcontractors must comply with the SSGC Energy Control a. All contractors, contractor Requirements.
- b. July, the sevent that a contractor, to raptor employee some subcontractor servicing for entering a piece of machinery where the danger of injury exact from unexpected energizing of the equipment or unexpected release of stored energy, the contracts or contract employee must disconnect the source of energy and lock/tag out this equipment before beginning von
- In the event that SSGC employees or other common persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energized and equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represedation or remove LO/TO without communication to all affected associates.
- equipment specific lockout procedure must be adhered to A contractor, contractor employee or sign the SSGC representative. . subcontractor can acquire the specific equipment lockout proceeds
- The lockout tag used by the contractor must have the contractor's promber and a person name, SSGC to be contacted concerning the lockout.

7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited.
- c. Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to a.
- Provide the SSGC representative with a listing of all hazardous chemicals. İ. ii.
- Properly label all containers, adhering to SSGC labeling requirements. īij.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas C. overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed
- Magen the use or storage of explosives or other hazardous materials or equipment is necessary for the tion of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the on of properly qualified personnel and in conformance with all applicable Zone Requirements and
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their employees of all hazardous substances in use at the job site and of the appropriate safety

Emergency Proce

- In the event of a fire, medical the remergency, Contractors are required to notify zone security or the SSGC representative immediately in security personnel the location of the fire and any other pertinent information. In the event that Zore security or SSGC representative cannot be reached, evacuate the area and call area/city emergency department as soon as possible. All contractors, contractor employees
- All contractors, contractor employees are succentractors are required to follow the predetermined exit routes and emergency evacuation procedures poster at the facility. All contractors, contractor employees and su
- All contractors, contractor employees and successfors are required to exit the work area/building in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the to loyee staging area located at guard shack.

Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of an proa. . ane or gasoline powered equipment
- SSGC Management discourages the use of internal combustion engines ind no reasonable alternative means are available to complete the job. ors, and will only permit it when

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have ground-fault circuit interrupters (GFCI).

Integrated Management System

o-Osureniert i

7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the b. necessary precautions have been taken.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC C. representative will issue a new permit.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been d. made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding

- d ex belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet et 35GC Work at Height Requirements.
- b. eson Zone property must be properly secured.
- C. All scaffolding must be equipped with railings and toe boards.
- All "swinging" type confolds must be inspected by the contractor and repaired if necessary before use.

 All overhead work from a forklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors comply viii all applicable environmental rules & regulations.

8.1 Non-Hazardous Waste

- Construction refuse and debris will not be to accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in the Contract document.
- Contractors shall take ownership of all waste an celesis generated from materials they brought to the job b. site or from demolition activities, and shall dispose of such waste and debris in accordance with all applicable daws and regulations.
- Reference to SSGC, The SSGC Company or any of its taxon arks shall not be used in any documentation associated with the disposal of such waste and debris.
- Contractors shall coordinate with the Zone, whenever practical to en egate debris or waste which may be recycled or re-used in a safe and environmentally responsible man ter
- Worksites may be periodically inspected by the SSGC representative of sure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until suci time as the worksite and property have had a final inspection and removal of all containers, debris, wastes and nationals has been confirmed. by the SSGC representative and documentation has been printed that all ions wastes have been properly disposed.
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
 - Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.



- HandBook | February 2022



- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- actor shall assure that all employees dealing with hazardous materials and hazardous wastes have had a legally required training and are familiar with the hazards presented by such wastes or materials.

Spill Response Procedures


- Each contractor is equiled to have a written emergency response plan to handle spills and releases which elivery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its mergancy response plan to the SSGC representative prior to beginning work.
- Each contractor must provide as contractor employees or subcontractor. be equipped with appropriate spill response equipment. All contractors, who engage in the emergency response of a hazardous material release must have been trained and have the appropriate spills response certification and meet response
- contractor must provide documentation to write that it has contracted with at least one reputable outside spill response contractor, that is reasonably agreefable to SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of has a roun materials.

 The contractor shall be responsible for appropriate to an appropriate to spills caused by their activities. Such clean-up
- will include removal or remediation of any materials imported by such spill; such as: building materials, soil, in the event that a spill or release of contractor's material occ
- not respond to the release to the satisfaction of SSGC, SSGC shall be the right to take any reasonably all costs incurred by SSGC to respond to such spill or release. actor shall reimburse SSGC for
- Spills and releases of hazardous materials must be reported immediately by the contractor to the SSGC representative.
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized presentative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and undertood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCE NCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledge to at we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to ablde by the terms listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who piolate these rules will not be permitted to work for SSGC. We also understand that we are responsible for example that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and/or subcontractors that we hire, to produce the second accountractor and second accountractor accountractor and second accountractor acc

Compliance with the SSGC Contractor Work Rules distance in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local care y, environmental and other regulations which may apply. The work rules are only a compendium of certain total requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable to contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with a splicable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services in SSGC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold handle's SSGC against any and all liability; including defense cost and attorneys' fees, arising from or relating to be seen of the above warranty and/or any violation of applicable laws, regulations and/or rules.








Company			
Date			
SSGC (Print)			· · · · · · · · · · · · · · · · · · ·
Signature	•		
Title			
SSGC Representative	•		
cc: Project Manager File Zone HSW Manager Contractor		40	

11. DOCUMENTED TORMATION

	Boomstay		·	
•	Record No.	Record SSGC	Maintained by	Retention Period
	SSGC-IMS/GSC-F-01	HS 20 Awareness Form	HSE&QA Department	3 Years

NR

Treness 1







IMS Form

SSGC-IMS/GSC-F-01

HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)


Revision 01

Issue Date: Aug, 2021

Organization Name		C	ontact name		
		C	ontact number		
Type of Contractor Mechanica Work Contractor No. 1	☐ Electrical Work ☐ ne construction ☐ Th	l Civil Work □ Was nird party inspection	te Disposal □ Cante n □ Goods Supplier	een □ Transport □ □ Other:	Manpower
Area of Working:	1				
Contract Coordina	ator:		•		
	P	HSE&QA Av	vareness		•
.,	Description	O THE STATE	aren irangan kayang tapan dalah dagi salah dari	Remarks	
ISO & OHSAS Star	ndards				
HSE&QA Policy			•		
PPE Policy				•	
Risk Assessment	ind Management Pro	cedure			in
Incident and Accid	ent Management Pro	ocedure			
Emergency Respo	nse Procedure			•	·
Technical Specific Criteria	ations/Performance	and Testing	0,		
Remarks:			7	0	· .
Supplier/Contractor Representative			HSE&QA Rice satisfive		
Requirements and be applicable who within company pure istrall make sure Contractor company.	and reviewed the S d understand that the ile supplying goods, remises or outside co all employees of our o panies understand a blicable to the activitie	requirements will works or services ompany premises. company and Sub- and agree to the	I have met the Supprovided basic information integrated Manageshown its committed Policies /and related requirintegrity of the good	formation of HSE8 ement System. The tment in adherent s/procedures/techni rements to ensure	AQA Policies and the Contractor has ce to Company's ical specifications quality, safety and
Name	Signature	Date	Name	Signature	Date
1	1	1	1	1	1

1/2

integrated Management System



HSE&QA Department

PENALIZATION MECHANISM

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2022


r Service Combacts Only

1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization..

1.1 Pepaization mechanism

ow chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and Annexure-J-1 can be found below.





; A)	PENALIZATION FORM		SSGC-HSEQP-F-10
1355 C # C T			Revision 01
USE&QA Department	for Service Contracts Only		Issue Date: Sep, 202
Project		Date	
-			· .
Section		Contractor	
User Dept.		Focal Person	
Nature of	Non-Compliance (As per Annex	cure J-1)	
1			
1) .		
	^		
5.8 L c.m	0		
Mode of P	enalization		
	9		
	8/00/1	•	•
	Initia		
-	Name	V	ınature
		7	
	Recommende	by HSEQA	
	Name	Sit	Met 10
		·	
	Recommended by User Dep	artmental/Division	nal Head
Following S	Section is applicable ONLY in c	ase of Financial P	enalization
	r		
			·
<u> </u>	DMD (Ops)	DMD (F	inance)
			Gus Co
Copy to: Pro Note: Adequ	ocurement/Finance/P&D Department, Co ate evidences MUST be furnished along	ontractor with form by initiator	(Self ment)
,	~ .	Q.	S blochewer
(Jaids Timbel:	W, 64	A COMPANY
			W. 100

SSC:(*)
HSE&QA
Department

PENALIZATION MECHANISM Sexvice Contracts only ANNEXURE J-1

SSGC-HSEQP-F-1

Revision III

Issue Date: Sep. 20

S. No.	Nature of Non- Compliance	Mode of Penalization
HSE		of I enanzation
1	PPE related	1st Time — Verbal Warning has site in charge 2nd Time — Written warning ' Explanation Letter 3rd Time — Removal of worker from duties
2	nsafe Act / Unsafe Condition	1 st Time ——— Stop work 2 nd Time ——— Stop work along with written warning letter
	Not report ig any major incidents within the time frame specified in Tender documents /-ISE&QA Pla	Financial Penalization up to Rs. 2(10) (1011) for each accident
4 ° c	No proper tag out ockout barrication / ignage boards and sy to hatic PPE non-ompliance as advised by SCC epresentative(s) at Site or new local in SSG OPs, work instructions or ToRs.	1 st time — Warning Letter 2 nd time — Stoppage of Work 3 rd Time — Firework
Quality		200,000 can be penalized)
	eviation in actual manpower provided vs the anpower (Organogram) submitted in tender ocuments	Sest of unavailable staff on the
6 Ou Sta	on-Compliance related to Quality Parameters tlined in ToR, BOQ, applicable international andards & Codes and SSGC's SOPs.	Up to 3/0 feets invoice
eportin	ig	billing per od
Pla		Financial penalization up to 2% of the invoice amount of the 1 ""
Tec	evailability of documents such as drawings, P manuals, inspection reports and other hnical data at site office.	invoice amount of the billing period Explanation letter
1 17733	viding wrong / insufficient information in picing pertaining to equipment and	Financial penalization
	power.	Up to 2% of the invoice amount of the billing period

And Think I will

6 8 Jacobranen

ENALIZATION MECHANISM Counte Contracts Only.

Revision 01

SSSO-HSEUP-F-10

ANNEXURE J-1 **MSE&QA** Department

Issue Date: Sep. 2001

Ethics & Conduct

Non-cooperation with SSGE team by arry staff. of Contractor. Non-cooperation includes nonsharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSGC's representative(s).

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head:

(03) absence/Unavailability of site soff during surprise visits of Contrac SSGC teams

Financial penalization (One day salary deduction of entire site staff of audited site

Penalization amount will not exceed the 5% of the total contract value: Note:

If Three (03) non-condinue (on any one issue or combination of issues) are issued to any contractor, Management will decide to impose additional penalization (e.g. forfeiting of Performance Bank Calculates / retention money), termination of contract or temporary blacklist (Blacklisting with to one (01) year.

nts and penalization are outlined in tender documents/ Tendar Project specific requirem

ToR under special requirement so





