# SPARES FOR TOYOTA PICK-UPS

(UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE)
AS PER PPRA RULES 2004

# TENDER ENQUIRY NO: SSGC/LP/PT/2047063

Bid Opening date & time: 15-01-2025 at 1200 hrs Bid Opening date & time: 15-01-2025 at 1230 hrs

Supplier must be active in FBR Active Tax Payer List (ATL)
Sealed quotation of above referred requirement to be submitted in PKR

Venue:

Tender Room, CRD Building, Ground Floor SSGC Head office Amplex Karachi -75300 Ph. +92-21-99021024,+92-21-99021173,+92-21-99021116.

Earnest Money (Fixed Bid Lond): PKR. 120,000/-

URD

"Note: Tender document is also available online on SSGC website for view only. Bidder is eligible to participate in bidding process only after purchasing the tender documents from Terrier Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."

Sui Southern Gas Company Limite

Procurement Department

ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan Phone: +92-21-99021223, Fax: +92-21-99231583

www.ssgc.com.pk/ssgc

# Sui Southern Gas Company Limited


Schedule of Requirement & Bid Form

SECTION - 3

	RFQ_Numb	er 🤏 🗽🖫	SSGC/LP/PT/204	7063	Open Bid	ding Date	13-DEC-24	13:05
	Document_	Number	2047063		20, 100 Part 1, 10	ding Date	. 30 1	
					The same of the same		15-JAN-25	12.00
S#	Item_Code	Item Description		:::Unit \:	^ Quantity, <		Unit Price inclusive of	' Value
	3.	1.			va va va	. Make / Brand ₄	all discount (if any.) & Exclusive of GST	PKR
1	2		3	4	5		6	
1	42251063	SPARES FOR TOYOTA		Set	4		- 0	$7 = 5 \times 6$
			DHP 2012 KIT SHOE RR					
		BRAKE   PART NO. 044	95-UK12U					
Dollars	Sebedule:							
	ery Schedule:		days after confimation	of P.O.				
2	42021893	SPARES FOR TOYOTA	i i	Each	4			
		FAN, RADIATOR P/NO	). 16361-OL020					
	1							
Delive	ry Schedule:	D. II.						
			days after confimation	of P.O.				
3	42021943	SPARES FOR TO A	UPS 4x4	Each	15		T	
		OK013	AST R P/NO. 31420-					
		OKO15						
Delive	ry Schedule:	Dolivon within 45 60	down of the Control	<del></del>				
			days after infimation	ot P.O.				
4	42021963	SPARES FOR TOYOTA F		Each	4	T		
		CYLINDER BRAKE MA	STER P/NU. 4) 01-	<b>^</b>				
Delive	ry Schedule:	Delivery within 45-60	days after confimation			<u> </u>		
5	42255853							
,	42233033	SPARES FOR TOYOTA P BELT (VIGO) P.NO 7PK:	1520	Each	15			
	İ	(vide) i iii o /i k	1320					
j								
Delive	ry Schedule:	Delivery within 45-60	days after confimation	of P.O.				
6	42256563	SPARES FOR TOYOTA S		Each				
-		UPS   CYLINDER KIT; BE		Lacii				
		044930К010			~			
						<b>Y</b>		
Pelive	ry Schedule:	Delivery within 45-60	days after confimation	of P.O.		79,		
7	42256183	SPARES FOR NEW TOY	OTA PICK UPS 4X4 1	Each	2			
		HOSE RADIATOR OUTL			_			
		<u></u>						
Pelive	ry Schedule:	Delivery within 45-60	days after confimation	of P.O.				
8	42256193	SPARES FOR NEW TOY	OTA PICK UPS 4X4	Each	2			
		HOSE RADIATOR INTLE	T P.NO 165710L080				~1.	
			j					
D - 17								
	ry Schedule:		days after confimation	of P.O.				
9	42256213	SPARES FOR NEW TOYO	• 1	Each	2			
		TANK ASSY RADIATOR I	KESEKVUIR P.NO					
		25-77 001023						
Delive	y Schedule:	Dolinon with a 45 50	dana affan ar affirmati	-600				
			days after confimation					
10	42256253	SPARES FOR TOYOTA P BOOSTER ASSY, BRAKE		Each	2		T	
		DOODIER MODI, BRAKE	L.140 440T00V190					
Delive	ry Schedule:	Delivery within 45-60	days after confimation	of P.O.				
	<u></u>	ELIVERY WILIMIT 43-00 (	any arres commation	r.U.				

19-DEC-24

E-Business Suite 11i - Sourcing Module



### Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

	DEC N						
		er SSGC/LP/PT/20	)47063	Open Bio	lding Date	13-DEC-24	13:05
	Document_	Number 2047063		Close Bio	lding/Date	15-JAN-25	12:00
at - are	[211 1 PA						
2#	frew_code	Item Description	- Unit	Quantity 😅		Unit Price inclusive of	Value Value
	14.571				Make / Brand	all discount (if any) & Exclusive of GST	PKR
.1	2	3	4	5		6	7 = 5 x 6
11	42256263	SPARES FOR TOYOTA PICK UPS 4X4	Each	20			7 - 3 x 0
		CYLINDER KIT, DISC BRAKE FRONT CALIPER P.NO 044780K210					j
	1	7.110 044780K210					
Delive	ry Schedule:	Deliver with the AT CO. I		L	<u> </u>		
		Delivery within 45-60 days after confimation	n of P.O.	<u> </u>			
12	42256273		Each	1			
		CYLINDER ASSY, FRONT DISC BRAKE RH CALIPER P.NO 477300K190	1				
		CALIFERT .NO 477300K130	-				
Delive	ry Schedule:	Della serial A so I so	<u></u>				
		Delivery with 45-60 days after confimation					
13	42256283	SPARES FOR TO STATE WAS UPS 4X4   PISTON, FRONT DISC BRACE P.NO	Each	8			
		477310K060					
Delive	ry Schedule:	Delivery within AS 50 days of the	1	<u> </u>			
14		Delivery within 45-60 days after commation					
14	42256293	SPARES FOR TOYOTA PICK UPS 4X4 MING SET, FRONT DISC BRAKE P.NO 90016 E60	Each	8			
		DET, FROM DISC BRAKE P. NO 90018 (28)	$\wedge$				
'			Υ.				
Delive	ry Schedule:	Delivery within 45-60 days after confimatio	2000		<del></del>		
15	42256303		11 01				
13	42230303	SPARES FOR TOYOTA PICK UPS 4X4   CYLINDER ASSY, FRONT DISC BRAKE LH	Each	1			
•		CALIPER P.NO 477500K190	<b>.</b>				
			.				
Delive	ry Schedule:	Delivery within 45-60 days after confimation	n of P.O.		<del> </del>	<u></u>	
16	42256313	SPARES FOR TOYOTA PICK UPS 4X4					
	12250525	CYLINDER ASSY, REAR WHEEL BRAKE RH & LI	Each	44			
		P.NO 4755009070		<b>Y</b>			
			1				
Pelive	ry Schedule:	Delivery within 45-60 days after confimation	n of P.O.	!	10,		***
17	42256323	SPARES FOR TOYOTA PICK UPS 4X4   SEAT,	Each	20			
		NJECTION NOZZLE P.NO 111760L011					
				·			
<u>Peliver</u>	y Schedule:	Delivery within 45-60 days after confimation	n of P.O.	-	•		
18	42022113	SPARES FOR TOYOTA PICK UPS 4x4   GASKET	, Each	10			
		CLUTCH MASTER CYLINDER P/NO.					
		314150K010					
	- <u> </u>						
Peliver	y Schedule:	Delivery within 45-60 days after confimation	n of P.O.			·	
Total	Fix Bid Bond A	mount PKR: 120,000					

Delivery Location: Khadeji Stores.



### Sui Southern Gas Company Limited


Schedule of Requirement & Bid Form

SECTION - 3

### NOTE:

- 1. The quoted unit price and corresponding total amount shall be inclusive of all duties and taxes and discount (if any) except General Sales Tax. (GST). Sales Tax will be applicable as per GST act and subsequent amendments of time to time. GST will be resolved to manufacturer and importers only subject to production of paid invoice.
- 2. Bidders are essentially required to quote on bid form. Rates quoted on other then bid form will not be entertained.
- 3. Any queries / complaints regarding subject tender enquiry shall be addressed to GM(P) / DGM(P) in writing
- 4. EVALUATION CRITERIA: Order will be placed on the Lowest Technically / Commercially Compliant bidder (s), unless specified otherwise.
- 5. In case when bidder submit alternate bids, a seprate Bid Bond for each bid is required. All the bidders are advised to furnish fixed bid security amount appearing in price schedule/BOQ otherwise bid will be liable for rejection.
- The submission of fixed amount of bid security is also mandatory for all the bids valuing RS.500,000/- of less.

  6. Any Bidder who change/amend the BOQ or Price Schedule (Description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- 7. Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain unchanged.



# SPECIAL TERMS AND CONDITIONS (Ref# KDJ/BWS-I 33/2024-25)

### Vehicle Description.

The required Spares parts are of Toyota Pickup 4X4, 4X2 & Vigo 4X4 containing, Engine Model: 2KD-FTV , Vehicle Model: KUN25R-PRMDHP. Make Model Variant: 2012, 2014 & 2016. Frame Number: KUN 25R-9602268, KUN 25R-9602113, KUN25R-9800671.

The spare parts shall be of Toyota genuine or Japan/Taiwan standard mentioned in the indent. The supplier shall be responsible to quote the compatible parts with respect to above quoted vehicle. Replacement parts any, must be competible & of same make / brand mentioned in the indent. The loose packaging/sicker Part Number/chit items of the spares is not acceptible.

Following Special Terms and Conditions shall be incorporated in the Tender RFQ for strict compliance, in addition to Tender Genera Te ms & Conditioms of Tender enquiry.

Bidder must mention the brand and contry of origin in RFQ along with supportive and technical literature of offered material.

The concerned bidder shall submit the sale of its offered Spares, at Material Control Unit (MCU), Yorkshop Khadeji, Super Highway, Karachi for Projects & Construction Department, KT or I technical evaluation, if required / demanded by

At any stage material found out dated/ defective / reveled the supplier will be bound to replace the same at their own risk & cost .

Trainee Engineer (P&Č)

ELP No. 12256 Sui Southern Gas Co. Ltd.

izenior Engineer (M) (P&C) Department SSGCL

Ghulam Ali Mahar General Manager
Projects & Construction Deptt.

PROCUREMEN.

Sentor Engineer Projects & Construction Deptt. Sur Southern Gas Company Limited

# Checklist for Bidders

Time :	Phone No.
Opening Date:	
Enquiry No.:	M/s.

d / provided along your bid check { } Please ensure before submitting the bid, that following information / documents have been appropriate bod.

										<del>, ,</del>	_	٦,
ź											$oxed{oxed}$	
Voc	3											
N SON	Sr. # Details of required information / documents	1. Fixed Bid Bond as specified is enclosed.	2. Original Technical literature is enclosed, if any	3. Any change in your current address, phone, fax no. & email etc at attimated	4. Bid validity as specified is mentioned.	5. Delivery period has been specified.	6. All correction /cutting/ overwriting are signed & star pe	7. Sample (if necessary) is enclosed.	8. Each & Every Page of the bidding documents by the signed and stamped by	the bidder.	9. Original Bid + One copy is submitted.	10 Form-V & Bid Securing Declaration (dly vgaed & stamped
	Sr	1		1								

ments, or incomplete/incorrect statement on this checklist may result in rejection of the bid Non-availability of the above informa at / after the bid opening.

'ch 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak As per SRO296(T)/2023 dated 0 Acquisition and Disposal Sy

Bidders Authorized Representative



# Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

<u>Note:</u> In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will gavem / prevail.

### 1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful hidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully deligered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annex-1, duly filled, signed & stamped.

iv) In other where performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the son per / purchase order are new, unused, of most recent or current models and incorporate all recent improvements and design and goods unless and otherwise provided in the contact / purchase order.

v) The Warran y Sudertaking being provided by the successful bidder is required to be submitted at least on Rs. 200.—Non-in-real Stamp paper and should be duly notarized / attested.

vi) In case of Supply, Matallation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the anyment of supplies will be released after successful installation, Testing & Commissioning.

### 2. Bid Security:

- a) Bid bond submission (26) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain unchanged. The submission of fixed amount of id security is appearing in the Schedule of Requirement/Bid Form.
- b) All the bidders are adverted furnish fixed bid security amount appearing in Schedule of Requirement/Bid Form, failing which heir bid will be rejected.
- c) The submission of fixed amount of be security is also mandatory for all the bids valuing Rs.500,000/-
- d) The word lowest bidder or the lowest but has been substituted to read as most advantageous
- e) Sub-clause 9.2 of the General Terms & Condition to be treated as null & void, however, other contents of clause 9 will remain unchanged.

# 3. Method For Submission of Bid Bond (Under Single Stage Tyre to evelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid bond at the clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the transport is placed in the financial proposal will also be considered. Without submission of bid bond (either in Technical proposal) the bid will be rejected.

### 4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bit book shall remain valid for 150 days.

5. <u>Declaration / Integrity Pact / Certification:</u> It is required to be submitted by the Success (1 Sibber on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of A 10,000,000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

### 6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO,CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

### 7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4 'P-Rev-22

Procure Procuc

19 Dec 2023

clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

### 8. Correct Postal Address.

Bidder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent: Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms
- as mentioned in the General Terms & Conditions. l & PBG (Performance Bank Guarantee) for Proprietary Tenders Proprietury Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / In Asi Applicati
- ange / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render 14. Any Bidde the bid as conditional bid and will be liable for rejection.
- Serms & Conditions is meant for vendorized items processed through negotiated 15. Clause 14.1 of General tendering clauses.
- 16. For open competitive by ldir if the most advantageous bidder is new local manufacturer, 10% trial order norder will be awarded to the next most advantageous bidder at their own will be placed and remaining quoted rates.
- erned in after 6 months of work completion / material delivered.
- 17. SSGC will not pay invoices if they 18. It is mandatory for the bidders to have the terms and conditions given in the tender documents without in the bid accordingly. Therefore, in this context, the bidders are any addition / deletion / amendment and s requested not to give their own terms and conditions as it tantamount towards the conditional bid. Otherwise the Purchase Order / Contract will be awarded based on their terms and conditions will not be consider a m only as per SSGC tender terms and conditions.
- y one Bank Account number (IBAN number) on the 19. The bidders/contractors are required to provide their nation, which shall be firm (not changeable) for 'FORM-X' attached duly signed & stamped as one time all the future payment transactions.
- 20. Payment:

The supplier after delivery of goods and its acceptance shall subprain roice to Finance Department of the CARO, Company, containing following information i.e.

- Purchase order No. & date
- (b) Items
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc. (g)
- Tax return, Supplier(s) are required to submit signed and stamp acknowledgement Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of Sevant Sales Tax (h) invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
  - 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

19 Dec 2023

LP-Rev-22

deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.

- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
  - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
  - 24. Bidders can quote their rutes on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).

### 27. Fixed Bid Security - Alternative Bid

- A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for each release brand/model.
- 28. Bidder will be blacklisted and henceforth cross debarred for participating in respective category of Public Procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and from hierar practices, if in breach of obligation(s) under the Bid conditions:
  - a) The bidder have withd twn or modified their bid during the period of bid validity as specified in the tender terms.
  - b) Having been notified to the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to bright with any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" mentions a clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond, of additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either on \$60 or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the lame items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following the set to be applied:
  - a) The bidder(s) are essentially / mandatorily required to submit filed (h) bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
  - b) Evaluation for each LOT will be carried out separately. Each LOT will be av irded separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to submit 19% Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
  - Any bidder feeling aggrieved by any act of the procuring agency after the submission
    of his bid may lodge a written complaint concerning his grievances within seven days
    of announcement of the technical evaluation report and five days after issuance of final
    evaluation report.
  - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.

Procurement A 4 O. Guishore

Page 3 of 4

- In case, the complaint is filed after the issuance of final evaluation report, the
  complainant cannot raise any objection on technical evaluation of the report. Provided
  that the complainant may raise the objection on any part of the final evaluation report
  in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & yold.



NOT TOR BIDDING BURBOSK

# Form of Bid-Securing Declaration

[The Sidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)] No.: [number of Bidding process] No.: [insert identification No if this is a Bid for an alternative]

To: [complete jiame of P

ccording to your conditions, Bids must be supported by a Bid-

be blacklisted and henceforth cross debarred for participating in ablic procurement proceedings for a period of (not more than) with a bid securing declaration, however without including in compupt and fraudulen practices, if we are in breach of our obligation(s) under the Bid-conditions, because we:

- (a) have withdrawn the period of Bid validity specified in the L र्टे इंटिंग Bid: or
- (b) having been notified of the accepte and uning the period of Bid validity. (i) our Bid by the Procuring Agency or refuse to furnish the Performance firse to sign the Contract or (ii) fail accordance with the ITB. (or guarantee), if

We understand this Bid Securing Declaration shall exp Bidder, upon the earlier of (i) our receipt of your notific successful Bidder, or (ii) twenty-eight days after the expiration of of the name of the

Name of the Bigger

Name of the person duly authorized to right the Bid on behalf of the

Title of the person signing the Bi

Signature of the person named above

Date signed

- In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder
- e: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a Joint Venture, the Bid-Securing Deciarition must be in the name of all members to the Joint Venture that summits the Bid.!



	Supplier code:
FORM-X	
Bank account details form for all Bene	<u>eficiaries</u>
(Mandatory requirement for Digital Online	e Banking)
As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R payment online w.e.f. 01-11-2021. All beneficiaries are required to fill mandatory:	dated 23 <sup>rd</sup> Sept'2021 to make the lin the below details, which is
Name of Firm:	
Address of Firm:	
CNIC #:	
NTN#:	
Bank Name:	
Bank A/C Title name:	·
Branch code:	
Bank A/c #:	(16 Digits)
Bank IBAN #:	34 Digits)
Information already submitted.	<b>7</b> 0_
Note: Please be attached copy of Cheque / Account Maintenance	Certificate.(Nandatory)
·	
	Authorized Sign & Stamp
Date:	
Note: All payments transactions will be made on above mentioned one time information to be provided by the all beneficiaries. Incas submitted, please tick the box above "Information already submit duly signed & stamped.	se if the above detail has already



# TTHE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

### ANNEXURE: 1

Declaration of Ultimate Seneficial Owners Information for Public Progressent Contracts.

- 1. Nama
- 2 Father's Name/Spouse's Name
- 3. / NICOP/Passport No.
- 4.
- 5.
- 6. Email acidress
- Date on which sha control or interest acquired in the business.
- In case of indirect share noting, control or interest being exercised through intermediary companies, entries or other legit of resons or legal arrangements in the chain of ownership or control, following additional professions to be provided:


Company/Eimited Liability Parmership //Association of Persons/Single Member Company/Parmership Firmy Trusted/Any other Individual, Body Corporate (to be Specified)  Percentage of sharenoiding, Control of interest of Be in the Legal Person or Legal Arrangement  Percentage of Natural Person on the Legal Person or Legal Arrangement  Identity of Natural Person on Legal Arrangement  Identity of Natural Person on Legal Arrangement  Arrangement  Identity of Natural Person on Legal Arrangement  Arrangement	Legal form	; E	. <u>4</u>	1 5	6	1 7		g .	. 10
	Association of Fersons/Single Memper Company/Parmership Firm/Trusted/Any other Individual, Body Corporate (to be	Unia of Incorporation / Rayishallon	of Registering		Country	Entail Address	control of interest of a in the Legal Person or Legal	Control or in rest of car Person or gal	loaning of Natural Person who Ultimately owns or Controls the Lagal Person of the Market Pers

9. information about the Board of Directors (details small be provided regarding number of snares in the capital of the company as set apposite respective names).



# THE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 I

eigner Nan	sthers / sband's ne in Full	Current Nationally	Any other Nationality	6	Residenti	Numbers of
Sport No)	ne da cun	_	lies)	Occupation	ally address in full of the Tegistered / principle office address	ahares taken by cash subscribers (ir figures and words
· O	6				subscribe rs other that natural	
	OT			<del></del> ¦		
	) ^0,				Occupation	the registered / principle office address for a subscribe re other that



# Sui Southern Gas Company Limited (SSGCL)

### Contents

Part-A

Section - 1 eral Terms & Conditions Included Section - 1A l Terms & conditions for Included

Section - 2 Special Term onditions Included /Not required

Annexure-A Format of Bid Bon m Guarantee Included Format of Performan Annexure-B Included

Declaration by Supplier Annexure-C Included /Not required

Part - B

included thickuded Section - 3 Bid Form (Schedule of requirement) Specifications/Drawing (if applicable) Section - 4 actuded /Not required



# SUI SOUTHERN GAS COMPANY LIMITED Procurement Department

M/s				• -	•	•
				;		
<del></del>	·.					
		Te	nder Enquiry	No		_

### INVIATION TO BID

Sui Southern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the subject material according to Terms and Conditions specified in the attached Tender Document. Please read following instructions before submission of bid:

- 1. Bids and to be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number & its opening date and time on the face of the envelope.
- 2. Bid Bond 22 of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and complete bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is entring.
- 3. In case the bid opening thate falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled day, will be opened on next working day at the same time and at the same venue.
- 4. The bidder shall bear a expanses associated with the preparation and delivery of its bid/sample and the Company will in no case be listen this respect.
- 5. Prospective bidder requiring an information or clarification of the tender may notify the same by fax or at the mailing address. The Company of respond to any request for explanation or clarification, if received within reasonable time prior to submittain of bids.
- 6. The Company reserves the right to cancel at , delete or amend tendered items/quantities/any part of the tender during the bidding period without assisting any reason. However, bidders shall be informed about it prior to bid opening/process.
- 7. The Company reserves the right to accept or reject my hid or part of a bid or to annul the bidding process and reject all bids at any time prior to award or contact purchase order without thereby incurring any liability to the affected bidder(s).
- liability to the affected bidder(s).

  8. In case of Single stage two (02) envelope bidding projective (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shape submitted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" as "binancial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later intimated date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along with their bid bond.
- 9. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Section 1A will also apply.
- 10. The Company will appreciate confirmation by fax No 92-21-99231583 or email at ponte@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in submission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
- 11. Bids are required to be submitted at:

Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074, Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk


Hope and look forward for your valued participation.

Thanking you

Yours sincerely

General Manager (Procurement)





Section - I

ocurente

### General Terms & Conditions

### 1. Submission of bids:

· 36.7

· ·

(#1. in

A STATE

Bids are to be submitted in sealed envelope provided with the tender (in such a manner that 1.1. contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.

galed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, Building, SSGC Head Office. Bids are to be delivered on or before closing time after which I not be entertained. In case bid is sent through courier, the same shall be delivered at least

in by before scheduled opening time.

The Company may at its discretion extend the closing date for the submission of bids, in which 1.3. and obligations of the purchaser and bidders previously subject to the closing date s bject to the date extended. However, any request for extension received from prospective baders less than one week prior to bid opening date may not be entertained. In case of date, the same will be advertised in press and simultaneously shall be extension in bid or

intimated to prospective bidder who had purchased the tender documents.

The bid shall contain no it are meations, erasures or overwriting except as necessary to correct the errors made by the bidder, in case of any correction etc. it shall be signed and stamped by the 14 n ase of any correction etc. it shall be signed and stamped by the

person signing the bid.

1.5. The quoted price shall be inches to hall duties/taxes except GST, which is to be mentioned separately. The supplier shall declare (if applicable) regarding non-applicability of GST for which The quoted price shall be inch Rates shall be item-wise, as given in price schedule/schedule of control otherwise specified.

1.6. chedule/schedule of requirement/Bid Form unless

otherwise specified.

Bidder is responsible for timely delivery of bid a location specified 1.2 above. Company will not 1.7. be responsible for misplacement/ tampering/non-attendance/delay or any other incident in case the bid is not delivered at the designated place & time.

Any bid received late after the closing date and time, will be rejected and returned unopened. 1.8.

The quotation shall only be acceptable on/as per Bid For 1.9 ip are for foreign tender when Local Agent submits bid on behalf of different bidders, a separate m Dond for each Bid is required. Likewise for tender when bidder submit alternative bids a sa e bid bond for each bid is required or else bid will be liable for rejection.

1.10 Deviation from tender terms and conditions is not allowed. , in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: Bid F deviation on any

other page will not be entertained.

1.11 Discount offered (if any) shall be mentioned on the "bid form" only.

The bidder(s) or their authorized representative shall put his full signature with stamp & date on 1.12 each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.

The bid is to be completed and returned to the Company in accordance with, General terms & 1.13 conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

### 2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

ż. Qualification is sequed in cation of Suppliers: The Conquery, a lary magnification followithe Attacheds, having predicte most on or private facievidence of any defect in surface tisting Mechanismies, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial compete ern 7

> Please Follow the Attached Black Listing Mechanism

whether already pre-qualified or **Element Cliny in Attached** any time that the information regardless distingtified as supplier or contractor if it finds, at any time that the information regardless distingtified as supplier or contractor was false and materially inaccurate or incomplete.

### Joint Ventures:

In the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

### 5. Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents, in the company days prior to closing date for the submission of bids prescribed by the Company. The company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/reference all not be acceptable.

### 6. Modification and withd a val of bid:

- 6.1 The bidder may modify with raw its bid after the bid submission, provided the written notice of the modification or withdray are received by the Company prior to the deadline prescribed for submission of bid. After the bids/quantions are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or withdraw anotice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax for now 1 by a signed copy.
- 6.3 Bids once opened cannot be withdrawn diamy validity period.

### 7. Bid validity:

All offers shall remain valid up to 90 days (120 days in eas.) Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. Indier giving extension to his bid validity will not be required or permitted to modify his bid. If there will be an query/clarification or extension request asked by the Company, the bidder should reply the same within a lays after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their tidy addity period.

### 8. Rate Escalation:

### 8.1 All items except line-pipe:

Quoted prices shall remain valid. firm, irrevocable and fixed till the fulfillment obligations by the bidder and will not be subject to escalation / change on any account.

### 8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:
  a) H.R. Coil.
  - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Fracusemen

- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- No escalation is applicable on line pipe manufactured from imported HR coil. 8.2.5

### 9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Amexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccess utbidders while the bid bond of the successful bidder shall be retained, till submission of Perform to and (if applicable). Bids without bid bond will not be considered. In case the order value is 00,000 the bid bond in lieu of performance bond will be retained till fulfillment of less than Rs: obligations by the sapplier. However, in either case the bidder is responsible to arrange the extension the bid bond validity as prequirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be remarked with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with me o der. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond m on feited if a bidder withdraws the bid duringvalidity period specified by the bidder or if successful bidde it us to:

- Accept purchase order,
- Furnish performance guara to in accordance with clause 16 of Section 1,
- Supply material as per requirement delivery schedule.
- 9.1 In the event of bid bond validity following and, of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the ball and assion date or (ii) where so required by the procuring agency, then in such an event it shall be manually 120/150days within 30 days of the opening of tech by the padder to extend the bid bond validity upto 1 mbposal / bid, and / or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnished // the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in the the nature of the procurement may consider and allow the bidder to deposit / furnish the balance 150 amount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding the all other terms & conditions have been fully complied with.

### 10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address pro-Bids will be opened in presence of bidders or their authorized agents at the address provided on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (alendance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

### 11. Preliminary Examination of bids:

- The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the 11.2 total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each 11.3 bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- Pid determined as not substantially responsive will be rejected by the Company and cannot 1) 4 subsequently be alone deponsive by the bioder through correction of the non-conformity.



### 12. Ciarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

### 13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
  many acturer, that goods offered have been used successfully on a high pressure natural gas pipeline
  elsewage under tropical climatic conditions.

### 13.6 Specification Compliance Sheet:

Company regards a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to these specifications or a statement of deviations and exceptions to the provisions of the specifications if a required/desired. For purposes of the commentary to be furnished pursuant to above, the bidde shall note that standards for workmanship, material and equipment and references to brand makes a statalogue numbers, designated by the Company in the specifications are intended to be descripting only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or an logue numbers in its bid provided which demonstrates to the Company's satisfaction that it is intentities are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, certificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical distributions as required under the tender specifications. Evaluation shall be carried but on the basis of data/ documents/certifications submitted with the bid. No clarification, additional is formation may be sought / accepted after bid opening.
- 13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and ment on offered specifications along with reference to its technical brochure/literature (page/clause No.etc). Strain at such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and transfal specification is not acceptable. However, if bidder feels to mention minor deviation, and the shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet stating reference of its technical data sheet/brochure. In case of insufficient information, data or document the Company is not liable to seek clarification and the bid may be determined non-compliant at provided information.

### 14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

Ga

Procuremen Dept.

- 14.3 Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure
- Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

### Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

The cost of compensation / loading amount for that item shall be derived from the bid itself. 15.2

If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming o technical specification, shall form the basis for cost compensation/loading.

empany will encourage participation by local bidders who will be given price preference. cost factor shall be determined as per prevailing Government policy / SRO. However they details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

·16. Performance Bond:

- In case purchase and reflue is above Rs:500,000, the successful bidders shall submit performance bond guarantee which the be submitted within ten days from receipt of LOI or order along with of a pay order or bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in the matter of intermal and the party of the purchase order or bank guarantee. In case purchase 10% of the total value of the purchase order or as specified, in the "letter of intent". The performance ond unless specified otherwise; shall remain valid till;
  - Completion of final satisfactor d ivery in case of consumable items. 16.1.2
  - 12-18 months from the date of actory delivery of the equipment/machinery.
  - Satisfactory delivery/installation of 16.1.3 stum in case the installation responsibility is on supplier's part.
  - 16.1.4 120 days in case of chemicals.
  - 16.1.5 In case of locally manufacturing item, the PBG quivalent to 3 months delivery schedule will be required after placement of purchase day which should remain valid till completion of final satisfactory delivery of the ordered quantity.
  - In case of small diameter line pipe (MS/MDPE) months after completion of satisfactory final delivery. shall remain valid up to 3
  - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in
- The guarantee will be released after completion of this period, subject to atis 16,2 of the supplied equipment/machinery/system as mentioned at 16.1 above. The s the guarantee valid at their cost until fulfillment of the obligations. 16.3
- In case the bidder does not submit the performance bond as specified, the deliverytime of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier. 16.4
- The performance bond will be discharged / returned by the Company not later than thirty (30) days following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance. 16.5
- The Company shall premptly notify the supplier in writing for any claim arising under this granantee. Upon receipt of such notice, the supplier shall promptly report or replace the defactive goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nomice herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to the value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most 16.8 recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.
- Purchase order 1 qui ted material may be placed on fulfillment of conditions mentioned at 14 &16 above 17. Purchase Or ma confirmation for proceedings with the suppliers. which is through
- The successful bidder will be required to give satisfactory assurance of its ability and intention to deliver 18. Assurance: act inquiry and contract within the time set forth therein. the goods, pursuant to the te
- In the event of either pany hereto being rendered unable, wholly or partially, by force majeure in the event of either pany hereto being rendered unable, wholly or partially, by force majeure circumstances to carry out its of particular and other purchase order/contract documents, such party shall give notice and full particular and other satisfactory evidence of such force majeure 19. Force Majeure: 19.1 circumstance(s) in writing or by the other party within 7 days after theocourrence of the cause(s). Relied upon the obligation of the party giving such notice so far as they are affected by cause(s). Relied upon the obligation of the party giving such notice so far as they are affected by such force majeure shall be suspended for the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable dispatch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy, continuous blockade or embargo. It is, however, clarified physical disasters, order or request of governments blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplier's side shall not be included in the term 'force majeure'.
  - In case the force majeure contingencies last continuously for for than one month, both parties will agree on the necessary arrangements for the further in mentation of the purchase order/contract. In case further implementation is unforesceable and impossible, both parties shall 19.2 arrange for the termination of the purchase order/contract, but without p indice to their rights and orligations prior to such termination it being understood that each part shall fulfill its contractual obligations so far as they have fallen due before the operation of force m
  - 20. Amendment in purchase order/contract:
    - The Company may at any time by a written notice to the supplier make changes within the general 20.1 scope of the purchase order/contract in any one or more of the following:-
      - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
      - 20.1.2 The method of shipment or packing.
      - 20.1.3 The place of delivery.
      - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
    - Company reserves the right to increase/decrease the quantities or delete any or all items listed in 20.2 the price schedule/schedule of requirement/bid form without assigning any reason.
    - Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the modification, if applicable. Procurement

יומים.

SSGC

The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.

Modification mutually agreed upon shall constitute a part of the work under the purchase 20.5 order/contract and the provisions and conditions of the contract shall apply to the said modification.

If modification made by the Company results in a variation in purchase order/contract quantities 20.6 whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension y period:

- Deliver of the goods shall be made by the supplier in accordance with the schedule of delivery period; however, the supplier may claim extension of the time limits as set forth in the spir fule of requirements and delivery period in case of
  - 21.1.1
  - the goods ordered by the Company pursuant to clause 20. 21.1.2 Delay in po provided by the Company shall be interpreted to include all approvals by the Company under the contra
  - Delay in performa ork caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to in con pany's satisfaction that it has used its best endeavors to avoid or overcome such causes for all the parties will mutually agree upon remedies to mitigate or overcome such causes for delay
- 21.3 Not withstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of sum size unstances arising, immediately has notified the Company in writing of any delay that it may claim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company and upolier shall substantiate that the delay occurred is due to the circumstances referred by the suppli

22. Packing:

- The material shall be in original/sealed packing to ensure deligence without any damage during 22:1
- If any of the good is discovered to be damaged or unacceptable at the point of embarkation, the 22.2 supplier shall be responsible for replacement of those goods free of we and cost to the Company, within the delivery time schedule of the contract/purchase order
- 22.3 The identification marks showing contents, quantity and contract/purchase ord number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- 22.4 Handling and Transportation: The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery 23.1 inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- The Company reserves the right to arrange inspections and tests to the goods or manufacturing 23.2 processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of deliver; and at the goods final destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

purchase order/contract. If goods fail to conform to the specifications, the Company may reject them.

### 24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
  - 26.1.1 R & D Section. Stores Department Abul Hasan Ispaham Road Fistachi
  - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
  - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
  - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
  - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
  - 24.1.6 Any other location specified by the company.
- Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of intert or from the date of purchase order/contract whichever is earlier, unless otherwise specifical.
- 24.3 The sape are hall replace defective material at their risk & cost including transportation, duty,
- 24.4 GST Invoice is applicable be submitted at R&D section Stores Department along with material & delivery challan.
- 24.5 Unloading and stacking through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for material) to Pipes/Heavy Machinery & Equipment etc).
- 24.6 Delivery is to be many by in accordance with "delivery schedule" as specified by the Company.
- 24.7 The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation by the company. Beyond specified period, the Company shall not be responsible for storage/safety of the supplier material:

### 25. Delivery Failure:

- In case the supplier fails to supply/ship the material within the stipulated period, the Company have the right to make an alternative arrangement or the purchase of the goods on such terms as may be offered. In such event all losses, cost and thages sustained/incurred by the Company on stated purchase shall be recovered from the Supply a without prejudice to any other right or remedy available to the Company which includes risk by of losses sustained by the Company from any due payment of the said supplier.
- In the event Company remains unable to make such alternative drangements, the Company has the right to recover from the supplier any or all losses sustained as a result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- In the event Company being forced to purchase any quantity or any other ternative not specified in this document as a result of any failure to supply/ship the material, the Company shall have the right to terminate the contract/purchase order without prejudice to any other in this or remedies available to the Company.

### 26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.
  - (a) Purchase order No. & date
  - (b) Items
  - (c) Quantity
  - (d) Price
  - (e) Invoice value
  - (f) Point of delivery
  - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

26.2 Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) is

Procuremen

٠, ١٣٠, ١٠

\*\*\*

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

### 27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- Whenever liquidated damages become payable, in the event that delivery of all goods and emisment is not made within the time period specified except on account of force majeure, the come my shall quantify the same and shall serve notice to the supplier requiring payment thereof. Note so palier fails to remit payment within 15 days of receipt of such notice, the Company shall forthwith become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance and.
- 27.3 The payment of legislated damages shall not relieve the supplier from performing and fulfilling all its obligations under the contract/purchase order nor shall the right and entitlements of the Company be affected or restricted in any manner.
- 27.4 In case of order placed on O'A'C&F basis, the delivery period shall commence from the date of confirmation of L/C. However, derived submission of PBG period in excess of time limit will be deducted from the delivery period are purpose of recovery of late delivery charges.
- 27.5 The liquidated damages shall be a c so in equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed arvices for each day of delay, until actual delivery or performance, up to a maximum deducator of ten (10) percent of the Contract price. Once this maximum is reached, the Company may consider armination of the Contract at the risk and cost of the Supplier.

### 28. Default by Supplier:

- 28.1 The Company may, without prejudice to any other remains the supplier, cancel the purchase order whole or in part; if:
  - 28.1.1 The supplier fails to deliver any or all of the ordered has a per specified delivery schedule or any extension thereof granted by the Company
  - 28.1.2 The supplier fails to perform any other obligation(s) under the pure ase order".
  - 28.1.3 The Company during the delivery period has reasons to believe the the upplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
  - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
  - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment
  - 28.2.3 The supplier becomes be derupt or insolvent or makes an assignment for the benefit of its creditors.
  - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
  - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.



- 28.2.6 Penalty on higher rejection rate of supplied goods.
- "28.3 The supplier shall have the right to terminate the contract/purchase order if:-
  - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
  - 28.3.2 The Company decomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
  - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applicable av

The purchase are contract shall be governed by and interpreted in accordance with the laws of the Islamic Repulsic. P kistan.

### 31. Declaration/Integrity act/Certification:

- 31.1 Successful supplier hall jurnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of the letter contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase on the "Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required, nor this clause.
- 31.3 Bidders to submit a certificate onexis 70% non-judicial stamp paper certifying that they are not black listed by the Government/Auto one who dies and declared as defaulted supplier.

### 32. Arbitration/resolution of disputes:

- 32.1 Any difference or dispute arising out of or in confection with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the enter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umpire hall be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act, 1940 as a monded from time to time.
  32.2 Prior to exercising any right by the Company or supplier to terminate the purchase order/contract.
- 32.2 Prior to exercising any right by the Company or supplier to terminate the purchase order/contract under the conditions stipulated above, a return notice shall be required to e given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and ac arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.

33. Redressal of grievances by the procuring agency.

- Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
- Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
- 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email



address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.

France

- 33.4 The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint
- 33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

  Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in the state and fraudulent practices as defined below:

- 34.1 Corrupt and fraudulent practices, includes the offering, giving, receiving, or soliciting of anything of value to influence the action of a office. Company.
- 34.1 If the supplier/contractor found apportune for the detriment of the Company during proceedings of procurement/contract, proceedings of the execution.
- 34.3 Milarepresentation of facts in creat to influence the procurement process or the execution of the purchase order/contract.
- 34.4 Collusive ractices among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Company of the benefits of free and open competition

# 35. Supplier's Guarantee and Ressausibilities:

The Bidder/Supplier shall gust a see that the materials supplied against this tender enquiry is new and is of acceptable quality and has been tried and approved on similar jobs. The validity and scope of such guarantee will be in accordance with anditions stated in this document. In case the opinion of the Company the Goods fail to perform the services in accordance with the specifications specified in Section IV due to manufacturing defects of fittive material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at his of a cost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such cost thous that it shall perform in satisfactory operating condition or to replace it with new Goods at Suppliers cost so that the goods shall perform in accordance with the specifications and details as set forth in the contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this effect served on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct the goods at its costs provided in the event, the Company shall be entitled to recover total cost of such replacement from the Supplier withdrawing from the Performance Guarantee.

### 36. Language:

The bid prepared by the bidder and all correspondence and documents relating the bid exchanged by the bidder and the Company shall be written in English language. Any print d literature furnished by the bidder may be written in another language provided that this literature is accompanied by an English translation in which case for purpose of interpretation of the bid, English translation of the bid.

37. Vehicle Applied by Authorized dealer of local manufacturer:

Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procuremen

### Additional Terms for Tenders on F.O.BJC&F basis:

### 1. Submission of bids:

1.1 Bid bond (Earnest money) @ 7% of the tatel F.O.B value as per clause ?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection if these conditions are not met.

1.3 In case of Bide religing to supply goods which the bidder did not manufacture or otherwise produce, the thorized by the goods manufacturer or the producer to submit bid or supply the bidder shall be dely goods on their behalf

1.4 Bids shall be submitted (prefaibly through local agents) in two copies, (original + copy).

asis is to be quoted separately. Following are to be essentially indicated 1.5 The price on unit FOB and CEF in the bid form:

1.5.1 Country of origin.

Port of shipment. 1.5.2

- sion & volume of offered item and estimated weight of each Estimated gross/net weigh 1.5.3
- quantities. Delivery period or schedule in ca 1.5.4

Original technical literature. 1.5.5

1.5.6 Beneficiary's complete address.

borne by the supplier. 1.6 Foreign bank charges and L/C confirmation charges

1.7 Bid Currency:

The rates shall be quoted in bidder's home country or in the contact states Dollars. A bidder expecting to incur a portion of its expenditures in the performance of the contact in more than one currency and wishing to The rates shall be quoted in bidder's home country or in be paid accordingly shall indicate the same in their bid. However, their from Pakistan would be paid in Pak Rupec.

(Clause 1.5 of General Terms & Conditions is not applicable)

### 2. Bid bond:

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value in four of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, can be just receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Pak nan, he bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bidsing procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful bid as while the bid remain valid for 120 days (150 days in case of Single Stage Two Envelope bids bond of the successful bidder shall be retained, till submission of Performance bond. Bids amout bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
  - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or , any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

### 4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis ".

14.3 to 14.4 of General Terms & Conditions are also to be applicable).

L What ".

### 5. Loading of Bris

Freight charpes from port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive increase in price of material.

(Clause 15 of General Terms & Conditions is also applicable).

### 6. Performance bond:

he harden

- 6.1 In case purchase order value is USV 2,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders are sub-hission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O. The accessful bidders shall submit a performance bank guarantee concessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10% of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless the red otherwise, shall remain valid till: ed otherwise, shall remain valid till:
  - 6.1.1
  - 6.1.2
  - Completion of final satisfactory delivery is a set of consumable items.

    12-18 months from the date of satisfactory delivery of the equipment/machinery.

    Satisfactory delivery/installation of system in the the installation liabilities will be on supplier's 6.1.3 part.
  - 120 days in case of chemicals. 6.1.4
  - The Letter of Credit shall be operative upon receipt of Performance at as pecified in para 6.1) and integrity pact, any delay due to late submission of Performance Bond will be on si puli account. Late submission of PBG should not affect the delivery schedule.
  - The performance bond shall be denominated in foreign currency or in currency or he contract/purchase order or in a freely convertible currency acceptable to the Company and sha e form of a bank guarantee.
  - In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G. supplier shall deposit short fall amount due to Pak Rupee exchange rate.

### 6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent . improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

### Delivery:

Library of "FOE" order/compact, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
  - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
  - 7.2... . The goods/material will be shapped dispatched with all care and diligence at their risk & cost and goods to be stored below deal. Accordingly: the suppner shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
  - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company or a count of short shipment by the supplier for all items subsequently shipped on a no-charge basis or otherwise with supplier. The supplier shall also reimburse the Company all additional decimals. y be supplier. The supplier shall also reimburse the Company all additional duties, taxes past by the Company on account of incorrect invoicing by the supplier. and other such charge
- 7.5 Shipment shall be deer ed to have been made when the supplier has shipped the goods against a clean bill of lading and all other such do mentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company
- The supplier shall ensure that the mentioned acts and other incidental and ancillary functions are conducted in accordance with sound a caceptable engineering practices. The Company shall be entitled to 7.6 The supplier shall ensure that oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to contain the supplier shall take corrective action/measure forthwith to contain the supplier shall take corrective action/measure forthwith to contain the supplier shall take corrective action/measure forthwith to contain the supplier shall take corrective action/measure forthwith to contain the supplier shall take corrective action/measure forthwith the contain the supplier shall take corrective action/measure forthwith the contain the supplier shall take corrective action/measure forthwith the contain the supplier shall take corrective action/measure forthwith the contain the supplier shall take corrective action/measure forthwith the contain the supplier shall take unacceptable at the point of loading, the supply Il be responsible for replacement free of all charges and costs to the Company within the delivery riod specified in the purchase order/contract.

### 8. Insurance:

- against loss or damage incidental to manufacture or acqui ities, transportation storage and in delivery classes 7 8.1 All goods supplied under the purchase order/conir
- Marine Insurance shall be the responsibility of the Company pless otherwise specified.
- The supplier shall advise the Company by fax at least seven ( viays r to the expected date of shipment, the following particulars:-SPD.
  - Name of the vessel and of the shipping company.
  - Age of the vessel (which should be less than 20 years).
  - Lloyds 100A1 or equivalent classification of the vessel.
  - 8.3.4 . ETD from Port of dispatch and ETA at Karachi
  - FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, M timal Insurance Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF/NV

### 9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
  - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
  - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

nern Ga.

Procuremen!

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consignment

Characterian, Accelerate

SSGC

9.3.1-	Invoice .' ·			-
9.3.2-	Packing list	i	•	4 copies
9.3.3-	Bill of lading "freight to be paid by consignee	*******	• .	4 copies
	at destination" evidencing shipment in terms	******	•	3 originals &
	of the purchase order to Karachi-Pakistan made comies	•	•	6 non-negotiable
	out to order in the name of Co.'s bank North		• •	•
	party Sui Southern Gas Company Ltd			
9.3.4-	Certificate of Origin (Verified/ Endorsed by Chamber of Commerce)			•
9.3.5-	Manufacturers test certificate/			2 copies

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at

9.4.1	invice ,	ī
9.4.2	Bi on ading	6 copies
9.4.3	-Packing List	6 copies
9.4.4	-Certificate & Origin (Verified /Endorsed by Chamber of Commerce)	6 copies
9.4.5	-Manufacture Text Certificate/	2 copies
•046		2 copies

9.4.6 The invoice to be exactly a per order/contract. Any deviation which render or cause the company to pay demurrage or any their charges with respect to clearance/handling etc. will be borne by the

No payment hereunder shan or desped to be accepted by the Company of the goods covered by such payment nor release the surplie from responsibility thereof under the terms of the purchase order/contract.

2.6 If the Company is compelled to pay term trige or storage charges or incurs any loss or suffers any damage at Karachi Port on account of non-cappliance by the supplier of above requirements, the Company shall be entitled at their sole discretive to recover the same amount from supplier.

# Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract processes order if:
- 10.1.1 The Company fails to establish the letter of credit within the sipplified period as required under clause 9.1 hereof after the supplier has made compliance with the provision of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment for underselfit of its creditors.
  10.1.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

# 11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupee and will be subject to deduction of all local duty and taxes (as applicable).

# 12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer.

  After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable its (fuel/ort & lubricant/sparses) are early available in Pakistan.



### Annexure - A

### On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO	-
DATE OF ISSUE	٠.
DATE OF EXPIRY	
AMOUNT	

Sui Southern gas Company ST. 4/B, Block-14, Guishan-e-Iqbal, Sir Shah Suleman Road, Karachi.

Dear Sira,

Rid B., d Bank Guarantee

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the er signce of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly within the days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect to the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, exect this Guarantee and our liabilities & commitments hereunder:
- This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

### Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

# On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

r.198.34.1

	1	BANK GUARANTEE NO	
		D (700)	
	1	DATE OF EXPIRY	
		AMOUNT	
	_		
Sui Sou	them ga Company Limited, Block-4.		_
Gulshar	n-e-Iqbal,		
Sir Shal	h Suleman Road.	•	•
Karachi	i.		•
Dear Sin			
		Account	
	O You in Karac	chi under the Purchase	
·T			
· m.cons	sideration of your having placed to release	Order No	**************************************
consider	On M/s	DESPRESS and indestals as well-	called Supplier and in
1.	To confine to 1 this	grow and materiake as inner:	i
4.	To make unconditional payments to you fir payments Rs Being Ten B	are to time as called upon	or make an unconditional
بد	mentioned in the said Purchase Order on vo	creen (1026), of the value of	the Purchase Order price
of all ages as	reference to Supplier or any other person, fulfillment by Supplier of his obligations list	in the event of lefault or non	rther resource, question or
amegitedarionis (-	fulfillment by Supplier of his obligations liab Purchase Order of which you shall be the sol	pilities & responsibilities under a	of in nursuance of the and
Agranting of the Agrant	Purchase Order of which you shall be the sol	e judge.	beremmer of the said
2.	To accept written intimation from you as accept	Services - 1 mg - C. A	•
	To accept written intimation from you as conc breach as aforesaid on the part of Supplier a receipt thereof.	and to make payment and it	the existence of a default or
	receipt thereof.	and to make payment at the large	within 3 (three) days of
3.	To bear this area	•	
J.	To keep this guarantee in full force from the conditions.	ne date hereof as specified in G	nerr or Special terms &
•	valuabus.		
4.	That on grant of time or other indulgence to with Supplier in respect of the Performance of	smendment in the terms of the	
	with Supplier in respect of the Performance of Order with or without notice to us, shall in	f his obligations under and in nur	suggest of the said Prophers
	Order with or without notice to us, shall in Guarantee and our liabilities and commitment	any manner discharge or other	wise, however, affect this
	Guarantee and our liabilities and commitment	s there under.	, == =
5.	This Guarantee shall be binding on us and our	Successors in interest and shall ha	
6.			
U.	This Guarantee shall not be affected by any constitution of M/s	change in the constitution of t	he Guarantor Bank or the
	*	·····me aubhitei.	
		•	

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - C

(Format of Declaration)

Creneral Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any contact, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any administrative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt business practice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission feature, paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, process finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or insulang the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSGC to cept that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and with pure full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation or varianty.

(The Seller/Supplier) accepts full responsibility and strict liability for taking any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat an purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or one polypation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Saler' hoplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business, in tices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any commission, matification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of contains or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever from SSGC.

Yours faithfully.

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- Please note that submitting the declaration is a mandatory requirement.



# SUI SOUTHERN GAS COMPANY LIMI (ED PROCUREMENT DEPARTMENT

# BLACKLISTING MECHANISM (REVISION-1)

### 1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

### 2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern has Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (FE), or any other competent forum. The procedure shall also be applicable on the prequalified firm. The procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in contact with provisions of any applicable guidelines of donor agencies, or any other applicable Statute where or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or sales shall prevail. This SOP shall become a part of the future Bidding Documents.

### 3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority to appeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to lidge protest against the issuance of Blacklisting Order.
- Order.

  3.3 "Procuring Agency" Any department/division/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty of equalifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for a citions committed during the competitive bidding stage, whereby such firms/individual as prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a projector outract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution of rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



### REASONS FOR BLACKLISTING 4.

The following shall comprise the broad multilateral guidelines for blacklisting:

4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to

influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm. directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the

procurement process or affect the execution of a contract.

In addition to above, blacklisting of firms/individuals may be resorted to when the 4.2 charges are of serious nature, which include but are not limited to the following:

### Competitive Bidding Stage

the competitive bidding stage, the Procuring Agency shall impose on bidders or bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rule of the agency may provide and/or further criminal prosecution, as provided by applicable law, for violations committed which include but are not limited to the following:

- Submission of elicibility requirements containing false information or falsified i. documents.
- ontain false information or falsified documents, or the Submission of bids an ii. concealment of such in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.

Submission of unauthorized or all documents for pre-qualification/ tendering i.e. without specific authorization for the principals/ manufacturers etc.

Failure of the firm to provide authorized Warranty Undertaking and Performa iii.

iv. Invoice of the manufacturers / Principal Trading house.

Failure of the firm to submit specific aut of y letter of the Original Equipment ٧. cular tender; Manufacturer (OEM) for participation in a par

Unauthorized use of one's name, or using the rame of the name of another for vi. purpose of public bidding.

vii. Deviations from specifications and terms & codi ions of the purchase order/contract.

viii. Withdrawal of a bid, or refusal to accept an award or refusal perform the job or enter into contract with the government without justifiable caus after he had been adjudged as having submitted the Lowest Calculated Responsy Bid or Highest Rated Responsive Bid.

Refusal or failure to post the required performance security within the prescribed ix.

Refusal to clarify or validate in writing its Bid during post qualification within a X, period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

> Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- Any attempt to give illegal gratification to any representative of the purchaser to xii. influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

#### 4.2.2 Purchase Order / Contract Implementation Stage

\*\*\*

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- Failure of the contractor, due solely to his fault or negligence, to mobilize and start work i. or performance within the specified period in the Letter to Proceed.
  - Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful uction of the Procuring Agency or its representative(s) pursuant to the ple entation of the contract. For the procurement of infrastructure projects or consultance contracts, lawful instructions include but are not limited to the following:
    - orment of competent technical Person(s) / Firm(s)nel, competent engineers and/o wo k supervisors:
    - b. varning signs and barricades in accordance with approved plans and specifications and contract provisions;
    - Stockpiling in their places of all materials and removal from the project site of waste and excess practials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions; Deployment of commune techniques, facilities, support staff and manpower; and

  - Renewal of the effectivity of the performance security after its expiration during the course of contract in Tementation.
  - spect of tender terms & conditions and the Non-Performance of the supplie f. delivery / supply of material.
- Assignment and subcontracting of the contract or any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- For the procurement of goods, unsatisfactory progress in the delivery of the goods by iv. the manufacturer, supplier or distributor arising from his root or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- For the procurement of consulting services, poor performance by the consultant of his v. services arising from his fault or negligence, any of the following the consultant shall be construed as poor performance:
  - Defective design resulting in substantial corrective works in design and/or construction:
  - Failure to deliver critical outputs due to. consultant's fault or negligence;
  - Specifying materials which are inappropriate, substandard or way above acceptable standards:

Page 3 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid e. documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
  - hing fraudulent payments;
  - apa contracts by misleading the purchaser:
  - iii. Refuse to ay SSGC dues etc.;
  - iv. Failure to fulfal contractual obligations;
  - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed a the time of inspection / bidding prior to original registration of the firm;
  - vi. Registration of a f m ith a new name by the Proprietor or family or a nominee thereof of a
- firm that has been already lacklisted;
  vii. Consequential operation a damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereo is pplied on trial basis or due to failure of such equipment;
- viii. Contractors who have negoticed Plea Bargain under the National Accountability Ordinance 1999, or contractors involved after any other criminal proceedings conducted by any investigation agency where defautable oven proved specifically in relation to supplies made to or contracts concluded with SSGC
- ix. Involved in litigation or needless petitioning influence or obstruct the procurement process either on his own behalf or at the behest or a prother vested interest;
- x. A firm may be disqualified for a period extend of a two years in case a decision by a court is awarded against the said firm after litigation, where the firm is involved in litigation at least three times during two financial years, or where times on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government ies / Divisions / Departments and organizations / autonomous bodies subordinate thereto, at
- xii. Blacklisting in case of Joint Venture firms will also result in the hation of the concerned Joint Ventures Partners.

#### SYSTEM OF PENALTIES 5.

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1. Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

> Page 4 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

#### 6. SUSPENSION AND BLACKLISTING PROCEDURE

. Vne supplier or contractor who is to be blacklisted for a specified period is given adequate o por unity of being heard.

- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before takin any action.
- 3. In case the supplier or contractor does not attend the meeting on the given date and time a final notice is served to in / her to attend the meeting on the revised date and time. Despite the final notice. The supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault, Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will form imprising of User, Procurement and HSE&QA departments to address the issues in the preting with the supplier or contractor. Members of committee may not below of grade IV.
- 5. In case the supplier or contractor is found at dense based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is the from the management for their temporary or permeant blacklisting along with encast ment of bid bond or PBG as the case may be.
- The decision of the management is communicated to the scanned supplier or contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor alongwith covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated : 12<sup>th</sup> October 2020 Reviston-1 : Dt: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

#### STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

#### 8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual are to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the termorary blacklisted firm / individual shall be restored.

#### 9. AMENDMENT

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the mer diment of its specific provisions as the need arises.
- 9.2 Any amendment to this Backlisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of a said amendment.

#### 10. EFFECTIVITY

The Blacklisting Mechanism or any amendments dereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Public Recurement Rules, 2004.

#### 11. The Steps to be Followed are A Under

The causes and reasons to be taken into consideration for Debarment / Drawlisting of any Person(s) / Firm(s) are given as under:

#### 1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating procedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

#### 2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. Its reportinary delay in signing or refusal to accept the Notification of Award and/or the column without any cogent reason.
- ii. Misconduct, i.e., failure to proceed with the signed contract, withdrawal of commitments, quoting an unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, hyperating the evaluation/bidding process and not responding to written communication in a passonable time.
- iii. Causes mentioned in Sub-Clauses i, ii and iii above,
- iv. Submission of fake / frivology or autilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provision decises of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, an defect in a product, equipment, plant, facility or services rendered that may subsequently difface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect has the period as defined in the contract.

#### 3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated : 12<sup>th</sup> October 2020 Revision-1 : Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
  - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
  - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy of e-mail of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
  - 4. FORMULATION of SCGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Project Authority prior to blacklisting. Member of RPC must be one grade up from the members of AA.

#### 5. PROCEDURE FOR BLACKLY ING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereinal or under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the concernd Project Authority / formation shall promptly formulate its recommendations and submit theory, the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, detail of charges and documentary evidences to initiate proceedings under this Mechanism.

#### 6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Convener of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Person (s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said that ges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of heating in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

#### 7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

#### 8. COMMUNICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (P. C", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be convey to Pakistan Engineering Council.

The temporary Black stirg on the grounds and reasons specified herein above shall be for a reasonable specified period. The me and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an impositional Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of lemporary blacklisting/debarment shall be for a maximum period of 3 years or the time end for which the concerned government department/International Financial Institution (1) over Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blackishing dist:

- i. The decision of blacklisting will be immediately circulated to concerned as mentioned herein above under the heading Communication of Decision.
- ii, In case of a contract already awarded to a Person(s) / Firm(s) which as been blacklisted and termination is either not possible or not feasible, the concerned Project Authorize may proceed in this case to complete the contract with the approval of Competent Authorize (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the late of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



-4.9

#### 9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT ROP BIDDING BURBOSK

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





## Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

# HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be poactive about safety!

Report Hazard before it putts in an Accident

## If it's UNSAFE!

- √ Report it
- ✓ Remove it
- ✓ Replace it







0.0

Sul Southern Gas SSGC Country Limited.

#### HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its. Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participations on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director



MR

• • • • • •



#### **PURPOSE**

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

SSGC existing facilities/installations. a.

Any routine/non-routine activity, performed within permanent locations or b. outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project. C.

Covering all the activities performed by SSGC taking into consideration of compliance, obligations, risks & opportunities within the scope, external and internal issues related to scope of operations, requirements, information, needs and pectations of relevant interested parties.

Providing sald inc. to employees in relation to hazard identification, risk

k control in respective areas. assessment and r

Identification, control nonitoring and management of environmental aspects and assessment of its imp



#### SCOPE

This procedure is applicable to the detail ration of occupational health and safety hazards and associated risks, environmental aspects and impairs associated with activities, processes and equipment related to SSGC existing facilities/installations, any new project or any routine/non-routine activity, performed within permanent locations or outside permanent for sizes of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and

#### **DEFINITIONS & ACRONYMS**

in terms of injury or ill health, damage to property. HAZARD: Source or situation with a potential for a damage to workplace environment, or a combination

RISK: Combination of probability of occurrence of a hard consquences. dous event or exposure and the resulting b.

OPPORTUNITY: Opportunities can arise as a result of a station favorable to achieving an intended result, for example, a set of circumstances that allow the organize to attract customers, develop new products and services, reduce waste or improve productivity. Actions address opportunities can also include consideration of associated risks.

SWOT: Strength, Weakness, Opportunity & Threat. d.

- RISK MANAGEMENT: The set of control measures used to reduce or eliminate specific risk.

  RISK MANAGEMENT: Pisk Assessment is a systematic approach to hazar the fiftigation. This is the
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazard f. overall process of estimating the priority of risk and deciding significance of risk
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the ri ment matrix. g. Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard Identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment.
- IEE: Initial Environment Examination. j.
- EIA: Environment Impact Assessment. k.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MQC: Management of Change.
- MOC Owner: The employee who initiates the MOC.
- JSA: Job Safety Analysis. q.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.



HandBook | February 2022



#### RESPONSIBILITIES

## 4.1 Corporate HSE&QA in-charge

Managing OHS&E risks and their controls. a.

Reporting to Senior Management on OHS&E related issues. b.

Providing support to corporate HSE&QA team and zonal representatives. C.

Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure. d.

#### 4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E. C.

Maintaining records of the OHS&E with the help of local HSE&QA team.

Implementing this procedure. Liaise with corporate HSE&QA team if required. d.

## 4.3 Zonal HSF QA representative

Coordinating with Zonal HSE team leader for carrying out HIRA and EAIA in their zones.

Liaise with corporated SE&QA team and zonal HSE team leader for OHS&E.

Reviewing/monitoring FIRA and EAIA in their zones and providing input on any changes. C.

4.4 Departmental Head of Executing Department

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks.

Ensure implementation of JSA (activity performed outside SSGC permanent locations.) Part of the Asset

#### 4.5 Employees

Participating in the identification and as ess hent of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

4.5 Visitors & Contractors

dentifying and reporting any risk or hazard at any location SGC. This also includes the worksites and

#### **DECISION MATRIX**

Type of Risk/Hazard Assessment	Methodology	Responsibility
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Sonal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





	MOC	Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure.	MOC owner
--	-----	---	-----------

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

#### 6. PROFEDURE

# Section 1 Context of the Organization

#### 6.1. Context of the Organization

i. Management defines scop of the company services and its boundaries considering the internal and external issues of the organization.

ii. In consultation with HSE&QA; (it parement & Zonal Heads identify external & internal interested parties and maintain its list with needs & ax a tations. Interested parties are those stakeholders who receive company services, who may be impacted by them, or those parties who may otherwise have a significant interest in the company. Interested parties may include:

Interested Parties	Requirements	
Board of Directors	Good financial performance, legal compliance/avoidance of fines.	
Law Enforcers/Regulators	Identification of applicable statutory and regulatory requirements for the product and services provided and understanding of the requirements.	
Customers	Value for money, quality service indication and quick response.	
Bank/Finance	Good Financial Performance.	
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.	
Insurance:	No claims/prompt payment/risk management.	
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.	
External providers (Vendors/Suppliers)	Prompt payment as per agreed terms, health and safety, long-	
Trade Unions	term working relationship.  Compliance of local labor laws.	

MR

HandBook | February



By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

#### 6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces.
- Complex transmission and distribution network. Ъ.
- C. Succession planning.
- d. Contractual relationships.
- Availability of reliable, qualified and competent workforce.
- f. retention...
- of unionization.

# 6.1.2. External jewes could include in risk & opportunity assessments, but are not

- a.
- **Political:** Government policies, political stability, international trade agreements etc. **Economic:** Fuel utility prices, cash flow, credit availability, exchange rates, tariffs and inflation, general taxager is use etc. b.
- Social: Consumer buying pattern, education level, advertising and publicity, ethical & religious issues, demographic to religious issues, demographi
- Technological: Intellectual or sty issues, software changes, internet, technology legislation, associated/dependent ech hology, renewable energy etc.

  Legal and regulatory: Consumer to ection, industry-specific ren ė.
- opection, industry-specific regulation and permits, trade union regulations, employment away mational legislation, human rights/ethical issues etc.
- Environment: Customer demographics and hvironmental issues,
- Government: The directives from Prime Minis er Ministry of Petroleum (energy division), regulatory bodies like OGRA, SEPA & BEPA etc.
  - Ensuring the policy and objectives are established for mentingerated management system and are compatible with the context and strategic direction of the organization.
- The management shall monitor and review information ab issues during the management review meetings. external and internal



Report Hazard before it results in an Accident

Procurement Dept.



#### Section 2 Hazard Identification and Risk Assessment

#### i. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations.
- ties of all persons having access to the SSGC permanent and temporary locations. b.
- chavior, capabilities and other human factors. .c.
- d. Designing of work processes.
- e.
- Infrastructure, equipment and materials at the workplace or project site, whether provided by organization or stiners. f.
- Changes or proposed thanges in the organization, its activities or materials. Fabrication, installation commissioning. Handling & disposal of caste material. g.
- h.
- i.
- i. Purchase of goods & service
- Purchase of goods & service .

  Any applicable legal obligators that is related to risk assessment and implementation of necessary k. controls.
- Before commencement of any new of I. emtion/activity.
- azard identification and risk assessment information. Periodic Review for updating the existing m.

#### At SSGC, we adapt five steps of risk sessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if neces any

#### Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below:

Risk Priority		Probabilit			
	orthy	Very Likely	Likely	Unlikely	Very Unlikely
C :	Catastrophic				Medium
n S e q	Significant			Medium	Medium
и е п	Harmful		Medium	Medium.	
e s	Negligible	Medium	Medium <sup>.</sup>	in (1997)	





	HAZARD CONSEQUENCE RATING TABLE
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
And the second	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid atment is required only, very low financial loss.

- 1			
Paris,	,	, Page	TOATING TABLE
	<i>i</i>	Very Likely	Exposure to haz and likely to occur frequently. Similar incidents reported more than once in SEGC during last 10 years.
		Likeiy	Exposure to hazard likely to occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
		Unlikely	Exposure to hazard unlikely it oscur.
	<sup>™®</sup> H	lighly Unlikely	Exposure to hazard so unlikely that it as be assumed that it will not happen.

<u> </u>	RISK PRIORITY TABLE		
Risk Priority	Definitions of Priority -		
	Situation is considered critical, stop work immediately or consider cessation of this operation/task.  Must be fixed ASAP, Zonal HSE team leader should take immediate actions.		
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.		
Low	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.		





# Section 2 Hazard Identification and Risk Assessment

#### iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- Classification of risk/impact. b.
- Description or reference to control the risks/impacts.
- Description or reference to monitor the risks/impacts. d.
- tified competency and or training requirements. ·e.
- es setting improvement objectives and programs for its achievement.

the wres identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation

Use output of risk/impact assessments as input for the following:

a. Setting objectives a dargets.

- Training needs identify
- Terminating the risk/impact hit is practical. C.
- Facility engineering control d.
- **Emergency Preparedness**
- Administrative controls.
- insurance.

The ultimate requirement is to reduce the riskly nor to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further reduced becomes unreasonably inconsistent to the additional risk reduction obtained.

#### iv. Risk Control

Elimination.

Engineering

Administrative THE REAL PROPERTY.

Procuremen Debt.



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. **Elimination:** The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. Engineering: Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it part the first time". Departments shall incorporate this concept during planning phase of any process and must seek out for best possible solution in terms of OHS&E.
- d. Administrative: Administrative controls involve making changes to the way in which people work and premoting safe work practices via education and training. Administrative controls may involve training employees in operating procedures, good housekeeping practices, emergency response in the event of incidents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible.

<b>9</b>	
System & work area Hazards	Likely Consequences
Access / Egress Obstructions	Mi or injury, trips and falls
Asphyxiate Gas (CO2 fire suppression)	osaible death by asphyxiation
Buried Cables	Expos re to buried cables - major / minor injury
Electricity (HV/LV)	Fatality galactric shock or serious burn injuries
Falling Loads / Objects	Serious head and or body injury
Flammable Vapors / Gases / liquids: "	Explosion or fire
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disorient a language of consciousness
Moving Parts	Entrapment major of mines is una
Noise 14 14 14 14 14 14 14 14 14 14 14 14 14	Long term.hearing loss, tilinit is a second
Openings in Floor / Walkways	Falls from height, major injury possible fatality
Flammable Materials / Gases	Creation of hazardous area: fire extra bion.
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort, long term loss of vision."
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and for body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	The state of the s
	Major / minor injury resulting from mistakes





	*Death of asphyxiation
	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	*Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, texic; poisoning, irritants, pollutant
Repetitive Task / Operation	Muscular / skeletal injuries
Rotating / Moving Part	Major injury, potential for fatality
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume	Linconsciousness, respiratory problems
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hand	Minor laceration and impact injuries
	Burns to skin, eyes, and respiratory system. Environment
· Use of Hazardous Scretances	' Hazards
	Impact injury, hand farm vibration—loss of sensation over ::
Use of Fower Tours	Major / minor injuries - entrapment, cutting tools
Use of Workshop Equipment	
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury

#### v. Environmental Aspect log rification & impact Assessment

#### a. Environmental Aspects:

An Environmental aspect is any element of SSC bisiness operation that negatively affect the Environment. While conducting environmental assessment, following spects are usually considered:

## "REDUCE CARBON FOOTPRINT"

What we can do:


- Recycle: what you can
- Reduce: avoid unnecessary consumption of resources.
- Reuse: Buy items that are reusable: and reuse them.
- Unplug electrical:
   devices that are
   not in use
- Avoid unnecessary driving
- Use LED bulbs.
- Plant a tree

Emissions to air	Water Discharges
Solid non-hazardous waste	Solid Hazardous Waste
Consumption of natural resources/ Er at	gy Noise
Heat	Pror .
Dust	/ibration
Effect on visual / aesthetics	Use of theme depleting substance
Use of radioactive / nuclear material	Spillage of memicals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

WR





## b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety desces (Relieve valves, NRVs, indicators etc.), measuring or monitoring evices/gauges, computerized feedback monitoring and control systems.
- nep ix disposal or treatment systems etc. g. Environment
- h. Fire prevention/suppression systems.
- i. Containment walls...
- i. Scrubbers.
- k. Dust Collectors.
- L. Other controls: Training, SOR

The record of operational controls on significant environmental risks is maintained on 'Environmental Aspect & Impact Assessment Form (SSGC-IM A RM-F-02). ... Impact Assessment Form (SSGC-IM 1/2)

. After identification of aspects and assessing of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where required in-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned on I HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related activities/processes/equipment are kept current by conducting the same assessment:

a. Once every six months to update the information, and identification environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects

- b. Carry out assessment, for new or changes in activities/process
- c. When there is a change in laws & regulations.

# d. IEE (Initial Environment Examination) / EIA (Environment inpict Assessment):

in addition to all of above assessments, SSGC will carry out IEE / EIA as required by regulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to ens the compliance for all

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2



Integrated Management System



#### Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)

- c. Maintenance Work on High Voltage electrical equipment.
  d. Any janitant service involving Safety Risks such as work at height.
  e. Any Maintenance activity by any department/contractor which compromises critical safety system.
  f. Work involving interaction with asbestos.
- g. Work in areas where there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity that quires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SM (Value Assembly/TBS/PRS etc.

#### II. Exclusion


Following activities are not under the scope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to cran the associated risks for the following:

- a. Providing Gas connections to new 2
- b. Emergency Response to Consumer cal
- c. Planned enhancement of Distribution net
- d. Work on live pipelines like hot tapping, insta vice Tee etc.
- e. Any major/minor rehabilitation/reinforcement w

CALL OF If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it







## III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW.  Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations.  Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	A La/Facility where the task/scavity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity.  Authorized to stop work in case of noncompliance to PTW requirements.
3	Contractor	The Individual/organization carrying out the Tark Astivity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If it quired, Monitor the task as with during execution and ide dify my gaps related to proposed con rols. Responsible to close the proposed to and maintains records.  Authorized to stop work in case of noncompliance to PTW requirements.

No





Integrated Management System,

14



#### IV. PTW Process Flow








#### V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

#### VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.



WE





## Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission network.
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme). d. Any English et cy maintenance work.

o activity requiring JSA as necessitated by HSE&QA.

#### II. Responsibili

S No.	Functions	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/activity requiring JSA.	<ul> <li>List down the activities step wise and identify hazards and their controls</li> <li>Ensure that task/activity is carried with proposed controls</li> <li>Ensure the team/equipment involved are competent and safe</li> <li>Report any untoward situation</li> </ul>
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Report any untoward situation  Authorize JSA  Ensure Adequate resources are provided to carry out the law factivity in safe manner.  Select competent team and team leader to the activity/task.  Submit of prof JSA prior to job execution to ISP QA/Zonal HSE.  Team Leader
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

NR





## Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of manage-

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

II. Scope

This procedure is intended to address those changes which may have a direct impact on SSGC's Integrated Management System, or resubsequent delivery of services.


To make sure that changes are assessed and documented in a consistent manner so that:

a. Unnecessary or counterproductive changes are prevented.


- b. Changes do not adversely affect safety the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals with knowledge and/or agreement of all relevant parties.
- d. A record of the assessment rationale an change assessment process is produced.
- e. To make sure proper change out of employe ring operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the (SSGC-IMS/CRM-F-05) which briefly describe the detail cope of the project. esignated section of the MOC form
- b. Area Authority: Area authority is responsible to identify the pos Ble impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is classice d the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorize to change after assessing the







#### IV. Definition of Change

For the purpose of this procedure a "change alteration to Processes

- a. Documented information maintained by this IM
- b. Equipment, hardware, software, infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management.

Other types of changes not listed above can be related to any resources, persons, activities, controls, measurements, outputs,

cess (MOC) (e.g. changing Note: Not all alterations to a system require the Management of Change employees, editorial changes to HSE & QA procedures and forms, etc.)

#### V. Levels of Change

#### Lavel 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work environment.

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables. operations, safety or work environment.



- HandBook | February 2022 .



#### VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

#### Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is accepted in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward the request to the appropriate process owner for implementation.

#### Step 3 - Implementation of Autors

The process owner will be responsible or implementing and coordinating the actions required for the proposed change. If it is determined that furth appearsment is required during the course of implementing the change, these assessments will be documented and submitted for review prior to completing the change process. Only completion.


#### VII. Closing out the MOC

The th-charge HSE&QA will review the satisfactory implimination of the proposed change, and effectiveness of any corresponding control measures.

#### VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control tuples of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the action taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

N





#### **MOC Process Flow**



NR





7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

#### 7.1. PHYSICAL

الاستان دور داروي الاستفادات	· · · · · · · · · · · · · · · · · · ·
Hazards 1	Control Measures
Adversar/eather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad horsekeeping	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / colors surfaces	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning	e guarding, lifesaving equipment, presence of first Aider
Excavation work	Private barriers; fencing, shoring, safe system of work, signs, caution type.
Fall from height.	Edge protectors, safety lines / harnesses, safe means of access, (e.g. seafolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting 4.41	Good work area design an lio ding equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical means for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Silps / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.





#### 7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manual Fadling	Regular assessment of handling techniques (Improvisation to eliminate stress / fatigue; training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	oper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV's where required, periodic in others.

## 7.3. ELECTRICAL

Hazards	Control Measures
Live working	Avoid (i.e. No Live Working) use competent / trained staff.
Hand tools	Regular inspection, testing relactrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material, setting.
Machines / Electrical cables	Electrical testing and maintenance, good local safety design, periodic inspection for design load vs actual of a use of circuit breakers, lockout / itag out, anti-static materials, Use double insulation, proper grounding.
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Burled)	Look out for signs, contact local utilities (KE WAPDA) for locations stay at least 10 feet away from overhead lines, use proper PPE

MP

Integrated Management System



23

#### 7.4. FIRE

Hazards	Control Measures
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition.
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area; signs, no smoking, color-coding.
Flammable solvents	Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans.
Heaters	Segregation from sources of combustion, guarding special construction if used in hazardous areas.
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents).
Oxygen (gas and liquid)	Segregate from sources of combustion, controlled storage and usage.
Smoking materials	Date nated smoking areas with proper ventilation, promote no shaking colley.
Static electricity	Limituse of static generators in hazardous areas. Use of anti-
Gas Leaks	Odourization is timely detection where possible, proper joining methods, Field au v.y. training, leak detection techniques.
	Tomiques.

#### 7.5 MOTHER

Hazards	Con civilgasures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harmed edistances, use, maintain and test engineering controls, monitor o hazardous substances; inform and train employees, use persona protective equipment (PPE), emergency plans for uncontrolled edises.  Avoid:use, substitute less harmfut substances, maintain and test personal protective equipment (PPE), emergency plans for uncontrolled edises.
Biological: Biological agentsi (micro-organisms, pathogens) mutagens, carcinogens) Rodents, Shake Bite	inform and train employees, use personal protective equipment. (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSCC.
Food / Water safety	employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergenomics	Educate / Train employees; avoid repetitive tasks, procure ergonomically design products (e.g. chair, Computer desk, procure)

nd

- HandBook | February 2022

#### 8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
SSGC MS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years
SSGC-IMS/2FM-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-P-00	Management of Change Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-07	SWOTATulysis	HSE&QA Department	3 Years
	ING.	:	
42			



Integrated Management System

SSGC
Hazard Identification & Revision 01
HSE&QA
Department
Risk Assessment Form
Usue Date: July, 2021

Nox

Zone	·	Department	<b>\</b>		Location			Date	
S. No	Hazard	What can go wrong	Existing rational	· F	lisk Priority	<del></del>			ļ
	(E.g. Wom out electrical cord)	(E.g. Electrical shock to any employee)		PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. · Significant)	PRIORITY (E.g. High)	Additional C (E.g. Isola	peratio te/Replac	nái Controls s the wke).
:	<u> अक्षेत्र</u> र		11						
· .				0,		· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	٠.			1					· · · ·
					D,				
		·			6	P.			
Addition	nal Comments	(if any):	<u> </u>	l		40			
	Zonal	HSE Team Leader				HIRA T	$\mathcal{L}$		
Name	& Designation	Signatu	re s	. No N	ame & Designa			Cinnal	
				1				Signatur	<del>e</del>
		}		2			···		<del> </del>
			_	3					

M





## **IMS Form**

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

10)

Zone		Department			Location	n		Date	<u> </u>	
Proce	ss / Operati	on Descriptio	n: E ov aner	ation)			·			
5.No	Activity (E.g. Fuel Combustion)	input (E.g. hiel, eir)	Output (E.g. Hydrocarbets CO2. H <sub>2</sub> O, CO, particulate matters)		ronmental aspect c, air emissions)	Environmental impact. (E.g. Degradation of air, consumption of neuros, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Low)	Oper	ational	controis
	1				In					
					G C		÷			
					·				•	•
Addit	tional Comm	ents (If any):				P)	٥		•	.:
	2	Zonal Team L	eader			EAIA Te				
Nam	e & Designa	tion Signa	iture	S. No	Name & Desi	gnation		ignatu	e	
			•.	1		<u> </u>				
				2						
	-	<b>\</b> .	<b>[</b>	3				•		

MG

Integrated Management System,



27

SSGC HSE&QA Department

## IMS Form

SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

	•			Contlant	(AU	•		
۵ ا	epartment Na	me:		Section '				
• •	esponsible	Name:	<del></del>	Contracto	or Details	Contact Na	me:	
P	erzon	Signatur	-	(if Any):		Signature:	•	
_	nit Valld	Time:				Date & Tim	ė:	
	THE VALID			Perinit Va	11-d 11-dp -	Time:		
	coar on or the	Date:		Levillic An	we out	Date:		
	/pe Libriki	WONE						
Life Dumpara	Hot Work	ectrical -				·   D	etall of Work	
				irk 🗆 Mechanici eight 🗀 Working				
	Working w	COTTLE	resed oses	aignt ⊔ vvorking S · □ Janiforia	in confined	apaces		
B.   🗆				Asbestos 🗆	VCIESNING	Service	•	
뭂					mining of	udaming		
	quipment/tool:	to be us				<del></del>		
Pi	0280 manife							
Pro	acegnus: Context	U12 2250C	ier & profile	of this activity	(Please refer l	19		
				ment):		.]		
Fo	ilowing service	es to be i	solated / Lake	of (If require	di		,	
	Electricity [] G	as 🗆 Wate	er 🗆 Air 🗆 Ot		uj	ľ		
		•	Market Street and the control of the same	11		Andrews Control of Control	Principal Principal Company of Company of State of Company of the Company of	
·, la	uthorize the too	k / activin	to be seemed -	ec on "	R.,			
= she	ould carry out y	vork in cor	o pernecio: Pes of esnalign	the A DDD	tioned locati	on for specifi	ed time. Execution	Danson
2 had	l							
<	iow.		•	ELY I PIPER I	ments ideni	fied by HSE	&QA Department i	u section:
à De	Name	•				fied by HSE	ed time. Executing &QA Department i	
she be	Name	·	Designatio		enuta ident	fied by HSE	&QA Department I Date and Ti	
A pa	Name			n .	Sign ture	fied by HSE		
	Name		. Designatio	Section "	Sign ture	fied by HSE		
Na	Name		, Designatio	Section "(	Signature "		Date and Ti	me
Na	Name		, Designatio	Section "(	Signature "		Date and Ti	me
Na	me	must be i	Designatio	Section "( ation   mitigate the safe	Signature	natura	Date and Ti	me l
Nai Foi PP	me   lowing controls E Required:	must be i	Designation Design	Section "( ation	Signature  " " " " " " " " " " " " " " " " " "	nature	Date and Ti	me l
Nai Foi PP Shi	me   lowing controls E Required: Hard Hat D Sa elds D Weldin Others:	must be i	Designation  Design  D	Section " ation  mitigate the safe Reflective Ja Harness □ Sa	Signature  " " " " " " " " " " " " " " " " " "	nature	Date and Ti	me
Nai Foi PPP Shirt Shirt CAny	me   lowing controls E Required: Hard Hat   Sa elds   Weldin Others: y additional or	must be i	Designation  Design  D	Section " ation   mitigate the safe	Signature  " " " " " " " " " " " " " " " " " "	nature	Date and Ti	me
Nai Foi PPP Shirt Shirt CAny	me   lowing controls E Required: Hard Hat   Sa elds   Weldin Others: y additional or	must be i	Designation  Design  D	Section " ation   mitigate the safe	Signature  " " " " " " " " " " " " " " " " " "	nature	Date and Ti	me
Nai Foi PPP Shirt Shirt CAny	me   lowing controls E Required: Hard Hat   Sa elds   Weldin Others: y additional or	must be i	Designation  Design  D	Section "( ation   mitigate the safe Harness   Sa isse Specify): ation   Other:	Signature	mature de la companya	Date and Ti	me
Nai Fot PP Shir C Any	Name  Name  Ilowing controls  E Required: Hard Hat [] Sa eids [] Weldin Others: y additional or ire Extinguishe	must be i	Designation  Design  D	Section " ation   mitigate the safe   Reflective Ja   Harness   Sa   Isse Specify):   Ition   Other:   "D" (Monitori	Signature  Signature  Signature  Signature	mature de la companya	Date and Ti	me
Nai Foi PP Shirt C Any	me   lowing controls E Required: Hard Hat D'Saleids D'Weldin Others: y additional of the Extinguishe	must be i	Designation  Design  D	Section " ation   mitigate the safe I Reflective Ja Hamesa I Sa ise Specify): ation I Other: "D" (Moniton	Signature   mature   Plug a property   Plu	Date and Ti	me vity: ask D Fac Apparato	
National Property Shirt Shirt CAny	Name  Ilowing controls E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section "( ation   mitigate the safe   Reflective Ja   Harness   Sa   Sae Specify): tion   Other: "D" (Monitoricuting Department of the shows task	Signature   nature Plug a p Hand G	Date and Ti	vity: ask D Fac	
National Property Shirt Shirt CAny	Name  Ilowing controls E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section "( ation   mitigate the safe   Reflective Ja   Harness   Sa   Sae Specify): tion   Other: "D" (Monitori cuting Department of the above task out in compliance	Signature   Plug a Plug a Hanu G	Date and Ti	vity: ask D Fac	
National Property Shirt Shirt CAny	me   lowing controls E Required: Hard Hat   Saleids   Weldin Others: y additional of the Extinguished Area Authority vsically inspect	must be interested in the state of the state	Designation  Design  D	Section " ation   The same of	Signature   Plug a Plug a Hanu G	Date and Ti	vity: ask D Fac	
National Property Shirt Shirt CAny	Name  Ilowing controls  E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section " ation   mitigate the safe I Reflective Ja Hamesa I Sa iten I Other: "D" (Monitor cuting Departm the above task out in compliance ulrements menti-	Signature   Plug a Plug a Hanu G	Date and Ti	vity: ask D Fac	
National Property Shirt Shirt CAny	Name  Ilowing controls  E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section "( ation   mitigate the safe mitigate the safe mitigate the safe mitigate the safe lands   Manual Sale see Specify): ation   Other: a	ety risk/haza ckets II Ear fety Goggles ing & Closin rent / activity has se with the oned above. pleted and ons.	Plug a Plug a Hanu G	Date and Ti	vity: ask D Fac
National Property Shirt Shirt CAny	Name  Ilowing controls  E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section "( ation   mitigate the safe mitigate the safe mitigate the safe mitigate the safe lands   Manual Sale see Specify): ation   Other: a	ety risk/haza ckets II Ear fety Goggles ing & Closin rent / activity has se with the oned above. pleted and ons.	Plug a pl	Date and Ti	vity: ask D Fac Apparatu
National Property Shirt Shirt CAny	Name  Ilowing controls  E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section " ation   The strict of the strict o	Signature   Plug a pl	Date and Ti	vity: ask D Fac Apparatu	
National Property Shirt Shirt CAny	Name  Name  Name  In Manage Controls  Required:  Required:  Weldin  Others:  y additional opine Extinguishe  Area Authority ysically inspect and verified the all controls are	must be in a state of the state	Designation  Design  D	Section " ation   The strict of the strict o	Signature  C"  Styrisk/haza  ckets    Est fety Goggles  ing & Closin  tent / activity has be with the oned above pleted and ons.  J execution:	Plug a pl	Date and Ti	vity: ask D Fac Apparatu
Nai Foi PP Shi C Any Trk site	Name  Ilowing controls  E Required: Hard Hat [] Saleids [] Weldin Others: y additional of ire Extinguishe  Area Authority ysically inspect	must be interested in the state of the state	Designation  Design  D	Section " ation   The strict of the strict o	Signature   Plug a Pl	Date and Ti	vity: ask   Fac paratu ent ng	
Nai Foi PP Shi C Any Trk site	Name  Name  Name  In Manage Controls  Required:  Required:  Weldin  Others:  y additional opine Extinguishe  Area Authority ysically inspect and verified the all controls are	must be in a state of the state	Designation  Design  D	Section " ation   The strict of the strict o	Signature  C"  Styrisk/haza  ckets    Est fety Goggles  ing & Closin  tent / activity has be with the oned above pleted and ons.  J execution:	Plug a programment of the work close.	Date and Ti	vity: ask   Fa





### **IMS FORM**

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

<b>Executing Departm</b>	ent		Zone		Date 1
Job/Activity: Activity Details:					·
1.	:.			•	
Location		•	•		·
<u> </u>		•			
PPE Required:	<b>^</b>		•		
☐ Hard Hat ☐ Safe	Welling hields	/er all □ Reflecti\ □ Safetv Belt/ ⊢	/e Jackets □ Ea lamess □ Safet	r Plug □ Ear Mut	fs Dust Mask
☐ Breathing Appar	ratus 🛌 💸 🔠 :	•		Coggies di lan	u Gioves
Any additional op ☐ Fire Extinguihse	erational control	ols (If required)	Other		
***	Control of the Contro		With the State of		No. of the state o
S.No Steps o	f field Activity	Potentia	i Hazards	Con	ntrois
<u> </u>			• .		·
. , .				•	
				·	
			C'		· <u>-</u>
St <sub>il</sub>	•		· .		
		1			· •
· ·			7		
	-			0_	•
	·····			10_	
	*	<u> </u>	· ·	1 JX	
	·				
Activity I hereby certify	incharge / Supe			of Executing De	
mentioned above			is adequately re	esourced to exec	the job. The team ute the job safely.
step of the job. Th				. "	
job and the equipa	ment involved in	inis activity are			
Name &	Şign & Stamp	. Date	Name &	Sign & Stamp	Date
Designation Sign & Stamp			Designation		
	,				
		<u> </u>	<u> </u>	1	<u> </u>

MR

<u>Integrated Management System.</u>



SSGC HSE&QA Department

### IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

issue Date: July, 2021

MO	AOC No: Date							
	Section A: Description of proposed change and potential bazants							
1. 1	Mod Owner Location of Work:							
•	Experied Duration of							
	Work							
	Type of Change							
18£	□ Pipeline construction □ Physical structure/building □ New or modification in							
N.	□ Permanent   percess/procedure □ New or modification in equipment/machine □ Motorial							
00	☐ Temporary Subs	znce LI C	ther:	•				
ğ	Detail of MOC/Score of	MOC: 1	Summar	tro the besig for the	T-1	<del></del>		
λ	safety and environment	o dans r	esultina Psultina	ize the basis for the proposed from the proposed change.)	ı. cızınge	and any p	otential health,	
To Be filled by MOC Owner	, =====================================			ale proposed change.)				
. ≝		<b>4</b>	<b>5</b>					
				•				
0	i, του (*2., •							
, .	, * · ·		` <b>《</b> ·】					
	The proposed change	s now si	ubmitte	to rea Authority for evalu	uation			
.·	Name & Designat	on		& Stamp	dauoii.	Det		
						Dat	.6	
		•						
	Section B : Evaluation	6 Ab-						
	Evaluation Criteria	u or me	Impac	t(s) related to the change				
₹: <b>∤</b>	Does the proposed char	go most	-IIII		Yes	No	Comments	
la l	requirements?	Ae weer	ан арри	cable legal of our	1			
ş		xisting no	ncass/ e	equipment are Environmental			· · · · · · · · · · · · · · · · · · ·	
Ą	Manageable and Safe?	anına bı		ederbitietit ale Elivitoli en all	<b>7</b>			
be filled by Area Authority	Does the change require	s change	s in SS	GC HSE Procedures		<del>`                                    </del>		
, A	Does the change will af	ect the u	se of Er	mergency response	49			
9	equipment of the location	1				<b>→</b>		
ĕ	Does the change require	s any sp	ecialized	training for SSGC staff				
9	Note	: in case	of "YES	" please provide details on a	separate	\$ 6		
ğ.	the proposed change	s now s	ubmitte	d to in charge HSE&QA for	authoriza	ation		
2	Name & Designat	οπ		Sign & Stamp		Pat	·a	
•	• •	•		•				
		·		<u> </u>			·	
	Section C : Authoriza	tion for	chang	e to proceed				
S	Following proposed con-	role shou	ld be im	plemented while avec the ef	Aba lab		<u> </u>	
<b>89</b>	Following proposed controls should be implemented while execution of the job.  Potential hazard/risk   Risk level   Proposed control   Responsibility   Timeline							
12	Potential hazard/risk Risk level Proposed control Responsibility Timelin							
by I		+			<del> </del>			
Ď.		1			-			
U)					-			
Ta be filled by HSE&QA	Name& Designati	on	1	Sign & Stamp		Dat		
0						Dat	<del>-</del>	
			}		<b>!</b>			
			·		<u> </u>			





HSE&QA Department

### **IMS Form**

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

### Context of the Organization

### LIST OF INTERESTED PARTIES

External Interested  Parties	Needs & Expectation				
oard Of Mre tors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR				
<b>^</b>	Protect shareholders interest.				
O <sub>2</sub>	Ensure adherence / compliance to GOP / SECP guidelines.				
	Allocate resources to maximize revenue.				
	ollow best practices of corporate governance.				
	committee meetings are held as per plan.				
	Finance, benefits of the organization.				
	Avoidance of any fines / penalties.				
	Reputation enhancement.				
	Corporate Social Responsibility (CSR).				
	Enhanced corporate governance (CG).				
	Allocation of all resources to actileve quality goals.				
	<ul> <li>Achievement of safe and health conditions in organization.</li> </ul>				
•	Commitment to quality, safety and health.				
·	<ul> <li>Be prepared to seek advices from industry experts as required.</li> </ul>				
•	No major accident at company premises.				
Management	Take policy decisions to increase revenue per employee.				

Integrated Management System

31

1		٦.
``		`\
ານ.		•
127	٠.	
	2	
/	14	
`	~`	
_	•	_
١,	. (	<b>)</b> .
	``	ટ્ટ
	`	•
_	١.	

SSGC

HSE&QA Department

#### **IMS Form**

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021



- Ensure that policy and related objectives are established.
- Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
- Effective management of hazards, risks, incident, in ergency, and injury.
- Weiters engage and participation in all quality, environment, health and safety activities.
- Continue growth in quality and productivity.
- Effective control op quality, health & safety issues.
- No major accident at verkolace / safe working conditions for all employees
- Develop positive quality and least & safety culture.
- Continuously improve quality, se ety and health performance with review process.
- Well performed employees.
- Better staff retention and morale.

#### Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
- \_\_Job security.

-24

HandBook | February-2022

Dept. 192



HSE&QA

Department

**IMS Form** 

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

Noncop Consultation.

- Training and development opportunities.
- Sustained reputation and image of company.
- Communication and participation.
- No accident / injury / ill-health.
- Reward and recognitions.
- Opportunities for dialogue / improvement / changes.
  - Timely and fair provision of remuneration coupled vith career progression.

#### Client/Customer

Timely provide high quality services, quick response on any w all local laws and QH&S requirements. OR

- Uninternate gas supply.
- Customer facilità
- Quick response of gareies & complaints.
- Value for money.
- No health and safety issue in Froduct.
- Prompt actions on quality; heal safety issues.
- Minimize the risk of injuries when receiving a services.
- Socially and environmentally responsible.

### Suppliers/Contractor

- Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
- Fair chance of participating in bid opening.
- Communication of hazards present at workplace.
- Timely payment.



**IMS Form** 

SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department Context of the Organization

Issue Date: July, 2021

Ì	Trade Union & Worker
I	
l	Representative
l	
	. •
ı	
	· 🗸 🛕
	<b>( )</b>
	•
	1

- Transparency.
- Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
- Conducive and safe environment for work
- Timely provision of information necessary for workers
  - No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	<ul> <li>Media nanagement.</li> <li>Patient and positive attitude.</li> <li>Effective communication.</li> </ul>
Visitors	<ul> <li>Safe entry and exit derical tay at SSGC.</li> <li>Communication of pertinent in organism.</li> <li>Emergency response.</li> <li>Briefing necessary safety rules.</li> <li>Necessary PPE available.</li> <li>Site access controls.</li> </ul>
Emergency Services (Fire/Medical etc)	<ul> <li>Good Risk management.</li> <li>Emergency procedure in place and drilled.</li> <li>Regulatory compliance.</li> </ul>

A CO Procument

HandBook | February 2022 --



### **IMS Form**

SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department Context of the Organization

Issue Date: July, 2021

	Regular drills for flooding, spillage, site excavation and first aid etc.
1.	Availability of adequate resources.
Utility Ploy ders (Power/water runi, Telecom)	Prompt payment.
(I Owel/Wath Title, relaction)	Good Management.
Academic Institutes	Effective learning programs for employees.
<b>%</b>	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Learning from SSGC.
Insurance Companies	lo claims, risk management, prompt payment.
Banks	• marcial performance, cash flow.
Neighborhood/Community/ Society	Safe working conditions.
	Environment friesday operations.
	<ul> <li>Contribute positive to local environment and populations.</li> </ul>
	No complaint relating to have pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
,	Return on investment.
,	Transparency.
	Rights are protected.
•	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

MR

35





SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department Context of the Organization

IMS Form

Issue Date: July, 2021

#### Third party auditors-Finance



Smooth data collection

Better financial performance

Effective communication


• On time response on queries

No fraud or illegal acts detection

Certification bodies

 Effective implementation of ISO standards with all relevant clauses in the organization

### Creditor/Financial Institution



Repaid on time, good financial performance

tified applicable statutory and regulatory ements for Quality and health & safety.

- Prompt emponses in case of any non-conformance.
- Proper in estigation on uncontrollable.
- Implementation a safe policy in the field of occupational safety.
- Fulfill the requirements of applicable laws, rules, regulation, orders, guidelines, interpretations and directives.

M



SSGC HSE&QA Department

### IMS Form

SSGC-IMS/CRM-F-07

Revision 00

SWOT Analysis

Issue Date: July, 2021

POSITIVE	
STRENGTHS	WEAKNESSES
Having vast experience of Transmission and Distribution of Natural sas.	Complex distribution network leading to UFG.
Infrastructure available in wo provinces.	Substantial resources required for up gradation.
Highly competent human resource.	Lack of succession planning.
Certified to international standards	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakista.	High price.
Serving the nation since decades.	Government new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	THEATS
Monopolistic market.	Depleting natural na.
Over 2.8 million customers.	Customers may turn to renewable energy sources.
Import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.

Integrated Management System —

MR

37

### 1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

#### 2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

3. DEFINION


a. Incident: We keelated event(s) in which an injury or ill health or property day lage (regardless of severity) or fatality occurred, or could have occurred.

b. Accident: An incident in which an injury or illness or property damage actually occurs.

c. Near Miss: A Near Miss is an unplanned event that did not result in an injury or party damage, but had the potential to do so.

d. CPR: Cardiopulmonary resuscita on

e. Emergency: An emergency is a siturtion that poses an immediate risk to health, life, property; or andronment.




harmful

Hermess

INCIDENT / ACCIDENT DOSSES

ced quality of life. DIRECTLOSS (Visible) - Injury to people Damage to Company Investigation ime Reputation INDIRECT LOSSE (Invisible) Clearing the Site and Damage to Equipment, conducting repairs Building, Tools etc. Time and resources utilized in hiring Legal costs and training new worker

MR



### 4. PROCEDURE

### 4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	<ul> <li>Major fire</li> <li>Major gas leakage</li> <li>Explosion</li> <li>Bomb blast</li> <li>Vehicular accident</li> </ul>		Inform respective departmental head/in- charge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	Stanificant ass / Lapariess du to aly untoward situation		Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	including natural disaster,	O	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
٠.	damage or theft of asset / property having an estimated amount of more than	76	Report the incident using incident notification form via web portal to in-charge in E&QA immediately (or within 24 hours) after the occurrence of incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSE-20 will complete the investigation report via web portal within seven working day after receiving incident notification form.	HSE&QA	SSGC- IMS/IAM -F-02
			Additional days may also be required depending upon the criticality of investigation		
•			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.		•
,			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
			Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	

1/

- HandBook | February-2022 🎺

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	Nessia.
•	Minor Injuries where only being first Aid or less than two off days		Inform respective departmental head / incharge.	Anyone who has witnessed or received the initial information about the incident.	
2	provided to the victim  Minor Vehicular accidents where there	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
	is no significant injury or loss.	SIL	HSE&QA will share the information with all concerned to avoid procurrence.	HSE&QA	-
3	<ul> <li>Any Near Miss Occurred / Observed.</li> </ul>	•	Report the Near Miss using ordine Near Miss Notification from via web portal. Enter letails as mentioned on the firm attach evidence (if enter) and submit.	All Employees	SSGC- IMS/IAM -F-03

### 4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset damage as will be considered as accidents and will be reported through online incident management by leading the state of - b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR

Integrated Management System


Procuremental Door

CORRECTIVE

#### 4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:

- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- b. Investigation will be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- When indicated by the s verity of the incident, steps to secure the incident site must be initiated immediately to ensure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be conducted with each person present at the time of the incident. The following rules are roboved for interviews with all individuals:
  1. The witnesses should be interviewed promptly, separately and privately.
  2. The interviewer should avoid questions that give a yes or no answer.

  - 3. After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:
  - 1. The investigator or investigating team must focus on getting accurate and complete · information.
  - 2. Facts must be separated from opinions, and direct evidence from circumstantial evidence.
  - Each concern identified in the investigation must be full a ressed.
- f. Upon completion of the investigation, the team will fill and sub lit t e Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background Investigation, Root Cause Analysis, Conclusion and Recommended Corrective / Prevent
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the Zonal HSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

#### 4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be applied including controls, risk level, likelihood etc.

### 4.5. Date Applysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measure flactions implemented.

### 5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification Force	In-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation:Form	charge HSE&QA /	5 Years.
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In charge HSE&QA / Zonala SE Team Leader	3 Years

MR





### IMS FORM

SSGC-IMS/IAM-F-01

### Incident Notification Form

Revision 01

Issue Date: Aug, 2021

Reported by:	Date:	<del></del>	Time:		Report No.	A)
Responsible One	Reported by: .	٠,	-			. •
Particulars of American Person(s):  Details of Affected Asset (if amy)  Sensi No  Name(s)  Employee iD(s)  Designation  Permanent  Contractual  Type of  Employment  Visitor  Other  Age  (Note: For further details additional page may be used)  Incident Type:  Fire		-	Outside	SSGC Premise	. D	
Particulars of Americal person(s):  Senal No  Z  Senal No  Z  Senal No  Designation  Designation  Type of Contractual Visitor  Other  Age  (Note: For further details additional page may be used)  Incident Type:.  Fire Explosion Vehicular Accident Asset Damage Work Related in Fire Incident Consequences:  Fatality SSGC Hospitalization Asset Damage First Aid Other  Incident Classification:  Major Minor Near Miss   Details of Affected Asset (# amy)  Affected Asset (# amy)		<b>(300</b>	•	_ Zonai HSE	Team Leader	-
Senal No   2   3	<del>-</del>	f America	erson(s):	I	Details of Affected	Asset (If any)
Employee ID(s)  Designation    Type of   Contractual   Contractur   Visitor	7		. 3	•		
Designation    Permanent   Contractual   Con	Name(s)		0/			:
Type of	Employee ID(	(E)			•	.
Type of	Designation					
Type of		Permanent		In		
Employment   Visitor   Visitor   Other   Incident Classification:   Major   Minor   Near Miss   Other   Othe		Contractual		1/2	1	
Age  [Note: For further details additional page may be used)  Incident Type:  Fire		Contractor		G	,	
Age  (Note: Par further details additional page may be used)  Incident Type:.  Fire Explosion Vehicular Accident Asset Damage Work Related in py  Theft Sabotage Natural Disaster Gas Leakage Other:.  Incident Consequences:  Fatality SSGC Hospitalization Asset Damage First Aid Other:.  Incident Classification:  Major Minor Near Miss		Visior			0.	
(Note: For further details additional page may be used)   Incident Type:.   Fire	, ,	Other				
Incident Type:.  Fire	Age					
Fire Explosion Vehicular Accident Asset Damage Work Related in 7  Theft Sabotage Natural Disaster Gas Leakage Other:  Incident Consequences:  Fatality SSGC Hospitalization Asset Damage First Aid Other  Incident Classification:  Major Minor Near Miss	(Note: For further	r details addition	al page may be used	<del>,</del>		
Theft Sabotage Natural Disaster Gas Leakage Other:  Incident Consequences:  Fatality SSGC Hospitalization Asset Damage First Aid Other  Incident Classification:  Major Minor Near Miss			· ·			<b>)</b>
Incident Consequences:  Fatality SSGC Hospitalization Asset Damage First Aid Cther Other Incident Classification:  Major Minor Near Miss			• •			[n] P . [
Fatality SSGC Hospitalization Asset Damage First Aid Cther		· · · · · ·	•	Gas Leakag	ge Other.	<del></del>
Incident Classification:  Major Minor Near Miss					•	
Incident Classification:  Major Minor Near Miss	Fatality SSGI Other	다 Hosp		set Damage	First Aid Cther_	
	incident Cla	essification			·	•
Incident Detail:	Major 🔲	Minor 🗌	Near Miss	]		•
	Incident De	tail:			•	
		•				

M



### IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

incident Notification Form Ref. No.	incident Detail (Srief)
Incident Date	
Investigated by	
AC, GROUND INFORMATION:	
ROOT CAUSE AND ST	
8/	
CONCLUSION:	
1	Suppose cash of addition
	<b>\D</b> .
RECOMMENDATION OF CORRE	CTIVE AND REVENTIVE ACTIONS
Recommended Actions	ctic by (whom) Action till (date)
1.	
2.	<b>V</b>
3.	
4.	
•	
is risk assessment required for the corrective actions? If recommended actions:	yes, please mention the serial numbers for the
Incharge	HSE&QA

#### NOTE:

- Transmission/Distribution department must submit the quantity of gas loss in case of any gas leakage or sabotage.

× 02

SSGC HSE&QA Department

### **IMS FORM**

SSGC-IMS/IAM-F-03


**Near Miss Notification** 

Revision 00

Issue Date: Aug, 2019

Catego 7 Type:	Unsafe Act Unsafe Condition
Name:	THE CONTRACTOR OF THE PARTY OF
Executive / Employ No.:	
Designation:	[1] A CONTROL OF THE
Department	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Location / Area:	A CONTRACT OF THE PARTY OF THE
Near Miss Detail:	<b>%</b>
Date:	· · · · · · · · · · · · · · · · · · ·
Time:	
Location:	经营业 医神经性性 医神经性性 医神经性 医神经性 医神经性 医神经性 医神经性 医神
	☐ Leakinger ☐ Equipment ☐ Chemical
	Falling Hazzard Sticlogical
Hear Mas Related To:	Fire Transport
•	□ Physical □ Other □ Physical □ Physical □ Physical □ Other □ Physical
Brief description of what	
you saw! (max. 100 words):	
محمد المحمد	Choose File No file chosen

M



- HandBook | February 2022

#### PURPOSE


The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

t their by

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- Define chanism and frequency to test plan so as to ensure es and effectiveness of emergency response system.



#### SCOPE 2.

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency site. The to variations in nature of operations, various departments/sections have developed their own ER Plans extering for their strategic, operational and physical requirements. The same includes HSE emergencies analysis in company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations major environmental damage, external terror or bomb threats, public unrest, war and etc.

#### DEFINITIONS.

- Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines attrainstallations and other assets.


  Rescue: It refers to responsive operations that smally involve the saving of life or prevention of injury during an incident or dangerous situation.
- Emergency Response Organization (ERO): It is group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any errespency incident, such as a natural disaster or an interruption of business operations.
- Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency situations. All emergencies are to be reported here.
- First Aid: It is the provision of initial care for an illness or injury. It is all ly performed by non-expert, but trained personnel to a sick or injured person until definitive medical freary. Acan be accessed.

  Assembly Areas: If an evacuation to the outside is appropriate, the no hinated assembly areas for
- f. personnel shall be far enough away from the building, structure or workpace to ensure that, where practicable, everyone is protected from falling glass and other objects.
- Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

#### RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- Immediately assess the situation and initiate the remedial actions. b.
- Call the fire brigade & other emergency services like ambulances if required. C.
- Ask/inform all personnel present within premises, using megaphone or any other means, for complete d. evacuation if situation goes out of control.
- Inform all to go back to their work places using megaphone or any other suitable means when the situation e. comes under control and the area is free from any hazard.



- HandBook | February 2022 💃

#### 5. PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are listed below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

#### 6. Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the same need to be limited to these areas:

- Fire & Explosion
- Heavy Spi lags of Toxic/flammable chemicals or leakage of gas
- Heavy rain/ noog
- Earth quake
- Bomb threat
- Building & office lockd wn/ helter in place
- Active shooter/hostage

#### 6.1. Fire & Explosion

In case of fire & explosion each personne present within the premises must act as per but not limited to the following in tirultions:

- a. Give voice alarm FIRE! In case of fire for air in the liate employees in the area.
- b. Push the nearest located call point button in the of fire (if present):
- c. Immediately inform Emergency Response Organization through phone or in person.
- d. Try to control the fire by using fire extinguishers. Use file extinguisher wonly if you have been trained.
- e. Remove all explosive, inflammable and poisonous matters way to the maximum possibility.
- Shut off main valves of gas and circuit breakers.
- g. Stay away from the fire in case it is not controllable...
- Report to the designated Assembly Point away from the scene of hir application if asked by Emergency Response Organization through emergency exits and wait for the further instructions.

### 6.2. Heavy spillage of toxic/flammable chemicals or leakage of tax

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each sersonnel present within the premises must act as per but not limited to following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Eliminate all ignition sources (sparks/flames/heat) from the immediate areas.
- c. Turn off gas supply from nearest control valve. . .
- d. In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be taken to ventilate the gas: Ensure the availability of fire extinguishers.
- e. Stop leaks if this can be done without having any risk.
- f.. Do not touch or walk through spilled material.
- g. Prevent entry into waterways, sewers or confined space.
- If available wear the Personal Protective Equipment recommended.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions

FUEL FIRE TRIANGLE

Integrated Management System

noutrement Dapt.

### 6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but Try to stop water by keeping sand bags.

- b. Protect building, machines, equipment, tools, parts & material. C.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. a.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc.
- . C. restity of tarpaulin and rain suit is available to meet the rainy condition. Keep the rainline open all the time. . d.
- All pumps used a draining out the rainy water are in running condition. e. f.
- Sufficient quantity of and bags is available to stop entering the water inside, which may be placed in advance if required

Class	3	CLASSES OF FIR	
	Material	Examples	Type of Fire Extinguisher to
· A .	Solids	Paper, wrud rastic, etc.	used
В:	.Flammable Liquids		• Water
· O ·		Paraffin, petrol, all etc.	CO2     Dry Powder
. 4 * 10 .	Flammable Gases	Propane, butane, me have, etc.	Dry powder
D.	Metals	Aluminum, magnesium, tip u	Sodium chloride based do:
E	Electrical Apparatus	Short-circuiting, over loaded	powder fire extinguisher
		electrical cables, etc.	Fire Extinguisher ,

### 6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the

- Immediately inform Emergency Response Organization through phone or in person. b.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen. C.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) d.
- Maintain your senses, do not let them disperse. e.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires. f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. g.
- Wait for further instructions from Emergency Response Organization.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- The Bomb Disposal Department shall be allowed to operate in the company premises as deemed
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by f. Emergency Response Organization.

#### 6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately inform Emergency Response Organization through phone or in person. a.
- b. Maintain your senses, do not let them disperse.
- Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- Bomb Disposal Department shall be called by Emergency Response Organization. d.
- Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergence Response Organization.

### 6.6. Building or office Lockdown/shelter-in-place

If a situation calls for building reffice lockdown, the personnel present within premises should act as per lut not limited to following instructions:

- Remain calm and stay with colleagues.
- Try to stay in pairs.
- Do not leave the room and/or built under a lockdown situation until asked otherwise.
- Keep quiet and away from doors and
- If a gunshot is heard, lay down on the shield under/behind furniture as much as possible.

#### lake care:

Don't try to be a hero in. emergency situations: do not place your own life or health or that of others in danger

Ber prepared for unexpected

### 6.7. Active Shooter/Hostage Situation


In case of shooter/hostage situation each personnel present within the premises must act as per but not limited to the following instructions:

- a... If it is safe to do so, exit the building; if not, lock or barricad elf inside a room
- b. Turn off lights, cover and lock the windows, and lay on the floor
- If the shooter(s) leave the area, go to a safer place, if possible. He recape route/plan in mind, keep your hands open and visible, and follow any instructions given by law emo beg
- et voice, and provide as much d. Call the Police/Rangers when it is safe to do so. Remain calm, use information as possible (your name and location, details about the shooter s) - appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen at 1940 pinpoint the location.
- Cooperate and negotiate with the shooter, in order to buy as much time as place until the rescue team reaches.

#### **EMERGENCY NUMBERS**

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken.

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.



#### **EVACUATION**

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. b.
- Leave the building/premises immediately, do not try to investigate the source of the emergency.
- Walk, don't run, to the nearest exit. C.
- Use stairs, not elevators. d.
- Assist people with special needs. **e**.
- As you make your way out, encourage those you encounter to exit as well

### TO BE EVACUATED

In case of em evacuation should be carried in the following order: 9.1. Personnel

Those personnel who not have sound health such as patients of Heart, Asthma and physically/mentally. disabled people are to be variated on priority basis. 9.2. Raw Material

Raw material which is explain e, inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to carronust also be removed. 9.3. Documents

Important records and files must also be

#### 9.4. Equipment


Cash Lockers, Computer Sets, External Hart do Expensive Tools and Fixtures must also be removed.

### 10. TESTING AND EXERCISES

Testing and exercise of the emergency response pia should be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible to frequency and type of drill at each location should be as below: periodically conduct the exercise. The

Location	Type of Emergency Drill O	1
<ul> <li>a. Head Office</li> <li>b. Regional Offices</li> <li>c. Billing Offices</li> <li>d. P&amp;C Offices</li> <li>e. Store (all locations)</li> </ul>	Evacuation and Mock Emergency Drill (all employees)	Frequency Six Monthly
f. KT (Transmission) g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Response Team	Six Monthly



Meter Manufacturing	Evacuation and Emergency Mock Drill (all 'employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Hondaunrter Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Headquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

#### 11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSE/ earn leaders ensure that emergency detection and response equipment are identified, available and proper a maintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of El. En inment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC-tmc/El.R-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge HSE&QA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular

location/operation/equipm int/in stallation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher.
- b. Fire hydrant/hose/bucke. Water pump.
- c. Smoke/gas detectors.
- d. Communication equipment (Ne a mones, Alarm systems, walkie-talkie etc.)
- e. First aid box. 🦠 .
- f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of hy-charge HSE&QA or Zonal HSE team leader.

· 2.	Location		Frequency
a.	Head Quarter Stations	77	
b.	Meter Manufacturing Plant		Monthly
C.	K.T (Transmission)		
a.·	Head Office		0
b.	Regional Offices		
c.	Billing Offices		Communication
d.	P&C Offices . *		Quarterly
e.	Store (alf locations)		
f.	Distribution (Zonal and Sub-zonal offices)		

#### 12. DOCUMENTED INFORMATION:

Record No	Record Name Maintained		Retention Period
SSGC-IMS/ERP-F-01	Emergency Drill Form	HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

. .

\$1 Procurement





### IMS FORM

### SSGC-IMS/ERP-F-01

### Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

Zone		Region				_ · · · · ·
Type	Of Emergency Dril	Kegion	•	Location .	Date	•
□ Fire	and volcaine in					
□ Po=	e and Explosion   H  The eat 5 Other:	eavy spillage of to	oxic/flammable	chemicals II He	 محمد (Asylone) BVV	. Faut
u.boi	other:				And Sep leavage.	Lannquake -
<del></del>			Observa	tione		
S.No	Desc	ription:	Time			
1	Emergency Sirer	ng at ·		<del> </del> -	Comments	
2	Evacuation started					·
3	Last person reach	d.at he assemble	y	<del> </del>		,
	POILIC		·	ļ. <i>"</i>	; ·	
4	Firefighting/Bomb	disposal squad/ot	her	1:		
5	interested party rea Emergency under	cned at sit				
	time of Drill (minute	control at			<u> </u>	
dditi	onal Observations	// 2m/):				
		(iii aliy);				
	•		U),			
		•				
			- U			
.No		and the second s		Well and the south the control of th	and and	
1.	Emergency reserve	ion was	Assessme	<b>V</b>	The state of the s	Yes. No
2 .	Emergency respond Employee were pro	cos were present	at the site	10,		Yes No
	Behavior of emalar	petry instructed				<del></del>
4	Behavior of employe	es was satisfacto	ory		5	<del></del>
5	Evacuation route was	s sausractory		-	A	
6	SSGC firefighters w	ere well trained			<b>/</b>	<del></del>
	Firefighting equipme	nt were up to the	mark		<del></del>	
<u> </u>	response of the me	dical staff was sa	tisfactory		- <b>V</b> A-	
erall	Assessment:			Co41	UA	
No	Correct	hra Anthone II	and his beginning and an artist and artists	SIBC	factory [] Ohs	atisfactory
	9011800	ive Actions/Impr	ovements Red	uired	Responsibili	The state of the s
<del></del>					- Policidit	ty Target Date
201 . 101 4	MUNICIPAL AUGUST AND	·			•	
	Security Service	s Ponmontal	The second second second second	The bar of the second state of the second state of	to white our	
	Name .			HSE	&QA Representa	tiva
	radille .	· Signatu	re	Name		
					Sig	gnature
	1					
	į		1			

HandBook | February 2022



### IMS FORM

SSGC-IMS/ERP-F-02

# Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

	· · · ·	<u>4 </u>						-			
.Zon		Region			Location	<del>.</del>	<u>.                                    </u>	· <u>·</u>			
Тур	e Of Equipment		,						Date		
D Fi	Fire Extinguisher   Fire HydrantWater Pump/Buckete/Hose   Section										
U A	☐ Fire Extinguisher ☐ Fire Hydrant/Water Pump/Buckets/Hose ☐ Smoke/Gas Detector ☐ Emergency light ☐ Ambulance ☐ First Aid Box ☐ Communication Equipment ☐ Other:										
	CUEDAL COLOR										
	What to about										
Fire	Ext vallaber			<del></del>		Yes	No		Comi	nents	
01	Pire extincular expire	iers are	n operable cond	dition and no	<u> </u>	_					
02	Pipe and	ie do noi	have produc		·				•		
03	Lever and leve		in place and loc								<del></del>
04	I All Extincitishe	rs andri	saly visible and	cked.							
Fire I	Hydrant/Hose/B	ucke	y visible and	accessible.							<del></del>
01	No leakage in	fire hydra		· · · · · · · · · · · · · · · · · · ·	<del></del>						<del></del>
02	Hydrant valves	are non	Mario Indon								
a: 0,3 ° .	Hose pipe is ro attached at the	IIAA Sna	properly of ca	Nozzles are	nal.		. 184	e gelen i j	ti i ka	'T <sub>', *</sub>	
04			ned and adet		i i						
First /	Ald Box					ı			•		
01	All necessary/n	equired n	redicines are a				L				
					Aid	I					
02	Medicines are	ot expire	d and valid for	USE, Neverted		<del></del>		<del>,                                     </del>			
O1	C. Cas Delector	40.76.4.7			<b>-(3</b> '	-					
	Alarms and Sm	oke/gas	detectors are pr	operly function	oning.	7	<u> </u>		<del></del>		
01	Equipment (if a	ny)			-		-				
02	••										<i>i.</i> '
		•					•	9-	·		
S.No	•	0	bservations	<u> </u>				50			
1	•					<u> </u>		Recomp	datio	19	
2									くり		. 1
-	·		<u>'</u>			٠					
. 3	,	•	7								
Addition	nal Comments (I	any):									
•	•	•		•							
	Security Servi	ces Rep	resentative			110-					
Nam	e & Designation	T	Signature	<del></del>		HSE	EQA F	Represe	ntative		
			Ciditatrii 9		Name & D	esign	ation		Sign	eture	
	•			.	•						
		- 1					•				
											}
	•										



#### 1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and

#### SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

#### 3. DEFINITIONS

- Contractor: Is an independent employer/organization who will be responsible to execute jobs
- is an independent employer/organization that is responsible to provide goods or b. Contract \
- ord stor: Is an executive of SSGC procurement department, who has been delegated/give responsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environmental Quality Standards.
- SEPA: Sindh Environm Potection Agency.

### 4. RESPONSIBILITIES

#### 4.1 Suppliers/Contractors and St **M**tractors

- The contractor must take all necessary tety precautions related to the performance of the contract in order to protect the work site including all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety as well-being of their employees.

  c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required Suppliers/Contractors to have their own HSE&OA management have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequately trained to perform the task assigned.

  e. Supplier/Contractor shall ensure compliance with SSGC policies, in cedures and applicable legal s, recedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for e

### 4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

### 4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract

- HandBook | February 2022



#### 5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-iMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the regainement of this procedure.
- Supplier shall adhere to technical specifications provided by SSGC to ensure quality of goods
- or hall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's bleed department to seek guidance and awareness on risk/hazards related to
- h. The contract is liable to introls.

  h. The contract is liable to introls and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please eight o risk assessment and management procedure (SSGC-IMS/CRM-02).
- The contractors are responsible to dispose of any waste generated during their activities in any environmentally safe & responsible manner.
- The contractors must ensure that or rained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety :
- concerns, and should be in accordance with SS etcs safety procedures and NEQS and SEPA set standards.

  I. Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contract coordinator and HSE&QA department in writing.

  The contractors must ensure that the workforce by dived must be physically fit and should not carry
- any contagious disease. SSGC reserves the right 1 2 k for medical examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests. For contracts related to providing food services/canteen entry medical reports from accredited labs must be submitted to head of administration services described for entire crew once the
- contract is awarded and annually for following diseases hepatic 9 c, tuberculosis, and chest X-ray.
- o. In case of violations from SSGC safety standards/policies/procede Cions will be taken to penalize the contractor depending on the severity/recurrence of breaches following matrix:

S. No.	Violation	Action Action
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract



#### 6. ACCESS

- Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person un sign-in and at the beginning of each day all contractors must receive a new badge from
- e. Contractor implices must stay in their assigned area(s) at the job site and not visit other areas or make any adjustments to any piece of equipment or device unless authorized to the property of the prop astruents to any piece of equipment or device unless authorized to do so by an authorized SSG representative. Failure to abide by this work rule will result in immediate dismissal
- Each zone maintains secure work areas with limited access at all times. No one is permitted to override any security device?

  Tonvenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the
- g. Anywork not performed during notes by the SSGC
- All contractor employees will go through connector safety/induction training upon initial work at SSGC. and annually thereafter. A copy of authorized (current) personnel for contractors will be updated and . kept at guard shack.

### 6.1 Tools and Property

- For any situation in which the Contractors activity may endange of duct quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments mayings or dirt in exposed product of manufacturing equipment areas, approval must be made through the Sac representative and conditionally approved by the ZTL or representative before work is to commence. The established by the Zonal Team Leader or representative to protect the equip tractor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for any attacks is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the Sac Pay telephones are not available.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

Procuremant

HandBook | February 2022



- h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

### 6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite:

- All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.
- b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination , dulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).
- c. Appropriate PPI put be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to their workforce.
- d. Proper dothing must be from at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- e. Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skin
- abrasions will not be permitted a work in any area that could result in contamination of SSGC personnel.

  f. The use of tobacco in any form is provided at all times except in the designated Smoking areas.

  g. Chewing gum, candy, storing lunch s, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. They will be a designated area for contractors to eat. (Cafeteria)
- the SSGC premises and storage areas. There will be a designated area for contractors to eat. (Cafeteria)

  h. In the event that there are open tanks, or exposed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate in possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hammenn, hipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chip or other debris may be generated.)
  - ding or storing parts, lubricants, solvents or The use of containers, boxes, cans, jugs etc., construction material is strictly prohibited.
  - The contractor is responsible to notify the SSGC representative immediately if foreign material used or generated by the contractor's activity, was accidentally spill into the zone area/ SSGC premises.
  - k. Contractor will follow 'Spill Response Procedure' of SSGC in case, spill occurred.

#### 7. CONTRACTOR SAFETY REQUIREMENTS

### 7.1 General Safety Rules

- a. All applicable Occupational Safety and Environmental regulations must be followed:
- b. Contractors shall supply to their personnel and to the SSGC representative: contract SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to their on-site work.
  c. Contractors shall provide the SSGC representative with a current copy of their Safet Program including: b. Contractors shall supply to their personnel and to the SSGC representative:
- Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and associated training certificates.
- d. The Contractor shall supply all required first aid supplies and safety equipment to support his/ner personnel.
- Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be wom at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

- g. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- k. Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydranis or
- All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- compressed gas cylinders must be supported and secured standing upright according to Pakistan s. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks the empty or full. Acetylene cylinders, when in use must have a wrench in place.
- as wing e-overhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation priects, night lights shall be provided by the contractor.
- In the event an of gal vapor or other harmful volatile release is caused or discovered, the contractor and/or his employees sharper up at once to the nearest SSGC office and request for further actions immediately.
- his employees share at at once to the nearest SSGC office and request for further actions immediately.

  Vehicles in Zone are fer fired to adhere to the declared speed limit.

  Any contractor, contractor and yee or subcontractor violating Zone area safety or security rules shall be subject to immediate dismiss.


### 7.2 Accident Reporting.

- a. Accidents occurring in Zone jurisdiction inter-
- a. Accidents occurring in Zone jurisdiction must be reported immediately to the SSGC representative.
  b. In the event of a fire, medical or other elmint ercy, contractors are required to notify zone security or the SSGC representative immediately. When producing potification give all pertinent information, including your.

  All contractors are required to notify zone security or the SSGC, location, and emergency situation involved.
- c. All contractor injuries requiring medical assistance beyond asic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor, ecident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the SSGC Department.
- d. All contractors and subcontractors must maintain their own OH ired document/record

### 7.3 Confined Space Entry

- a. The SSGC representative will notify the Contractor prior to being hired confined spaces. The form included in documents will be used to make this had allow. if no work will involve entry into
- b. All Contractors who conduct confined space entries must adhere to the SGC confined space entry
- c. At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in immediate dismissal
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA



#### 7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and denicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safely operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upon regrest
- f. In the e of that overhead work must occur in locations within the Zone where high voltage, overhead power lines are cated, all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event annot be maintained, the power lines are to be de-energized and locked out prior to proper de performing work in the event the lines must be de-energized, prior approval must be given by the SSGC representative. .

#### 7.5 Hazardous Energy Co. ral (Lockout) Procedures

- All contractors, contractor en loyees and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, but as or employee or subcontractor servicing or entering a piece of machinery where the danger of injury exists from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or contract employee must disconnect the source of energy and
- lock/tag out this equipment before beginning work.

  In the event that SSGC employees or other unknown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize any equipment. Likewise, the contractors are not to LO/TOequipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represed enor remove LO/TO: without communicating to all affected associates.
- d. Contractors are required to supply their own lockout locks, tags
- d. Contractors are required to supply their own lockout locks, tags and hasps.
  e. In the event that a contractor or subcontractor has de-energized and locked out a piece of equipment; the equipment specific lockout procedure must be adhered to A contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedures from the SSGC representative.
- The lockout tag used by the contractor must have the contractor's phone of Reber and a person name, SSGC to be contacted concerning the lockout.

#### 7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited. . .
- Misuse of SSGC material, equipment or products is prohibited.
- The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- e. All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



### 7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to i.
- Provide the SSGC representative with a listing of all hazardous chemicals.
- Properly label all containers, adhering to SSGC labeling requirements. ii. iii.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals. b.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, contractor employees, or subcontractors will come in contact with during the work on Zone property. C.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed
- en the use or storage of explosives or other hazardous materials or equipment is necessary for the Otton of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the vising of property qualified personnel and in conformance with all applicable Zone Requirements and
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and e. informing their imployees of all hazardous substances in use at the job site and of the appropriate safety

### Emergency Procedures

- In the event of a fire, medical or the remergency, Contractors are required to notify zone security or the SSGC representative immediately. To the security personnel the location of the fire and any other pertinent information. In the event that Zone se curity or SSGC representative cannot be reached, evacuate the area
- and call area/city emergency department a recon as possible.

  All contractors, contractor employees and supportractors are required to follow the predetermined exit routes and emergency evacuation procedures poster at the facility.
- All contractors, contractor employees and suited are or are required to exit the work area/building in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the propose staging area located at guard strack.

### Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of any proa. that is to be used indoors. ne or gasoline powered equipment b.
- SSGC Management discourages the use of internal combustion engine ind no reasonable alternative means are available to complete the job. and will only permit it when

### 7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have

integrated Management System

ocurement i

#### 7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- b. The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the necessary precautions have been taken.
- c. The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC representative will issue a new permit.
- d. The contractor employee designated as the "fire watch" shall sign the permit after the final check has been made and return the signed permit to the SSGC representative.

#### 7.12 Ladders and Scaffolding

- a. All ladder belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet and must so C Work at Height Requirements.
- b. All ladders used in Zone property must be property secured.
- c. All scaffolding rust be equipped with railings and toe boards.
- d: All "swinging" type alfolds must be inspected by the contractor and repaired if necessary before use.
- e. All overhead work from a syklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

### 8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors companies all applicable environmental rules & regulations.

#### 8.1 Non-Hazardous Waste

- a. Construction refuse and debris will not be allowed to accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in the populated from materials they brought to the job.
   b. Contractors shall take ownership of all waste an expense generated from materials they brought to the job.
- b. Contractors shall take ownership of all waste and debris generated from materials they brought to the job site or from demolition activities, and shall dispose of turb waste and debris in accordance with all applicable laws and regulations.
- c. Reference to SSGC, The SSGC Company or any of its trade-marks shall not be used in any documentation associated with the disposal of such waste and debris.
- d. Contractors shall coordinate with the Zone, whenever practical, to see egate debris or waste which may be recycled or re-used in a safe and environmentally responsible man er
- e. Worksites may be periodically inspected by the SSGC representative to ensure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such time as the worksite and property have had a final inspection and removal of all containers, debris, wastes and miterials has been confirmed, by the SSGC representative and documentation has been printed that all hazardos wastes have been properly disposed.
- f. For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

#### 8.2 Hazardous Materials

- a. Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
  - Provide the SSGC representative with a listing of all hazardous chemicals.
  - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
  - iii. Properly label all containers, adhering to SSGC labeling requirements.



- HandBook | February 2022



- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- Cartor shall assure that all employees dealing with hazardous materials and hazardous wastes have had all eggly required training and are familiar with the hazards presented by such wastes or materials.


### Spill Response Procedures

- a. Each contractor is required to have a written emergency response plan to handle spills and releases which elivery, or use of hazardous materials at the SSGC work site. The contractor
- may occur during transport relivery, or use of flazardous financials at the second flazardous must provide a copy of its energiacy response plan to the SSGC representative prior to beginning work. Fraction contractor must provide an or equipped with appropriate spill response equipment. All contractors, in the energial response of a hazardous material. release must have been trained and have the appropriate spills response certification and meet response who engage in the emergency response of a hazardous material
- Contractor must provide documentation to write that it has contracted with at least one reputable outside spill response contractor, that is reasonably agreeable to SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of hazar outsmaterials.

  The contractor shall be responsible for appropriate contractor. The contractor shall be responsible for appropriate &
- d. The contractor shall be responsible for appropriate creations spills caused by user activities. Such spill, such as: building materials, soil, e.
- In the event that a spill or release of contractor's material occur not respond to the release to the satisfaction of SSGC, SSGC shall tale the right to take any reasonably necessary steps to respond to or remediate such spill or release. The Computer shall reimburse SSGC for f.
- Spills and releases of hazardous materials must be reported immediately by representative. g.
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

### 8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.





#### 9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized presentative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and undated the visitor agreement and will abide by the document while visiting the SSGC facility as required.


#### 10. CONTRACTOR ACCEPTINGE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by me terms listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who librate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, comply with these rules.

Compliance with the SSGC Contractor Work Rules days not in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local safety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicables contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with an applicable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services in SCC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold harmless SSGC against any and all liability, including defense cost and attorneys' fees, anising from or relating to breath other above warranty and/or any violation of applicable laws, regulations and/or rules.








Company	
Date	
SSGC (Print)	
Signature	•
Title	·
SSGC Representative	
cc: Project Manager File Zone Hard Manager Contract	

### 11. DOCUMENTED OP ORMATION

		•	
Record No.	Record SSGC	Maintained by	Retention
SSGC-IMS/GSC-F-01	HSESO Awareness Form	HSE&QA	Period 3 Years
200		Department	. o rears

NR

Olica Caracteristics of the Caracteristics o







### **IMS Form**

SSGC-IMS/GSC-F-01

## HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

Contact name    Contact number	· .					
Type of Category	Organization	•	C	ontact name		
Mechanical Not   Electrical Work   Civil Work   Waste Disposal   Canteen   Transport   Manpower Contractor   Pipeline Instruction   Third party inspection   Goods Supplier   Other:    Area of Working:   Contract Coordinator:   HSE&QA Awareness	Name	•	C	ontact number		
Bescription  ISO & OHSAS Standards  HSE&QA Awareness  Description  ISO & OHSAS Standards  HSE&QA Policy  PPE Policy  Risk Assessment and Management Procedure  Incident and Accident Management Procedure  Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA  Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-I shall make	Mechanical Mod	□ Electrical Work □ the Instruction □ Th	Civii Work □ Was aird party inspection	te Disposal 🏻 Cante n 🗀 Goods Supplier	een □ Transport □ □ Other:	Manpower
Boscription  ISO & OHSAS Standards  HSE&QA Policy  PPE Policy  Risk Assessment and Management Procedure  Incident and Accident Management Procedure  Emergency Response Procedure  Technical Specifications/Performance and Testing  Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA  Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	Area of Working:				•	
ISO & OHSAS Standards  HSE&QA Policy  PPE Policy  Risk Assessment and Management Procedure  Incident and Accident Management Procedure  Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises, Ishall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,  Remarks  HSE&QA Repusaçuative  I have met the Supplier's/contractor's representative a provided basic information of HSE&QA Policies a lintegrated Management System. The Contractor hISE&QA Policies/procedures/technical specificatio/and related requirements to ensure quality, safety a integrity of the goods/services provided.	Contract Coordina	itor:				
HSE&QA Policy PPE Policy Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks:    Supplier/Contractor Representative   HSE&QA Repulse Sections		7	HSE&QA AV	/areness	•	
HSE&QA Policy  Risk Assessment and Management Procedure  Incident and Accident Management Procedure  Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. Ishall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	,,	Description	Para ten juan ya	atan Law triba nti i ya Europe sepijint kati	"Remarks."	•
Risk Assessment and Management Procedure  Incident and Accident Management Procedure  Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.  HSE&QA Repulsations/  HSE&QA Repulsations/  HSE&QA Policies/procedures/technical specification/  And related requirements to ensure quality, safety a integrity of the goods/services provided.	ISO & OHSAS Star	ndards				
Risk Assessment and Management Procedure  Incident and Accident Management Procedure  Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.  Remarks:  HSE&QA Remarks:  I have met the Supplier's/contractor's representative a provided basic information of HSE&QA Policies a lintegrated Management System. The Contractor hashown its commitment in adherence to Company HSE&QA Policies/procedures/technical specification/and related requirements to ensure quality, safety a integrity of the goods/services provided.	HSE&QA Policy			•		
Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	PPE Policy	· ·				
Technical Specifications/Performance and Testing Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.  HSE&QA Representative  HSE&QA Representative  I have met the Supplier's/contractor's representative a provided basic information of HSE&QA Policies a integrated Management System. The Contractor hashown its commitment in adherence to Company HSE&QA Policies/procedures/technical specification/and related requirements to ensure quality, safety a integrity of the goods/services provided.	Risk Assessment a	ind Management Pro	cedure			ur.
Emergency Response Procedure  Technical Specifications/Performance and Testing Criteria  Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,  HSE&QA Representative  HSE&QA Representative  I have met the Supplier's/contractor's representative as provided basic information of HSE&QA Policies as integrated Management System. The Contractor has shown its commitment in adherence to Company HSE&QA Policies/procedures/technical specification/ // And related requirements to ensure quality, safety as integrity of the goods/services provided.	Incident and Accid	ent Management Pro	cedure	<u>(, , , , , , , , , , , , , , , , , , , </u>		
Remarks:  Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.  HSE&QA Representative  I have met the Supplier's/contractor's representative a provided basic information of HSE&QA Policies a Integrated Management System. The Contractor hashown its commitment in adherence to Company HSE&QA Policies/procedures/technical specification/and related requirements to ensure quality, safety a integrity of the goods/services provided.	Emergency Respo	nse Procedure		<i>O</i> ,		٠.
Supplier/Contractor Representative  I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,  HSE&QA Representative  HAVE and the Supplier's/contractor's representative at provided basic information of HSE&QA Policies at Integrated Management System. The Contractor has shown its commitment in adherence to Company HSE&QA Policies/procedures/technical specification/and related requirements to ensure quality, safety at integrity of the goods/services provided.	Technical Specific Criteria	ations/Performance	and Testing			·
I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,  I have met the Supplier's/contractor's representative a provided basic information of HSE&QA Policies a Integrated Management System. The Contractor h shown its commitment in adherence to Company HSE&QA Policies/procedures/technical specification /and related requirements to ensure quality, safety a integrity of the goods/services provided.	Remarks:					
Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing.	Supplier	/Contractor Repres	entative	HSE	&QA Reput	ive
Name Signature Date Name Signature Date	Requirements and be applicable who within company poly is shall make sure Contractor comprequirements appreciate applications.	d understand that the ile supplying goods, remises or outside co all employees of our o panies understand a	requirements will works or services ompany premises. company and Suband agree to the	provided basic inf Integrated Manage shown its commit HSE&QA Policies /and related requir	ormation of HSE8 ement System. Th tment in adherend procedures/techni ements to ensure	QA Policies and e Contractor has be to Company's cal specifications quality, safety and
	Name	Signature	Date	Name	Signature	Date
	,					



HSE&QA Department

### PENALIZATION MECHANISM

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2022


for Service Confects Only


#### 1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

### 1.1 Penazation mechanism

Following fow chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and *Annexure-J-1* can be found below.







<b>A</b> )	·		SSGC-HSEQP-F-10
SSCC USE&QA	PENALIZATIO	NFORM	Revision 01
epartment)	for Service Contra	ts Only.	Issue Date: Sep. 200
م/4 Project		D-4-	
•		Date	<u> </u>
Section		Contractor	
User Dept.		Focal Person	
Nature of	Non-Compliance (As per Ann	exure .l.1)	
	compliance (As hel Will	exure J-T)	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
(	<b>)</b>		
	<b>~</b>		
	U <sub>A</sub>		
Mode of P	enalization 🔪 🛕		
		· · · · · · · · · · · · · · · · · · ·	
		•	
	0/00/		
		•	
		<b>V</b>	
		ia	
	Name	Sig	nature
<del></del>		- Ca	
		7	
<u> </u>	Recommend	ed by HSEQA	
	Name		mat P
	December de des U.S.		
	Recommended by User D	epartmental/Division	nal Head
			· · · · · · · · · · · · · · · · · · ·
Following S	ection is applicable ONLY in	case of Elmandial D	
	is applicable OIL! III		enanzauon 
	•		
.			
	DMD (Ops)	DMD (F	inance)
Copy to: Pro	curement/Finance/P&D Department,	Contractor	Sin Gus Lu
Note: Adequa	ate evidences MUST be furnished alo	ng with form by Initiator	Hemen!
/	۸	P	S blockeweur
. (	May Tonk	W, 67	
<u> </u>			C.C.C.

SSCIC HSE&QA Department

MR

# PENALIZATION MECHANISM Sexvice Contracts only ANNEXURE J-1

SSGC-HSEQP-F-1

Revision () (

Issue Date: Sep. 20

	Nature of Non- Compliance	Mode of Penalization
HSE		
1	PPE related	1st Time — Verbal Warning too site in charge 2nd Time — Written warning ' Explanation Letter 3rd Time — Removal of worker from duties
2	Insafe Act / Unsafe Condition	1st Time ——— Stop work 2nd Time ——— Stop work along with written warning letter
	Not report in any major incidents within the time frame specified in Tender documents /- HSE&QA Plan	Financial Penalization up to Rs. 200,000 for each accident
4 *	No proper tag out/lockent/ barrication / signage boards and systematic PPE non-compliance as advised by \$5.00 representative(s) at Site or installed in SSGC SOPs, work instructions or ToKs.	1st time — Warning Letter  2nd time — Stoppage of Work  3rd Time — Financial P
Quality	V-	3% (Max.Rs. 200,000 can be penalized)
Î	Deviation in actual manpower provided vs ne	is white
	nanpower (Organogram) submitted in tender	Sost of unavailable staff on the
6 01	Non-Compliance related to Quality Parameters utlined in Top. BOO articles.	ost of unavailable staff, as listed in ROCI
6 01	documents  Non-Compliance related to Quality Parameters utlined in ToR, BOQ, applicable international tandards & Codes and SSGC's SOPs.	ost of unavailable staff, as listed in 1300.
6 on Si	documents  Non-Compliance related to Quality Parameters utlined in ToR, BOQ, applicable international tandards & Codes and SSGC's SOPs.  Ing  on Submission of time bound reports (as entioned in Tender documents / Construction an	ostrof unavailable staff, as listed in 1300.  on the related documents  Up to 2% of the invoice amount of the billing period  Financial penalization and core
6 on Si	documents  Non-Compliance related to Quality Parameters utlined in ToR, BOQ, applicable international tandards & Codes and SSGC's SOPs.  Ing  on Submission of time bound reports (as entioned in Tender documents / Construction an navailability of documents such as drawings, OP manuals, inspection reports and other chnical data at site office.	Cost of unavailable staff, as listed in 1300.  Out to 200 come invoice and the control of the
6 on Si Plu Un SC Pro inv	documents  Non-Compliance related to Quality Parameters utlined in ToR, BOQ, applicable international tandards & Codes and SSGC's SOPs.  Ing  on Submission of time bound reports (as entioned in Tender documents / Construction an navailability of documents such as drawings, OP manuals, inspection reports.	Cost of unavailable staff, as listed in 1300 count of the related documents  Up to 2% or me invoice amount of the billing period  Financial penalization up to 2% of the invoice amount of the billing period

The Home Things



ENALIZATION MECHANISM existe Corneals Only.

Revision 01

SSSC-HSEGP-F-10

ANNEXURE J-1

Issue Date: Sep. 200:

Fithics & Conduct

MARKER E

MSE&QA Department

12

Non-cooperation with SSGE team by any staff of Contractor. Non-cooperation includes nonsharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSGC's representative(s). Repeated (03) absence/Unavailability of site

staff during surprise visits of

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head.

Financial penalization (One day salary deduction of entire site staff of audited site)

1. Note:

Penalization an own will not exceed the 5% of the total contract-value:

If Three (03) non-standance (on any one issue or combination of issues) are issued to any contractor, Management will decide to impose additional penalization (e.g. forfeiting of Performance Bank Commune / retention money), termination of contract or temporary

and penalization are outlined in tender documents/

