METALIC BLAST CLEANING ABRASIVES

(UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE)
AS PER PPRA RULES 2004

TENDER ENQUIRY NO: SSGC/LP/PT/2055226

Bit sing date & time: 17-03-2025 at 1200 hrs Bid Speking date & time: 17-03-2025 at 1230 hrs

Supplier in the be active in FBR Active Tax Payer List (ATL)
Sealed quotation of above referred requirement to be submitted in PKR

Venue:
Tender Room, M Building, Ground Floor
SSGC Head office Complex Karachi -75300
Ph. +92-21-99021024,+92-21-99021173,+92-21-99021116.

Earnest Money (Fixed Bid Bad): PKR. 180,000/-

"Note: Tender document is also available online on SSGC website for view only. Bidder is eligible to participate in bidding process only after purchasing the tender documents from Lender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It's mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."



Sui Southern Gas Company Limited

Procurement Department
ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan
Phone: +92-21-99021223,

Fax: +92-21-99231583 www.ssgc.com.pk/ssgc

Schedule of Requirement & Bid Form

			FA 12 50	Iding Date	20-FEB-25	12:01
RFQ_Number	SSGC/LP/PT/205	5226	1	The state of the s	17-MAR-25	
Document_Number	2055226		Close Bio	lding Date 💥 .	17-MAK-25	12.00
5# Item_Code Item Descriptio	ń	Unit	Quantity 5	Make / Brand	Unit Price Inclusive of all discount (if any) & Exclusive of GST :	PKR
1 2 1 18013203 CATHODIC PROTEC METALIC BLAST CLI PER SPECS)	3 TION MATERIAL EANING ABRASIVES (AS	Ton	200			
elivery Schedule: Delivery period 30	to 45 days after confirmat	ion of PO				
	0,000					
NOTE: 1. The quoted unit price and General Sales Tax. (GST). Sale reimbursed to manufacturer and price are essentially required to queries / complaints regulated to the price of the pric	es ax fill be applied disparted only subjected to quice on bid for arding subject hander rder will be acced on alternate bids, a sepapearing in price seried unt of bid security is a end the BOQ or Price of the bid amount as ments of clause 9 will report to 120 days from the	te Bid Bond te Bid Bond by BOQ oth chedia chedia in animate chedia entions in main une at te date of	tion of paid ir oted on other il be addresse st Technically for each bid is erwise bid wi ry for all the l Description, Q the clause 9 of paids	nvoice. then bid form wid to GM(P) / DGN / Commercially s required. All the ill be liable for rej bids valuing RS.5 uantity, UOM etc f General Terms & and bid bond sha	Il not be entertained M(P) in writing Compliant bidder (bidders are advised ection. 00,000/- of less.) will render the bi Conditions, to be to	s), unless specified to furnish d as conditional bio

Delivery Location: Khadeji Stores.





CORROSION CONTROL DEPARTMENT

METALLIC BLASE CLEANING
ABRASIVES
TCHNICAL SPECIFIC TIONS



Sui Southern Gas Company Limited Corrosion Control Department

TECHNICAL SPECIFICATIONS. METALEROBLAST CLEANING ABRASIVES.

REVISION: 00

DATE: 15-02-2023

CONTENTS

~	opc		
Re	ference Standard		3
Cla	assification	3	}
2.1	Abrasive Type	3	į
2.2	Particle Size Range	3	
Pa	K of Identification an	d Lat Transhit	
Pro	per y Pequirement	Lot 11aceability4	
Doc	cumentation	4	
Sale	og Two els D	4	
	O _A	4	
	7		
	•	O/_	
		~ .	
		NTHERA	
	2.1 2.2 Pac Pro	Classification	2.2 Particle Size Range





Sui Southern Gas Company Limited Corrosion Control Department

TECHNICAL SPECIFICATIONS METATLIS BLASTICATIONS ABRASIVES

REVISION: 00

DATE: 15-02-2023

1. Scope

This document describes a classification of metallic blast-cleaning abrasives for the preparation of steel substrates before application of coatings

2. Reference Standard

AB 2 ASTM C 128

AVM C136

ASTMD 340

ASTM E11

ASTM E350

ASTM E384 ASTM E1019 Cleanliness of Recycled Ferrous Metallic Abrasive Test Method for Density and Relative Density (Specific Gravity) and Absorption of Fine Aggregate Test Method for Sieve Analysis of Fine and Coarse Aggregates

Test Method for Conductimetric Analysis of Watersoluble Ionic Contamination of Blasting Abrasives Specification for Wire-Cloth and Sieves for testing purposes

Test Method for Chemical Analysis of Carbon Steel ow-Alloy Steel, Silicon Electrical Steel, ingot iron and Wought Iron

Test N ethod for Micro indentation Hardness of Materials
Test N athod for Determination of Carbon, Sulfur,
Nitrogen and Oxygen in Steel and in Iron, Nickel and
Cobalt Anots

3. Classification

2.1 Abrasive Type

As per ISO 11124-1

	Туре		Abbreviation	Initial Particle Size	Comparator			
Metallic	Cast Iron	Chilled	M/CI	G	G			
(M) blast- cleaning abrasives	Cast Steel	High Carbon	M/HCS	S or G	S or G			
Shot – round	Symbol							
Grit – angula	S							
Cylindrical -	G							
	Cylindrical – sharp edges							

Laind Chesain
S. or engineer
Sulvey (1995)

Page 3 of 4



Sui Southern Gas Company Limited Corrosion Control Department

REVISION: 00	DATE: 15-02-2023
TECHNICAL SPECIFICA ***********************************	TIONS ABRASIVES TO THE STATE OF

2.2 Particle Size Range

Metallic blast-cleaning abrasives consist of mixtures of differently sized particles. These shall be classified into size ranges or grades. A 3-digit number shall be used to indicate each particular size range or grade. This number indicates the nominal particle size in millimeters x 100.

4. Package Identification and Lot Traceability

sypplies shall be clearly marked and identified using the appropriate designation as a chief in Clause 5 of ISO 11124-1. The unit of sale, i.e. commercial packaging unit, but a clearly labelled with the full product coding, including hardness range.

Sub-units, i.e tags, shall be marked with the particle shape and grade codes.

Inclusion of addition a parking to allow product traceability to a particular production period or lot is strongly recommended. Traceability references should be included at least at the pallet, drum and severe of package marking.

5. Property Requirement

Each type of the metallic blast-cleaning a brasive shall meet the requirements in corresponding part of ISO 11124.

And the water-soluble contamination of each bat at f abrasives shall be confirmed with testing method ASTM D4940, and the conduct into result shall be lower than 50µS/cm.

6. Documentation

Bidder shall submit the following documents along with the bid:

- Original printed technical literature that includes product datashed
- ISO 9001 Quality Management System Certification
- ISO 45001 Occupational Health and Safety Management Certification.

7. Sales Track Record

Supplier shall provide at least five-year successful performance references of internationally recognized clients against the offered product with their name, address and email contact.

Zahid Hissain Senor Engineer Bulduduk 3 2001 1

Page 4 of 4

Checklist for Bidders

Phone No.	in a provided along your bid check { }
Opening Date:	/ Accuments have been sufmin of provided along your bid check { }
Enquiry No. :	M/s

Please ensure before submitting the bid, that following information / documents have been sub appropriate bod.

information / documents	# Details of required median is enclosed.	N.	2. Original Technical liferature is thone, fax no. & email etc. & numared	3. Any change in your cutters in montioned.	4. Bid validity as specified is memorified.	5. Delivery period has been appearance signed & start of	6. All correction /cutting over with the	7. Sample (if necessary) is enclosed.	8. Each & Every Page of the Dimense	the bidder.	9. Original Bid + One copy is succession and gened & stamped	10 Born V & Bid Securing Deciain.
	Sr. #	i	17	6	4	หา	ė	7.	œ		6	-

deuments, or incomplete/incorrect statement on this checklist may result in rejection of the bid March 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak (EPADS). Non-availability of the above inform at / after the bid opening.

As per SRO296(I)/2023 dated Acquisition and Disposa

Bidders Authorize



Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

Nate: In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not meeting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful bidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the

goods have been successfully deligered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annex-1, duly filled, signed & stamped.

iv) in comwhere performance guarantee is not applicable, the supplier shall confirm that all supplied goods under the context purchase order are new, unused, of most recent or current models and incorporate all recent improvement in design and goods unless and otherwise provided in the context (asset). design and goods unless and otherwise provided in the contact / purchase order.

Leulertaking being provided by the successful bidder is required to be submitted at least on v) The Warrants Rs. 200 - Non-jud and Stamp paper and should be duly notarized / attested.

vi) In case of Supply, Installation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the partners of supplies will be released after successful installation, Testing & Commissioning.

2. Bid Security:

- Bid bond submission (26) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treate as null & void, however, other contents of clause 9 will remain unchanged. The submission of fixed amount and security is appearing in the Schedule of Pennismont (17). Bid bond subm a)
- furnish fixed bid security amount appearing in Schedule of b) All the bidders are ad se their bid will be rejected. Requirement/Bid Form, failing
- The submission of fixed amount of bir security is also mandatory for all the bids valuing Rs.500,000/or less.
- bid has been substituted to read as most advantageous The word lowest bidder or the lowest value bid.
- be treated as mill & void, however, other contents Sub-clause 9.2 of the General Terms & Condin of clause 9 will remain unchanged.

Method For Submission of Bid Bond (Under Single State Two Suvelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid bord as Jer clause#09 of General Terms & 3. Method For Submission of Bid Bond (Under Single Sta bond is placed in the financial proposal Conditions to be placed in the Technical Proposal. However, if the bi will also be considered. Without submission of bid bond (either in 1 ch proposal or financial proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and big oon shall remain valid for 150 days.

Bibber on their 5. Declaration / Integrity Pact / Certification: It is required to be submitted by the Sec letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of (200,000,000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

6. Stamp Duty:

"The successful Ridder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO, CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4

LP-Rev-22 19 Dec 2023 clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

8. Correct Postal Address.

Bidder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent:

Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.

13. Bid Bond & PBG (Performance Bank Guarantee) for Proprietary Tenders

proprietury Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required /

- change / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render 14. Any Bidder w the bid as conditi al bid and will be liable for rejection.
- 15. Clause 14.1 of General Terms & Conditions is meant for vendorized items processed through negotiated tendering clauses.
- if the most advantageous bidder is new local manufacturer, 10% trial order 400 16. For open competitive h order will be awarded to the next most advantageous bidder at their own will be placed and remi quoted rates.
- 17. SSGC will not pay invoices if they geturned in after 6 months of work completion / material delivered.
- 18. It-is mandatory-for-the-bidders-to-on w I the terms and conditions given in the tender documents without any addition / deletion / amendment and it the bid accordingly. Therefore, in this context, the bidders are requested not to give their own terms an tions as it tantamount towards the conditional bid. Otherwise their terms and conditions will not be cons d the Purchase Order / Contract will be awarded based on only as per SSGC tender terms and condition
- one Bank Account number (IBAN number) on the 19. The bidders/contractors are required to provide that 'FORM-X' attached duly signed & stamped as one time nation, which shall be firm (not changeable) for all the future payment transactions.

Payment:
The supplier after delivery of goods and its acceptance shall submit avoice to Finance Department of the Company, containing following information i.e.

(a) Purchase order No. & date
(b) Items
(c) Quantity
(d) Price
(e) Invoice value
(f) Point of delivery

- Delivery challan indicating delivery date, etc. (g)
- Supplier(s) are required to submit signed and stamp acknowledgement Tax return, (h) Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of rant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two <u>narr</u>ations the joint venture agreement will not be entertained.
- 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

Page 2 of 4 LP-Rev-22 19 Dec 2023

- deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
 In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).
- 27. Fixed Bid Security Alternative Bid

responsible for any loss to SSGC.

- A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for excitor ake/brand/model.
- 28. Bidder will be blacklisted and henceforth cross debarred for participating in respective category of Public Product nent proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fire distent practices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have yame awn or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified to be acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to purply with any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" in this ed in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) of additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either of 200 or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirer et is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following layses to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit a sub hid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be ubmitted against each individual LOT and its validity to be 150 days at the time of opening of the mical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will be declared separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to show it 2% Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission
 of his bid may lodge a written complaint concerning his grievances within seven days
 of announcement of the technical evaluation report and five days after issuance of final
 evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.



Page 3 of 4

- In case, the complaint is filed after the issuance of final evaluation report, the complainant cannot raise any objection on technical evaluation of the report. Provided that the complainant may raise the objection on any part of the final evaluation report in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



NOT TOR BIDDING BURBOSK

Form of Bid-Securing Declaration

[The Sidder shall fill in this Form in accordance with the instructions indicated.]

Date: [dare (as day, month and year)] No.: [number of Bidding process] No.: [insert identification No if this is a Bid for an alternative]

To: [complete jame of Procuring Agency]

your conditions, Bids must be supported by a Bid-

ill be blacklisted and henceforth cross debarred for participating in ublic procurement proceedings for a period of (not more than) six months, it fail it ab leawith a bid securing declaration, however without indulging factices, if we are in breach of our obligation(s) under the Bid-conditions, because

- have withdrawn our Bid the period of Bid validity specified in the I ë of Bid; or
- (b) having been notified of the acce anduring the period of Bid validity, (1) Bid by the Procuring Agency raffise to sign the Contract or (ii) fail or refuse to furnish the Performance accordance with the ITB. (or guarantee), if required, in

We understand this Bid Securing Declaration shall exp Bidder, upon the earlier of (i) our receipt of your notice successful Bidder, or (ii) twenty eight days after the expiration of the name of the

Name of the Bidder

Name of the person duly authorized to sign the Bid-on behalf of the Bid

Title of the person signing the Bio

Signature of the person named above

Date signed

- . In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder
- : Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a fourt Venture, the Bid-Securing Deciaration must be in the name of all members to the logic Venture that summiss the Bid.!



	Supplier code:
FORM-X	
Bank account details form for all Benefic	<u>iaries</u>
(Mandatory requirement for Digital Online Ba	anking)
As per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R date payment online w.e.f. 01-11-2021. All beneficiaries are required to fill in mandatory:	the below details, which is
Name of Firm:	
Address of Firm:	
~ `	
ÇNJC #:	
NTN#:	
Bank Name:	
Bank A/C Title name:	
Branch code:	
Bank A/c #:	(16 Digits)
Bank IBAN #:	(24 Digits)
Information already submitted.	P
Note: Please be attached copy of Cheque / Account Maintenance Cert	ificat (Mandatory)
	Authorized Sign & Stamp
Date:	ramonized orgin & othing
Note: All payments transactions will be made on above mentioned Acone time information to be provided by the all beneficiaries. Incase if submitted, please tick the box above "Information already submitted duly signed & stamped.	the above detail has already



TTHE GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

ANNEXURE: I

Declaration of Ultimate Sensificial Owners Information for Public Procurement Contracts.

- 1. Name
- Father's Name/Spouse's Name 2
- 3. CNIC / NICOP/Passport No.
- 4.
- 5.
- 6.
- 7. Date on which sha ling. control or interest acquired in the business.
- 8. In case of indirect share In case of indirect share the rig, control of interest being exercises all objet interests of companies, entires or other legal persons or legal arrangements in the chain of ownership or commit following additional particles to be provided: convol, following additional pr

Company/Limited Liability Parnership /Association of Persons/Single Member Company/Parnership Firm/Trusted/Any orner Individual, Body Corporate (to be Specified) Personsiding, Control or interest of Control or interest of Controls the Legal Person or Legal Arrangement Arrangement Personage of shatenumic control or interest of Control or interest of Controls the Legal Person or Legal Arrangement Arrangement Identity of Natural Person or Legal Arrangement the Legal Arrangement Arrangement	i Legal form	, <u>S</u>	. 4	įě	· 6	17		. g	
	Company/Limited Liability Parmership /Association of Persons/Single Member Company/Parmership Firm/Trusted/Any other Individual, Body Corporate (to be	of Incorporation /	of Registering	765	Country	Enieil Addinss	interest of 20 in the Legal Person or Legal	Persentage of shareholding, Control or Interest of Jan Person gal Anarysement in	Natural Person who Ultimately owns or Controls the Legal Person of


Information about the Board of Directors (details small be provided regarding number of 9. snares in the capital of the company as set apposite respective names).



THE GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 I

ŀ.

Name and sumame (in block Latter's) CNIC no (in case of foreigner Passport No) Ame in Full Any other information incidental to or reward to beneficial owners). Current Nationality I ally address in full of the registered with the registered w		2	3			•		
Any other information incidental to or reservant to beneficial owners). Any other information incidental to or reservant to beneficial owners). Any other information incidental to or reservant to beneficial owners).	Name and			4		16	17	1.8
Subscribe Is other that Instural Person Licral numbers of snares taken (in figures and words) 10. Any other information incidental to or research to beneficial owners). Name and signature (Person authorized to issue notice on behalf of the company)	block <u>Latter's)</u>	case of foreigner	Husband's	. Current Nationally	Nationality	oto	ally address in full of the registered	Numbers of shares taken by cash subscribers (in figures and words
10. Any other information incidental to or research to beneficial owner(s). Name and signature (Person authorized to issue notice on behalf of the company)		OX				Occupati	office address for a subscribe rs other that	
10. Any other information incidental to or relevant to beneficial owner(s). Name and signature (Person authorized to issue notice on behalf of the company)			4				Person	
10. Any other information incidental to or reward to beneficial owner(s). Name and signature (Person authorized to issue notice on behalf of the company)	·i							
10. Any other information incidental to or reward to beneficial owner(s). Name and signature (Person authorized to issue notice on behalf of the company)		:		Torol				
	Name and some	271 res.		OF PENSON TO	_	wæen		
	,	٠					3 15 10	repi.
· · · · · · · · · · · · · · · · · · ·						* (
					. ,			



Sui Southern Gas Company Limited (SSGCL)

Contents

Section -1

Section -1A

Annexure-A

Annexure-B

Annexure-C

ral Terms & Conditions

al Terms & conditions for

Section - 2

Special Terms Conditions

Format of Bid Bo k Guarantee Format of Performa ce k Guarantee

Declaration by Supplier

Included Included

Included /Not required

Included Included

Included /Not required

Part - B

Section - 3 Section - 4

1 1 D . . .

Bid Form (Schedule of requirement) Specifications/Drawing (if applicable)

Included

ncluded /Not required



M/s.

SUI SOUTHERN GAS COMPANY LIMITED

Proct	rem	ent D	epartmer	ıt
	•-	• =	•	
		1		

Tender Enquiry No.	•
--------------------	---

INVIATION TO BID

Sui Southern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the subject material according to Terms and Conditions specified in the attached Tender Document. Please read following instructions before submission of bid:

1. Bids are to be submitted in scaled envelope provided with the tender, indicating Tender Enquiry Number & its plaing date and time on the face of the envelope.

2. Bid Bo 20% of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and returned to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is expiring.

3. In case the bid pening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on schedule i tan, it will be opened on next working day at the same time and at the same venue.

4. The bidder shall bear at expenses associated with the preparation and delivery of its bid/sample and the Company will in no cas be able in this respect.

5. Prospective bidder requiring any formation or clarification of the tender may notify the same by fax or at the mailing address. The Company will respond to any request for explanation or clarification, if received within reasonable time prior to submarking of bids.
6. The Company reserves the right to care and delete or amend tendered items/quantities/any part of the

6. The Company reserves the right to care 1, add, delete or amend tendered items/quantities/any part of the tender during the bidding period without ssip ing any reason. However, bidders shall be informed about it prior to bid opening/process.

7. The Company reserves the right to accept or ejec any bid or part of a bid or to annul the bidding process and reject all bids at any time prior to award of contract/purchase order without thereby incurring any liability to the affected bidder(s).

8. In case of Single stage two (02) envelope bidding too and (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shill a submitted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" and Rinancial Proposal" is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later intimated date in presence of bidder's representatives. Financial proposal of technically non-compliant bidders and be returned un-opened along with their bid bond.

9. For Tenders invited on F.O.B/C&F basis, conditions as mentioned in solon-1A will also apply.

10. The Company will appreciate confirmation by fax No 92-21-99231583 or email at in inte@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested it submitsion of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.

11. Bids are required to be submitted at:

Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074, Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk

Hope and look forward for your valued participation.

Thanking you

Yours sincerely

General Manager (Procurement)



2

General Terms & Conditions

1. Submission of bids:

- 1.1. Bids are to be submitted in sealed envelope provided with the tender (in such a manner that contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond.
- 1.2. Sealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, CD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which of will not be entertained. In case bid is sent through courier, the same shall be delivered at least half as hour before scheduled opening time.
- 1.3. The Company may at its discretion extend the closing date for the submission of bids, in which case an rights and obligations of the purchaser and bidders previously subject to the closing date will thereafter be subject to the date extended. However, any request for extension received from prospective bidders as than one week prior to bid opening date may not be entertained. In case of extension in bid every at date, the same will be advertised in press and simultaneously shall be intimated to prospect a cidder who had purchased the tender documents.
- 1.4 The bid shall contain no intrineations, erasures or overwriting except as necessary to correct the errors made by the bidder, it case of any correction etc. it shall be signed and stamped by the person signing the bid.
- 1.5. The quoted price shall be inclusive of all duties/taxes except GST, which is to be mentioned separately. The supplier shall decrate (if applicable) regarding non-applicability of GST for which documentary evidence shall be enclosed by applicable produced upon demand.
- 1.6. Rates shall be item-wise, as given in pro-chedule/schedule of requirement/Bid Form unless otherwise specified.
- 1.7. Bidder is responsible for timely delivery of bid at h cation specified 1.2 above. Company will not be responsible for misplacement/ tampering/not a tendance/delay or any other incident in case the bid is not delivered at the designated place & time.
- 1.8. Any bid received late after the closing date and time, will be rejected and returned unopened.
- 1.9 The quotation shall only be acceptable on/as per Bid Form. It case for foreign tender when Local Agent submits bid on behalf of different bidders, a separate of Bond for each Bid is required. Likewise for tender when bidder submit alternative bids a ser A te bid bond for each bid is required or else bid will be liable for rejection.
- Deviation from tender terms and conditions is not allowed Ho ever, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3. 2.d John" deviation on any other page will not be entertained.
- 1.11 Discount offered (if any) shall be mentioned on the "bid form" only.
- 1.12 . The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.
- 1.13 The bid is to be completed and returned to the Company in accordance with, General terms & conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

Gualification is listened in the following state of the company of the contraction of suppliers:

The Company, at any many many following first the following first the contraction of any defect in suppliers of contractors to provide information regarding their professional, technical, financial, legal or managerial competed from

Please Follow the Attached Black Listing Mechanism whether already pre-qualified or **Manual Cliny to Attach** any time that the information regarded distingtime that the information regarded distingtiment distingtime that the information regarded distingtime the regarded distingtime that the information regarded distingtime that the regarded distingtime that the regarded distingtime the regarded distingtime that the regarded distingtime the regarded distingtime that the regarded distingtime that the regarded distingtime the regarded distingtime that the regarded distingtime the regarded dist

Joint Ventures;

In the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents a received five working days prior to closing date for the submission of bids prescribed by the Company. The Company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all prospective bidders who have purchased the tender documents. Verbal instructions/response will not be acceptable.

6. Modification and withdrand of bid:

- 6.1 The bidder may modify or hithdraw its bid after the bid submission, provided the written notice of the modification or with the modification or with the modification of bid. After the bins/quotations are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or will repail notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by far all wid by a signed copy.
- 6.3 Bids once opened cannot be withdrawn unity validity period.

7. Bid validity:

All offers shall remain valid up to 90 days (120 days in coac of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed to be hidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. It hidder giving extension to his bid validity will not be required or permitted to modify his bid. If there was be any query/clarification or extension request asked by the Company, the bidder should reply the same with 7 lays after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their bid validity period.

8. Rate Escalation:

8.1 All items except line-pipe:

Quoted prices shall remain valid, firm, irrevocable and fixed till the fulfilling at 6 obligations by the bidder and will not be subject to escalation / change on any account.

8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:
 a) H.R. Coil.
 - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Fracusana

- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

Bid bond equivalent to two percent (2%) of the total offer value, in favor of Sui Southern Gas Company Ltd. shall accompany the bid if bid value is above Rs.500,000 in the form of pay order, demand draft, call deposit receipt or a bank guarantee (specimen of bank guarantee is attached at Annexure-A), issued by a scheduled bank in Pakistan. The bid bond shall remain valid for 120 days (150 days in case of Two Envelope bidding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the unsuccess of bidders while the bid bond of the successful bidder shall be retained, till submission of Performance bond (if applicable). Bids without bid bond will not be considered. In case the order value is less than (s: \$0,000 the bid bond in lieu of performance bond will be retained till fulfillment of obligations to the upplier. However, in either case the bidder is responsible to arrange the extension the bid bond validit, as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. If order value is less than Rs. 500,000, the bid bond will be returned along with the order. Bid bonds of non-compliant bidders may be released during evaluation process. The bid bond may be for feited if a bidder withdraws the bid duringvalidity period specified by the bidder or if successful bidder at the bidder withdraws the bid duringvalidity period specified by the

- Accept purchase order,
- Furnish performance guarantees accordance with clause 16 of Section 1,
- Supply material as per requirement and delivery schedule.
- 9.1 In the event of bid bond validity following short of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the kd sy mission date or (ii) where so required by the procuring agency, then in such an event it shall be mandy or on the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of teranger proposal/bid, and/or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnishes of the bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping in view the nature of the procurement may consider and allow the bidder to deposit / furnish the balance is amount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding that the other terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address are idea on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (a cardance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. Preliminary Examination of bids:

- The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- 11.2 Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- 11.3 Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 1) 4 Pic determined as not substantially responsive will be rejected by the Company and cannot subsequently be the deponsive by the bigger through correction of the non-conformity.



12. Clarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- Samples (if applicable/required)
- Original or legible copy of technical literature/performance characteristics 13.2
- 13.3 Test Certificates (if applicable/required)
- Documentary evidence for legal import in case of imported material. (At the time of delivery when 13.4 quoted on FOR basis)
- In case of pipeline operation material bidders must also attach a "proof from supplier/ manufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline here under tropical climatic conditions.

13.6 Specifi

eation Compliance Sheet:

Legistes a clause-by-clause commentary on the Specifications, demonstrating the materials responsive ess to those specifications or a statement of deviations and exceptions to the provisions s, if so required/desired. For purposes of the commentary to be furnished pursuant of the specification sall note that standards for workmanship, material and equipment and to above, the bidde references to brancham's or catalogue numbers, designated by the Company in the specifications are intended to be descripted only and not restrictive. The bidder may substitute other authoritative standards, brand names a it or catalogue numbers in its bid provided which demonstrates to the Company's satisfaction that it is bestitutes are equivalent or superior to those designated in the specifications by the Company

Bid which does not possess above does certificates etc., may be considered technically Noncompliant.

The offer shall be accompanied with all technical of tra/documents/certifications as required under the tender specifications. Evaluation shall be carried of ten the basis of data/ documents/certifications The offer shall be accompanied with all technical submitted with the bid. No clarification, additional afternation may be sought / accepted after bid opening.

13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and ment n offered specifications along with reference to its technical brochure/literature (page/clause No.e.). Saturent such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and schical specification is not acceptable. However, if bidder feels to mention minor deviation it ame shall be referred categorically on the "Bid Form" as well as on the technical compliance she ting reference of its technical data sheet/brochure. In case of insufficient information, data or do time is, the Company is not liable to seek clarification and the bid may be determined non-con on provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.



14.3 Evaluation may be carried out both en item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure

帽門門

14.4 Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

The cost of compensation / loading amount for that item shall be derived from the bid itself. 15.2

If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming to technical specification, shall form the basis for cost compensation/loading.

e company will encourage participation by local bidders who will be given price preference. cost factor shall be determined as per prevailing Government policy / SRO. However they mait details of local value addition on raw material imported by them and percentage of locally remarkactured component with documentary evidence.

·16. Performance Bond:

- In case purchase orde value is above Rs:500,000, the successful bidders shall submit performance 16.1 bond guarantee which so be submitted within ten days from receipt of LOI or order along with integrity pact. The successful bidders shall submit a performance bank guarantee (PBG) in the form of a pay order or bank guars (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount eq. V lead to 10% of the total value of the purchase order or as specified, in the "letter of intent". The perior as second unless specified otherwise; shall remain valid till: ond unless specified otherwise; shall remain valid till;
 - Completion of final satisfact livery in case of consumable items.
 - 12-18 months from the date sati factory delivery of the equipment/machinery. 16.1.2
 - 16.1.3 Satisfactory delivery/installation tem in case the installation responsibility is on supplier's part.
 - 16.1.4 120 days in case of chemicals.
 - 16.1.5 In case of locally manufacturing item, BG equivalent to 3 months delivery schedule will be required after placement of purchase on ler which should remain valid till completion of final satisfactory delivery of the ordered quantity.
 - In case of small diameter line pipe (MS/MDPE) he FBG shall remain valid up to 3 months after completion of satisfactory final deliver 16.1.7
 - In case of Vehicles, Manufacturer's Warranty is required in his
- The guarantee will be released after completion of this period, subject to assistory performance 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. the guarantee valid at their cost until fulfillment of the obligations. lier shall keep 16,3
- In case the bidder does not submit the performance bond as specified, the deliver more of goods shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/ contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier. 16.4
- The performance bond will be discharged / returned by the Company not later than thirty (30) days following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance. lé.5
- The Company shall premptly notify the supplier in writing for any chain arising under this greatantee. Upon receipt of such notice, the supplier shall promptly repair of a place the defective goods or parts thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Neinieg herein contained shall be construed to limit applier's obligation of performance of the 16.7 order contract to fac value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall 16.8 confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.
- 17. Purchase Oder/Contract: noted material may be placed on fulfillment of conditions mentioned at 14 &16 above Purchase ord al confirmation for proceedings with the suppliers. which is through for
- The successful bidder will be required to give satisfactory assurance of its ability and intention to deliver the goods, pursuant to the under enquiry and contract within the time set forth therein. 18. Assurance:
- 19. Force Majeure:
 - hereto being rendered unable, wholly or partially, by force majeure In the event of either 19.1 circumstances to carry on its objections under the purchase order/contract documents, such party shall give notice and full particulars and other satisfactory evidence of such force majeure shall give notice and full in tenlars and other satisfactory evidence of such force majeure circumstance(s) in writing or by area the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligations of the party giving such notice so far as they are affected by such force majeure shall be suspended in the period during cause(s) shall, as far as possible, be remedied and obviated with all reason the ispatch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy. Winsurrection, fires, floods, earthquakes or other physical disasters, order or request of government, blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability have materials, rains, and disturbances, other side shall not be included in the term 'force labor dispute or congestion's in ports on the supp majeure'.
 - In case the force majeure contingencies last continuously for more than one month, both parties will agree on the necessary arrangements for the further informentation of the purchase will agree on the necessary arrangements for the further incommentation of the purchase order/contract. In case further implementation is unforeseeable at appossible, both parties shall 19.2 arrange for the termination of the purchase order/contract, but without purchase order/contract, but without purchase and obligations prior to such termination it being understood that each party fulfill its contractual obligations so far as they have fallen due before the operation of force najew
 - 20. Amendment in purchase order/contract:
 - The Company may at any time by a written notice to the supplier make changes within the general 20.1 scope of the purchase order/contract in any one or more of the following:-
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - The method of shipment or packing. 20.1.2
 - 20.1.3 The place of delivery.
 - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
 - Company reserves the right to increase/decrease the quantities or delete any or all items listed in 20.2 the price schedule/schedule of requirement/bid form without assigning any reason.
 - Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the modification, if applicable.

Procuremen ունլ.

Gulshav

- 20.4 The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension is delivery period:

- 21.1 Delivery of the goods shall be made by the supplier in accordance with the schedule of requirement and delivery period; however, the supplier may claim extension of the time limits as set forth in the schedule of requirements and delivery period in case of
 - 21.1.1 Modification in the goods ordered by the Company pursuant to clause 20.
 - 21.1.2 Delay in provision of any services which are to be provided by the Company (services provided by the Company shall be interpreted to include all approvals by the Company under the contract.
 - 21.1.3 Delay in performance work caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to the Company's satisfaction that it has used its best endeavors to avoid or overcome such causes for deay, addhe parties will mutually agree upon remedies to mitigate or overcome such causes for delay.
- Not withstanding clause 21.1 above, the supplier shall not be entitled to an extension of time for completion unless the supplier at the time of the company in writing of any delay that it may laim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company, the supplier shall substantiate that the delay occurred is due to the circumstances referred by the supplier

22. Packing:

- 22.1 The material shall be in original/sealed packing to ensure description without any damage during transit.
- 22.2 If any of the good is discovered to be damaged or unacceptable at the point of embarkation, the supplier shall be responsible for replacement of those goods free of any charge and cost to the Company, within the delivery time schedule of the contract/purchase order.
- 22.3 The identification marks showing contents, quantity and contract/purchase order number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- Handling and Transportation:

 The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- 23.1 Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes of any stage of any of the premises of the supplier or its subcontractor(s) or and at the point of deliver; and at the goods finel destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

Procurement

purchase order/contract. If goods fail to conform to the specifications, the Company may reject them.

24. Delivery:

- 24.1 Free delivery at any of the following locations, unless specified otherwise:
 - 24.1.1 R & D Section, Stores Department Abul Hasan Ispahan Road Fistachi
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- 24.2 Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter of intent or from the date of purchase order/contract whichever is earlier, unless otherwise
- 24.3 The policy shall replace defective material at their risk & cost including transportation, duty,
- 24.4 GST In the if applicable be submitted at R&D section Stores Department along with material & delivery challen.
- 24.5 Unloading and stacking through cranes, fork lifters, labor etc. will be arranged by supplier at delivery site (for many white Pipes/Heavy Machinery & Equipment etc).
- 24.6 Delivery is to be made trictly in accordance with "delivery schedule" as specified by the Company.
- 24.7 The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation by the impany. Beyond specified period, the Company shall not be responsible for storage/safety of the property of the property

25. Delivery Failure:

- 25.1 In case the supplier fails to supply/ship the paterial within the stipulated period, the Company have the right to make an alternative arrangement for the purchase of the goods on such terms as may be offered. In such event all losses, cost and harges sustained/incurred by the Company on stated purchase shall be recovered from the Supplier without prejudice to any other right or remedy available to the Company which includes recovery of losses sustained by the Company from any due payment of the said supplier.
- In the event Company remains unable to make such alternative arrangements, the Company has the right to recover from the supplier any or all losses sustained as a result of the supplier's failure to ship/supply the goods as per schedule of delivery.
- 25.3 In the event Company being forced to purchase any quantity or any or alternative not specified in this document as a result of any failure to supply/ship the material, the Company shall have the right to terminate the contract/purchase order without prejudice to any one rights or remedies available to the Company.

26. Payment:

- 26.1 The supplier after delivery of goods and its acceptance shall submit invoice to Finar Department of the Company, containing following information i.e.
 - (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

26.2 Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice) is

ern Gas

rocuremen

26.3 In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- Whenever liquidated damages become payable, in the event that delivery of all goods and appropriate is not made within the time period specified except on account of force majeure, the company shall quantify the same and shall serve notice to the supplier requiring payment thereof. It is supplier fails to remit payment within 15 days of receipt of such notice, the Company shall forth-with become entitled to recover the same without recourse to the supplier, by calling upon The Performance Bond, withdrawals by way of liquidated damages shall not reduce the value of the Performance bond.
- 27.3 The payment of light steed damages shall not relieve the supplier from performing and fulfilling all its obligations under the contract/purchase order nor shall the right and entitlements of the Company be affected or reduced in any manner.
- 27.4 In case of order placed in CFC&F basis, the delivery period shall commence from the date of confirmation of L/C. However, the year submission of PBG period in excess of time limit will be deducted from the delivery period or the purpose of recovery of late delivery charges.
- The liquidated damages shall be the sun equivalent to point one (0.1%) percent of the Contract price of the delayed goods as unperformed services for each day of delay, until actual delivery or performance, up to a maximum deduction of ten (10) percent of the Contract price. Once this maximum is reached, the Company may deast termination of the Contract at the risk and cost of the Supplier.

28. Default by Supplier:

1.56. 240

- 28.1 The Company may, without prejudice to any other remedy by written "notice of default" sent to the supplier, cancel the purchase order whole or in part; it:
 - 28.1.1 The supplier fails to deliver any or all of the ordered cap ity as per specified delivery schedule or any extension thereof granted by the Company
 - 28.1.2 The supplier fails to perform any other obligation(s) under the "highase order".
 - 28.1.3 The Company during the delivery period has reasons to believe the the supplier will not be able to fulfill the obligations under the purchase order/contract. The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - 28.2.1 The successful bidder fails to furnish the performance bond as under clause 16 thereof.
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or shandons the shipment
 - 28.2.3 The supplies becomes be larget or insolvent or makes an assignment for the benefit of its creditors.
 - 28.2.4 One or more consignments of material delayed by a period of more than three months or non-supplied.
 - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.

- 28.2.6 Penalty on higher rejection rate of supplied goods.
- 28.3 The supplier shall have the right to terminate the contract/purchase order if:-
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
 - 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order:

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applitablejaw:

The purch order/contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pakistan.

31. Declaration/Integrity Poct/Certification:

- 31.1 Successful supposer's diffurnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of LC lorder /contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase order/Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required professional this clause.
- 31.3 Bidders to submit a certificate Pa:100/- non-judicial stamp paper certifying that they are not black listed by the Government/Amorom us bodies and declared as defaulted supplier.

32. Arbitration/resolution of disputes:

- 32.1 Any difference or dispute arising out of or in connection with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators; one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the matter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The unpire shall be referred judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and unput he shall together proceed to adjudicate he disputes in accordance with the Arbitration Act. 1040.
- he disputes in accordance with the Arbitration Act, 1940 as amended from time to time.

 32.2 Prior to exercising any right by the Company or supplier to tender the purchase order/contract under the conditions stipulated above, a return notice shall be regular to be given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the simulated time or if so furnished, is found to be unsatisfactory, and the default(s) continues the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and Pourbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.
- 33. Redressal of grievances by the procuring agency.-
 - Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
 - 33.2 Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
 - 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email



- address must necessarily be provided. Incomplete / anonymous complaints will not be responded at all.
- The Committee shall investigate and decide upon the complaint within fifteen days of the receipt of the complaint
- 33.5 Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or constantly fails to perform satisfactorily performance or found to be indulged in soft and fraudulent practices as defined below:

- Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything of value to influence the action of anything of value to influence the action of anything.
- 34.2 If the supplier/contractor found specials for the detriment of the Company during proceedings procurement/contract, proceedings execution.
- 34.3 dis expresentation of facts a country to influence the procurement process or the execution of the purchase order/contract.
- 34.4 Collusive practices among bidders (prior to or after bid submission) designed to establish bid prices attarbigies non-competitive levels and to deprive the Company of the benefits of free and open competition

35. Supplier's Guarantee and Responsibilities:

The Bidder/Supplier shall guzant e that the materials supplied against this tender enquiry is new and is of acceptable quality and has been ried and approved on similar jobs. The validity and scope of such guarantee will be in accordance with onditions stated in this document. In case the opinion of the Company the Goods fail to perform an environment and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods are in our cost in Pakistan wherever the Goods shall be located so that such Goods shall be restored to such to distons that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier ast so that the goods shall perform in accordance with the specifications and details as set forth in the Contract/tender documents. If the Supplier shall fail to do so after expiry of 15 days notice to this effort served on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruct. Goods at its costs provided in the event, the Company shall be entitled to recover total cost of such replace membroom the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and document at hing to the bid exchanged by the bidder and the Company shall be written in English language. Any prived herature furnished by the bidder may be written in another language provided that this literature is no organish by an English translation in which case for purpose of interpretation of the bid, English translation shell govern.

37. Vehicle Applied by Anthorized dealer of local manufacturer:

Incase of vehicle supplied by authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procureme

Additional Terms for Tenders on F.O.BJC&F basis:

1. Submission of bids:

1.1 Bid bond (Earnest money) @ 2% of the tatel F.O.B value as per clause ?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performa invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection if these conditions are not met.

1.3 In case of Ind - Offering to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be any authorized by the goods manufacturer or the producer to submit bid or supply the goods on their be

1.4 Bids shall be submitted preferably through local agents) in two copies, (original + copy).

1.5 The price on unit FOB and the basis is to be quoted separately. Following are to be essentially indicated in the bid form:

Country of origin. 1:5.1

1.5.2 Port of shipment.

dimension & volume of offered item and estimated weight of each Estimated gross/net weigh 1.5.3

Delivery period or schedule in ulk quantities. 1.5.4

Original technical literature. 1.5.5

Beneficiary's complete address.

1.6 Foreign bank charges and L/C confirmation charges w be borne by the supplier.

1.7 Bid Currency:

red States Dollars. A bidder expecting to incur The rates shall be quoted in bidder's home country or in a portion of its expenditures in the performance of the corract a more than one currency and wishing to be paid accordingly shall indicate the same in their bid. Hower, bidder from Pakistan would be paid in Pak Runee.

(Clause 1.5 of General Terms & Conditions is not applicable)

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value. favor of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, called osit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Pake. The bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bil ding procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful of ic re while the bid bond of the successful bidder shall be retained, till submission of Performance bond. Bid. w will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
 - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent. "on freight to collect basis".

(Clause 4. 14.3 to 14.4 of General Terms & Conditions are also to be applicable).

5. Loading of Bio

Freight charges from port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which bid will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive processe in price of material.

(Clause 15 of General terms & Conditions is also applicable).

6. Performance bond:

4

- 6.1 In case purchase order value is US\$23,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders for a price of performance bond guarantee which is to be submitted within 15 days from receipt of L.C.1. Inchescessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 1014 of the total value of the purchase order or as specified, in the letter of intent. The performance bond unless specified otherwise, shall remain valid till:
 - 6.1.1 Completion of final satisfactory delivery in ass of consumable items.
 - 6.1.2 12-18 months from the date of satisfactory client of the equipment/machinery.
 - 6.1.3 Satisfactory delivery/installation of system in as the installation liabilities will be on supplier's part.
 - 6.1.4 120 days in case of chemicals.
- 6.2 The Letter of Credit shall be operative upon receipt of Performance Bon (as specified in para6.1) and integrity pact, any delay due to late submission of Performance Bond will be on a specified in para6.1) and integrity pact, any delay due to late submission of PBG should not affect the delivery schedule.
- 6.3 The performance bond shall be denominated in foreign currency or in currency of the contract/purchase order or in a freely convertible currency acceptable to the Company and shall be in the form of a bank guarantee.
 - 6.4 In very special case subject to approval of the management, the P.B.G could be accept the in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G supplier shall deposit short fall amount due to Pak Rupee exchange rate.

6.5 Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

7. Delivery:

7.1 In case of "FOP" order/contract, shipment(s) shall be effected per vessel of Pakistan National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan.

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - .The goods/marerial will be shapped dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supplier shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company on account of short shipment by the supplier for all items subsequently shipped on a no-charge by the supplier. The supplier shall also reimburse the Company all additional duties, taxes paid by the Company on account of incorrect invoicing by the supplier.
- 7.5 Shipment shall be user to have been made when the supplier has shipped the goods against a clean bill of lading and all other such documentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have
- 7.6 The supplier shall ensure the all bove mentioned acts and other incidental and ancillary functions are conducted in accordance with search in acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to correct such omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the way his shall be responsible for replacement free of all charges and costs to the Company within the delivery period specified in the purchase order/contract.

.8.

- 8.1 All goods supplied under the purchase order/central shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or consition, transportation, storage and delivery in the
- Marine Insurance shall be the responsibility of the Company otherwise specified.
- The supplier shall advise the Company by fax at least seven days prior to the expected date of shipment, the following particulars:-
 - 8.3.1 Name of the vessel and of the shipping company.
 - Age of the vessel (which should be less than 20 years). 8.3.2
 - 8.3.3 Lloyds 100A1 or equivalent classification of the vessel.
 - ETD from Port of dispatch and ETA at Karachi 8.3.4
 - FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, M. S. M. Corporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NI tional Insurance

9. Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

Procurement

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consigning

things in the

SSGC

L.

9.3.1- Invoice
9.3.2- Packing list
9.3.3- Bill of lading " freight to be paid by consignee 4 copies
3 originals &

9.3.3- Bill of lading "freight to be paid by consignee at destination" evidencing shipment in terms of the purchase order to Karachi-Pakistan made copies.

out to order in the name of Co.'s bank, Notify party Sui Southern Gas Company Ltd.,

9.3.4- Certificate of Origin Werified/ Professed by Charles as Company Ltd.,

9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at Karas A post.

9.4.1 | Specification | Specification | 9.4.2 | Sill of Lading | 9.4.3 | Flating list | 9.4.4 | Certaincate of Origin (Verified /Endorsed by Chamber of Commerce) | 6 copies | 9.4.5 | -Manufactions Test Certificate/ | 2 copies | 1.5 | 2 copies |

9.4.6 The invoice to be exactly as per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.

No payment hereunder shall externed to be accepted by the Company of the goods covered by such payment nor release the applies from responsibility thereof under the terms of the purchase order/contract.

9.6 If the Company is compelled to pay items rage or storage charges or incurs any loss or suffers any damage at Karachi Port on account of non-compliance by the supplier of above requirements, the Company shall be entitled at their sole discretion to recover the same amount from supplier.

10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract/ of ase order if:
- 10.1.1 The Company fails to establish the letter of credit within the sapulated period as required under clause 9.1 hereof after the supplier has made compliance with the processor of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment of the benefit of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities where the contract/purchase order.

11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rup and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable i.e (fuel/ori & lubricant/sparse) are card; available in Pakistan.



Annexure - A

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO	
DATE OF ISSUE	
DATE OF EXPIRY	
AMOUNT	

Sui Southern gas Company ST. 4/B, Block-14, Gulshan-e-Iqbal, Sir Shah Suleman Road, Karachi.

Dear Sira,

Bank Guarantee

In consideration of M/s having submitted the accompanying bid-&-in-consideration of value received from Bidder we hereby agree and undertake as follows:

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly. Then 03 days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect of the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, exact this Guarantee and our liabilities & commitments hereunder:
- 4. This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

·	BANK GUARANTEE NO
•	DATE OF ISSUE
	DATE OF EXPIRY
•	AMOUNT
•	
and the state of t	
Sui Southern as Company Limited,	
ST. 4/B, Block	-
Gulshan-e-Iqbal, Sir Shah Suleman Roan,	
Karachi.	
	•
Dear Sirs,	•
In The Spin of Rs	Account
ou in K	Carachi under the Purchase
In-consideration of your basing along	
dated On M/s On M/s	gge Order No
consideration for value, received from Supplier, v	her by agree and undertake as under
1. To make unconditional payments to yo	ou from the to time as called upon or make an unconditional fen Perc at (10%), of the value of the Purchase Order price on your water (2000), without fact the process of the purchase of the
mentioned in the said Purchase Order	on your want to emand(s) without further resource, question or
reference to Supplier or any other pers	son in the second of the fault
	DIMUNICS OF TERMINATING trades and an exercise to the
Purchase Order of which you shall be the	e sole judge.
2. To accept written intimation from you as	
	conclusive and sufficient evid ace of the existence of a default or
receipt thereof.	conclusive and sinnerent who lee of the existence of a default or lier and to make payment accordingly within 3 (three) days of
To keep this guarantee in full force from the first full full force from the first full full force from the first full full full full full full full ful	om the date hereof as specified in Guera or Special terms &
. conditions.	The state of the s
4. That on grant of time or other indulgana	
	te to amendment in the terms of the purchase disr by agreement ace of his obligations under and in pursuance of the said Purchase
	all ill ally manner discharge of otherwise transcription of the
Guarantee and our liabilities and commit	ments there under.
5. This Guarantee shall be binding on us and	i our successors in interest and shall be irrecoverable.
•	
This Guarantee shall not be affected by	y any change in the constitution of the Guarantor Bank or the
constitution of M/s	the Supplier.
	•

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - C

(Format of Declaration)

Creneral Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any contract, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any adminicative subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt basics a practice.

Without limiting the generally of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission fees etc. paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone within or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, again, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification or the, finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or mixing the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SGC, except that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and vill make full disclosure of all agreements and arrangements with all persons in respect of or related to the transactor with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representative or warranty.

(The Seller/Supplier) accepts full responsibility and strict liability of making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to delet the purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or our obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies a hilable to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Scher/Supplier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any company on, gratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever from SSGC.

Yours faithfully,

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



SUI SOUTHERN GAS COMPANY LIMI (ED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Cas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (F), or any other competent forum. The procedure shall also be applicable on the prequalified firms. In procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organ actions transacting business with SSGC. Wherever any provision of this Mechanism shall be in confict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute / Live or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, and es shall prevail. This SOP shall become a part of the future Bidding Documents.

3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority peal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to odde protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/diffusion/factory/project exercising general and/or administrative control over the unit,
- 3.4 "Blacklisting Order" An administrative perangelisqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for in actions committed during the competitive bidding stage, whereby such firms/individ as are prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a proje or ontract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resulting or rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



4. REASONS FOR BLACKLISTING

- 4.1 The following shall comprise the broad multilateral guidelines for blacklisting:
 - 4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm, directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the procurement process or affect the execution of a contract.

4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

4.2.1 Competitive Bidding Stage

process without prejudice to the imposition of additional administrative sanctions as the internal rule of the agency may provide and/or further criminal prosecution. as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Submission of eligibility requirements containing false information or falsified documents.
- ii. Submission of bius that contain false information or falsified documents, or the concealment of such aformation in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.
- iii. Submission of unauthorization free documents for pre-qualification/ tendering i.e. without specific authorization free the principals/ manufacturers etc.
- iv. Failure of the firm to provide a mentic Warranty Undertaking and Performa Invoice of the manufacturers / Principal / Trading house.
- v. Failure of the firm to submit specific authority letter of the Original Equipment Manufacturer (OEM) for participation in a particular tender;
- vi. Unauthorized use of one's name, or using the name of the name of another for purpose of public bidding.
- vii. Deviations from specifications and terms & corditions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable taute, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid.
- ix. Refusal or failure to post the required performance security within the prescribed time.
- x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
- Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful assuction of the Procuring Agency or its representative(s) pursuant to the material entation of the contract. For the procurement of infrastructure projects or constancy contracts, lawful instructions include but are not limited to the following:
 - a. Employment of competent technical Person(s) / Firm(s)nel, competent engineers and/or work supervisors;
 - b. Provision of varning signs and barricades in accordance with approved plans and specification and contract provisions;
 - c. Stockpiling in proper places of all materials and removal from the project site of waste and excess in terials, including broken pavement and excavated debris in accordance with a proved plans and specifications and contract provisions;
 - d. Deployment of committed suipment, facilities, support staff and manpower; and
 - e. Renewal of the effectively dates of the performance security after its expiration during the course of contract in rementation.
 - f. Non-Performance of the supplied respect of tender terms & conditions and the delivery / supply of material.
- iii. Assignment and subcontracting of the contractor any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progression the delivery of the goods by the manufacturer, supplier or distributor arising from by that or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- v. For the procurement of consulting services, poor performance the consultant of his services arising from his fault or negligence, any of the following a tisky the consultant shall be construed as poor performance:
 - a. Defective design resulting in substantial corrective works in design and/or construction;
 - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
 - c. Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Allowing defective workmanship or works by the contractor being supervised by the consultant: and
- Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obtaining fraudulent payments:
- iring contracts by misleading the purchaser:
- so to pay SSGC dues etc.; iii. Re
- iv. Failure to stabill contractual obligations;
- v. Changes in the status of firm's ownership/partnership etc. causing dissolution which existed at the time of inspection / bidding prior to original registration of the firm;
- vi. Registration of a firm with a new name by the Proprietor or family or a nominee thereof of a firm that has been already blacklisted;
- vii. Consequential operation damages caused to SSGC equipment or infrastructure as a result
- of equipment or parts thereof supplied on trial basis or due to failure of such equipment;
 viii. Contractors who have negative delea Bargain under the National Accountability Ordinance
 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default as been proved specifically in relation to supplies made to or contracts concluded with SSG
- Involved in litigation or needless petritair g to influence or obstruct the procurement process either on his own behalf or at the behest of a y other vested interest; ix. Involved in litigation or needless per
- x. A firm may be disqualified for a period ext to two years in case a decision by a court is awarded against the said firm after litigation as where the firm is involved in litigation at least three times during two financial years, or where a men has on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Ministries / Divisions / Departments and organizations / autonomous bodies subordinate thereio:
- xii. Blacklisting in case of Joint Venture firms will also result it tentination of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1. Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

> Page 4 of 10 Dated: 12th October 2020 Revision-1: Dt; 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

supplier or contractor who is to be blacklisted for a specified period is given adequate or unity of being heard.

- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by a viding adequate time, so as to given him adequate opportunity of being heard before tring any action.
- 3. In case the supplier of contractor does not attend the meeting on the given date and time a final notice is served to him / her to attend the meeting on the revised date and time. Despite the final notice, if the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will for a comprising of User, Procurement and HSE&QA departments to address the issues in the meeting with the supplier or contractor. Members of committee may not below of grade I
- 5. In case the supplier or contractor is found at default based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is so ight from the management for their temporary or permeant blacklisting along with encryption of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the defaulted supplier or contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor along with covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

7. STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual doe to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the arr porary blacklisted firm / individual shall be restored.

9. AMENDMENT

- 9.1 In the implement, ion of Blacklisting Mechanism, the modifications may be introduced thereto through the me dment of its specific provisions as the need arises.
- 9.2 Any amendment to this same klisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the said amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amendment thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of all its Procurement Rules, 2004.

11. The Steps to be Followed a Sunder

The causes and reasons to be taken into consideration for Debarment 31 on listing of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating the catings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. E caordinary delay in signing or refusal to accept the Notification of Award and/or the courage without any cogent reason.
- ii. Misconduct, e., failure to proceed with the signed contract, withdrawal of commitments, quoting an unre sonably and unfairly low financial offer and subsequently withdrawing such an offer frustrating the evaluation/bidding process and not responding to written communication if a r asonable time.
- iii. Causes mentioned in S v-Clauses i, ii and iii above.
- iv. Submission of fake / frivolets r mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, and defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect to lity period as defined in the contract.

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original athority letter shall be attached with the bid. In the absence of the same, the bid shall be rejection.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the reject Authority prior to blacklisting. Member of RPC must be one grade up from the members of PA.

5. PROCEDURE FOR BLACKLISTING

Upon receipt of or obtaining informali mand/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereinabove under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the converned Project Authority / formation shall promptly formulate its recommendations and submit any deb the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, det at of charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Ler of s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said the ges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After resolve endation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RIC)", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Black stip on the grounds and reasons specified herein above shall be for a reasonable specified period a me and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an later ational Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of temporary blacklisting/debarment shall be for a maximum period of 3 years or the time prood for which the concerned government department/International Financial Institution Conor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blackling List:

- i. The decision of blacklisting will be immediately circulated concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Archardy may proceed in this case to complete the contract with the approval of Competent Artharity. (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024 4 4.



9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT TOR BIDDING BURBOSK

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be proactive about safety!

Report Hazard before in easits in an Accident

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it









Sul Southern Gas SSGC Company Limited

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participations on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Directo August 2021.



MR



1. PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

- a. SSGC existing facilities/installations.
- Any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.
- c. Any new project.
- d. Covering all the activities performed by SSGC taking into consideration of compliance, obligations, risks & opportunities within the scope, external and Internal issues related to scope of operations, requirements, information, needs appropriations of relevant interested parties.
- e. Providing secase to employees in relation to hazard identification, risk assessment and risk control in respective areas.
- f. Identification, coard, conitoring and management of environmental aspects and assessment of a impacts.



2. SCOPE

This procedure is applicable to the identification of occupational health and safety hazards and associated risks, environmental aspects and implicit associated with activities, processes and equipment related to SSGC existing facilities/installations, any new project or any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and safety sisk.

3. DEFINITIONS & ACRONYMS

- a. HAZARD: Source or situation with a potential or birm in terms of injury or ill health, damage to property, damage to workplace environment or a combination of these.
- damage to workplace environment, or a combination of these.

 b. RISK: Combination of probability of occurrence of a kar arrious event or exposure and the resulting consquences.
- c. OPPORTUNITY: Opportunities can arise as a result of a study ion favorable to achieving an intended result, for example, a set of circumstances that allow the organization to attract customers, develop new products and services, reduce waste or improve productivity. Actom to address opportunities can also include consideration of associated risks.
- d. SWOT: Strength, Weakness, Opportunity & Threat.
- e. RISK MANAGEMENT: The set of control measures used to reduce or all thate specific risk.
- f. RISK ASSESSMENT: Risk Assessment is a systematic approach to hazard se diffication. This is the overall process of estimating the priority of risk and deciding significance of risk.
- g. RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk as ressment matrix. Hazards related to applicable legal requirements will fall in the high risk category.
- h. HIRA: Hazard Identification and Risk Assessment.
- I. EAIA: Environmental Aspect and Impact Assessment.
- J. IEE: Initial Environment Examination.
- k. EIA: Environment Impact Assessment.
- I. ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- m. OHS&E: Occupational Health, Safety & Environment.
- n. PTW: Permit to Work.
- o. MOC: Management of Change.
- p. MOC Owner. The employee who initiates the MOC.
- q. JSA: Job Safety Analysis.
- r. **EXECUTING DEPARTMENT:** It refers to the department performing the work or is responsible to get the work done through contractor.

MR



HandBook | February 2022

RESPONSIBILITIES 4.

4.1 Corporate HSE&QA in-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues.
- Providing support to corporate HSE&QA team and zonal representatives. C.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure. d.

4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.
- Maintaining records of the OHS&E with the help of local HSE&QA team. C.
- d. Implementing this procedure. Liaise with corporate HSE&QA team if required.

4.3 Zonai

- QA representative

 Ly with Yonal HSE team leader for carrying out HIRA and EAIA in their zones. Coordination
- Liaise with comorate HSE&QA team and zonal HSE team leader for OHS&E.
- Reviewing/monitoring hIRA and EAIA in their zones and providing input on any changes.

4.4 Departmental Hea

4 Departmental Head of Acquiring Department
Acquiring PTW for any acavity that requires prior permit to identify and mitigate safety risks. Ensure implementation of JSA for 10 b/activity performed outside SSGC permanent locations.

4.5 Employees

Participating in the identification and a ent of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

4.6 Visitors & Contractors


Visitors & Contractors

Weldentifying and reporting any risk or hazard at any lower of SSGC. This also includes the worksites and SSGC temporary locations during project executions.

DECISION MATRIX

Type of Risk/Hazard Assessment	Methodology	Responsibility.
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Conal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





MOC Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure. MOC owner

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

6. PRO EDURE

Section 1. Context of the Organization

6.1. Context of the Oga ization

i. Management defines score of the company services and its boundaries considering the internal and external issues of the organization.

ii. In consultation with HSE&QA, a pagement & Zonal Heads identify external & internal interested parties and maintain its list with needs a expectations. Interested parties are those stakeholders who receive company services, who may be improved by them, or those parties who may otherwise have a significant interest in the company. Interested page in ay include:

Interested Parties	Requirements	
Board of Directors	Good financial persimance, legal compliance/avoidance of	
	fines.	
Law	Identification of applicable statutory and regulatory	
Enforcers/Regulators	requirements for the produce and services provided and	
	understanding of the requirements	
Customers	Value for money, quality service, acilitation and quick	
	response.	
Bank/Finance	Good Financial Performance:	
Employees	Professional development, prompt payment, health and safety,	
	work/life balance, employment security.	
Insurance: ***	No claims/prompt payment/risk management.	
Community	No complaint relating to: noise, parking, health and safety,	
	pollution, waste.	
External providers	Prompt payment as per agreed terms, health and safety, long-	
(Vendors/Suppliers)	term working relationship.	
Trade Unions	Compliance of local labor laws.	

MR

- HandBook | February



iii. By using SWOT analysis or any other tool, identify external and internal issues that are relevant to company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces.
- Complex transmission and distribution network.
- c. Succession planning.
- d. Contractual relationships.
- e. Availability of reliable, qualified and competent workforce.
- f. Staff etention.
- g. Impact of unionization.

6.1.2. External is use could include in risk & opportunity assessments, but are not limited to:

- a. Political: Gov a ment policies, political stability, international trade agreements etc.
- b. **Economic:** Fuel/ allity prices, cash flow, credit availability, exchange rates, tariffs and inflation, general tax to sues etc.
- c. Social: Consumer buyir : pattern, education level, advertising and publicity, ethical & religious issues, demographic e.c.
- Technological: Intellectus troperty issues, software changes, internet, technology legislation, associated/dependent changes, renewable energy etc.
- e. Legal and regulatory: Consulter projection, industry-specific regulation and permits, trade union regulations, employment k w, i ternational legislation, human rights/ethical issues etc.
- f. Environment: Customer demographics and environmental issues.
- Government: The directives from Prime Milest Ministry of Petroleum (energy division).

 Tegulatory bodies like OGRA, SEPA & BEPA etc.
- Ensuring the policy and objectives are established for the attegrated management system and are compatible with the context and strategic direction.
- e. The management shall monitor and review information about less external and internal issues during the management review meetings.



Always be proactive about sale

Report Hazard before it results in an Accident

W

ntegrated anagement System





Section 2 Hazard Identification and Risk Assessment

i. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations.
- vities of all persons having access to the SSGC permanent and temporary locations.
- in behavior, capabilities and other human factors. .C.
- d. of work processes.
- e.
- Infrastructive, equipment and materials at the workplace or project site, whether provided by f. organization or others.
- Changes or stop g. d changes in the organization, its activities or materials.
- Fabrication, institution & commissioning. h.
- i. Handling & disposal w ste material.
- Purchase of goods & services İ.
- that is related to risk assessment and implementation of necessary Any applicable legal obliga k. controls.
- Before commencement of any w operation/activity.
- m. Periodic Review for updating the hazard identification and risk assessment information.

At SSGC, we adapt five steps of assessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if necessar

Risk Assessment Matrix II.

Risk assessment should be carried out as per assessment matrix be

Risk Priority		Probability			
	119	Very Likely	Likely	Unlikely	· Very Unlikely
Con	Catastrophic			Karana da Karana Arraya	Medium
e .	Significant			Medium	Medium
и е п с	Harmful		Medium	Medium.	
e	Negligible	. Medium	Medium [.]	33 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	



	HAZARD CONSEQUENCE RATING TABLE		
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.		
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.		
Harry	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.		
Negligible	Hazard may cause minor injury, illness or property damage, first aid treatment is required only, very low financial loss.		

F	·
	PRO DEILITY RATING TABLE
Very Likely	Exposure to keep dikely to occur frequently. Similar incidents reported more than once a SCC during last 10 years.
Likely	Exposure to hazard the vib occur but not frequently. Similar incidents reported once in last 5 years in SSGC.
Unlikely 🔧 🔑	Exposure to hazard unlikely toccur.
Highly Unlikely	Exposure to hazard so unlikely that con be assumed that it will not happen.

<u> </u>	
	PRISK PRIORITY TABLE
Risk Priority	Definitions of Priority
	Situation is considered critical, stop work immediately or consider cessation of this operation/task.
	Must be fixed ASAP, Zonal HSE team leader should take immediate actions.
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
Low	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.







Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- a. Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- b. Classification of risk/impact.
- c. Description or reference to control the risks/impacts.
- d. Description or reference to monitor the risks/impacts.
- e. Identified competency and or training requirements.
- the setting improvement objectives and programs for its achievement.


The risk/impact leasures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/impact assessments as input for the following:

- a. Setting objectives and targets.
- b. Training needs beniffation.
- c. Terminating the rist of pact if it is practical.
- d. Facility engineering control
- e. Emergency Preparedness.
- f. Administrative controls.
- g. insurance.


The ultimate requirement is to reduce the nature pact to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further transfer becomes unreasonably inconsistent to the additional risk reduction obtained.

iv. Risk Control



Administrative





HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. Elimination: The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- b. Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. **Engineering:** Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any process and must seek out for best possible solution in terms of OHS&E.
- d. Admit its trative: Administrative controls involve making changes to the way in which people work and plantities safe work practices via education and training. Administrative controls may involve training employees in operating procedures, good housekeeping practices, emergency response in the event of in atents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. Purposed be properly identified for specific process/job.

System & work area Hazarda	Likely Consequences
: Access / Egress Obstructions	mor injury, trips and falls
Asphyxiate Gas (CO2 fire suppression)	e death by asphyxiation.
Buried Cables	Expres re-to buried cables - major / minor injury
Electricity (HV/LV)	Fatalit preservic shock or serious burn injuries
Falling Loads / Objects	Serious seed and / or body injury
Flammable Vapors / Gases / liquids: "	Serious keed and / or body injury Explosion or 5
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disoriema of loss of consciousness
Moving Parts	Entrapment, major or none in ury
Noise 型 动脉管 设计 种的 计图像	Long term.hearing loss, tlinning say the say t
Openings in Floor / Walkways	Falls from height, major injury as the fatality
Flammable Materials / Gases:	Creation of hazardous area; fire
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort long term loss of vision.
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and it or body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes

M

Procurement Dept. *



Oxygen deficiency	Death of asphyxiation	
: Poor Lighting / Visibility	Minor / major injury, fall or impact injury	
	*Minor injury, trips and falls	
Spillages (Oil and chemicals)	Land contamination	
Substances hazardous to health	Chemical burns, texic, poisoning, irritants, pollutant	
Repetitive Task / Operation	: Muscular / skeletal injuries	
Rotating / Moving Part	Major injury, potential for fatality	
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands ;	
Smoke / Fume	Cificonsciousness, respiratory problems.	
Trailing Cables and Hoses	Tripping hazard causing major / minor accident	
	Minor laceration and impact injuries	
Use of Hazardous Substances	Burns to skin, eyes, and respiratory system. Environment Hazards	
1000年1月1日	Impact injury, hand / arm vibration—loss of sensation over	
Use of Workshop Equip on	Major / minor injuries - entrapment, cutting tools	
Vibration	Hand / arm vibration - loss of sensation over time	
Work at Height	Major / minor injury	

v. Environmental Aspect of Prification & Impact Assessment

a. Environmental Aspects:

An Environmental aspect is any element of Seconduction that negatively affect the Environment. While conducting environmental assessment, following aspects are usually considered:

"REDUCE CARBON.

What we can do:

- Recycle: what you can
- Reduce: avoid : unnecessary : consumption of : resources
- Reuse: Buy items that are reusable: and reuse them.
- Unplug electrical
 devices that are
 not in use
- Avoid unnecessary driving
- Use LED bulbs.
- Plant a tree

Emissions to air	Water Discharges
Solid non-hazardous waste	Solid Hazardous Waste
Consumption of natural resources/ =16 gy	Noisē
Heat	Odor
Dust	Coration
Effect on visual / aesthetics	Ozone depleting
Use of radioactive / nuclear material	Spillage of memicals

For identification of environmental aspects impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

MR



HandBook | February 2022



b. Control of Aspects having Significant Environmental Impact:


The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring de ices/gauges, computerized feedback monitoring and control systems.
- g. Environment Ufr how disposal or treatment systems etc.
- h. Fire prevention/surpression systems.
- i. Containment walls.
- i. Scrubbers.
- k. Dust Collectors.
- I. Other controls: Training, SOF

The record of operational controls in significant environmental risks is maintained on Environmental Aspect & Impact Assessment Form (SSGC-IMS SEM-F-02). ... Impact Assessment Form (SSGC-IM2

After identification of aspects and asset t of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where re-In-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related activities/processes/equipment are kept current by conducing the same assessment: a. Once every six months to update the information, and identify in w environmental aspects. (Use

SSGC-IMS/CRM-F-02 for recording new hazards and aspects

- b. Carry out assessment, for new or changes in activities/process s/
- c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment Lip) ct Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required gulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to compliance for all new projects.

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2

Procurement

Integrated Management System

Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding,
- b. Confined space working. (tank cleaning etc.)
- c. Maintenance Work on High Voltage electrical equipment.
- d. Any janitorial service involving Safety Risks such as work at height.

 e. Any Maintenance activity by any department/contractor which compromises critical safety system.
- f. Work involving interaction with asbestos.
 g. Work in areas where there is a risk of exposure to hazardous chemicals or microorganisms.
 h. Any job/task/activ/ky that requires additional precautions.
- i. Any specific activity per rimed during development, modification and up gradation of SSGC's Vital Installations including SMS valve Assembly/TBS/PRS etc.

II. Exclusion

Following activities are not under the scope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to complete the associated risks for the following:


- a. Providing Gas connections to never
- b. Emergency Response to Consumer and
- c. Planned enhancement of Distribution in two
- d. Work on live pipelines like hot tapping, insta Bervice Tee etc.
- e. Any major/minor rehabilitation/reinforcement

VG SC If it's UNSAFE

- ✓ Report it
- ✓ Remove it
- √ Replace it







III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to in-charge HSE&QA.
2	Area Authority	/e /Facility where the task/activity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTVV requirements.
3	Contractor	The Individual organization carrying out the Tast/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	It so lired, Monitor the tast last bity during execution and identify any gaps related to propose to the P Wand maintains records. Authorized to stop work in case of noncompliance to PTW requirements.

yo


Southern Gen Co Dept Procurement Co Dept State Co Dept Sta

Integrated Management System, 1

14



IV. PTW Process Flow





HandBook | February 2022




V. Permit Display


Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.









Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).

d. Any Emplency maintenance work.

e. Any particular job/activity requiring JSA as necessitated by HSE&QA.

II. Respons

S No.	Functions '	Details	Responsibilities
1	Activity In- charge/ Supervisor	assigned to carry out the task a divity requiring 15	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Report any untoward situation Authorize JSA Ensure Adequate resources are provided to carry out the task activity in safe manner. Solver competent team and team-leader to the activity/task. Submit (coly of JSA:prior to job execution of SE&QA/Zonal HSE Team Leader.)
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

NR





Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried

II. Scope

This procedure is into ded to address those changes which may have a direct impact on SSGC's Integrated Management System, or the subsequent delivery of services.


To make sure that changes are assessed and documented in a consistent manner so that:

- a. Unnecessary or counterpressor te changes are prevented.
- b. Changes do not adversely affect safety, the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals with ut knowledge and/or agreement of all relevant parties.


 d. A record of the assessment rationale and analoge assessment process is produced.
- e. To make sure proper change out of emplo uring operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out th asignated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the detail /scope of the project.
- b. Area Authority: Area authority is responsible to identify the had impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to autitor as change after assessing the risk and their controls.







IV. Definition of Change

For the purpose of this procedure a "change" if an alteration to Processes;

- a. Documented information maintained by this U.S.
- b. Equipment, hardware, software, infrastructure.
 - c. Personnel assignments and training.
 - d. Vendor selection and management.

Other types of changes not listed above can be related to any element of the process, such as inputs, resources, persons, activities, controls, measurements, outputs, etc.

Note: Not all alterations to a system require the Management of Change Process (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

V. Levels of Change

Lavel 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Level 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work emvironment.

Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

MK



HandBook | February 2022 .



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is a cepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and for are the request to the appropriate process owner for implementation.

Step 3 – Implementation

The process owner will be respensible or implementing and coordinating the actions required for the proposed change. If it is determined that furt eleastessment is required during the course of implementing the change, these assessments will be documented and ubmitted for review prior to completing the change process. Only after all assessments have been reviewed shall the MOC process be continued and monitored through completion.


VII. Closing out the MOC

The in-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control) ember of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

NE





MOC Process Flow



NR



HandBook | February 2022



7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

To take the street of the second	Control Measures
Hazards 🤻 🔭	Control Measures
Adverse weather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad how ekeeping	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot co	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning	Life guarding, lifesaving equipment, presence of first Aider.
Excavation work	Plysical barriers; fencing, shoring, safe system of work, signs, caution tope.
Fall from height	Edge protection; safety lines / hamesses, safe means of access, (e.g. scoffolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting - L	Good work area design an dighting equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while	Define weight limits, use mechanical eans for lifting and laying
laying pipes in trenches	of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on	Good maintenance of work areas, good housekeeping, good
same level	cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing; mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.

the



7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance.
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manua Pandling	Regulariassessment of handling techniques: Improvisation to eliminate stress / fatigue; training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	Proper identification of pressure vessels, preventive maintenance, lessure indicators, alarms, PRV's where required, periodic instantion.

7.3. ELECTRICAL

William Call Store and Call Concession	he could be a
Hazards	Control Measures
Livé working	Avoid (i.e. No Live Wrking), use competent / trained staff.
Hand tools	Regular inspection, testing of electrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material of a ling.
Machines / Electrical cables	Electrical testing and maintenance, good sectrical safety design, periodic inspection for design load vs. actual oat use of circuit breakers, lockout / tag out, anti-static materias. Use double insulation, proper grounding
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Buried)	Look out for signs, contact local utilities (KE WAPDA) for locations, stay at least 10 feet away from overhead lines, use proper PPE

MR

Integrated Management System



23

7.4. FIRE

Hazards	Control Measures						
Combustible materials	Avoid, reduce storage of combustible materials, isolate from						
	sources of heat and ignition.						
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an						
200 000	isolated, well-ventilated area; signs, no smoking, color-coding.						
	Controlled storage, use and disposal (e.g. limit quantities held)						
Flammable solvents	fire proof storage, signs, no smoking, no naked flames,						
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	emergency plans.						
Heaters	Segregation from sources of combustion, guarding special						
	construction if used in hazardous areas.						
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide,						
the season of th	segregate from sources of combustion(e.g. flammable solvents)						
Oxygen (gas and liquid	Segregate from sources of combustion, controlled storage and sage.						
Smoking materials	Designated smoking areas with proper ventilation, promote no says in a policy.						
Static electricity	Limiture o static generators in hazardous areas. Use of anti-						
Carried State of the State of t	static device shearthling. San Branch and a seas. Ose of annual static device shearthling.						
Gas Leaks	Odourization or timely detection where possible, proper joining						
	methods, Field say ley, training, leak detection techniques.						

7.5. OTHER

Hazards	Cont of Measures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harming substances, use, maintain and test engineering controls, monitor to hazardous substances; inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrol educates.
Biological: Biological agents (micro-organisms, pathogens) mutagens, carcinogens) Rodents, Shake Bite	Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazarous substances, inform and train employees, use personal protective equipment. (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	Good food hygiene standards, good cleaning / disinfection, employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergenomics	Educate / Train employees; avoid repetitive tasks procure- ergonomically design products (e.g. chair, Computer desk
<i>,</i>	

W

- HandBook | February 2022

8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years
SSGC-I (S/) RM-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years
SSGC-IMS/CRM 2-05	Management of Change Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-06	ontext of the Organization	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-07	SWC 1 halysis	HSE&QA Department	3 Years
	ONGS.	:	
NR			



Integrated Management System



IMS Form

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

Nox

Zone		Department			Location			Date	
S. No	Hazard (E.g. Wom out electrical cord)	What can go	Existing Constitutional		Risk Priority				
		Wrong (E.g. Electrical shock to any employee)			PROBABILITY CONSEQUENCE PRIORITY (E.g. (E.g. (E.g. Likely) Significant) High)		Additional Operational Controls (E.g. Isolate/Replace the wire)		
•••	· ====================================		9/	1					
				0,					•
	· .							•	
					D				
					C	S.			
Additio	nal Comments	(If any):							
		i HSE Team Leade		- 		HIRA '	Team		
Name & Designation Signature			S. No	Name & Design			Signatur		
				1					
		ł		2					
				3				•	

W





IMS Form

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

10,

Zone		Department			Loc	ation		·	Date		
Proce	ss / Operati	on Description	on E.g. F wer Gen	eration)		•	<u></u>	;	<u>. </u>		コ
S.No	Activity -(E.g. Fuel Combustion)	input (E.g. ivel, air)	Out ut (E.g. Hydrocarb CO2 H ₂ O, O particulate matter	Envir	ronmental asp Lg. älremissions)	ect .	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Low)	Орега	tional contr	ois .
					0/1	·	•	·			
		-			V	3	. ,	÷			
:	. · .				•		٠				
Additi	onal Comm	ents (if any):		· · · · · ·		•	P	5	•	;	
	2	Conal Team L	eader				EAIA Tea				
Name & Designation Signature				S. No Name & Designation Signature					\blacksquare		
			•.	1			··				
				2							
1	•	ŀ		3					•]

ME

Integrated Management System,





HSE&QA Department

IMS Form


SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

WORK	Work Permit Number (To pe Med by HSELOA):								
	•			Section '	'A"	<u> </u>			
Department Name:		•	Contract		Contact Nam				
	Responsible	Name:			<u> </u>	Signature:			
!	Person	Signature):			Date & Time:	·		
Ĭ ij, I	Perfet Valid Time:					Time:			
[E. [To I	Date:		Permit Va	ilid Until " 🛏	Date:			
를 날	Louis for he Work:				Jaus.	·			
	Type Works								
Permit Valid Time: Date: Location of the Work: Type Work (4) Hot Work I Restrict maintenance work Mechanical maintenance work Detailed in confined spaces Hazardous chemicals Working at height Working in confined spaces Working with compressed gases Janiforial/Cleaning Service Excavation/Tenching Handling Asbestos Lifting or hoisting Guipment/tools to balance:			all of Work						
76	☐ Working w		working at he	ight 🗆 Workin	in confined	spaces	•		
, e	☐ Excavation/T	an coutb	C Handling	l Li Janifori:	/Cleaning	Bervice	•		
g. []	Other (Please p			Wanestoz IT	riting or 1	iolsting			
8 1	Equipment/tools	to be	4						
	n		<u>~</u>		•			•	
·F	Please mention Procedure: Context,	ine associ	at ti hazaris	of this activity	(Please refer ill	3			
						.]		•	
	Following service	es to be is	solated / 102 (e	(if requir	aci i				
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	🛘 Electricity 🗆 G	as 🗆 Wate	r 🗆 Air 🗆 Oth		,	Į.			
		•	Name of Street and Street Stre	Section '	011	and the Easter Commences	ali 10 timer, començar per espera	or season and the	
1.	authorize the tas	k / activity	to be carried or	THE THE SE SE			time. Executing		
A filled	should carry out w	vork in corr	pliance to safe	ty / PPE and	ments identi	n for specified	i time. Executing QA Department is	Deparment	
		·	·			no by Maca	ay nebameut i	1 section :C'	
o a Name Designation Date and Time			TIA						
Date and 11				116					
***	Section "C"								
1	Vame		Design						
<u> </u>	ollowing controls	must be in			Si	ature	Date		
							with the task/actn	vity:	
	☐ Hard Het ☐ Si	afely Shoe	s 🗆 Cover all	☐ Reflective J	ckets 🗆 Ear	Phin F Es	offe II Don't be-	la C C	
골목]	snields 🗆 Weldin	g Shleids	Safety Belt/	Harness II S	efety Goggles	□ Han	uffs 🗆 Dust Ma	ISK LI FACE	
٩ .	y additional of	namilane)					Pigeninia	whherefor.	
.] [J Fire Extinguish	au⊟ Ywpin Deranotiat	councis (Lies	ise Specify);	•	•		•	
		2	the contract of the contract of	men and the same of the same o		A to a second	<u> </u>		
	• •	<u> </u>	Section	"D" (Monito	ring & Closin	g)			
l hours	Area Authorit	<u>}-</u>	Exe	cuting Denart	ment		E&QA Departm	ent	
work at	physically inspectite and verified the		I.dectare that	the above tas	/ activity has	HSE&QA	Observations duri	na	
operati	onal controls are	Deen carried out in compliance with the			monitoring	monitoring (if any):			
•	deliners (administrationed spove.								
The task / activity is the in safe for south				livity is now co	npleted and	1			
	site is safe for routine operations.								
Any incident happe				happened durk	g execution:	Thi	<u> </u>		
•				′es □ No !	•	I his work	neo won si time	sidered '	
Name Sign & Starmp Date			Name	Sign & stemp	Date	close.	T		
			· .			- Name	Sign & stamp	Date	
		1 :							
						1			





IMS FORM

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executing Depart		Zone		Date 1		
Job/Activity: Activity Details:						
	:.	•			•	
Locator		· · · · · · · · · · · · · · · · · · ·				
		•	•			
PPE Required						
☐ Face Shields !	ater Shoes □ Co □ Welding Shield:	ver all □ Reflecti s □ Safety Belt/ I	ve Jackets Hamess □ !	□ Ear I Safety (Plug Ear Muf	fs Dust Mask
n preaming App	aratus L. In Vis.			Calety (aoggles il nan	a Gioves
☐ Fire Extinguih:	operationa contr ser 🗆 Ambulance	ols (If required) Barrication	Other:			
** · · · · · · · · · · · · · · · · · ·	of field Activity		al Hazards			
			ii riazaius		Cor	ntrols
- 1	· ; , .		•		•	
	 .					
		1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			· · · · · · ·	
1231	•		\'\			
	· · · · · · · · · · · · · · · · · · ·		/			· · · · ·
					······································	
	······································			7	^	· · · · · · · · · · · · · · · · · · ·
	<u> </u>	<u> </u>			7	
	•	1	 		YA	<u>-</u>
Activity	· Inchesso / Suns	,				
I hereby certify	Incharge / Superal that all opera	tional controls.	l authorize	ead of	Executing Dep	artment he job. The team
mentioned abov	is adequat	tely reso	ourced to execu	te the job safely.		
step of the job. T job and the equi	•	•	r ·			
safe to operate.						
Designation	Sign & Stamp	. Date	Name & Designati		Sign & Stamp	Date

MR

Integrated Management System.



SSGC HSE&QA Department

IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

Issue Date: July, 2021

MO	No: · Date							
	Section A: Description	of pro	posed c	hange and potential ha	zards			
١, ا	MO Owner Exp old Duration of		·	Location of Work:				
	Exp cled Duration of							į.
	Wox							į.
. 1				Type of Change	-			
. 6	Pipeline	construc	tion 🗆 Ph	ysical structure/building 🗆 Ne	w or modi	fication	in	
3	☐ Permaner process/or	rocedure	□ New or	modification in equipment/ma	ichine 🗆 N	faterial		. 1
0	☐ Temporary Cobstan	rce 🗆 Otl	ner:					i
be filled by MOC Owner	Detail of MOC/Sec. of	100·18	ummodia	the besie for the property	1 -1			
2	safety and environment	noc: (a	ullillidlikt Bulling fra	the basis for the proposed	ı.cnange	and an	y pote	ntial health,
무	derety and environment		onmig nc	mi die proposed Glange.)				İ
. ₫	•							ŀ
5	·	`)					
To	الم من	V		_				
Ĕ	ľ · .	•						İ
	The proposed change is	5044.04		Ana Authority for and				
1.	Name & Designatio		Diffilliand	rea Authority for eval	uation.			
	marile & Designatio	1		Salag Stamp			Date	
					1	, .		İ
<u> </u>			, , , , , , , , , , , , , , , , , , ,		<u> </u>			
	Section B : Evaluation	of the	impact(s	s) related to the change				
	Evaluation Criteria				Yes	No	Co	mments
 ₹	Does the proposed chang	e meet a	ıll applica	ble legal or other		Γ	•	
Ē	requirements?				·			
3	All modifications in the existing process/ equipment are Environment by							
l as-	Manageable and Safe?							
3	Does the change requires changes in SSGC HSE Procedures							
2	Does the change will affe	ct the us	e of Eme	ergency response	V	L 1		
Ę	equipment of the location Does the change requires any specialized training for SSGC staff							
1								
To be filled by Area Authority	Note:	ın case (or "YES" (olease provide details on a	separate	She	<u> </u>	
0			pmitted	to in charge HSE&QA for	authoriz	atr		
-	Name & Designation	n l		Sign & Stamp	ļ		Pate	
				•			·	
Ŀ				•	<u> </u>			
	Section C : Authorizat	ion for	change	to proceed				
18	Following proposed controls should be implemented while execution of the job.							
2	Potential hazard/risk	Risk		Proposed control		dienoc	ility	Timeline
도 보								
5					1			
Ē					1	-		
lě								1
To be filled by HSE&QA	Name& Designation	п		Sign & Stamp	<u> </u>		Date	
0				M:	1			
-	1				1			
			·		<u> </u>			





SSGC

HSE&QA Department

IMS Form

Context of the Organization

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

LIST OF INTERESTED PARTIES

External interested Parties	Needs & Expectation
Board O'Directors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR
	Protect shareholders interest.
~O ₀	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	Follow best practices of corporate governance.
	Ansure committee meetings are held as per plan.
	Financial benefits of the organization.
	Avoidant expr any fines / penalties.
	Reputation cannot cement.
	Corporate Social Residusibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to chave quality goals.
	 Achievement of safe and healthy conditions in organization.
	Commitment to quality, safety and health.
	Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

31

<u>'</u>		`
b		
٠.		
7	٧.	
	٠.	
\	8	
`	. 0	•
•	`	

SSGC	

HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Context of the Organization

Issue Date: July, 2021



- Ensure that policy and related objectives are established.
 - Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
 - Effective management of hazards, risks, incident, exergency, and injury.
- We keep engage and participation in all quality, environment, health and safety activities.
- Continued rowth in quality and productivity.
- · Effective controls on quality, health & safety issues.
- No major accident at working conditions for all employees.
- Develop positive quality and bealth & safety culture.
- Continuously improve quality, after and health performance with review process.
- Well performed employees.
- · Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
- Job security.

-94

HandBook | February-2022

Dept. / 2 2



IMS Form

SSGC-IMS/CRM-F-06

HSE&QA Department Context of the Organization

Revision 00

Issue Date: July, 2021

1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
	Training and development opportunities.
	 Sustained reputation and image of company.
1	Consultation.
0,	Communication and participation.
	No accident / injury / ill-health.
^	Reward and recognitions.
S	Opportunities for dialogue / improvement / changes.
	Timely and fair provision of remuneration coupled with career progression.
Client/Customer	Time provide high quality services, quick response on any complete, follow all local laws and QH&S requirements.
	Unint r unted gas supply.
	Customerracilitation.
	Quick response of gueries & complaints.
	Value for money.
	No health and safety issue in product.
	Prompt actions on quality, heal hand safety issues.
	Minimize the risk of injuries when receiving a services.
	Socially and environmentally responsible.
Suppliers/Contractor	Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
	Fair chance of participating in bid opening.
	Communication of hazards present at workplace.
	Timely payment.

Integrated Management System

NR ...





HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Context of the Organization

Issue Date: July, 2021

	Transparency.
Trade Union & Worker Representative	Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
	Conducive and safe environment for work
^	Timely provision of information necessary for workers
	No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media management.
	 Patient and positive attitude. Effective communication.
Visitors	Safe entry and exit diving stay at SSGC.
	Communication of pertine it in ormation.
•	Emergency response.
	Briefing necessary safety rules.
	Necessary PPE available.
	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
(Emergency procedure in place and drilled.
	• Regulatory compliance.

A Comment



SSGC

HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

1	
	 Regular drills for flooding, spillage, site excavation and first aid etc.
	Availability of adequate resources.
Utility Providers (Power/water ruel,Telecom)	Prompt payment.
(i owenwater mei, reiecom)	Good Management.
Academic Institutes	Effective learning programs for employees.
Op	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Learning from SSGC.
Insurance Companies	lo claims, risk management, prompt payment.
Banks	in heal performance, cash flow.
Neighborhood/Community/ Society	Safe wroteing conditions.
Codiety	Environment friendly operations.
	 Contribute positive of local environment and populations.
	No complaint relating to to be pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
,	Return on investment.
·	Transparency.
	Rights are protected.
	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

_	
SSGC	

HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Centext of the Organization

Issue Date: July, 2021

Third party auditors- Finance	Smooth data collection
	Better financial performance
1/0	Effective communication
	On time response on queries
	No fraud or illegal acts detection
Certification bodies	Effective implementation of ISO standards with all
7	relevant clauses in the organization
Creditor/Financial Institution	Repaid on time, good financial performance
Government/ Regulators (Local/Regional/Provincial/ National/International)	 doutified applicable statutory and regulatory equiroments for Quality and health & safety. Prompting ponses in case of any non-conformance. Proper investigation on uncontrollable. Implementation of safe policy in the field of occupational safety.
	Fulfill the requirement of all applicable laws, rules, regulation, orders, guidelines, interpretations and directives.

N





IMS Form

SSGC-IMS/CRM-F-07

Revision 00

SWOT Analysis

Issue Date: July, 2021

POSITIVE VICE	
STRENGTHS	WEAKNESSES "
Having vas experience of Transmission and Distribution of Natural gas.	Complex distribution network leading to UFG.
Infrastructure available in two provinces.	Substantial resources required for up gradation.
Highly competent human resource.	Lack of succession planning.
Certified to international standars	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pake	High price.
Serving the nation since decades.	Government new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	THREATS
Monopolistic market.	Depleting natural ga
Over 2.8 million customers.	Customers may turn to renewable energy sources.
Import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.
	The state of the s

Integrated Management System

MR

37

1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

3. DEFINITION

- a. Incident: Vor -related event(s) in which an injury or ill health or property damage (regardless of severity) or fatality occurred, or could have occurred.
- b. Accident: An incident in which an injury or illness or property damage act all occurs.
- c. Near Miss: A Near Miss is an unplanned event that did not result in an injury or property damage, but had the potential to do so.
- d. CPR: Cardiopulmonary resuscitation
- Emergency: An emergency is a situation that poses an immediate risk to health, life, property, convironment.



Accident

Near Miss

Harmful

Harmless

INCIDENT / ACCIDENT LOSSES

Loss of Life

DIRECT LOSSES

(Visible)

Damage to Company
Reputation

INDIRECT LOSSES

(Invisible)

Clearing the Site and conducting repairs


Building, Tools etc.

Time and resources utilized in hiring and training new worker

Legal costs

MR

Integrated Management System



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	 Major fire Major gas leakage Explosion Bomb blast Vehicular accident Significant 		Inform respective departmental head/incharge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	set /			Security department	
	l unian loss de to ny un owe d situation including		Follow the Emergency Response Procedure.	in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	natural disaster, damage or		Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
	theft of asset / property having an estimated amount of more than	78/	Report the incident using incident notification form via web portal to in-charge HSE&QA immediately (or within 24 hours) after the corrence of incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two	Major	HES A will complete the investigation report via web postal within seven working days aner receiving insident	HSE&QA	SSGC- IMS/IAM -F-02
	off workdays:		notification form. Additional days may also be required depending upon the criticality of investigation.		
·			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.	O GROA	•
			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
		·	Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	,

- Phr

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
·		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
•	Minor Injuries where only pagic first Aid or less than		Inform respective departmental head / in-charge.	Anyone who has witnessed or received the initial information about the incident.	
. 2	provided to the victim. Minor Vehicular accidents	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
e e e e e e e e e e e e e e e e e e e	where there is no significant injury or loss.	8/	HSE&QA will share the information with all concerned to avoid the scurrence.	HSE&QA	
3	Any Near Miss Occurred / Observed.	•	Nepr the Near Miss using a line Near Miss Notification Form via web portal. Enter details as mentioned in the form attach evidence (for hy) and submit.	All Employees	SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset dather etc. will be considered as accidents and will be reported through online incident Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.


MR

- (Procurement)


Integrated Management System

Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:



- b. Time lapse between reporting of the incident and the actual occurrence of the incident,
- c. Lack of supporting information.




- Determation of root cause using any suitable method like tripod analysis etc.
- b. Investigation will be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- When indicated by the severity of the incident, steps to secure the incident site must be initiated immediately to ensure that investigating party can reconstruct the events c. When indicated 🐼 leading to the incident.
- d. Individual interviews will be 6 inducted with each person present at the time of the incident. The following rules are to loved for interviews with all individuals:

 1. The witnesses should be interviewed promptly, separately and privately.

 - 2. The interviewer should avoid que dio s that give a yes or no answer.
 - 3. After the interview, the interviewer six of document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:

 1. The investigator or investigating team must focus on getting accurate and complete information.
 - 2. Facts must be separated from opinions, and rect evidence from circumstantial evidence.
 - 3. Each concern identified in the investigation must be all addressed.
- f. Upon completion of the investigation, the team will fill and sub-in the Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background information, Root Cause Analysis, Conclusion and Recommended Corrective / Prever venctions.
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the ZonaLHSE Team Leader to:





- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be a dated including controls, risk level, likelihood etc.

4.5. Data Inglysis and Review of Actions

The data of incider's will be evaluated and investigation outcomes will be shared with the management during an agement review meetings to seek advice and to discuss the effectiveness of measures actions implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period		
SSGC-IMS/IAM-F-01	Incident Notification F	In-charge HSE&QA / Zonal HSE Team Leader	3 Years		
SSGC-IMS/IAM-F-02	Incident Investigation:Form	In-charge HSE&QA / 40 nai HSE Team Leader	, ∱5 Yeárs:, -		
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In charge HSE&QA / Zonal LS Team Leader	3 Years		

NR



¥...

SSGC HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F-01

Incident Notification Form

Revision 01

Issue Date: Aug, 2021

Date:	·	Time:			Report N	lo.	· ·
Reported by:				_ · ·	(10 pa mag)	oy macatagey	
Location:	•.					·	
SCC Premi	ses	□ or	rtside SSC	GC Premis	es 🔲.	•	,
near in Set	alis:		·	•			
Responsible	Zone	•	2	Conal HSE	Team Leade	9r	
Region						,	•
Particulars	of Affa ted	Person(s):		1	Details of Af	fected As	ISet (If any)
Senai No	7	1	2 .	3			
. Name(s)							:
Employee ID)(S) ·	9/			•		
Designation						•	
	Permanent		0,	<u> </u>			
	Contractual		-//				
Type of Employment	Contractor	1.			,		
·	Visitor			O.			•
• •	Other				O , ·	•	•
Age ·				1	(/_		
		<u> </u>		<u> </u>	Q		
(Note: Fortume Incident Ty		onal page may b	a used)	• •		0_	•
_	-	Vahiculas Acs	ident 4	Seet Dama	ge 🔲 Work i		<u>.</u> : \Box
• ==		Natural Disas	• =		-		
· incident Co	· -	•					
Fatality SSG] Amount D		First Ald 🗍 (· 245	
Cate	" ∐	· •) waser or	miiaña[]	riist Alu [_]	Jule:	
incident Cla				•		·	•
Major	Minor	Near Mi	SS		•		
Incident De	rtall:	· · · · · · · · · · · · · · · · · · ·		 	· · · · · · · · · · · · · · · · · · ·		
<u> </u>							

M



IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021

ncident Notification Form Ref. No.	Incident Detail (Brief)
ncident Date	
nvestigated by	
·	
GROUND INFORMATION:	
The state of the s	
~ ~	
	•
	•
ROOT CAUSE NAVEIS:	
	• • • • • • • • • • • • • • • • • • • •
	• • • • • • • • •
· * 🔊 .	
5 /	
:	
CONCLUSION:	
	, e im webjer
ONCLUSION:	
·	
RECOMMENDATION OF CORRECT	VE AND REVENTIVE ACTIONS
Recommended Actions	. Action by (whom) Action till
	don by (whom) Action till (date)
1.	
2.	
3	- UA
•	
4.	
·	· .
ls risk assessment required for the corrective actions? If yes recommended actions:	s, please mention the serial numbers for the
	•
Incharge H	SE&QA

2. Additional pages can be used for mentioning other details

3. Transmission/Distribution department must submit the quantity of gas loss in case of any gas leakage or subnition

Integrated Management System

44



Department

IMS FORM

SSGC-IMS/IAM-F-03

Revision 00

Issue Date: Aug, 2019

Near Miss Notification

ersonnel Detail (Who Witne	essed the Near-Miss):
Category Type:	Unsafe Act Unsafe Condition
Names	(1) 1 (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2
Executive / Employed Vans	
Designation:	[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]
Departments	20 mm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Location / Area:	The state of the s
Near Miss Datails	
Date:	· · · · · · · · · · · · · · · · · · ·
Times	全型
Location:	经营业的通过的
Nest häss Related To:	Leakings
Brief description of what you saw! (max. 109 words):	
Attach Pictures	Choose File No file chosen

N



- HandBook | February 2022




1. PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage risks arising from such situations or events. The Procedure defines

requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- a. Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- b. Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- c. Define mechanism and frequency to test plan so as to ensure prepar dies and effectiveness of emergency response system.



2. SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency six. Due to variations in nature of operations, various departments/sections have developed their own ER Plans of tering for their strategic, operational and physical requirements. The same includes HSE emergencies a six of micrompany's day to day operations in terms natural calamities, fire, major incidents with loss in our operations imajor environmental damage, external terror or bomb threats, public unrest, war and etc.


3. DEFINITIONS

- a. Emergency Situation: An abnormal situation hat calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machine vial installations and other assets.
- b. Rescue: It refers to responsive operations that qually involve the saving of life or prevention of injury during an incident or dangerous situation.
- c. Emergency Response Organization (ERO): It is a group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any emergency incident, such as a natural disaster or an interruption of business operations.
- d. Emergency Response Centre (ERC): It is a room suitably quirped to handle any potential emergency situations. All emergencies are to be reported here.
- e. First Aid: It is the provision of initial care for an illness or injury. It is ally performed by non-expert, but trained personnel to a sick or injured person until definitive medical traction to an accessed.
- f. Assembly Areas: If an evacuation to the outside is appropriate, the no inated assembly areas for personnel shall be far enough away from the building, structure or was to ensure that, where practicable, everyone is protected from falling glass and other objects.
- g.. Emergency Evacuation: It is the immediate and rapid movement of people at a from the threat or from the place of the hazard.

4. RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- c. Call the fire brigade & other emergency services like ambulances if required.
- d. Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- e. Inform all to go back to their work places using megaphone or any other suitable means when the situation comes under control and the area is free from any hazard.



- HandBook | February 2022 🔩

PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are lis ted below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the same need no be limited to these areas:

• Fire & Existing

- · Heavy 🗫 ge of Toxic/flammable chemicals or leakage of gas
- Heavy rain flo
- Earth quake
- Bomb threat
- Building & office lock shelter in place
- Active shooter/hostage sits

6.1. Fire & Explosion

In case of fire & explosion each pers of act as per but not limited to the following inside tions:

- Give voice alarm FIRE! In case of fire for all ediate employees in the area.
- Push the nearest located call point buttor in ise of fire (if present):
- . Immediately inform Emergency Response C. ation through phone or in person.
- Try to control the fire by using fire extinguishers ice extinguisher anly if you have been trained.
- Remove all explosive, inflammable and poisonous materials e. away to the maximum possibility.
- f, Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable. ...
- Report to the designated Assembly Point away from the scene of the polosion if asked by Emergency Response Organization through emergency exits and wait for the furth

6.2. Heavy spillage of toxic/flammable chemicals or leakage

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each sonnel present within the premises must act as per but not limited to following instructions:

- Immediately inform Emergency Response Organization through phone or in person.
- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas. b.
- C. Turn off gas supply from nearest control valve...
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be d. taken to ventilate the gas. Ensure the availability of fire extinguishers.
- е. Stop leaks if this can be done without having any risk.
- f. . Do not touch or walk through spilled material.
- g. Prevent entry into waterways, sewers or confined space.
- h. If available wear the Personal Protective Equipment recommended.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions

FIRETRIANGLE

Integrated Management System

กวนรัฐการกิโ

6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but

- Try to stop water by keeping sand bags.
- Protect building, machines, equipment, tools, parts & material. b.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. a. b.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be acceptible in case of any emergency.
- C. cantity of tarpaulin and rain suit is available to meet the rainy condition. . d.
- Keep the cain ine open all the time.

 All pumps are in running condition. е.
- Sufficient quantity of sand bags is available to stop entering the water inside, which may be placed in

Class	Material	Examples	Type of Fire Extinguisher to b
Α .	Solids.	Paper, woo pastic, etc.	used
B :	Flammable Liquids	Paraffin, petrol oil tc.	• CO2
∵0 -	Flammable Gases	Propane, butane, Meriano, etc.	Dry Powder Dry powder
D.	Metals	Aluminum, magnesium, titandi, etc.	Sodium chloride based do:
Ε ::.	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	powder fire extinguisher OD2 Fire Extinguisher
F	Cooking Oil & Fat	Animal fat, etc.	Permical based: Potassium bicari onate

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately inform Emergency Response Organization through phone or in person. b.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen. C.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) d.
- Maintain your senses, do not let them disperse.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, e. debris, heavy objects and electrical wires. f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors. g.
- Wait for further instructions from Emergency Response Organization. h.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- The Bomb Disposal Department shall be allowed to operate in the company premises as deemed e. appropriate.
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by f. Emergency Response Organization.

6.5. Bomb Threat

in case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- Immediately inform Emergency Response Organization through phone or in person.
- Maintain your senses, do not let them disperse.
- Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- Bomb Disposal Department shall be called by Emergency Response Organization. d.
- The Bornh Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- clearance from Bomb Disposal Department normal routine shall be adopted as advised by Response Organization.

6.6. Building or Crice Lockdown/shelter-in-place

If a situation calls for build to or office lockdown, the personnel present within premises should act as per most limited to following instructions:

a. Remain calm and stay will your colleagues.

- Try to stay in pairs.
- Do not leave the room and/or building under a lockdown situation until asked otherwise.
- d. · Keep quiet and away from doors ar
- if a gunshot is heard, lay down on the and shield under/behind furniture as much as possible.

Take care

Don't try to be a hero in. emergency situations; do not place your own life on health or that of others in danger

Be prepared for the

6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel precept within the premises must act as per but not limited to the following instructions:


- If it is safe to do so, exit the building; if not, lock or barricade or self inside a room.
- b. Turn off lights, cover and lock the windows, and lay on the nool
- If the shooter(s) leave the area, go to a safer place, if possible. Lave an escape route/plan in mind, keep your hands open and visible, and follow any instructions given by law enternal
- Call the Police/Rangers when it is safe to do so. Remain calm, us a quiet voice, and provide as much d. information as possible (your name and location, details about the shootens' appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can lister and invito pinpoint the location.
- Cooperate and negotiate with the shooter, in order to buy as much time as postible until the rescue team reaches.

EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken. into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System -



EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you. Ь.
- Leave the building/premises immediately, do not try to investigate the source of the emergency. C.
- Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- Assist people with special needs. e.
- As you make your way out, encourage those you encounter to exit as well.

IO BE EVACUATED

in case of emerge cx evacuation should be carried in the following order:

9.1. Personnel

Those personnel who denot have sound health such as patients of Heart, Asthma and physically/mentally. quated on priority basis. 9.2. Raw Material 🕟

Raw material which is explor inflammable and poisonous must be removed. Similarly, important, lightweight items that are easy to carry must also be removed. 9.3. Documents

Important records and files must also

9.4. Equipment


Cash Lockers, Computer Sets, External Har Expensive Tools and Fixtures must also be removed.

10. TESTING AND EXERCISES

Testing and exercise of the emergency response p an en uid be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The ecord and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible periodically conduct the exercise. The frequency and type of drill at each location should be as below;

Location	Type of Emergency Drill	
 a. Head Office b. Regional Offices c. Billing Offices d. P&C Offices e. Store (all locations) 	Evacuation and Mock Emergency Drill (all employees)	Frequency Six Monthly
f. KT (Transmission) g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Response Team	Six Monthly



HandBook | February 2022

Meter Manufacturing	Evacuation and Emergency Mock Drill (all 'employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Headquarter Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
neadquarter Stations	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSE team leaders ensure that emergency detection and response equipment are identified, available and properly maintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of EP Equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC IMS ERP-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge MSE&CA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular

location/operation/equipment/installation etc. The response equipment usually include but are not limited to:

- a: Fire extinguisher. (
- b. Fire hydrant/hose/bucket/ a er pump.
- c. Smoke/gas detectors.
- d., Communication equipment. (MG) phones, Alarm systems, walkie-talkie etc.
- e. First aid box.
- .f. ER vehicles/Ambulance.
 - g. Breathing apparatus.
- h. Emergency lights.
- i. Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment is in the as per table given below. However, if situation warrants, this frequency can be changed on the instructions of In-charge HSE&QA or Zonal HSE team leader.

	Location		Frequency
.a.	Head Quarter Stations		
b.	Meter Manufacturing Plant		Monthly
C.	K.T (Transmission)		
a.	Head Office		
b.	Regional Offices		
c.	Billing Offices		
d.	P&C Offices		Quarterly
e.	Store (all locations)		• • •
f.	Distribution (Zonal and Sub-zonal offices)	•	• • •

12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period
SSGC-IMS/ERP-F-01	. Emergency Drill Form	HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

Management System





IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

Zone		~	·——.		• • •		. :	
		Region		Location		Date	•	
Туре	Of Emergency Drill			<u>-</u>			<u> </u>	
□ Fir	e and explosion - He mix 1 reat - Other:	avy spillage of t	toxic/flammable	e chemicale m L	ari. Ioonu aan laa			
□.Bo	mix Treat Other:			· · · ·	loavy gas lea	kage □ Ea	rthquake	
·			Observ	ations	<u> </u>	4. 5		
S.No		iption:	Time	auons .				,.
1_1_	Emergence Sirence	no at	111110		Com	ments		
2	Evacuation stated	1	• • •				:	
. 3	Last person reach point		· 1 .			·		
. 4	Firefighting/Bomb di	sp. a cquad/o	ther ·				<i>"</i> .	
5	T intelested batty tead	chedet site				•		
	Emergency under co	ontrol at				` 		
Addit	time of Drill (minute: ional Observations (5):	A					
		many): 🚬 🤻						
	• •	•		• ;		#92		; ,.
1		•					. 77	
7		<u> </u>				of all a		•
S.No			Assessme					
1.	Emergency responde	ers were preser	at at the site		<u> </u>	<u>· · · · · · · · · · · · · · · · · · · </u>	Yes.	No
2 .	Employee were prop	erly instructed	it at the site	_ <i>\omega_</i> ,				1.
3	Behavior of employe	es was satisfac	torv			<u></u>		
4	Evacuation route was	s satisfactory			A			
5	SSGC firefighters we	re well trained			FA	•		
6	Firefighting equipmen	at were up to th	e mark		·//_			
7	Response of the med	lical staff was s	atisfactory		-			
Overa	ll Assessment:					P_		
S.No	. C	A 41	وستقل الشفادات والمتالة والمتالة	Sal	dsfactory 🖒	(Batis	sfactory [
	Correcti	ve Actions/imp	Provements R	equired	Resp	onsibility	Target I	Tata
								-410
		<u> </u>						
	en. De tempetage année samme de la communication de la communication de la communication de la communication de la	o elle Maria de la ligit de la la la la la la la la la la la la la						
	Security Services	Representativ	VB	LIC	SE&QA Repi	d of large transfer a sea by	r i i i mba tingbilin n	Alexandra
	Name .	· Signat	ure	Name	PERWA Kepi			
				- IName		Signa	ture	
	ļ		ŀ					
	·	<u> </u>						j
								
	_ ,	${\mathcal U}$.					-	

Procurement To S

- HandBook | February 2022



IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

. =		4	. •						
Zon		Region		Location	- ;	<u> </u>	<u>:</u>		
INP	e Of Equipment							Date	
2.5	ire Exinguisher (3 Fire Hy	irantWater Pump/Bu	ickets/Hose m s					
100	Induiance Firs	Ald Box	irantWater Pump/Bu Communication Ed	Illioment in Othe	inovev i	eas De	itéctor 🗆	Emergen	cy light
S,N				HECKLIST	<u> </u>				
		V	Vhat to check		Yes				
	highisher				193	140	· · · · · · · · · · · · · · · · · · ·	Comme	nts.
01	exp red.	iers sie il	operable condition a	and not		Ť		·	*
02	Pipe and no	e do not	have cracks						
03	Lever and leve	T A are	in place and leaked		-	·			· ·
04	- A exunguisha	A STREET	arly visible and acces	-7-1-					-,-
Fire	THE PARTY OF THE P	ucien /		ssible.		\bot			
01	No leakage in	ile hyura	sy tem.	· · · · · · · · · · · · · · · · · · ·					· · · ·
02	Hydrant valves	are prop	ery lubrigated and or	Perational					
03	Hose pipe is re	lled and p	sy lubricated and op proper placed. Nozz	les-are		*.	··		_
04	Fire buckets ar	eno. 8 maintau	ned and accordate y f		_	•			
L.,	Sand. Ald Box		ion and sage sage 1	illed with			•		
	All coccessor				<u></u> _				
01	box.	dritted tu	edicines are available	in First Aid					
02	Medicines are r	ot expired	and valid for use.			```	•	•	, 7
Smak									
01	Alarms and Sm	oke/gas d	etectors are properly	function		• •			
-Q1	Equipment (if a	ny)	- Property	idictioning	A		•		
02					-		<u> </u>		<i>i</i> . '
		•			-(-	f,			
S.No		Oh	servations			4			
1						Ą	ne ne	ndations	
									'
2	•			-				4	
. 3	•	•		<u> </u>					
Addition	nol Communication		·					4	
, 1461801	nal Comments (If	any):							
:	•	• •							
	Security Servi	ces Repn	esentative.			•			
Nam	e & Designation	1			HSEA	QA R	present	ative	
			Signature	Name & D	esigna	tion		Signat	lira
		l						7.3.16(
		- {	i			• •	1		
,						•	1		}
	•				-				

Integrated Management System

MR

53



1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and quality of goods/services provided.

SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs agreed with SSGC. Supplier: is an in
- an independent employer/organization that is responsible to provide goods or
- Contract ordinator: Is an executive of SSGC procurement department, who has been delegated/given esponsibility and authority from the head of department to initiate and maintain the ď:
- NEQS: National Enviro mental Quality Standards.
- SEPA: Sindh Environmental Protection Agency.

RESPONSIBILITIES

4.1 Suppliers/Contractors and contractors

- The contractor must take all neces are safety precautions related to the performance of the contract in order to protect the work site including all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety and well-being of their employees.

 c. The contractor will also be responsible to provide elevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors with have their own HSE&QA management
- d. The contractor shall ensure that all personnel are adequately aliged to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC policies, procedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for ep to mental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings bet HSE&QA department within 10 days of issuance of a letter to proceed. contractors and

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

- HandBook | February 2022



5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand the requirement of this procedure.
- f. Support shall adhere to technical specifications provided by SSGC to ensure quality of goods
- g. The contract rishall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HST&QA department to seek guidance and awareness on risk/hazards related to activity and its possible controls.
- h. The contract is liable to inderstand and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please in the torisk assessment and management procedure (SSGC-IMS/CRM-02).
- i. The contractors are responsible to dispose of any waste generated during their activities in any environmentally safe & responsible manner.
- j. The contractors must ensure that into trained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with SCC's safety procedures and NEQS and SEPA set standards.
- I. Any identified hazards discovered by the conflactor that is beyond their ability and/or responsibility to fix must be immediately reported to the conflact sportinator and HSE&OA department in writing.
- m. The contractors must ensure that the workforce proved must be physically fit and should not carry any contagious disease. SSGC reserves the light to ask for medical examination/tests of any employee. Contractor will bear all expenses incurred than the medical examination/tests.
- n. For contracts related to providing food services/canteen services, medical reports from accredited labs must be submitted to head of administration services, an imment for entire crew once the contract is awarded and annually for following diseases hepalitic D & C, tuberculosis, and chest X-ray.
- o. In case of violations from SSGC safety standards/policies/proced tres actions will be taken to penalize the contractor depending on the severity/recurrence of breaches; is per following matrix:

S. No.	Violation	Action St. St. St. Co.
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract

Integrated Management System

54



6. ACCESS

Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.

b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.

A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.

d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from Contracto

Contractor exprayees must stay in their assigned area(s) at the job site and not visit other areas or make any discontractor exprayees must stay in their assigned area(s) at the job site and not visit other areas or make any discontractor and piece of equipment or device unless authorized to do so by an area of the contractor and the contractor areas or make any discontractor and the contractor areas or make any discontractor and the contractor areas or make any discontractor thorized SSGC representative. Failure to abide by this work rule will result in immediate dismissal from the facility and in toding prosecution. Each zone maintains some work areas


work areas with limited access at all times. No one is permitted to overide any security de ice or convenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the At no time should contractor or subcontractor employees enter the

Anywork not performed during not be usiness hours must be approved in advance by the SSGC . representative.

h. All contractor employees will go through contractor safety/induction training upon initial work at SSGC: and annually thereafter. A copy of authorized (current) personnel for contractors will be updated and .

6.1 Tools and Property

- For any situation in which the Contractors activity may end inger and duct quality such as: drilling, welding, removing ceiling file or any other job which creates metal fragment, shavings or dirt in exposed product of manufacturing equipment areas, approval must be made through the SSSC representative and conditionally approved by the ZTL or representative before work is to commence the to tractor must abide by conditions established by the Zonal Team Leader or representative to protect the equippr
- b. Soliciting, selling of any merchandise, gambling or distribution of literature to a e is forbidden on
- Use of company telephones is restricted, unless prior approval is attained from the · Pay telephones are not available.
- d. . Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.



HandBook | February 2022

- h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite:

- a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.
- b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product
- contamination or equiteration, (i.e., nothing is to be carried in shirt pockets, lapet, and etc.).

 c. Appropriate PP of plust be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to their workforce.
- d. Proper clothing must be worn at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- e. Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skin abrasions will not be permitted to weak in any area that could result in contamination of SSGC personnel.
- f. The use of tobacco in any form's prinibited at all times except in the designated Smoking areas.
 g. Chewing gum, candy, storing lunches eating or drinking beverages are not permitted in or adjacent to
- the SSGC premises and storage areas. There will be a designated area for contractors to eat. (Cafeteria)

 In the event that there are open tanks, in speed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack ham period chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chip or ther debris may be generated.)
- molding or storing parts, lubricants, solvents or The use of containers, boxes, cans, jugs etc. construction material is strictly prohibited.
- artitle immediately if foreign material used or The contractor is responsible to notify the SSGC repre generated by the contractor's activity, was accidentally spill in the zone area/ SSGC premises.
- k. Contractor will follow 'Spill Response Procedure' of SSGC in case of any spill occurred.

7. CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

- a. All applicable Occupational Safety and Environmental regulations must be follows:
- b. Contractors shall supply to their personnel and to the SSGC representative: mer ency contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to the on-site work.
- c. Contractors shall provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the SSGC representative with a current copy of their Salar provide the salar provide the Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures applicable) and associated training certificates.
- The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.
- e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

Integrated Management System

- g. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatty and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or
- All electrical equipment must be property grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in
- n. Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- compressed gas cylinders must be supported and secured standing upright according to Pakistan dards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks men mpty or full. Acetylene cylinders, when in use must have a wrench in place.
- ne overhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation or jects, night lights shall be provided by the contractor.
- In the event an oil gas vapor or other harmful volatile release is caused or discovered, the contractor and/or his employees shall be contracted to the nearest SSGC office and request for further actions immediately. Vehicles in Zone are requ
- Vehicles in Zone are requed to adhere to the declared speed limit.

 Any contractor, contractor er to see or subcontractor violating Zone area safety or security rules shall be.


7.2 Accident Reporting.

- a. Accidents occurring in Zone jurisdiction have the reported immediately to the SSGC representative.
 b. In the event of a fire, medical or other exceptionsy, contractors are required to notify zone security or the SSGC representative immediately. When providing potification give all pertinent information, including your.
- c. All contractor injuries requiring medical assistance beyong asic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contracto, Acident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the ISE CA Department.
- d. All contractors and subcontractors must maintain their own uired document/record

7.3 Confined Space Entry

- a. The SSGC representative will notify the Contractor prior to being him confined spaces. The form included in documents will be used to make this conficient.
- b. All Contractors who conduct confined space entries must adhere to the SSC confined space entry
- At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in immediate dismissal,
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System



7.4 Cranes and Overhead Work

- All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- b. All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and denicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safely operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative upon request.
- In the Amsthat overhead work must occur in locations within the Zone where high voltage, overhead power lines are located, all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event proper clearante cannot be maintained, the power lines are to be de-energized and locked out prior to performing work while event the lines must be de energized, prior approval must be given by the SSGC representative.

7.5 Hazardous Energy Control (Lockout) Procedures

- ees and subcontractors must comply with the SSGC Energy Control a. All contractors, contractor en Requirements.
- b. In the event that a contractor, extractor employee or subcontractor servicing or entering a piece of machinery where the danger of injury close from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or contract employee must disconnect the source of energy and lock/tag out this equipment before beginning
- c. In the event that SSGC employees or other talknown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energial transparent. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represer as ye or remove LQ/TO without communicating to all .. affected associates.
- d. Contractors are required to supply their own lockout locks
- affected associates.

 Contractors are required to supply their own lockout locks ags and hasps.

 In the event that a contractor or subcontractor has de-energited and locked out a piece of equipment, the equipment specific lockout procedure must be adhered to A. contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedure must be specific equipment lockout procedure must be specific equipment lockout procedure must be adhered to A. contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedure must be adhered to A. contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedure must be adhered to A. contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedure.
- The lockout tag used by the contractor must have the contractor's plant in the contractor of the contr umber and a person name. SSGC. to be contacted concerning the lockout.

7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors: Contract scan only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited. . .
- Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to a.
- Provide the SSGC representative with a listing of all hazardous chemicals. i. ii.
- Properly label all containers, adhering to SSGC labeling requirements. iii.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas C. overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed
- When the use or storage of explosives or other hazardous materials or equipment is necessary for the d. pation of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the ns of properly qualified personnel and in conformance with all applicable Zone Requirements and en roumental and safety regulations.
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their imployees of all hazardous substances in use at the job site and of the appropriate safety

Emergency Proc

- In the event of a fire, medical to per emergency, Contractors are required to notify zone security or the SSGC a. representative immediately. Set up security personnel the location of the fire and any other pertinent information. In the event that Zon, se furity or SSGC representative cannot be reached, evacuate the area and call area/city emergency department as soon as possible. All contractors, contractor employees and
- and emergency evacuation procedures poster at the facility.

 All contractors are required to follow the predetermined exit routes.
- All contractors, contractor employees and suppressors are required to exit the work area/building in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the employee staging area located at guard shack.

Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of that is to be used indoors. ane or gasoline powered equipment b,
- SSGC Management discourages the use of internal combustion engine ind no reasonable alternative means are available to complete the job. ors, and will only permit it when

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices. a.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have

integrated Management System

i-asureniert

7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the b. necessary precautions have been taken.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC C. representative will issue a new permit.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been d. made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding:

- All largers belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet SSGC Work at Height Requirements.
- b. All ladde's used on Zone property must be properly secured.
- All scaffolding post be equipped with railings and toe boards. G.
- d:
- All "swinging type seaffolds must be inspected by the contractor and repaired if necessary before use.

 All overhead work from a forklift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIS SNMENTAL RULES

SSGC requires that contractors company this all applicable environmental rules & regulations

8.1 Non-Hazardous Waste

- Construction refuse and debris will not be allowed to accumulate and will be removed daily by the contractor
- at its expense, unless otherwise negotiated in merontract document.

 Contractors shall take ownership of all waste and debris generated from materials they brought to the job site or from demolition activities, and shall dispose of activaste and debris in accordance with all applicable laws and regulations.
- Reference to SSGC, The SSGC Company or any of its tra an arks shall not be used in any documentation associated with the disposal of such waste and debris,
- Contractors shall coordinate with the Zone, whenever practical is savregate debris or waste which may be recycled or re-used in a safe and environmentally responsible man
- Worksites may be periodically inspected by the SSGC representative assure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such the as the worksite and property have had a final inspection and removal of all containers, debris, wastes and materials has been confirmed. naturals has been confirmed. by the SSGC representative and documentation has been printed that all leaver wastes have been properly disposed.
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

8.2 Hazardous Materiais

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
 - i. Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.





- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC d.
- ractor shall assure that all employees dealing with hazardous materials and hazardous wastes have had all egal required training and are familiar with the hazards presented by such wastes or materials.


Spill Response Procedures 8.3

- a. Each contractor is required to have a written emergency response plan to handle spills and releases which may occur during transport tellivery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its e nergency response plan to the SSGC representative prior to beginning work.
- Each contractor must provide ope equipped with appropriate spill response equipment. All contractors, contractor employees or subcontractors who engage in the emergency response of a hazardous material release must have been trained and na e the appropriate spills response certification and meet response
- Contractor must provide documentation a very that it has contracted with at least one reputable outside spill response contractor, that is reasonably acree ble to SSGC, to respond to larger spills or releases which
- The contractor shall be responsible for appropriate enup of spills caused by their activities. Such clean-up will include removal or remediation of any materials impaged by such spill; such as: building materials, soil,
- In the event that a spill or release of contractor's material occurs e. not respond to the release to the satisfaction of SSGC, SSGC GC's property and the contractor does necessary steps to respond to or remediate such spill or release. we the right to take any reasonably all costs incurred by SSGC to respond to such spill or release. ontractor shall reimburse SSGC for f.
- Spills and releases of hazardous materials must be reported immediately representative. ov the contractor to the SSGC
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized representative of SSGC.

This agreement at confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and understood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCEPT NCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledge that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide to the items listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractor with violate these rules will not be permitted to work for SSGC. We also understand that we are responsible for suscing that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, comply with these rules.

Compliance with the SSGC Contractor Work Rules are snot in any way relieve any contractor or person from complying with any applicable Federal. Provincial or local casty, environmental and other regulations which may apply. The work rules are only a compendium of certain each requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable accontractors and/or suppliers.

The undersigned represents and warrants that we shall comply with alterplicable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services in SGC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and emproved notal requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold har ties SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breach of the above warranty and/or any violation of applicable laws, regulations and/or rules.








Company	
Date	
SSGC (Print)	
Signature	
Title	
SSGC Representative	
cc: Project Manager File Zone HS Manager Contracto	

11. DOCUMENTED PRORMATION

			•		•
٠.	Record No.	1	Record SSGC	Maintained by	Retention Period
	SSGC-IMS/GSC-F-01	F	Awareness Form	HSE&QA Department	3 Years

NR

areness



HandBook | February 2022





IMS Form

SSGC-IMS/GSC-F-01


HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

Name Contact number				N41	 	
Type of so in actor Mechanical on Electrical Work Civil Work Waste Disposal Canteen Transport Manpower	Organization					·
Mechanitative Contractor Contractor Contractor Contractor Contractor Contract Cont	Name	<u>.</u>		Contact number	<u> </u>	
Bescription Remarks Description Remarks ISO & OHSAS Standards HSE&QA Policy PPE Policy Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company permises. I shall make sure all employees of our company and Sub-Scontractor companies understand and agree to the requirements applicable to the activities our company will be performing,		☐ Electrical Work □				Manpower
Bescription Remarks ISO & OHSAS Standards HSE&QA Policy PPE Policy Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises i shall make sure all employees of our company and Sub-HSE&QA Policies/procedures/actinical specifications /and related requirements to ensure quality, safety and integrity of the goods/services provided.	Area of Working:			······································		
ISO & OHSAS Standards HSE&QA Policy PPE Policy Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	Contract Coordina	tor:				
ISO & OHSAS Standards HSE&QA Policy PPE Policy Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises, i shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,		B	HSE&QA A	vareness	•	
HSE&QA Policy Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,		Description	() () () () () ()	ner word in the second C	Remarks	
Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	ISO & OHSAS Stan	dards				•
Risk Assessment and Management Procedure Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing. HSE&QA Policies/procedures/technical specifications /and related requirements to ensure quality, safety and integrity of the goods/services provided.	HSE&QA Policy	·		•		·
Incident and Accident Management Procedure Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing. I have met the Supplier's/contractor's representative and provided basic information of HSE&QA Policies and integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specifications //and related requirements to ensure quality, safety and integrity of the goods/services provided.	PPE Policy		O ,			
Emergency Response Procedure Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing, I have met the Supplier's/contractor's representative and provided basic information of HSE&QA Policies and Integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specifications /and related requirements to ensure quality, safety and integrity of the goods/services provided.	Risk Assessment a	nd Management Pro	ocedure			67
Technical Specifications/Performance and Testing Criteria Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing, HSE&QA Representative HSE&QA Representative I have met the Supplier's/contractor's representative and provided basic information of HSE&QA Policies and Integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specifications // And related requirements to ensure quality, safety and integrity of the goods/services provided.	Incident and Accide	ent Management Pro	ocedure		· · · · · · · · · · · · · · · · · · ·	
Remarks: Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing, HSE&QA Rept sentative HSE&QA Rept sentative I have met the Supplier's/contractor's representative and provided basic information of HSE&QA Policies and integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specifications /and related requirements to ensure quality, safety and integrity of the goods/services provided.	Emergency Respon	nse Procedure				·
Supplier/Contractor Representative I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing, HSE&QA Representative I have met the Supplier's/contractor's representative and provided basic information of HSE&QA Policies and Integrated Management System. The Contractor has shown its commitment in adherence to Company's HSE&QA Policies/procedures/technical specifications /and related requirements to ensure quality, safety and integrity of the goods/services provided.		ations/Performance	and Testing			
I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	Remarks:			7		
I have received and reviewed the SSGC's HSE&QA Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub- Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,		•		•		•
Requirements and understand that the requirements will be applicable while supplying goods, works or services within company premises or outside company premises. I shall make sure all employees of our company and Sub-Contractor companies understand and agree to the requirements applicable to the activities our company will be performing,	Supplier	Contractor Repres	entative	HSE	&QA Repusentat	ive
Name Signature Date Name Signature Date	Requirements and be applicable while within company produced is shall make sure a Contractor comparequirements applicable.	l understand that the e supplying goods, emises or outside or ill employees of our o anies understand a	requirements will works or services ompany premises. company and Sub-	provided basic integrated Manageshown its commit HSE&QA Policies /and related require	formation of HSE& ement System. The tment in adherent e/procedures/techni rements to ensure	QA Policies and e Contractor has be to Company's cal specifications quality, safety and
	Name	Signature	Date	Name	Signature	Date

Integrated Management System



HSE&QA

PENALIZATION MECHANISM

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2022


for Service Contacts Only


1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documerits in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Penalization mechanism

Following the chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and *Annexure-J-1* can be found below.







(4)			SSGC-HSEQP-F-10
SSGC			
USE&QA Department	for Service Contra	cts Only.	Issue Date: Sep. 202
<i>براد</i> Project		Date	
Section		Contractor	-
User Dept.		Focal Person	
Nature of I	Non-Compliance (As per Ann	nexure .l-1)	
	· · · · · · · · · · · · · · · · · · ·		
1/1	`		
	〉 .		
Made of P	enalization		
	A		2225
	%		
	100/	· •	
-	Inil Name		nature
		10,	
-		PA	
	Recommend Name	led by HSEQA	3
	Name	SI	
	Recommended by User D	 epartmental/Division	nal Head
		·	
Following S	ection is applicable ONLY in	case of Financial P	enalization
, .	•		
	DMD (Ops)	DMD (F	inance)
Copy to: Proposition Note: Adequate	curement/Finance/P&D Department, ite evidences MUST be furnished alo	Contractor and with form by Initiator	OS Procurement

SSGC HSE&QA

PENALIZATION MECHANISM

SSGC-HSEQP-F-1

Revision III

Issue Date: Sep. 20

ANNEXURE J-1 MR Department ANNEXURE J-1

I PPE related PPE related PPE related 1st Time — Verbal Warning Inc. site in charge 2nd Time — Removal of worker from duties 1st Time — Stop work Explanation Letter 3rd Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Removal from duties 1st Time — Stop work along with written warning letter 3rd Time — Removal from duties 1st Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Removal from duties Financial Penalization up to Rs. 200,000 1st time — Stoppage of Work for each accident 1st time — Stoppage of Work signage boards and syst patte PPE non- compliance as advised by Sto representative(s) at Site of a entitled in SSGC SOPs, work instructions or Tor 2nd Time — Stoppage of Work 3rd Time	S. No	o. Nature of Non- Compliance	Mode of Penalization
PPE related 2nd Time — Removal of worker from duties 3rd Time — Stop work 2nd Time — Stop work 2nd Time — Stop work 2nd Time — Stop work 2nd Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Stop work along with written warning letter 3rd Time — Removal from duties 4 Financial Penalization up to Rs. 200,000 3rd Time — Stoppage of Work 3rd Time — Stoppag	HSI	<u>.</u>	- Touc of Tenanzation
2 Ussix Act / Unsafe Condition 1st Time	ı	PPE related	2 nd Time — Written warming ' Explanation Letter 3 rd Time — Removal of and
Not reporting any major incidents within the time frame spirated in Tender documents / HSE&QA Pla. No proper tag out be keet by Surgery signage boards and systematic PPE noncompliance as advised by Surgery signage boards and systematic PPE noncompliance as advised by Surgery sentative(s) at Site or mentioned in SSGC SOPs, work instructions or Toke Deviation in actual manpower provided vs. 10 manpower (Organogram) submitted in tender documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Porting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Prosider related multiple for each accident Financial Penalization up to Rs. 200,000 and be penalization up to Mork and time — Stoppage of Work	2		1st Time ———— Stop work 2nd Time ———— Stop work along with written warning letter
No proper tag out skout/ barrication / signage boards and systematic PPE noncompliance as advised by Saratic PPE noncompliance PPE noncompli	3	LIGHT CARLES IN Tender documents /-	Financial Penalization up to Re- 2000
Deviation in actual manpower provided vists manpower (Organogram) submitted in tender documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Porting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Prolation in actual manpower provided vists manpower provided vis	4 *	No proper tag out bekout/ barrication / signage boards and system tic PPE non-compliance as advised by Sacratical representative(s) at Site or secretarion / secretarion / signage boards and system to secretarion / signage boards and signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage in the secretarion / signage signage signage signage in the secretarion / signage sig	1st time Warning Letter 2nd time Stoppage of Work 3rd Time Financial Park
Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Porting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. Prolifer related documents Up to 20 the invoice amount of the billing period Financial penalization Explanation letter Financial penalization Up to 2% of the invoice amount of the billing period Financial penalization Up to 2% of the invoice amount of the billing period Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization Financial Penalization Up to 2% of the invoice amount of the billing period	Quali		(Winxing, 200,000 can be penalized)
Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international Standards & Codes and SSGC's SOPs. Porting Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial Penalization Up to 2% of the invoice amount of the billing period Financial Penalization Up to 2% of the invoice amount of the billing period Financial Penalization	5	The state of the s	est of unavailable staff, as listed in 1300
Non Submission of time bound reports (as mentioned in Tender documents / Construction Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial penalization up to 2% of the invoice amount of the billing period Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization	6		Up to 25 the invoice are a re-
Plan Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial penalization up to 2% of the invoice amount of the billing period Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period	epor		SA.
Unavailability of documents such as drawings, SOP manuals, inspection reports and other Technical data at site office. Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial Penalization up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period Financial Penalization up to 2% of the invoice amount of the billing period		Plan	Financial penalization up to 2% of the invoice amount of
Providing wrong / insufficient information in invoicing pertaining to equipment and manpower. False reporting, misleading information Financial penalization Up to 2% of the invoice amount of the billing period Financial Penalization up to 3% of the invoice amount of the billing period		Technical data at site office	annount of the billing period
False reporting, misleading information Financial Penalization up to 70% (1)	i	roviding wrong / insufficient information in nvoicing pertaining to equipment and	Financial penalization Up to 2% of the invoice
J TOALUMIN (III TOA HAIL) .	0 [-	alse reporting, misleading information	Financial Penalization up to 20/

SSGQ-RJEUP-F-10

PENALIZATION MECHANISM Sounce Contracts Only.

Revision 01

MSE&QA Decariment ANNEXURE J-1

Issue Date: Sep. 200: 14-2

	•	O	<u>~:-</u> -	المداد	
lúth	105	Ů.	CON	duct	

	Non-cooperation with SSGE team by any staff of Contractor. Non-cooperation includes non-sharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or
۱	instructions related to works given by SSGC's
-	representative(s).
	Repented: (03) absence/Unavailability of site
	Contract a staff during surprise visits of

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head:

Financial penalization (One day salary deduction of entire site staff of audited site

Penalization a nous will not exceed the 5% of the total contract-value: Note:

If Three (03) non-conditance (on any one issue or combination of issues) are issued to any contractor, Many gement will decide to impose additional penalization (e.g. forfeiting of Performance Bank Gurantee / retention money), termination of contract or temporary blacklist (Blacklisting will be an to one (01) year.

Tender Project specific result amonts and penalization are outlined in tender documents.

ToR under special requireme





