SPARES

(UNDER SINGLE STAGE ONE ENVELOPE BIDDING PROCEDURE)
AS PER PPRA RULES 2004

TENDER ENQUIRY NO: SSGC/LP/PT/2059295

Bid Closing date & time: 11-04-2025 at 1600 hrs Bid Croing date & time: 11-04-2025 at 1630 hrs

Supplier must be active in FBR Active Tax Payer List (ATL)
Sealed quotation of above referred requirement to be submitted in PKR

Venue:

Tender Room, Who Building, Ground Floor SSGC Head office complex Karachi -75300 Ph. +92-21-99021024,+92-21-99021116.

Earnest Money (Fixed Bid Bons): PKR. 100,000/-

"Note: Tender document is also available online on SSGC website for view rely. Bidder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Parch 15mg) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents."

Sui Southern Gas Company Limited

Procurement Department

ST-4/B, Block-14, Sir Shah Suleman Road, Gulshan-e-Iqbal, Karachi-Pakistan
Phone: +92-21-99021223,
Fax: +92-21-99231583

www.ssgc.com.pk/ssgc

Sui Southern Gas Company Limited


Schedule of Requirement $\overset{\cdot}{\&}$ Bid Form

SECTION - 3

	RFQ_Numbe	r	SSGC/LP/PT/2059	9295	Open Bid	lding Date 🖟 🧎	.,, * 18-MAR-25	10:40
	Document_N	lumber **	. 2059295		Close Bid	lding Date	11-APR-25	16:00
S#	Item, Code	Item Description	F. 70° N	Unit ***	Quantity	Make / Brand	Unit Price inclusive of all discount (if any) & Exclusive of GST	Value PKR
1	2		3	44	5		6	$7 = 5 \times 6$
1		SPARES FOR KOMATS SENSOR FUEL PUMP	SU DOZER D155 A-6 P/No. ND9499791300	Each	. 1		:	
Delive	ry Schedule:	Delivery Within 45-6	0 days after confirmation	of P.O.				
2	37431113	SPARES FOR KOMATS FUEL LEFT PUMP P/N	• (Each	1			,
Delive	ry Schedule:	Delivery Within 45-	days after confirmation	of P.O.				
3		SPARES FOR KOU AT HOSE UPPER RADIA	17A0341612	Each	2			
Delive	ry Schedule:	Delivery Within 45-6	0 days arter confirmation	of P.O.			<i>.</i> '	
4		SPARES FOR KOMATS HOSE LOWER RADIA		Each	2			
Delive	ry Schedule:	Delivery Within 45-6	0 days after confirmation	F P.O.				
5		SPARES FOR KOMAT: STRAINER P/No. 070	•	E				
Delive	ry Schedule:	Delivery Within 45-6	0 days after confirmation	of P.O.	Q,	, , , , ,		•
6	37431153	SPARES FOR KOMAT HOSE BLADE LIFT CY 0275600612		Each	2/1	6		
Delive	ry Schedule:	Delivery Within 45-6	0 days after confirmation	of P.O.				
7	37431163	SPARES FOR KOMAT RING P/No. 0289611	SU DOZER D155 A-6 O 018	Each	20			
Delive	ry Schedule:	Delivery Within 45-6	60 days after confirmation	n of P.O.			' \'\'_	
8	37431173	SPARES FOR KOMAT BOOT P/No. 702165	SU DOZER D155 A-6 9330	Each ··	2		O _x	
Delive	ry Schedule:	Delivery Within 45-6	60 days after confirmation	n of P.O.				
9	37431183	SPARES FOR KOMAT HOSE RIPPER TILT CY 17A6151850	SU DOZER D155 A-6 /LINDER P/No.	Each	2			
Delive	ery Schedule:	Delivery Within 45-	60 days after confirmatio	n of P.O.				
10	37431193		SU DOZER D155 A-6 ND LIFT CYLINDER P/No.	Each			,	
Delive	ery Schedule:	Delivery Within 45-	60 days after confirmatio	n of P.O.				
	-							

21-MAR-25

E-Business Suite 11i - Sourcing Module



Page 1 of 3

Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

	RFQ_Numb	er ¹*	SSGC/LP/PT/205	9295	Open Bid	ding Date** * *	18-MAR-25	10:40
	Document ₂	ent ₂ Number 2059295			Close Bid	ding Date	11-APR-25	16:00
`S#	Item_Code	e Item Description		"".Unit	Quantity	Make / Brand	Unit Price inclusive of all discount (if any) & Exclusive of GST	. Value.
1	2		3	. 4	5		6	7 = 5 x 6
11	37431203	SPARES FOR KOMAT SEAL KIT BLADE LIFT 7079938810	SU DOZER D155 A-6 CYLINDER P/No.	Each	2			
Delive	y Schedule:	Delivery Within 45-	0 days after confirmatio	n of P.O.				
12	37431213	SPARES FOR KOMAT SEAL KIT RIPPER LIFT 7079966670	SU DOZER D155 A-6 CYLINDER P/No.	·Each	2			•
Delive	ry Schedule:	Delivery Within 45-	a days after confirmatio	n of P.O.	1		•	
13	37431223	SPARES FOR KON AT	U_OZER D155 A-6	Each	2			
		SEAL KIT RIPPER TIL	YPTER P/No.	Lacii	_			
		7079974210	Ox					
Deliver	y Schedule:	Delivery Within 45-6	0 days a ker confirmation	n of P.O.				
14	37431233	SPARES FOR KOMAT	SU DOZER D15	Each	12			
		FUEL PREFILTER P/N	o. 6003194510	`				
				A				
	y Schedule:		0 days after confirmation	n P.O.				Į
15	37431243	SPARES FOR KOMAT: BELT COMPRESSOR F	SU DOZER D155 A-6 V P/No. 17A9114680	E. T		f		
Deliver	y Schedule:	Delivery Within 45-6	0 days after confirmation	n of P.O.				
16	37431253	SPARES FOR KOMATS HYDRAULIC PILOT FII	SU DOZER D155 A-6 .TER P/No. 20Y6251691	Each	3	6		
Deliver	y Schedule:	Delivery Within 45-6	0 days after confirmation	n of P.O	<u> </u>	V		
Total	Fix Bid Bond A	mount PKR: 100,	UUU		ţ.		•	
					1		20	

Delivery Location: Khadeji Stores.

21-MAR-25

E-Business Suite 11i - Sourcing Module

DENT STORY

Page 2 of 3

Sui Southern Gas Company Limited

Schedule of Requirement & Bid Form

SECTION - 3

NOTE:

- 1. The quoted unit price and corresponding total amount shall be inclusive of all duties and taxes and discount (if any) except General Sales Tax. (GST). Sales Tax will be applicable as per GST act and subsequent amendments of time to time. GST will be reimbursed to manufacturer and importers only subject to production of paid invoice.
- 2. Bidders are essentially required to quote on bid form. Rates quoted on other then bid form will not be entertained.
- 3. Any queries / complaints regarding subject tender enquiry shall be addressed to GM(P) / DGM(P) in writing
- 4. EVALUATION CRITERIA: Order will be placed on the Lowest Technically / Commercially Compliant bidder (6), unless specified otherwise.
- 5. In case when bidder submit alternate bids, a seprate Bid Bond for each bid is required. All the bidders are advised to furnish fixed bid security amount appearing in price schedule/BOQ otherwise bid will be liable for rejection.

The submission of fixed amount of bid security is also mandatory for all the bids valuing RS.500,000/- of less.

- 6. Any Bidder who change/amend the BOQ or Price Schedule (Description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- 7. Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however, other contents of clause 9 will remain unchanged.
- 8. All offers shall remain valid up to 120 days from the date of opening of bids and bid bond shall remain valid for 150 days.
- 9. Special terms & conditions and warranty guaranty attached at annexure 01.

•	1 0	,
Signature : _		
Person Name :		
Company's Name: _	? _	STAMP
Date :		
	End of page, any entry beyond	ine would be invalid
		1/2
		, C,
·		
	•	
		`~
		5 5
		* **
	•	*



E-Business Suite 11i - Sourcing Module



TERM	S AND CONDITIONS (KDJ/BWS-I 43/2024-25)
1 11/1/1	These Terms and conditions are in addition with general term and condition of the tender enquiry.
a)	Spares are required for Komatsu Dozer Mode: D155 A-6 having Machine Sr. No 87237, 87238 and 87239. Engine Sr. No: 634230,634232 and 634234. Engine Model: SAA6D140E5. The bidder shall be vigilant for compatibility of spare parts to subject M/C & Engine Make/Sr. No
b)	Only Komatsu genuine parts are required. Replacement parts shall not be considered.
c)	The bidder have to mention the make/brand of their offered Spares.
d)	In case, if the goods are arranged locally from authorize Agent/dealer, the bidder shall submit the un-priced quotation in the name of bidder.
e) ·	In case, if the goods are arranged from the local market other than authorize Agent/ dealer, then the bidder shall submit the samples of their offered spare parts with mentioning make and brand at P&C office Karachi Terminal if required/deamed.
f)	In case, the goods are imported, the quotation (without price) from Manufacturer/Agent/dealer shall be sumbitted in the name of bidder.
g)	In case, if the goods are imported other than from Manuacturer/dealer, the bidder shall provide the invoice without price from their Principal in the name of bidder for documentary proof that the offered Spares are genuine.
h)	The bidder/supplier shall submit under a ing that, the offered spare parts shall be genuine and compatible with above mention machine/equipment & specifications.
i)	All import/ custom documents shall be submitted with delivery of material. The packing of items shall genuine, contain barcode, hologram/monogram printed, fixed on it.
<u> </u>	

Zubair Mubarak
Trainee Engine (P&C)
Executive. No. (12178)

Sui Southern Gas Company

RECEIVED ON 1 0 MAR 2025 GM (P&C) Office K!

LECTIVED ON 0 5 MAR 2025 GM (F&C) Office KT

Ghulam Ali Mahar General Manager Projects & Construction Depti.

Checklist for Bidders

// provided along your bid check { } Please ensure before submitting the bid, that following information / documents have been summappropriate bod.

	.					Τ-	Τ-	_		Τ,	Т	7
ź		\perp	1	1	_	1	\downarrow	_		\downarrow	+	-
Voc No	3											
	Sr. # Details of required information / documents	1. Fixed Bid Bond as specified is enclosed.	2. Original Technical literature is enclosed, if any	3. Any change in your current address, phone, fax no. & email etc., is infimaled	4. Bid validity as specified is mentioned.	5. Delivery period has been specified.	6. All correction /cutting/ overwriting are signed & sta at an	7. Sample (if necessary) is enclosed.	8. Each & Every Page of the bidding documents s all, e signed and stamped by	the bidder.	9. Original Bid + One copy is submitted.	10 Form-X & Bid Securing Declaration at Sance & stamped

uments, or incomplete/incorrect statement on this checklist may result in rejection of the bid Non-availability of the above informa at / after the bid opening. Note:

rch 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak As per SRO296(I)/2023 dated Acquisition and Disposal Sy

Bidders Authorized R presentative



Tender Enquiry No. SSGC/LP/ Special Conditions of Tender Document

Nate: In case of any conflict between Special Conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

1. Warranty / Guarantee Coverage

i) The successful bidder / supplier guarantee that the goods supplied against above tender enquiry are in all respect in accordance with the tender specifications & Purchase Order and that material used are in accordance with the latest approved standards and are of good workmanship / quality. Any item or part of item if found to be substandard or not unceting the specified criteria as per inspection carried out at stores. Than in such as event the Supplier / bidder hereby warrants and undertake to replace the same on Duly Delivery Paid (DDP) basis (INCOTERMS 2010) Le. Free of all cost including but not limited to transportation. Taxes and levies. In case successful hidder / supplier failure to replace the defective item / remove the defect(s) free of cost within the period specified by the Purchaser, the successful bidder / supplier will refund the relevant cost including all other expenses incurred by the purchaser in this regard.

ii) The successful bidder / supplier must confirm that the warranty for non-consumable items will remain valid for 18 months and for consumable items (i.e. Chemical, Battery etc.) will remain valid for 6 months after the goods have been successfully delivered or commissioned.

iii) It is mandatory that the successful bidder / supplier will submit the attached undertaking at Annexal, duly filled, signed & stamped.

iv) In casewhere performance guarantee is not applicable, the supplier shall confirm that all supplied goods under purchase order are new, unused, of most recent or current models and incorporate all recent design and goods unless and otherwise provided in the contact / purchase order.

Undertaking being provided by the successful bidder is required to be submitted at least on Stamp paper and should be duly notarized / attested.

vi) In case of Supply, Installation, Testing & Commissioning, since all these activities are inter-related to each other, therefore, the president of supplies will be released after successful installation, Testing & Commissioning.

2. Bid Security:

- of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated and will & void, however, other contents of clause 9. Bid bond subm null & void, however, other contents of clause 9 will remain unchanged. The aid security is appearing in the Schedule of Requirement/Bid Form. submission of fixed amount of
- b) All the bidders are adv co furnish fixed bid security amount appearing in Schedule of their bid will be rejected. Requirement/Bid Form, failing
- security is also mandatory for all the bids valuing Rs.500,000/-The submission of fixed amount or less.
- d) The word lowest bidder or the lowest walk eabid has been substituted to read as most advantageous
- Sub-clause 9.2 of the General Terms & Conding be treated as null & void, however, other contents of clause 9 will remain unchanged.

3. Method For Submission of Bid Bond (Under Single Star, Two Levelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid boy are clause#09 of General Terms &

Conditions to be placed in the Technical Proposal. However, if the big ound is placed in the financial proposal will also be considered. Without submission of bid bond (either in Tabe oposal or financial proposal) the bid will be rejected.

4. Bid Validity:

All offers shall remain valid up to 120 days from the date of opening of bids and bid sond shall remain valid for 150 days.

5. Declaration / Integrity Pact / Certification: It is required to be submitted by the Su Nober on their letterheads after issuance of Purchase Order (PO) or Letter of Intent (LOI), for the value of R 10,000,000/- (Ten Million) or above. ANNEXURE-C is a mandatory requirement for successful bidder.

6. Stamp Duty:

"The successful Bidder shall provide the copy of challan and revenue stamp, of value at the rate of twenty five (25) paisa per every hundred Rupees or part thereof of the amount of the purchase order, or at the prevailing rate as specified by the Government of Province of Sindh." Further as per Government of Sindh Board of Revenue notification NO, CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and non-judicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.

7. Cancellation of Purchase Order

In case the supplier fails to deliver the material within the specified delivery schedule as given in Purchase order (P.O.) and maximum upto 120 days after the expiry of the specified delivery schedule as per Purchase Order, the Purchase Order will be treated automatically as cancelled at supplier's sole risk & cost. However, for the sake of

Page 1 of 4 I P-Rev-22

19 Dec 2023

clarity liquidated damages (Clause-27 of General Terms Conditions) and Default by Supplier (Clause-28 of General Terms Conditions) will be treated as given in the General Terms & Conditions of the tender documents

8. Correct Postal Address.

Budder are essentially required to provide correct and latest postal, e-mail & web addresses, Phone/cell/fax numbers at the time of purchase of tender documents for effective and timely communication, failing which in event of any non-delivery of information /communication the procuring agency will not be held responsible and bid will be considered as non-responsive.

- 9. "In case the local agent requires to offer bid from more than one principal / Manufacturers, it is mandatory to purchase separate tender document for each principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected".
- 10 "Original counter slip of token which is issued with original tender document to be attached on the TOP of envelope at the time of bid submission".
- 11. The Successful Contractor(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their invoice / Bills failing which the payment will not be released.
- 12. Blacklisting Mechanism of Suppliers and Contractors and their Local Agent:

Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.

PBG (Performance Bank Guarantee) for Proprietary Tenders

frontietary Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / In case Applicable

- age / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- Perms & Conditions is meant for vendorized items processed through negotiated 15. Clause 14.1 of General tendering clauses.
- ding if the most advantageous bidder is new local manufacturer, 10% trial order 16. For open competitive bi order will be awarded to the next most advantageous bidder at their own will be placed and remaining
- 17. SSGC will not pay invoices if they prined in after 6 months of work completion / material delivered.

 18. It is mandatory for the bidders to force at the terms and conditions given in the tender documents without the tender documents without the tender documents. A se terms and conditions given in the tender documents without mit he bid accordingly. Therefore, in this context, the bidders are any addition / deletion / amendment and sp requested not to give their own terms and or hi as it tantamount towards the conditional bid. Otherwise the Purchase Order / Contract will be awarded based on their terms and conditions will not be consider a an only as per SSGC tender terms and conditions.
- me Bank Account number (IBAN number) on the 19. The bidders/contractors are required to provide their tion, which shall be firm (not changeable) for 'FORM-X' attached duly signed & stamped as one time all the future payment transactions.
- 20. Payment:

Page 2 of 4

The supplier after delivery of goods and its acceptance shall subprise ojce to Finance Department of the CARO, Company, containing following information i.e.

- Purchase order No. & date (a)
- Items (b)
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc. (g)
- Supplier(s) are required to submit signed and stamp acknowledgement sup-(h) Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of Nevant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 21. Joint Ventures: In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.
 - 22. Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bond guarantee being prepared by the State Bank's schedule banks should ensure that there should be no

19 Dec 2023

LP-Rev-22



- deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.

 In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed i commissioned as per tender terms failing which the contractor will be
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ).
- 25. Company reserve the right to award the Purchase Order /LOI to the most advantageous bidder.
- 26. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).

27. Fixed Bid Security - Alternative Bid

responsible for any loss to SSGC.

- A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for rejection. In case the bidder quote different make/brands/model that will also be considered as an Alternative bid/offer and require to submit separate Bid bond for each nake/brand/model.
- 28. Biddle value blacklisted and henceforth cross debarred for participating in respective category of Public Programment proceedings for a period of (not more than) six months, if fail to abide with a bid securing reclaration (which is an integral part of tender document), however, without indulging in corrupt and fragign and practices, if in breach of obligation(s) under the Bid conditions:
 - a) The bidder have without own or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the antract or accept purchase order (ii) fail or refuse to furnish the performance security or the control with any other condition as mentioned in the tender document.
- 29. The term "Call Deposit Receipt" mes flor d in clause # 09 (Bid Bond) of General Terms & Conditions and in clause # 02 (Bid Bond) of Additional Terms for Tenders on F.O.B & C&F basis be treated as null & void.
- 30. Wherever the "Rate Only" is mentioned (either of 100 or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the requirement for the same items as given in the BOQ for package basis. In case the requirement for the basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 31. Lots: In case when the tender is floated on LOT basis, following players to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit at bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to a abmitted against each individual LOT and its validity to be 150 days at the time of opening of certaical proposal.
 - b) Evaluation for each LOT will be carried out separately. Each LOT will have need separately.
- 32. Subsequent to the issuance of Purchase Order/LOI, successful bidder has to subset the Performance Bank Guarantee of the Purchase Order/LOI value unless & untill specified in the Tender Documents. Clause# 16.1.5 mentioned in General Terms & Conditions to be treated as null & void.
- 33. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission
 of his bid may lodge a written complaint concerning his grievances within seven days
 of announcement of the technical evaluation report and five days after issuance of final
 evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.



- In case, the complaint is filed after the issuance of final evaluation report, the
 complainant cannot raise any objection on technical evaluation of the report. Provided
 that the complainant may raise the objection on any part of the final evaluation report
 in case where single stage single envelope bidding procedure is adopted.
- 34. The sub clauses 33.2, 33.4 & 33.5 of clause 33 of General Terms & Conditions to be treated as null & void.



NOT TOR BIDDING BURBOSE

LP-Rev-22

19 Dec 2023

Form of Bid-Securing Declaration

[The Sidder shall fill in this Form in accordance with the instructions indicated.]

Date: [dare (as day, month and year)] No.: [number of Bidding process] [insert identification No if this is a Bid for an alternative]

To: [complese jimme of

We, the ndersigned, declare th

your conditions, Bids must be supported by

be blacklisted and henceforth cross debarred for participating in blic procurement proceedings for a period of (not more than) six months, is fail to big with a bid securing declaration, however without indulging in compupt and frauduler ccices, if we are in breach of our obligation(s) under the Bid-conditions, because

have withdrawn our Bid e period of Bid validity specified in the i र्के of Bid; or

(b) having been notified of the accept senduring the period of Bid validity, (i) our Bid by the Procuring Agency refrise to sign the Contract or (ii) fail or refuse to numish the Performance accordance with the ITB. (or guarantee), if required, in

We understand this Bid Securing Declaration shall expire Bidder, upon the earlier of (i) our receipt of your notifice successful Bidder; or (ii) twenty-eight days after the expiration

Name of the Bidder

Name of the person duly authorized to sign the Bid on behalf of the Bid

Title of the person signing the

Signature of the person named above

Date signed.


. In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder

: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: in case of a Joint Venture, the Bid-Securing Deciaration must be in the name of all members to the logic



·	Supplier code:
FORM-	X
Bank account details form	for all Beneficiaries
(Mandatory requirement for D	igital Online Banking)
As per FBR Regulations ref # C.No.4 (24) IT-Budget/202 payment online w.e.f. 01-11-2021. All beneficiaries are remandatory:	21-142150-R dated 23 rd Sept'2021 to make the equired to fill in the below details, which is
Name of Firm:	
Address of Firm:	·
CNIC #:	
NTN#:	
Bank Name:	·
Bank A/C Title name:	%
Branch code:	<u>'</u>
Bank A/c #:	(16 Digits)
Bank IBAN #:	Digits)
Information already submitted.	
Note: Please be attached copy of Cheque / Account M	aintenance Certificat (Mandatory)
	Authorized Sign & Stamp
Date:	
Note: All payments transactions will be made on above one time information to be provided by the all benefic submitted, please tick the box above "Information alreduly signed & stamped.	iaries. Incase if the above detail has already



TTI-E GAZETTE OF PAKISTAN, EXTRA, MAY 14,2022 IPART II

ANNEXURE: I

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- Name
- Father's Name/Spouse's Name
- / NICOP/Passport No.
- 4.
- 5.
- 6.
- 7. Date on which shar g, control or interest acquired in the business.
- 8. In case of indirect shareb g, control or interest being exercised through intermediary companies, entries or other legal control, following additional parts rsons or legal anangements in the chain of ownership or to be provided:

Commany/Limited Liability Parmership /Association of Persons/Single Memper Company/Parmership Individual, Body Corporate (to be Specified) // Application of Personage of Shareholder Control or Interest of Bolin in the Legal Person or Legal Arrangement // Arrangement	. <u>2</u>	form	3 .	4	: 3	6	1 7	0,	· · · ·	. 10
	Company Liability Pa /Associa Persons Memi Company/Pi Firm/Trusted Individual Corporate	//Limited rmership rtion of //Single per armership //Any otner I, Body (to be	of Incorporation / I	of Registating		Country	Enwil Addrens	control or interest of Bo in the Legal Person or Legal	Control or Interest of Legal Person of Legal Arrangement in	loentry of Natural Person who Ultimately owns or Controls the Legal Person or

9. information about the Board of Directors (details small be provided regarding number of snares in the capital of the company as set apposite respective names).



THE GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 I

sumame (in block Latter's)	Name and	CNIC no (in	Fathers /	4		16	17	18
Total numbers of snares taken (in figures and words) 10. Any other information incidental to or relevant a beneficial owner(s). Name and stoppage	sumame (in block Latter's)	case of foreigner	Husband's	Current Nationally	Nationality	Occupation	ally address in full of the fregistered / principle office address for a subscribe rs other that natural	Numbers of shares taken by cash subscribers (in figures and
Total numbers of shares taken (in figures an words) 10. Any other information incidental to or relevant a beneficial owner(s). Name and stoppage			7				. BISON I	
10. Any other information incidental to or relevant a beneficial owner(s). Name and stoppage								
10. Any other information incidental to or relevant a beneficial owner(s). Name and stoppage				Total number	ers of snares t	aken (in figures	
	Name and stor	S 211 IFS		or relevant.	beneficial o	waer		



Sui Southern Gas Company Limited (SSGCL)

Contents

Part - A

Section -1 Section -1A General Terms & Conditions

Included Included

Addition Terms & conditions for

FOB CS

Section - 2

Special Terms Conditions

Included /Not required

Annexure—B

Format of Bid Bond Cara Guarantee
Format of Performance P. n.k. Guarantee

Included Included

Annexure-C Dec

Declaration by Supplier

Included /Not required

Part - B

Section - 3
Section - 4

Bid Form (Schedule of requirement) (Specifications/Drawing (if applicable)

Included

required /Not required



	SUI SOUTHERN GAS COMPANY LIMITED
	Procurement Department
M/s	
	Tender Enquiry No.
	INVIATION TO BID
subject	thern Gas Company Limited, (SSGCL) has pleasure in extending you an invitation, to submit bid for the material according to Terms and Conditions specified in the attached Tender Document. Please reading instructions before submission of bid:
1.	Bids are be submitted in sealed envelope provided with the tender, indicating Tender Enquiry Number & its operage date and time on the face of the envelope.
2.	Bid Bond 329 of the total FOR / FOB value shall be enclosed with the bid without which bid will be rejected and a small to bidder unannounced. The Bid Bond shall remain valid till the last date of the month in which it is explaing.
3.	In case the bid opening thate falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduler day, hwill be opened on next working day at the same time and at the same venue.
4.	The bidder shall bear at expenses associated with the preparation and delivery of its bid/sample and the Company will in no case be lightly a this respect.
5.	Prospective bidder requiring any information or clarification of the tender may notify the same by fax or at the mailing address. The Company (ii) espond to any request for explanation or clarification, if received within reasonable time prior to submission of bids.
6.	The Company reserves the right to caseel and, delete or amend tendered items/quantities/any part of the tender during the bidding period without a six any reason. However, bidders shall be informed about it prior to bid opening/process.
7.	The Company reserves the right to accept or reject any hid or part of a bid or to annul the bidding process and reject all bids at any time prior to award of connect burchase order without thereby incurring any liability to the affected bidder(s).
; ·	In case of Single stage two (02) envelope bidding projective (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid share a substituted in separate envelopes Bid Bond will be enclosed with "commercial" bid. "Technical Proposal" as a proposal proposal is to be mentioned on the top of the envelope. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened at a later intimated that in presence of bidder's representatives. Financial proposal of technically non-compliant bidders will be returned un-opened along with their bid bond.
9. 10	For Tenders invited on F.O.B/C&F basis, conditions as mentioned in Section 1A will also apply. The Company will appreciate confirmation by fax No 92-21-99231583 or email at v. ote@ssgc.com.pk or to DGM (Procurement) of your intention to submit the bid and if not interested in submission of bid, it will be appreciated if it is intimated through fax or email with mentioning of reasons.
11	. Bids are required to be submitted at:
	Tender Room, CRD Building, Head Office Complex, Sir Shah Suleman Road Gulshan-e-Iqbal, Karachi Pakistan. Ph. 0092-21-99021024, 0092-21-99021223, 0092-21-99021279, 0092-21-99013074 Fax # 0092-21-99231583, Email: mmte@ssgc.com.pk
	Hope and look forward for your valued participation.



Thanking you

Yours sincerely

General Manager (Procurement)

General Terms & Conditions

1. Submission of bids:

- 1.1. Bids are to be submitted in sealed envelope provided with the tender (in such a manner that contents are fully kept enclosed and cannot be seen until opened) indicating tender enquiry number, its opening date and time on the top of the envelope. Envelopes shall be addressed to General Manager (Procurement Department) on the address provided on "invitation to bid". Envelope shall indicate the name and address of the bidder for returning the bid in case it is declared late or submitted without bid bond. .
- ealed bids (as above) shall be mailed/submitted/dropped in tender box placed at Tender Room, Building, SSGC Head Office. Bids are to be delivered on or before closing time after which vis not be entertained. In case bid is sent through courier, the same shall be delivered at least low before scheduled opening time.
- 1.3. The Copyany may at its discretion extend the closing date for the submission of bids, in which case all rights ad obligations of the purchaser and bidders previously subject to the closing date will thereafter a subject to the date extended. However, any request for extension received from prospective bide as less than one week prior to bid opening date may not be entertained. In case of extension in bid paring date, the same will be advertised in press and simultaneously shall be intimated to prospective bidder who had purchased the tender documents.

 The bid shall contain no interface of any correction etc. it shall be signed and stamped by the
- 1.4 errors made by the bidde. i e of any correction etc. it shall be signed and stamped by the person signing the bid.
- The quoted price shall be inclusive of all duties/taxes except GST, which is to be mentioned separately. The supplier shall declare at a plicable) regarding non-applicability of GST for which documentary evidence shall be enclosed at sail be produced upon demand. 1.5. buld be produced upon demand.
- Rates shall be item-wise, as given in pace 1.6. hedule/schedule of requirement/Bid Form unless otherwise specified.
- Bidder is responsible for timely delivery of bids at location specified 1.2 above. Company will not be responsible for misplacement/ tampering/non wendance/delay or any other incident in case the 1.7. bid is not delivered at the designated place & time.
- rejected and returned unopened. 1.8. Any bid received late after the closing date and time, will
- The quotation shall only be acceptable on/as per Bid For n. I case for foreign tender when Local 1.9 Agent submits bid on behalf of different bidders, a separate to Bond for each Bid is required. Likewise for tender when bidder submit alternative bids a entage bid bond for each bid is required or else bid will be liable for rejection.
- 1.10 Deviation from tender terms and conditions is not allowed. How ver, in unavoidable circumstances, these shall be mentioned at the bottom of "Section 3: in deviation on any other page will not be entertained.
- 1.11 Discount offered (if any) shall be mentioned on the "bid form" only.
- 1.12 . The bidder(s) or their authorized representative shall put his full signature with stamp & date on each page of tender document as well as enclosure vis-a-vis drawings, specifications etc. Any correction, overwriting shall be duly signed & stamped.
- 1.13 The bid is to be completed and returned to the Company in accordance with, General terms & conditions. General terms & conditions duly signed & stamped (as a token of acceptance) shall be submitted along with Bid Form (Price schedule) duly completed as per requirement. However, specifications/drawing is to be retained by bidder for their future references.

2. Eligible Countries / bidders:

The invitation for bids is open to all manufacturers/suppliers/stockiest/dealers/pre-qualified bidders but is not applicable to those countries where inter trade protocols with Pakistan do not exist or those countries from where imports are not allowed by Government of Pakistan.

ż. Qualification is squadification of Suppliers: The Conquery, arrany magnetic followithe Attacheds, having predicte mesons for or price facing evidence of any defect in support tisting Mechan sinies, may require the suppliers or contractors to provide information regarding their professional, technical, financial, legal or managerial compete

> Please Follow the Attached Black Listing Mechanism

SSGC

whether already pre-qualified or **Electric Clow** the Attached any time that the information regarding disting Mechanish plier or contractor was false and materially inaccurate or incomplete.

4. Joint Ventures:

in the event that the successful bidder is a joint venture (formation of two or more companies), the Company will require an undertaking on judicial stamp paper that the parties to the joint venture accept joint and several liabilities for all obligations under the purchase order/contract.

5. Clarification of tender documents:

Prospective bidders requiring any further information or clarification of the tender documents may notify, the Company in writing or by fax or at the Company's mailing address indicated in the "invitation to bids". The Company will respond in writing to any request for information or clarification of the tender documents if the cived five working days prior to closing date for the submission of bids prescribed by the Company. The Company response (including an explanation of the query) will be sent in writing or by fax/e-mail to all company bidders who have purchased the tender documents. Verbal instructions/reference with not be acceptable.

6. Modification and withdrawal of bid:

- 6.1. The bidder may modify a strict with the bid after the bid submission, provided the written notice of the modification or withdraw is received by the Company prior to the deadline prescribed for submission of bid. After the bis/questions are opened, no bidder shall be allowed to revise, propose or request any change in the bid.
- 6.2 The bidder's modification or within was notice shall be sealed and addressed to GM (P). A withdrawal notice may be sent by fax for owe by a signed copy.
- 6.3 Bids once opened cannot be withdrawn dinner, an dity period.

7. Bid validity:

All offers shall remain valid up to 90 days (120 days in case of Two Envelope bidding procedure) from the date of opening of bids, until any further extension agreed by the bidder. If the bidder agrees for extending bid validity the bid bond shall also be extended accordingly. It dider giving extension to his bid validity will not be required or permitted to modify his bid. If there will be an query/clarification or extension request asked by the Company, the bidder should reply the same within 7 days after receipt of the same and if bidder takes more than 7 days the delay in reply will be added to their lad y aidity period.

8. Rate Escalation:

8.1 All items except line-pipe:

Quoted prices shall remain valid, firm, irrevocable and fixed till the fulfillment obligations by the bidder and will not be subject to escalation / change on any account.

8.2 Line-pipe only:

- 8.2.1 Bidders are essentially required to submit detailed breakdown of rates indicating per ton price of:
 a) H.R. Coil.
 - b) All other charges (including wastage, transportation, conversion cost etc).
- 8.2.2 Rate / price offered by the bidders shall be firm and irrevocable. However bidder offering pipe manufactured from Pakistan Steel Mills (PSM) HR coil are required to submit certified documentary evidence of HR coil rates. Adjustment in line-pipe rates (from the bid opening date till the currency of order) due to change in rate of HR coil manufactured by PSM is admissible to the extent of raw material cost without wastage. The bidders are required to submit certified documentary evidence of HR coil rates published by PSM, at the time of submission of bids. SSGC may verify the document / rates from PSM.
- 8.2.3 The variation clause however shall not be applicable on line-pipe quantities which were delivered within 20 days of the announcement of the variation (both days inclusive) in price of HR coil by PSM.

Procuremen

- 8.2.4 The variation clause also shall not be applicable on the line pipe quantities delivered after the specified delivery schedule (total or monthly consignment wise)
- 8.2.5 No escalation is applicable on line pipe manufactured from imported HR coil.

9. Bid bond (earnest money):

- Accept purchase order,
- Furnish performance guarant accordance with clause 16 of Section 1,
- Supply material as per requirement and delivery schedule.
- 9.1 In the event of bid bond validity following strate of the prescribed period of 120 or 150 days as the case may be either (i) due to extension in the bit sub dission date or (ii) where so required by the procuring agency, then in such an event it shall be mandately to the padder to extend the bid bond validity upto 120/150days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.
- 9.2 In the event of the bid security amount deposited / furnished by de bidder falls short by 10% of the requisite Bid security amount. The procuring agency keeping a view the nature of the procurement may consider and allow the bidder to deposit / furnish the balance 1 60 mount, provided the bidder does so within 15 days of the opening of the bid. Notwithstanding that all ther terms & conditions have been fully complied with.

10. Opening of bids:

Bids will be opened in presence of bidders or their authorized agents at the address plants on "invitation to bids". The bidder's representatives who are present shall sign the bid opening sheet (at indance sheet) to mark their attendance/witness. Commercial contents of bids will be announced/recorded in bid opening sheet.

11. Preliminary Examination of bids:

- 11.1 The Company will examine the bids to determine their completion, computational errors, provision of guarantees, authorized signature and other related matters.
- Arithmetic errors will be rectified on the following basis. Discrepancy between unit price and the total price obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price will be corrected. Discrepancy between total bid amount and the sum of total prices, the total prices shall prevail and the total bid amount will be corrected.
- Prior to a composed evaluation, the Company will determine the substantial responsiveness of each bid to the bidding documents. In Company's opinion a substantially responsive bid is the one which conforms to all the terms and conditions of the bidding documents without any material deviation.
- 1) 4 Pid determined as not substantially responsive will be rejected by the Company and cannot subsequently be Park Unique Suppossive by the bioder through correction of the non-conformity.



12. Ciarification of submitted bids:

To assist in the examination, evaluation and comparison of bids, the Company may at its discretion inquire any clarification from bidder about their bid. All responses by bidders shall be provided in writing and no change in the price or substance of the bid shall be sought, offered or permitted.

13. Technical Literature & Samples.

The Bidder(s) shall submit the following.

- 13.1 Samples (if applicable/required)
- 13.2 Original or legible copy of technical literature/performance characteristics
- 13.3 Test Certificates (if applicable/required)
- 13.4 Documentary evidence for legal import in case of imported material. (At the time of delivery when quoted on FOR basis)
- 13.5 In case of pipeline operation material bidders must also attach a "proof from supplier/
 manufacturer, that goods offered have been used successfully on a high pressure natural gas pipeline
 elsewice under tropical climatic conditions.

13.6 Specific tio Compliance Sheet:

Company regules a clause-by-clause commentary on the Specifications, demonstrating the materials responsiveness to those specifications or a statement of deviations and exceptions to the provisions of the specifications, if a required/desired. For purposes of the commentary to be furnished pursuant to above, the bidde shall note that standards for workmanship, material and equipment and references to brand names a statement of deviations, designated by the Company in the specifications are intended to be descriptor only and not restrictive. The bidder may substitute other authoritative standards, brand names and/or and ogue numbers in its bid provided which demonstrates to the Company's satisfaction that the substitutes are equivalent or superior to those designated in the specifications by the Company.

Bid which does not possess above documents, ertificates etc., may be considered technically Non-compliant.

- 13.7 The offer shall be accompanied with all technical develocuments/certifications as required under the tender specifications. Evaluation shall be carried out on the basis of data/ documents/certifications submitted with the bid. No clarification, additional is to mation may be sought / accepted after bid opening.
- 13.8 Deviation to technical specifications:

The bidder shall fill the "technical compliance sheet" and ment on careed specifications along with reference to its technical brochure/literature (page/clause No.etc). Strong at such as "Compliant" or "Confirmed" is not acceptable. Deviation to tender terms and to have a specification is not acceptable. However, if bidder feels to mention minor deviation, are same shall be referred categorically on the "Bid Form" as well as on the technical compliance sheet stating reference of its technical data sheet/brochure. In case of insufficient information, data or documents the Company is not liable to seek clarification and the bid may be determined non-compliant as provided information.

14. Award/Evaluation Criteria:

- 14.1 In case of locally manufactured items e.g. service line material & meter components, manufactured by local vendors, the lowest bidder will be awarded maximum quantity as per his declared capacity and past performance in respect of delivery and quality. New vendors / manufacturers shall also be considered for placement of a purchase order up to a maximum of 10% of the tender quantity if their submitted sample has been tested and approved and provided they have quoted lowest price or agree to accept the order on lowest received price.
- 14.2 Generally for other items other than above, ordering shall be based on technical compliance and lowest quoted price. Supplies may be subject to pre shipment inspection and post qualification by a third party in case of foreign material. If required during the process of manufacturing and / or inspection, SSGCL representative may visit the manufacturer facility to witness the manufacturing / inspection process.

Procuremet , bept.

- 14.3 Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure
- 14.4 Company reserve the right to settle the final terms of supply with the lowest evaluated and commercially responsive bidder: Any effort by the bidder (s) to influence the outcome of bid evaluation or placement of purchase order may result in disqualification of the bidder.

15. Loading of Bids:

Bids may be loaded with following if offer found to be deviated from specifications, delivery schedule, terms & conditions without stating the amount involved in such deviation by following method:

- The cost of compensation / loading amount for that item shall be derived from the bid itself.
- If 15.1 is not possible, average of rates of other bidders, who have quoted for that item conforming 15.2 technical specification, shall form the basis for cost compensation/loading. 15.3
- company will encourage participation by local bidders who will be given price preference. ost factor shall be determined as per prevailing Government policy / SRO. However they details of local value addition on raw material imported by them and percentage of locally manufactured component with documentary evidence.

16. Performance Bond:

- In case purchase reder alue is above Rs:500,000, the successful bidders shall submit performance bond guarantee when it be submitted within ten days from receipt of LOI or order along with 16.1 integrity pact. The succe stull bidders shall submit a performance bank guarantee (PBG) in the form specimen attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equiver med 10% of the total value of the purchase order or as specified, in the "letter of intent". The performance and unless specified otherwise; shall remain valid till: ed and unless specified otherwise; shall remain valid till;
 - Completion of final satisfa-
 - Completion of final satisfactory to very in case of consumable items.

 12-18 months from the date of cath actory delivery of the equipment/machinery. 16.1.3
 - Satisfactory delivery/installation em in case the installation responsibility is on supplier's part.
 - 16.1.4 120 days in case of chemicals.
 - 16.1.5 In case of locally manufacturing item, the DEG equivalent to 3 months delivery schedule . will be required after placement of purchase of or which should remain valid till completion of final satisfactory delivery of me ord red quantity.
 - In case of small diameter line pipe (MS/MDPE) to shall remain valid up to 3 months after completion of satisfactory final delivery
 - 16.1.7 In case of Vehicles, Manufacturer's Warranty is required in its
- The guarantee will be released after completion of this period, subject to su 16.2 of the supplied equipment/machinery/system as mentioned at 16.1 above. the guarantee valid at their cost until fulfillment of the obligations. prer shall keep
- In case the bidder does not submit the performance bond as specified, the deliver, time of goods 16.3 shall be deemed to have commenced 10 days (15 days in case of import) from the issuance of letter of intent/purchase order. The proceeds of the performance bond shall be payable to the Company as compensation for any loss resulting from the supplier's failure to complete its work under the purchase order/contract. The validity period of the performance bond is to be extended if the delivery date/period is being extended mutually by the Company/Supplier.
- The performance bond will be discharged / returned by the Company not later than thirty (30) days 16.4 following the date of completion of the supplier's work under the purchase order/contract including any warranty/guarantee/performance obligations as specified in the special conditions of contract. The supplier shall not be absolved of their liability to perform in case of encashment of performance bond by the Company, who shall have the right to claim and receive all damages/losses incurred due to non-performance.
- The Company shall promptly notify the supplier in writing for any claim arising under this lć.5 granantee. Upon receipt of such notice, the supplier shall promptly repair or replace the defactive goods or name thereof, without cost to the Company other than, where applicable the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination

14.

- If the supplier, having been notified, fails to rectify the defect (s) in accordance with the purchase order/contract, the Company may proceed to take such remedial actions as may be necessary at the 16.6 supplier's expense. Any amount payable by the supplier under this clause may be recovered by the Company, by withdrawing from the performance bond without having to notify or seek the approval of the supplier.
- Nomineg herein contained shall be construed to limit supplier's obligation of performance of the 16.7 order contract to the value of the performance bond.
- Guarantee/Warranty: In case where performance guarantee is not applicable, the supplier shall confirm that all suppliedgoods under the contract/purchase order are new, unused, of the most 16.8 recent or current modelsand incorporate all recent improvements in design and goods unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

17. Purchase Ord ontract:

ed material may be placed on fulfillment of conditions mentioned at 14 &16 above Purchase order of quo al confirmation for proceedings with the suppliers. which is through

18. Assurance:

The successful bidder will a required to give satisfactory assurance of its ability and intention to deliver aquiry and contract within the time set forth therein. the goods, pursuant to the ten

19. Force Majeure:

- In the event of either part, herety being rendered unable, wholly or partially, by force majeure circumstances to carry out its constitutions under the purchase order/contract documents, such party shall give notice and full parties are and other satisfactory evidence of such force majeure 19.1 circumstance(s) in writing or by in to the other party within 7 days after theoccurrence of the cause(s). Relied upon the obligation. The party giving such notice so far as they are affected by such force majeure shall be suspended or the period during cause(s) shall, as far as possible, be remedied and obviated with all reasonable tit patch. The term 'force majeure' as employed herein, shall mean acts of God or public enemy, the transferred on, fires, floods, earthquakes or other physical disasters, order or request of governments a blockade or embargo. It is, however, clarified that strikes, lockouts, shortage or non-availability of raw materials, rains, and disturbances, other labor dispute or congestion's in ports on the supplies side shall not be included in the term 'form majeure'.
 - or than one month, both parties In case the force majeure contingencies last continuously will agree on the necessary arrangements for the further in 1 nentation of the purchase 19.2 order/contract. In case further implementation is unforeseeable and it is ssible, both parties shall arrange for the termination of the purchase order/contract, but without present obligations prior to such termination it being understood that each party shall ice to their rights and fulfill its contractual obligations so far as they have fallen due before the operation of force me

20. Amendment in purchase order/contract:

- The Company may at any time by a written notice to the supplier make changes within the general 20.1 scope of the purchase order/contract in any one or more of the following:-
 - 20.1.1 Drawings, designs or specifications where goods to be furnished under the purchase order/contract are to be specifically manufactured for the Company.
 - 20.1.2 The method of shipment or packing.
 - 20.1.3 The place of delivery.
 - 20.1.4 Quantities of item up to a maximum variance of +15% of purchase order/contract value.
- Company reserves the right to increase/decrease the quantities or delete any or all items listed in the price schedule/schedule of requirement/bid form without assigning any reason. 20.2
- Upon notification by the Company of such modifications the supplier shall submit to the Company an estimated cost for the proposed modification within ten (10) calendar days of receipt of notice 20.3 of the modification and shall include an estimate of the impact (if any) of the modification on the delivery dates under the purchase order/contract, as well as a detailed schedule for the modification, if applicable.

Procurement ٠٠٥١٠

Gulshan

- 20.4 The supplier shall not perform modification in accordance with clause 20.1 above until the Company have authorized a modification order in writing on the basis of the estimate proyided by the supplier as described in clause 20.3.
- 20.5 Modification mutually agreed upon shall constitute a part of the work under the purchase order/contract and the provisions and conditions of the contract shall apply to the said modification.
- 20.6 If modification made by the Company results in a variation in purchase order/contract quantities whose net cost effect is within 15% of the total value then the original purchase order/contract rates would be applicable. Any "modification" affecting the quantities and the corresponding cost effect beyond 15 percent would be mutually agreed upon between the Company and the supplier.

21. Extension in delivery period:

- Delivery the goods shall be made by the supplier in accordance with the schedule of requirement and delivery period; however, the supplier may claim extension of the time limits as set forth in the chedule of requirements and delivery period in case of
 - 21.1.1 Modification in the goods ordered by the Company pursuant to clause 20.
 - 21.1.2 Delay in process on of any services which are to be provided by the Company (services provided by the Company shall be interpreted to include all approvals by the Company under the contract
 - 21.1.3 Delay in performs of work caused by orders issued by the Company.
- 21.2 The supplier shall demonstrate to the pany's satisfaction that it has used its best endeavors to avoid or overcome such causes for decay and the parties will mutually agree upon remedies to mitigate or overcome such causes for decay.
- Not withstanding clause 21.1 above, the sapping shall not be entitled to an extension of time for completion unless the supplier at the time of sack circumstances arising, immediately has notified the Company in writing of any delay that it may saim as caused by circumstances pursuant to clause 21.1 above and upon request of the Company, the applier shall substantiate that the delay occurred is due to the circumstances referred by the supplier.

22. Packing:

- 22.1 The material shall be in original/sealed packing to ensure dealy without any damage during transit.
- 22.2 If any of the good is discovered to be damaged or unacceptable at the lost of embarkation, the supplier shall be responsible for replacement of those goods free of my large and cost to the Company, within the delivery time schedule of the contract/purchase order.
- 22.3 The identification marks showing contents, quantity and contract/purchase ords number shall be printed on each skid/metal container/case containing one copy of invoice & packing list.
- Handling and Transportation:

 The Supplier shall arrange for the proper stacking of the Goods and for its proper storage and lashing and for other such provisions/suitable measures as may be necessary to safeguard against movement and damage to the Goods from the point of loading to its designated destination.

23. Inspection:

- 23.1 Pre-delivery inspection may be carried-out at the premises of supplier(s) and/or post delivery inspection at company's any location, by the appointed inspector/inspection team, third party inspectors appointed by the Company.
- 23.2 The Company reserves the right to arrange inspections and tests to the goods or manufacturing processes at any stage at any of the premises of the supplier or its subcontractor(s) or and at the point of deliver; and at the goods finel destination. Where conducted on the premises of the supplier or its sub-contractor(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Company. Such inspection, however, shall not relieve the Supplier to fulfill the obligations under the

Procurement

em G

purchase order/contract. If goods fail to conform to the specifications, the Company may reject

24. Delivery:

- Free delivery at any of the following locations, unless specified otherwise: 24.1
 - 26.1.1 R & D Section, Stores Department Abul Hasan Ispaham Road, Flarachi
 - 24.1.2 R & D Section, Stores Department F-37, SITE Karachi.
 - 24.1.3 R & D Section, Stores Department F-76, Dope Yard SITE, Karachi.
 - 24.1.4 Meter Manufacturing Plant, Sir Shah Suleman Road, Gulshan-e-Iqbal Karachi.
 - 24.1.5 Khadeji Store, 57th Kilometer at Super High way Karachi.
 - 24.1.6 Any other location specified by the company.
- Delivery period shall commence after 10 days (15 days in case of import) of the issuance of letter 24.2 of interior from the date of purchase order/contract whichever is earlier, unless otherwise
- hall replace defective material at their risk & cost including transportation, duty, 24.3 taxes etc.
- Pricable be submitted at R&D section Stores Department along with material & GST Invoice if 24.4 delivery challan.
- through cranes, fork lifters, labor etc. will be arranged by supplier at Unloading and stacking 24.5 delivery site (for materal live Pipes/Heavy Machinery & Equipment etc).
- y in accordance with "delivery schedule" as specified by the 24.6 Delivery is to be made Company.
- The rejected material is to be collected/lifted by the supplier within a maximum period of one month after its intimation by the tempany. Beyond specified period, the Company shall not be responsible for storage/safety of the vacoffected material. 24.7

25. Delivery Failure:

- aterial within the stipulated period, the Company In case the supplier fails to supply/ship 25.1 have the right to make an alternative arranget enter the purchase of the goods on such terms as may be offered. In such event all losses, cost and or sees sustained/incurred by the Company on stated purchase shall be recovered from the Supplier without prejudice to any other right or remedy available to the Company which includes the company of the compan may be offered. In such event all losses, cost and or ry of losses sustained by the Company remedy available to the Company which includes re from any due payment of the said supplier.
- In the event Company remains unable to make such alternative grangements, the Company has 25.2 the right to recover from the supplier any or all losses sustained as a equal of the supplier's failure to ship/supply the goods as per schedule of delivery.
- emative not specified In the event Company being forced to purchase any quantity or any 25.3 in this document as a result of any failure to supply/ship the material, if npany shall have the right to terminate the contract/purchase order without prejudice to any of a right or remedies available to the Company.

26. Payment:

- The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department 26.1 of the Company, containing following information i.e.
 - (a) Purchase order No. & date
 - (b) Items
 - (c) Quantity
 - (d) Price
 - (e) Invoice value
 - (f) Point of delivery
 - (g) Delivery challan indicating delivery date, etc.

Payment will be made within 30 days of completion of stated formalities.

Income Tax @ 3.5% or as applicable under the prevailing government rules will be deducted at 26.2 source (except where the supplier provides an income tax exemption certificate). Quoted price shall be inclusive of all taxes, except GST, which shall be mentioned separately. Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax(of relevant Sales Tax invoice)

ocuremen

In case supplier is not liable to pay tax under the income tax ordinance or is liable to pay tax at a 26.3 lower rate the supplier shall obtain a certificate from the tax authorities in Pakistan to that effect. In case the required certificate is not produced by the supplier prior to the date of payment, then the Company shall deduct tax at source from the gross payment payable to supplier.

27. Liquidated damages:

- 27.1 If supplier fails to deliver ordered material within the stipulated period/scheduled time specified in purchase order, Company, without prejudice to any other remedies, shall deduct from the bill or any other due payments/guarantees, as liquidated damages, a sum equivalent to 0.1% per day of the undelivered goods up to maximum 10%. The liquidated damages shall also be applicable for the cancelled quantity of goods under clause 28.
- henever liquidated damages become payable, in the event that delivery of all goods and froment is not made within the time period specified except on account of force majeure, the y shall quantify the same and shall serve notice to the supplier requiring payment thereof. lier fails to remit payment within 15 days of receipt of such notice, the Company shall forth-will become entitled to recover the same without recourse to the supplier, by calling upon Bond, withdrawals by way of liquidated damages shall not reduce the value of The Performa the Performance
- ed damages shall not relieve the supplier from performing and fulfilling all The payment of contract/purchase order nor shall the right and entitlements of the its obligations und Company be affected or reduced in any manner,
- 27.4 In case of order placed of PE&F basis, the delivery period shall commence from the date of confirmation of L/C. However, 1218 yed submission of PBG period in excess of time limit will be purpose of recovery of late delivery charges. deducted from the delivery period of
- equivalent to point one (0.1%) percent of the Contract The liquidated damages shall be the sur rvices for each day of delay, until actual delivery or price of the delayed goods as unperform en (10) percent of the Contract price. Once this performance, up to a maximum deduction amination of the Contract at the risk and cost maximum is reached, the Company may co of the Supplier.

28. Default by Supplier:

- y written "notice of default" sent to 28.1 The Company may, without prejudice to any other remain the supplier, cancel the purchase order whole or in part; if:
 - ty as per specified delivery The supplier fails to deliver any or all of the ordered 28.1.1 schedule or any extension thereof granted by the Company
 - The supplier fails to perform any other obligation(s) under te " 28.1.2
 - the supplier will not 28.1.3 The Company during the delivery period has reasons to believe the be able to fulfill the obligations under the purchase order/contract The Company prior to exercising its right to cancel the purchase order/contract shall issue notice to the Supplier specifying the default(s) and the supplier shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and/or the default(s) continues, purchase order/contract may be cancelled. The Company in addition to cancellation of purchase order/contract may suspend/cancel the enlistment of supplier.
- 28.2 The Company shall have the right to terminate/cancel the contract/purchase order concluded between the supplier and Company; if:
 - The successful bidder fails to furnish the performance bond as under clause 16 thereof. 28.2.1
 - 28.2.2 The supplier fails otherwise to perform, fulfill or comply with terms, conditions, regulations and requirements of the contract/purchase order to carry out the work in accordance with the provisions thereof or abandons the shipment
 - 28.2.3 The supplier becomes be drupt or insolvent or makes an assignment for the benefit of its creditors.
 - One or more consignments of material delayed by a period of more than three months or 28.2.4
 - 28.2.5 Rejection of manufacturing items as a result of observation by inspection team.

- 28.2.6 Penalty on higher rejection rate of supplied goods.
- 28.3 The supplier shall have the right to terminate the contract/purchase order if:-
 - 28.3.1 The Company fails to establish the "letter of credit" within the stipulated period as required.
 - 28.3.2 The Company becomes bankrupt or insolvent or makes an assignment for the benefit of its creditors.
 - 28.3.3 The Company is in default and breach of its obligation and liabilities under the contract/purchase order.

29. Resolution of dispute:

The Company and the supplier shall make every effort to resolve the disagreement or dispute arising between them amicably by direct discussion under or in connection with the purchase order/contract.

30. Applicable

The purchase study contract shall be governed by and interpreted in accordance with the laws of the Islamic Republic of Pokistan.

31. Declaration/Integrity P. Co Certification:

- 31.1 Successful supplier wall jurnish the declaration (specimen attached at Annexure-C) within 10 days after issuance of the contract if the order/contract value becomes Rs:10 million or above.
- 31.2 In case of F.O.B/C&F Purchase of at //Contract, the Principal as well as "local agent" both will sign the "integrity pact" as required in ribis clause.
- 31.3 Bidders to submit a certificate one specific non-judicial stamp paper certifying that they are not black listed by the Government/Autoropy unhodies and declared as defaulted supplier.

32. Arbitration/resolution of disputes:

- Any difference or dispute arising out of or incompletion with the contract between the Company and the supplier which can not be amicably resolved shall be referred to arbitration in Karachi, Pakistan, to two arbitrators, one appointed by each party of such difference/ dispute. In case the judgment of the said Arbitrator being at variance, the patter shall be referred to an "umpire", who shall be appointed by both the side Arbitrators. The umping has be retired judge of a High Court or the Supreme Court of Pakistan. Such arbitrators and umpire shall together proceed to adjudicate he disputes in accordance with the Arbitration Act, 1940, as any aded from time to time.

 32.2 Prior to exercising any right by the Company or supplier to terminal the purchase order/ contract
- 32.2 Prior to exercising any right by the Company or supplier to terminate the purchase order/contract under the conditions stipulated above, a return notice shall be required to e given to the other party specifying such default(s) and calling for submission of an explanation within seven (7) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory, and the default(s) continuous the purchase order/contract be terminated with notice to other party.
- 32.3 The agreement shall be governed by Law of Islamic Republic of Pakistan and the arbitration language shall be English.
- 32.4 During the course of arbitration, the supplier shall not suspend the performance of his esponsibilities and obligations under the contract unless authorized by the Company in writing to do so.
- 32.5 In addition to the remedies as stated above, there is a "grievance committee" formed by the Company which can be approached by supplier in case of non-settlement of issues at any stage if supplier feels that settlement is not insight or not justified.
- 33. Redressal of grievances by the procuring agency.-
 - 33.1 Grievance Committee is in place to address the complaints of bidders that may occur prior to entry into the procurement contract.
 - Aggrieved bidder may lodge a written complaint concerning his grievances not later than fifteen days after the announcement of the bid evaluation report.
 - 33.3 Bidder is to submit complaint on letter head duly signed by the authorized person. Tender reference, details / nature of complaint, complainant active telephone, cell, postal address, email



The Committee shall investigate and decide upon the complaint within fifteen days of the 33.4 receipt of the complaint

Mere fact of lodging of a complaint shall not warrant suspension of the procurement process. 33.5 Blacklisting of Suppliers and Contractors:

The Company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceedings) if, a supplier or contractor who either constantly fails to perform satisfactorily performance or found to be indulged in the fat and fraudulent practices as defined below:

Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything f value to influence the action of cooffice //Company.

the supplier/contractor found supposed to for the detriment of the Company during proceedings property contract, progress of its execution.

entation of factor or to influence the procurement process or the execution of the purchase order/contract.

Collusive process among bidders (prior to or after bid submission) designed to establish bid prices at a afficie non- competitive levels and to deprive the Company of the benefits of free and open competition.

Supplier's Guarantee and Responsibilities:

The Bidder/Supplier shall guarantee that the materials supplied against this tender enquiry is new and is of acceptable quality and has been declared approved on similar jobs. The validity and scope of such guarantee will be in accordance with conditions stated in this document. In case the opinion of the Company the Goods fail to perform the Arcices in accordance with the specifications specified in Section IV due to manufacturing defect (descrive material and/or workmanship, the Supplier shall replace, repair or reconstruct such Goods at his swapped to the Pakistan wherever the Goods shall be located so that such Goods shall be restored to such conditions that it shall perform in satisfactory operating condition or to replace it with new Goods at Supplier scores so that the goods shall perform in accordance with the specifications and details as set forth in the Company the Company the fail to do so after expiry of 15 days notice to this effect served on him by the Company, the Company shall be at liberty to repair, replace and/or reconstruction of the days at its costs provided in the event, the ds at its costs provided in the event, the Company shall be entitled to recover total cost of such replacement from the Supplier withdrawing from the Performance Guarantee.

36. Language:

The bid prepared by the bidder and all correspondence and documents ng to the bid exchanged by the bidder and the Company shall be written in English language. Any print a lite ature furnished by the bidder may be written in another language provided that this literature is manied by an English translation in which case for purpose of interpretation of the bid, English translation

37. Vehicle Applied by Authorized dealer of local manufacturer: Incase of vehicle supplied ly authorized dealer of local manufacturer, the authorized dealer will be responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.



Procurement

Additional Terms for Tenders on F.O.BJC&F basis:

1. Submission of bids:

1.1 Bid bond (Earnest money) @ 7% of the total F.O.B value as per clause?, of section 1 of "General terms & conditions" is required to be submitted with the bid. It may be noted that bids without bid bond will be rejected and returned to bidder.

1.2 In case the bidder is manufacturer the bid shall either be completely prepared by the foreign bidder including signing and stamping of all documents. In case, such documents are being signed by the local agent of the bidder, the bid shall essentially include supplier's original Performs invoice and an original authority letter in favor of local agent to sign the documents on their behalf. The bid is liable for rejection if these conditions are not met.

1.3 In case of Biddle offering to supply goods which the bidder did not manufacture or otherwise produce, the bidder shall be dily subscrized by the goods manufacturer or the producer to submit bid or supply the goods on their behalf

1.4 Bids shall be submitted (prefer bly through local agents) in two copies, (original + copy).

1.5 The price on unit FOB and Care basis is to be quoted separately. Following are to be essentially indicated in the bid form:

1:5.1 Country of origin.

1.5.2 Port of shipment.

- 1.5.3 Estimated gross/net weight, dimension & volume of offered item and estimated weight of each item.
- 1.5.4 Delivery period or schedule in case of the quantities.

1.5.5 Original technical literature.

1.5.6 Beneficiary's complete address.

1.6 Foreign bank charges and L/C confirmation charges will be home by the supplier.

1.7 Bid Currency:

The rates shall be quoted in bidder's home country or in Carra stess Dollars. A bidder expecting to incur a portion of its expenditures in the performance of the control in more than one currency and wishing to be paid accordingly shall indicate the same in their bid. However, to be from Pakistan would be paid in Pak Rupee.

(Clause 1.5 of General Terms & Conditions is not applicable)

2. Bid bond:

- 2.1 Bid bond shall be equivalent to two percent (2%) of the total F.O.B value on two of Sui Southern Gas Company Limited and shall be in the form of pay order, demand draft, can deposit receipt or a bank guarantee (specimen attached at Annexure-A), issued by a scheduled bank in Paki tan. he bid bond shall remain valid for 120 days (150 days in case of Single Stage Two Envelope bidning procedure) unless specified otherwise. The bid bond shall be returned/refunded to the un-successful bidders will the bid bond of the successful bidder shall be retained, till submission of Performance bond. Bids without bid bond will not be considered. In case the order value is less than US\$:25,000 the bid bond in lieu of performance bond, will be retained till fulfillment of obligations by the supplier. However, in either case the bidder is responsible to arrange the extension of bid bond validity as per requirement. If bid bond submitted by the supplier is more than 2% of ordered value, it may be replaced with appropriate value. Bid bonds of noncompliant bidders may be released during evaluation process. The bid bond shall be denominated in the currency of the bid or any other freely convertible currency.
 - 2.2 Bid submitted on behalf of different principals shall be required to submit separate bid bond along with the bid for each offer.

(Note as mentioned at Clause 9, 9.1 & 9.2 of General Terms & Conditions shall also apply).

3. Conversion to single currency:

In order to carry out evaluation and comparison, the Company will convert all bid prices expressed in various currencies to Pak Rupees at the buying exchange rates established by the State Bank of Pakistan or any other commercial bank in Pakistan for similar transactions on the date of opening of bids. In case of Two Envelope Bidding System, the exchange rates prevailing at the time of opening of Technical Proposals will be used for conversion and evaluation.

4. Evaluation Criteria:

- 4.1 The evaluation of bids will be carried out on C&F / landed cost basis, however purchase order will be placed on FOB price on freight to collect basis. The bidders are required to submit best freight charges obtained by them from Pakistan National Shipping Corporation (PNSC) in order to have a uniform basis to arrive at C&F cost. Bill of lading to indicate "freight payable by the consignee at destination" in local currency. Foreign currency exchange rate (selling) will be considered as of bid "opening date".
- 4.2 In the case of goods to be offered from outside Pakistan, custom duties and other similar import taxes which are applicable shall be added to the bid.
- 4.3 In case shipment by air it shall be arranged through Company's airfreight forwarder (s) or their nominated agent, "on freight to collect basis ".

14.3 to 14.4 of General Terms & Conditions are also to be applicable).

Loading of Bid

on port of loading up to Karachi port or unit C&F value must be indicated in bid form, failing, which and will be loaded by 5 to 10% freight charges. Bid will be declared non-compliant if loading results an extensive crease in price of material.

& Conditions is also applicable). (Clause 15 of General

Performance bond:

who were

1

- 6.1 In case purchase order value is US\$:2,000/- or above or equivalent for other currencies, letter of intent will be issued to successful bidders for a binission of performance bond guarantee which is to be submitted within 15 days from receipt of L.O.I. The accessful bidders shall submit a performance bank guarantee (P.B.G) in the form of bank guarantee (peci len attached at Annexure-B) issued by a scheduled bank in Pakistan, for an amount equivalent to 10 to 6 he total value of the purchase order or as specified, in the letter of intent. The performance bond unless there are otherwise, shall remain valid till:
 - 6.1.1
 - 6.1.2
 - Completion of final satisfactory delivery in the of consumable items.

 12-18 months from the date of satisfactory delivery of the equipment/machinery.

 Satisfactory delivery/installation of system in this the installation liabilities will be on supplier's 6.1.3 part.
 - 6.1.4 120 days in case of chemicals.
 - (asspecified in para 6.1) and integrity The Letter of Credit shall be operative upon receipt of Performance pact, any delay due to late submission of Performance Bond will be on r's account. Late submission of PBG should not affect the delivery schedule.
 - The performance bond shall be denominated in foreign currency or in currency he contract/purchase order or in a freely convertible currency acceptable to the Company and shall be e form of a bank guarantee.
 - In very special case subject to approval of the management, the P.B.G could be acceptable in Pak Rupee. However, an undertaking should be given by the supplier that in case of encashment of P.B.G supplier shall deposit short fall amount due to Pak Rupee exchange rate.

Warranty/Guarantee:

In case where performance guarantee is not applicable, the supplier shall warrant that all goods supplied under the contract/purchase order are new, unused, of the most recent or current models and all recent improvements in design and goods have been incorporated, unless provided otherwise in the contract/purchase order. This guarantee shall remain valid for a period of twelve to eighteen months after the goods have been delivered or commissioned.

(Clause 16.2 to 16.8 of General Terms & Conditions are also applicable).

7. Delivery:

7.1 In case of "FOE" order/contract, shipment(s) shall be effected per vessel of Pakisten National Shipping Corporation (PNSC) owned or chartered vessels on "freight to collect" basis. Bill of lading to indicate "freight payable by the consignee at destination". In case goods ready for shipment and the PNSC vessel is

not available at port of loading, supplier shall intimate the same to Company immediately so that matter could be taken with PNSC in Pakistan

- 7.2 In case of C&F order/contract, the supplier hereby guarantees/ensure:
 - To use clean and dry vessel suitable for marine transportation and shall not use tramp vessels.
 - 7.2.2 The goods/material will be shapped/dispatched with all care and diligence at their risk & cost and goods to be stored below deck. Accordingly, the supplier shall be responsible for all damages/losses during inland and marine transportation from the supplier's plant until arrival at Karachi port.
 - To provide as part of its work all services and functions related to handling, loading, unloading. 7.2.3 lashing and securing in ship's holds and all costs, charges and expenses of which shall be included in the purchase order/contract price, unless otherwise specified:
- 7.3 In case of FOB order/contract, the supplier's obligations shall be over after the goods have crossed the ship's rails. The co-ordination, scheduling and lining-up for a PNSC vessel shall be the obligation of the supplier.
- 7.4 The supplier shall reimburse the Company all additional duties, taxes and other such charges paid by the Company or at count of short shipment by the supplier for all items subsequently shipped on a no-charge basis or otherwise. The supplier shall also reimburse the Company all additional duties. The supplier. The supplier shall also reimburse the Company all additional duties, taxes pan by the Company on account of incorrect invoicing by the supplier. and other such charge
- 7.5 Shipment shall be deer ed to have been made when the supplier has shipped the goods against a clean bill of lading and all other such do mentation, as specified in clause 9.3 & 9.4 appearing next in sequence) have been furnished to the Company
- The supplier shall ensure that N are mentioned acts and other incidental and ancillary functions are conducted in accordance with sound at acceptable engineering practices. The Company shall be entitled to oppose any incorrect or inadequate practice adopted by supplier in this respect and the supplier shall take corrective action/measure forthwith to cover such omissions. If any goods are discovered to be damaged or unacceptable at the point of loading, the supplier shall be responsible for replacement from of all these 7.6 The supplier shall ensure that unacceptable at the point of loading, the supp all be responsible for replacement free of all charges and costs to the Company within the delivery riod specified in the purchase order/contract.

8. Insurance:

- against loss or damage incidental to manufacture or ac justic on, transportation, storage and the manufacture or ac justic on, transportation, storage and the manufacture or ac justic on, transportation, storage and the manufacture of ac justic on, transportation, storage and the manufacture of ac justic on, transportation, storage and the manufacture of ac justic on the manufacture of ac justic of the manufacture of the man All goods supplied under the purchase order/contract
- Marine Insurance shall be the responsibility of the Company miss otherwise specified.
- The supplier shall advise the Company by fax at least seven (7) days or to the expected date of shipment, the following particulars:-PA
 - 8.3.1 Name of the vessel and of the shipping company.
 - 8.3.2 Age of the vessel (which should be less than 20 years).
 - 8.3.3 Lloyds 100A1 or equivalent classification of the vessel.
 - ETD from Port of dispatch and ETA at Karachi 8.3.4
 - 8.3.5 FOB/C&F value of the consignment.

The above information shall also be transmitted to the Company's underwriters, MCorporation by fax No. 0092-21-9202779 and to the Company referring Policy No. NIF/A

Payment:

- 9.1 Payment of FOB/C&F prices shall be made in the currency of bid through an irrevocable letter of credit (L/C) established in favor of the supplier, negotiable through the bank of their choice. Bidder shall indicate full name and address of the negotiating bank and the place at which they wish to negotiate the letter of credit. All bank charges outside Pakistan will be on supplier's account and all bank charges within Pakistan will be at Company's account. If confirmed letter of credit is required then charges for confirmation will be on supplier's account.
- 9.2 The supplier's request (s) for payment shall be made to the Company in writing as follows:
 - 9.2.1 It shall be accompanied by an invoice describing, as appropriate, the goods delivered and the services incurred and by shipping documents submitted pursuant to Clause 9.4 hereof and upon fulfillment of other obligations stipulated in purchase order/contract.
 - 9.2.2 Against shipping documents on arrival of ordered material at consignee destination. Bidder (s) will have to clearly mention, if they wish to opt for this mode of payment

Procurement

9.3 The letter of credit shall be available upon presenting the following documents to the negotiating bank within 15 days of the date of the bill of lading covering shipment of each consignment

SSGC

- 9.3.1-Invoice 4 copies 9.3.2-Packing list 4 copies 9.3.3-Bill of lading " freight to be paid by consignee 3 originals & at destination" evidencing shipment in terms 6 non-negotiable of the purchase order to Karachi-Pakistan made copies. out to order in the name of Co.'s bank, Notify party Sui Southern Gas Company Ltd., Certificate of Origin (Verified/ Endorsed by Chamber of Commerce) 9.3.4-2 copies 9.3.5-Manufacturers test certificate/ 2copies Inspection report.
- 9.4 Without prejudice to the supplier's responsibility for providing documents mentioned as at 9.3.1 to 9.3.5 above to bank, the supplier shall forward the following non-negotiable documents directly to Company immediately after shipment so as to reach the Company at least 15 days prior to the arrival of the vessel at Karac's for

9.4.1 decide
9.4.2 Still of Lading
9.4.3 Packing that
9.4.4 Certificate of Origin (Verified /Endorsed by Chamber of Commerce)
9.4.5 Manufactures Test Certificate/
9.4.6 The invoice to be very later are administrated in the product of the product

- 9.4.6 The invoice to be to the per order/contract. Any deviation which render or cause the company to pay demurrage or any other charges with respect to clearance/handling etc. will be borne by the supplier.
- No payment hereunder shah be demed to be accepted by the Company of the goods covered by such payment nor release the sappler from responsibility thereof under the terms of the purchase order/contract.
 - 9.6 If the Company is compelled to pay demurate or storage charges or incurs any loss or suffers any damage at Karachi Port on account of non-compliance by the supplier of above requirements, the Company shall be entitled at their sole discretor. The recover the same amount from supplier.

10. Termination of purchases order by supplier:

- 10.1 The supplier shall have the right to terminate the contract/research
- 10.1.1 The Company fails to establish the letter of credit within the stabilished period as required under clause 9.1 hereof after the supplier has made compliance with the providing of clause 6.
- 10.1.2 The Company becomes bankrupt or insolvent or makes an assignment and benefit of its creditors.
- 10.1.3 The Company is in default and breach of its obligation and liabilities up or the contract/purchase order.
- 11 Installation/Commissioning/Training:

If installation/commissioning and training is required, the charges will be paid in Pak Rupes and will be subject to deduction of all local duty and taxes (as applicable).

12 Vehicle (s) supplied by foreign manufacturer / principal:

- 12.1 In case of supply of any type of vehicle (s) / earth moving vehicle (s) by the foreign principal / manufacturer. After clearance of vehicle from the custom, the local agent of the foreign supplier / manufacturer / principal will be completely responsible to get the vehicle (s) registered through Excise Department Government of Sindh and provide Original Registration book / Original Registration Invoice / Tax payment receipt / other related documents & provide the vehicle (s) number plate (s) to SSGC. Registration fee will be reimbursed by SSGC subject to submission of Government of Sindh Excise Department receipt.
- 12.2 The bidder / supplier shall quote only those vehicle (s) / which fully comply to Pakistani environment and can operate in Pakistan. The bidder should ensure that vehicle (s) consumable i.e (fuel/oil & lubricant/sparse) are card; available in Pakistan.



Annexure - A

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Bid Bond Guarantee

BANK GUARANTEE NO	-
DATE OF ISSUE	
DATE OF EXPIRY	
AMOUNT	

Sui Southern gas Company ST. 4/B, Block-14, Gulshan-e-Iqbal, Sir Shah Suleman Road, Karachi.

Dear Sira,

Bid Bank Guarantee

- 2. To accept written intimation (s) from you as conclusive and sufficient evidence of the existence of a default of non-compliance as aforesaid on the part of Bidder and to make payment accordingly within the days of the receipt of the written intimation.
- 3. No grant of time or other indulgence to, or composition or arrangement with the Bidder in respect to the aforesaid Bid with or without notice to us shall in any manner, discharge or otherwise, however, effect this Guarantee and our liabilities & commitments hereunder:
- This Guarantee shall be binding on us and our successors in interest and shall be irrevocable.

Yours faithfully,

(stamp and signature of the issuing bank)



Annexure - B

On Non Judicial Stamp Paper of Rs. 50/- (Fifty) Per 100,000 Format of Performance Bond Guarantee

		DANK GUARANIEE NU
		DATE OF ISSUE
		DATE OF EXPIRY.
		AMOUNT
ST. 4/B Gulsha	Sirs,	Account
	u in Ka	rachi under the Purchase
In-con dated:	nsideration, of your having placed Pullar	Order No
conside	eration for value, received from Supplier, we	called Supplier and in erely agree and undertake as under:
	To make unconditional payments to you payments Rs	from tiple to time as called upon or make an unconditional a Percey (1)%), of the value of the Purchase Order price your written of mand(s) without further resource, question or a, in the event of refault or non-performance and for non-abilities & respectivities under and in pursuance of the said ole judge.
2.	breach as aforesaid on the part of Supplie receipt thereof.	nclusive and sufficient coides to of the existence of a default or and to make payment accordingly within 3 (three) days of
3.	To keep this guarantee in full force from conditions.	the date hereof as specified in General or Special terms &
4.	with publicing respect of the Lettormance	o amendment in the terms of the purchase of the by agreement of his obligations under and in pursuance of the said Purchase in any manner discharge or otherwise, however, affect this ents there under.
5.	This Guarantee shall be binding on us and o	ur successors in interest and shall be irrecoverable.
6.	This Guarantee shall not be affected by a constitution of M/s	my change in the constitution of the Guarantor Bank or thethe Supplier.
		•

Your, faithfully, (stamp and signature of the issuing bank)



Annexure - C

(Format of Declaration)

General Manager (Procurement)
Sui Southern gas Company Limited,
ST. 4/B, Block-14, Gulshan-e-lqbal,
Sir Shah Suleman Road, Karachi.
Dear Sir,

Declaration

(the Seller/Supplier) hereby declares its intention not to obtain or induce the procurement of any compact, right, interest, privilege or other obligation or benefit from Sui Southern Gas Company Limited or any admir at the subdivision or agency thereof of any other entity owned or controlled by it (SSGC) though any corrupt business matrice.

Without limiting the generality of the foregoing, (the Seller/Supplier) represents and warrants that it has fully declared the brokerage, commission fee out, paid or payable to anyone and not given or agreed to give and shall not to give or agree to give to anyone which or outside Pakistan either directly or indirectly through any natural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification of finder's fee or kickback, whether described as consultation fee or otherwise, with the object of obtaining or indicing the procurement of a contract, right, interest, privilege or other obligation of benefit in whatsoever form from SSGC a cept that which has been expressly declared pursuant hereto.

(The Seller/Supplier) certifies that it has made and with passe full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGC and has not taken any action or will not take any action in circumvent the above declaration, representation of varianty.

(The Seller/Supplier) accepts full responsibility and strict liability or caking any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat a purpose of this declaration, representation any warranty. It agrees that any contract, right interest, privilege or other collection or benefit obtained or procured as aforesaid shall, without prejudice to any other rights and remedies available to SSGC under any law, contract or other instrument, be voidable at the option of SSGC.

Notwithstanding any rights and remedies exercised by SSGC in this regard, (The Steer topolier) agree to indemnify SSGC for any loss or damage incurred by it on account of its corrupt business, its tices and further pay compensation to SSGC in an amount equivalent to ten times the sum of any commission tratification, bribe, finder's fee or kickback given by (The Seller/Supplier) as aforesaid for the purpose of consider or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGC.

Yours faithfully.

Signature & Stamp (The seller/supplier)
Note:

- 1. The above declaration is required to be submitted by the Successful Bidder after issuance of Purchase Order (PO) or Letter of Intent (LOI) on Bidder's letter head, for purchase order / letter of intent of a total value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Gas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (Pacc), or any other competent forum. The procedure shall also be applicable on the prequalified firm. The procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in conflict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute (Law or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or the shall prevail. This SOP shall become a part of the future Bidding Documents.

3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority Appeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to lige protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/division/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penanty asqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for it in ctions committed during the competitive bidding stage, whereby such firms/individuals to prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a project or o intract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution of rescission under applicable rules/regulations/laws arising from the default of the tirms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



4. REASONS FOR BLACKLISTING

4.1 The following shall comprise the broad multilateral guidelines for blacklisting:

4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;

4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to

influence a procurement process or the execution of a contract;

4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and

4.1.4 "Coercive Practice" means harming or threatening to harm, directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the

procurement process or affect the execution of a contract.

4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

2, I Competitive Bidding Stage

During the competitive bidding stage, the Procuring Agency shall impose on bidders or prospection bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rule, of the agency may provide and/or further criminal prosecution, as provided by applicable law, for violations committed which include but are not limited to the following:

- i. Submission of elicolity requirements containing false information or falsified documents.
- ii. Submission of bids are contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.
- iii. Submission of unauthorized or all documents for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.
- iv. Failure of the firm to provide and only Warranty Undertaking and Performa Invoice of the manufacturers / Principal Trading house.
- v. Failure of the firm to submit specific author y letter of the Original Equipment Manufacturer (OEM) for participation in a particular tender;
- vi. Unauthorized use of one's name, or using the name of another for purpose of public bidding.
- vii. Deviations from specifications and terms & co d ions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable cause, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid.
- ix. Refusal or failure to post the required performance security within the prescribed time.
- x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
- ii. Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful istraction of the Procuring Agency or its representative(s) pursuant to the name interaction of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - a. Employment of competent technical Person(s) / Firm(s)nel, competent engineers and/or your supervisors;
 - b. Provision a parming signs and barricades in accordance with approved plans and specifications and contract provisions;
 - c. Stockpiling in preser places of all materials and removal from the project site of waste and excess partials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions;
 - d. Deployment of comment of comment, facilities, support staff and manpower; and
 - e. Renewal of the effectivit does of the performance security after its expiration during the course of contract in mentation.
 - f. Non-Performance of the supplier or respect of tender terms & conditions and the delivery / supply of material.
- iii. Assignment and subcontracting of the contract any part thereof or substitution of key Person(s) / Firm(s)nel named in the proposal affect prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier or distributor arising from his fall or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- v. For the procurement of consulting services, poor performance the consultant of his services arising from his fault or negligence, any of the following to state the consultant shall be construed as poor performance:
 - a. Defective design resulting in substantial corrective works in design and/or construction;
 - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
 - c. Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obtaining fraudulent payments;
 - ii. Obtating contracts by misleading the purchaser:
 - iii. Refusa to ay SSGC dues etc.;
 - iv. Failure is ruled contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed a the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of a fem with a new name by the Proprietor or family or a nominee thereof of a firm that has been all and blacklisted;
 - vii. Consequential operation is damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereof a pplied on trial basis or due to failure of such equipment;
- viii. Contractors who have negoticed Plea Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default has been proved specifically in relation to supplies made to or contracts concluded with SSGC.
- ix. Involved in litigation or needless petitioning a influence or obstruct the procurement process either on his own behalf or at the behest of a prother vested interest;
- x. A firm may be disqualified for a period extend of a two years in case a decision by a court is awarded against the said firm after litigation, where the firm is involved in litigation at least three times during two financial years, or where the firm is involved in litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Mair dies / Divisions / Departments and organizations / autonomous bodies subordinate thereto, at a
- xii. Blacklisting in case of Joint Venture firms will also result in a mation of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1. Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

- 1 he supplier or contractor who is to be blacklisted for a specified period is given adequate promotive of being heard.
- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by rouiding adequate time, so as to given him adequate opportunity of being heard before talling any action.
- 3. In case the supplier of contractor does not attend the meeting on the given date and time a final notice is served to bin / her to attend the meeting on the revised date and time. Despite the final notice in messupplier or contractor does not attend the meeting as per schedule, automatically be a noticed at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will form comprising of User, Procurement and HSE&QA departments to address the issues in the precing with the supplier or contractor. Members of committee may not below of grade IV
- 5. In case the supplier or contractor is found at deft do based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is sought from the management for their temporary or permeant blacklisting along with encaption at the of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the left alted supplier or contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor along with covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual of to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the tent of the blacklisted firm / individual shall be restored.

9. AMENDMENTS

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the a new liment of its specific provisions as the need arises.
- 9.2 Any amendment to this Blacklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of an eaid amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amendments thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Pull of Tagurement Rules, 2004.

11. The Steps to be Followed are A Under

The causes and reasons to be taken into consideration for Debarment / Examining of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage,

Page 6 of 10 Dated : 12th October 2020 Revision-J : Dt: 3 Sept 2024



- commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST-AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. Eye lordinary delay in signing or refusal to accept the Notification of Award and/or the correct without any cogent reason.
- ii. Miscondict ..., failure to proceed with the signed contract, withdrawal of commitments, quoting an unrear quably and unfairly low financial offer and subsequently withdrawing such an offer anstrating the evaluation/bidding process and not responding to written communication in a re sonable time.
- iii. Causes mentioned in Sy-Clauses i, ii and iii above.
- iv. Submission of fake / frivologic mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, the defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defection dity period as defined in the contract.

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, of email of the foreign bidder shall be enclosed. However, at the time of bidding, the original off the state of the state of the same, the bid shall be rejected.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Project Authority prior to blacklisting. Member of RPC must be one grade up from the members of RPC.

5. PROCEDURE FOR BLACKLY PNO

Upon receipt of or obtaining information ind/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in heremal by under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the concern deroject Authority / formation shall promptly formulate its recommendations and submit theory the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details of charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Conveter of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Person () / Firm(s) about the alleged charges and shall provide an opportunity to the defend said charges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RP')", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Blackli ting on the grounds and reasons specified herein above shall be for a reasonable specified period of the and as a general rule of prudence, the period may not exceed three years, except in case where debarment/blacklisting has been done by any other government department or an International Financial Institution (Donor Agency), In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of the torary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution Foror Agency) debarred the contractor (whichever is higher). However the permanent black is ting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blackling List:

- i. The decision of blacklisting will be immediately circulated concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Annually may proceed in this case to complete the contract with the approval of Competent Annually may proceed in this case to complete the contract with the approval of Competent Annually. (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the late of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024 - 3. 44



9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT TOR BIDDING BURBOSK

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be proactive about safety!

Report Hazard before Legits in an Accident

If it's UNSAFE!

- √ Report it
- ✓ Remove it
- √ Replace it



1/1





Sui Southern Gas SSGC Company Limited

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continuat improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication, consultation and participations on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its transmission and Distribution of natural gas within its

Managing Director. August 2021.



MR



PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

SSGC existing facilities/installations.

Any routine/non-routine activity, performed within permanent locations or b. outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.

Any new project. C.

Covering all the activities performed by SSGC taking into consideration of compliance, obligations, risks & opportunities within the scope, external and internal issum related to scope of operations, requirements, information, needs and expectations of relevant interested parties.

Providing galdrice o employees in relation to hazard identification, risk A. assessment and risk control in respective areas.

Identification, control inhitoring and management of environmental aspects f. and assessment of its impa



SCOPE

This procedure is applicable to the identity ition of occupational health and safety hazards and associated risks, environmental aspects and impacts associated with activities, processes and equipment related to SSGC existing facilities/installations, any new of ject or any routine/non-routine activity, performed within permanent locations or outside permanent of 100 of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and sales

DEFINITIONS & ACRONYMS 3.

Interms of injury or ill health, damage to property, HAZARD: Source or situation with a potential for damage to workplace environment, or a combination

RISK: Combination of probability of occurrence of a haz event or exposure and the resulting b.

consquences.

OPPORTUNITY: Opportunities can arise as a result of a situation favorable to achieving an intended result, for example, a set of circumstances that allow the organization attract customers, develop new C. products and services, reduce waste or improve productivity. Actions address opportunities can also include consideration of associated risks.

SWOT: Strength, Weakness, Opportunity & Threat. d.

- RISK MANAGEMENT: The set of control measures used to reduce or eliminate pecific risk.
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazard los eation. This is the f. overall process of estimating the priority of risk and deciding significance of risk.
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk g. Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard Identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment. ī.
- IEE: Initial Environment Examination. J.
- EIA: Environment Impact Assessment.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MOC: Management of Change. o.
- MOC Owner: The employee who initiates the MOC. p.
- JSA: Job Safety Analysis. q.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.





HandBook | February 2022



RESPONSIBILITIES

4.1 Corporate HSE&QA In-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues.
- C. Providing support to corporate HSE&QA team and zonal representatives.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.
- Maintaining records of the OHS&E with the help of local HSE&QA team.
- Implementing this procedure. Liaise with corporate HSE&QA team if required.

4.3 Zonal T E&DA representative

- Coordinating with smal HSE team leader for carrying out HIRA and EAIA in their zones.
- Liaise with corporate HSE&QA team and zonal HSE team leader for OHS&E. Reviewing/monitoring HiRA and EAIA in their zones and providing input on any changes.

4.4 Departmental Head

Departmental Head of Secuting Department

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks. Ensure implementation of JSA for /activity performed outside SSGC permanent locations. Tes raise

4.5 Employees

Employees
Participating in the identification and assessment ert of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

4.6 Visitors & Contractors

dentifying and reporting any risk or hazard at any location of SGC. This also includes the worksites and

DECISION MATRIX

Type of Risk/Hazard Assessment	Methodology	Responsibility.
HIRA.	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	onal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





MOC	Risk assessments for new Projects, major changes or modifications in existing designs	MOC owner
	and infrastructure.	

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

6. PRECEDURE

Section 1 Context of the Organization

6.1. Context of the Oxygetion

- i. Management defines scape of the company services and its boundaries considering the internal and external issues of the organization.
- ii. In consultation with HSE&QA, it a prement & Zonal Heads identify external & internal interested parties and maintain its list with needs & expectations. Interested parties are those stakeholders who receive company services, who may be imparted by them, or those parties who may otherwise have a significant interest in the company. Interested parties may include:

Interested Parties	Requirements		
Board of Directors	Good financial performance, legal compliance/avoidance of fines.		
Law Enforcers/Regulators	Identification of applicable statutory and regulatory requirements for the product and services provided and understanding of the requirements:		
Customers	Value for money, quality service, ficilitation and quick response.		
Bank/Finance	Good Financial Performance.		
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.		
Insurance:	No claims/prompt payment/risk management.		
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.		
External providers	Prompt payment as per agreed terms, health and safety, long-		
(Vendors/Suppliers)	term working relationship.		
Trade Unions	Compliance of local labor laws.		



HandBook | February 2522

Gas

By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces.
- Complex transmission and distribution network. b.
- Succession planning. C.
- d. Contractual relationships.
- Availability of reliable, qualified and competent workforce. e.
- Staff retention...
- unionization.

6.1.2. Extern sees could include in risk & opportunity assessments, but are not limited to:

- Political: Government policies, political stability, international trade agreements etc.
- Economic: Fuel/unity rices, cash flow, credit availability, exchange rates, tariffs and inflation, general taxation is sees etc.
- inflation, general taxation as yes etc.

 Social: Consumer buying pattern, education level, advertising and publicity, ethical & religious issues, demographic eth.
- **Technological:** Intellectual practy issues, software changes, internet, technology legislation, associated/dependent only plogy, renewable energy etc.
- Legal and regulatory: Consumer procession, industry-specific regulation and permits, trade union regulations, employment la v, ir emational legislation, human rights/ethical issues
- Environment: Customer demographics and prironmental issues.

 Government: The directives from Prime Ministry, Ministry of Petroleum (energy division), regulatory bodies like OGRA, SEPA & BEPA etc.
- Ensuring the policy and objectives are established for the integrated management system and are compatible with the context and strategic direction, the organization.
- The management shall monitor and review information about external and internal issues during the management review meetings.



Always be proactive about s

Report Hazard before it results in an Accident

Procuremen Dept.



Section 2 Hazard Identification and Risk Assessment

i. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- Routine & non routine activities, any emergency situations.
- ties of all persons having access to the SSGC permanent and temporary locations. b.
- p to havior, capabilities and other human factors. .C.
- Designing fwork processes. d.
- Material in v.e.
- f. Infrastructure, eggioment and materials at the workplace or project site, whether provided by organization of the
- Changes or proposed hanges in the organization, its activities or materials. g.
- Fabrication, installation commissioning. Handling & disposal or Vaste material. h.
- Purchase of goods & service
- Any applicable legal obligator that is related to risk assessment and implementation of necessary controls.
- I. Before commencement of any new tion/activity.
- Periodic Review for updating the existing azard identification and risk assessment information.

At SSGC, we adapt five steps of rise Sessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if neces

Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below:

Risk Priority		Probabilit			
	orky	Very Likely	Likely	Unlikely	Very Unlikely
C	Catastrophic			en de la companya de	Medium
n s e	Significant			Medium	Medium
и е п	Harmful		Medlum	Medium.	
e	Negligible	. Medium	Medium [.]		CV



·	HAZARD CONSEQUENCE RATING TABLE
" Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.
Harry	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.
Negligible	Hazard may cause minor injury, illness or property damage, first aid treatment is required only, very low financial loss.

PROLABILITY RATING TABLE				
Exposure to have a likely to occur frequently. Similar incidents reported more than once in Secretary during last 10 years.				
Exposure to hazard line, to occur but not frequently. Similar incidents reported once in last 5 years in SSGC.				
Exposure to hazard unlikely to occur.				
Exposure to hazard so unlikely that the assumed that it will not happen.				

	· •		
	RISK PRIORITY TABLE		
Risk Priority	Definitions of Priority		
	Situation is considered critical, stop work immediately or consider cessation of this operation/task. Must be fixed ASAP, Zonal HSE team leader should take immediate actions.		
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.		
Low	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.		







Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- Classification of risk/impact. b.
- Description or reference to control the risks/impacts.
- Description or reference to monitor the risks/impacts. d.
- tified competency and or training requirements. e.
- or setting improvement objectives and programs for its achievement. f.


The risk/impact measures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

as saments as input for the following: Use output of risk/impact

- Setting objective
- Training needs identific
- Terminating the risk/impact is practical. C.
- Facility engineering control.
- Emergency Preparedness.
- Administrative controls. f.
- insurance. g.

. The ultimate requirement is to reduce the risk/impacto a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further red on becomes unreasonably inconsistent to the additional risk reduction obtained.

iv. Risk Control



Administrative ANTARAMAN AFTER





HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. Elimination: The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. **Engineering:** Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any project process and must seek out for best possible solution in terms of OHS&E.
- d. Admirestrative: Administrative controls involve making changes to the way in which people work and protection and protection and training. Administrative controls may involve training employees in operating procedures, good housekeeping practices, emergency response in the event of incidents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. It is ould be properly identified for specific process/job.

System & work area Hazards	Likely Consequences
: Access / Egress Obstructions	n r injury, trips and falls
Asphyxiate Gas (CO2 fire suppression)	de death by asphyxiation
Buried Cables	Exposure to buried cables - major / minor injury
Electricity (HV/LVA)	Fatality of electric shock or serious burn injuries:
Falling Loads / Objects	Serious have and or body injury
Flammable Vapors / Gases / liquids	Explosion or fix Control of the Cont
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disoriemat Doss of consciousness
Moving Parts	Entrapment, major or miles of ry
Noise display the thirty	Long term hearing loss, tinniti
Openings in Floor / Walkways	Falls from height, major injury passi to fatality .
Flammable Materials / Gases	Creation of hazardous area; fire example to the state of
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort long term loss of vision.
Housekeeping poor	Slip, trjp, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and hor body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatique
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes





Oxygen deficiency	*Death of asphyxiation
Poor Lighting / Visibility	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	*Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, texic; poisoning, irritants, pollutant
Repetitive Task / Operation	Muscular / skeletal injuries
Rotating / Moving Part	Major injury, potential for fatality
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume	Chiconsciousness, respiratory problems
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hand Ob	Minor laceration and impact injuries
	Burns to skin, eyes, and respiratory system. Environment
Use of Hazardous Sabstances	Hazards Hazards
	Impact injury, hand / arm vibration—loss of sensation over
Use of Power Tools	
Use of Workshop Equipment	1 Major / minor injuries - entrapment, cutting tools
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury

v. Environmental Aspect Identification & Impact Assessment

a. Environmental Aspects:

An Environmental aspect is any element of SSCC bisiness operation that negatively affect the Environment. While conducting environmental assessment, following appects are usually considered:

"REDUCE CARBON FOOTPRINT"

What we can do:


- Recycle: what you can
- Reduce: avoid :
 unnecessary :
 consumption of :
 resources
- Reuse: Buy items that are reusable and reuse them.
- Unplug electrical:
 devices that are not in use
- Avoid unnecessary driving
- . Use LED bulbs.
- · Plant a tree

Water Discharges
Solid Hazardous Waste
Noise .
or .
Vitraion .
Use of Oxene depleting substances
Spillage of hemicals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

NR





b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring revices/gauges, computerized feedback monitoring and control systems.
- g. Environmenta fris disposal or treatment systems etc.
- h. Fire prevention/supression systems.
- i. Containment walls.
- j. Scrubbers.
- k. Dust Collectors.
- Other controls: Training, SOP.

The record of operational controls of significant environmental risks is maintained on Environmental Aspect & Impact Assessment Form (SSGC-IMS CEM-F-02).

After identification of aspects and assessment of impacts, it is sent to HSE&OA Department for reviewing

After identification of aspects and assessment of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where required In-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned 2 to HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related to the activities/processes/equipment are kept current by conducting the same assessment

- a. Once every six months to update the information, and identify of w environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects)
- b. Carry out assessment, for new or changes in activities/processes/equipment
- c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment la part Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required by regulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to enter its compliance for all new projects.

When combusted:

One liter of Diesel produces 2.68 kg of CO2

One liter of Petrol produces 2.31 kg of CO2

One MMBTU of Natural Gas produces 53.07 kg of CO2

No

Procurement Dept.



Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require PTW:

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)

- c. Maintenance Work on High Voltage electrical equipment.
 d. Any janite of service involving Safety Risks such as work at height.
 e. Any Maintenance activity by any department/contractor which compromises critical safety system.
 f. Work involving interaction with asbestos.
- g. Work in areas when there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity that squires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SM Val e Assembly/TBS/PRS etc.


II. Exclusion

Following activities are not under the scope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to cone associated risks for the following:

- a. Providing Gas connections to new c
- b. Emergency Response to Consumer ca
- c. Planned enhancement of Distribution net
- d. Work on live pipelines like hot tapping, insta vice Tee etc.
- e. Any major/minor rehabilitation/reinforcement wo

VG PL If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it





III. Responsibilities

S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	Facility where the tack/activity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTVV requirements.
3	Contractor	The Individual/organization carrying out the Tast//ctivity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If a wired, Monitor the task a civity during execution and identify my gaps related to proposed and ols. Responsible to close the Wasd maintains records. Authorized to stop work in case of noncompliance to PTW requirements.

W.




Integrated-Management System,

14



IV. PTW Process Flow








V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.



MF





Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).

 d. Any Emery entry maintenance work.

 Any particular placticity requiring ISA as peccesitated by HSE20A

Jun'activity requiring JSA as necessitated by HSE&QA.

II. Responsibilit

S No.	Functions	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/activity requiring JSA	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe
12.	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	Report any untoward situation Authorize JSA Insure Adequate resources are provided to carry out the task activity in safe manner Selector repetent team and team leader for the activity/task Submit approx JSA:prior to job execution to USA:QA/Zonal HSE Team Leader
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

MR





Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried out using MO methodology.

II. Scope

This procedure is interied to address those changes which may have a direct impact on SSGC's Integrated Management System, or the ubsequent delivery of services.


To make sure that changes are assessed and documented in a consistent manner so that:

- a. Unnecessary or counterproduct a changes are prevented.
 b. Changes do not adversely affect larety, the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals the at knowledge and/or agreement of all relevant parties.


 d. A record of the assessment rationale and manage assessment process is produced.
- e. To make sure proper change out of employ bing operations is addressed.

III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the nated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the details soppe of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authori e change after assessing the risk and their controls:







IV. Definition of Change

For the purpose of this procedure a "change" is alteration to Processes;

- a. Documented information maintained by this IMS
- b. Equipment, hardware, software, infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management.

Other types of changes not listed above can be related to any light of the process, such as inputs resources, persons, activities, controls, measurements, outputs, e.c.

Note: Not all alterations to a system require the Management of Change To less (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

V. Levels of Change

Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Level 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work emironment.

Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables, operations, safety or work environment.

MR



HandBook | February 2022



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated task, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management, Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is accepted, in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward he request to the appropriate process owner for implementation.

Step 3 - Implementation

The process owner will be responsible to implementing and coordinating the actions required for the proposed change. If it is determined that further assessment is required during the course of implementing the change, these assessments will be documented and shmitted for review prior to completing the change process. Only after all assessments have been reviewed and the MOC process be continued and monitored through completion.


VII. Closing out the MOC

The In-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness of any corresponding control measures.

VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control of Indian of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the access taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

N






MOC Process Flow



NR





7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS

Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

Hazards (Control Measures
Adverse Venther	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad hous keeping	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / cold surfaces	Insulation, guarding, PPE (gloves, face shields, insulated
Drowning 7	Life quarding, lifesaving equipment, presence of first Aider.
Excavation work	Physical barriers; fencing, shoring, safe system of work, signs, caution take.
Fail from height	Edge protection, safety lines / hamesses, safe means of access, (e.g., carbiding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting - Lighting	Good work area design and ighting equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical means for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.

th



7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance
Machines	Periodic inspection, testing and maintenance. (guarding), safety interlocks, supervision and training:
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manual Landling	Regular assessment of handling techniques (improvisation to eliminate stress / fatigue; training in good lifting techniques;
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
Over Pressure	oper identification of pressure vessels, preventive maintenance, ressure indicators, alarms, PRV's where required, periodic ins te up.

7.3. ELECTRICAL

Hazards	Control Measures
Live working	Avoid (i.e. No Live Working) use competent / trained staff.
Hand tools	Regular inspection, testing rejectrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material, guarding.
Machines / Electrical cables	Electrical testing and maintenance, good electrical safety design, periodic inspection for design load vs actually of use of circuit breakers, lockout / tag out, anti-static materials, Use double insulation, proper grounding.
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Burled)	Look out for signs, contact local utilities (KE, WAPDA) for locations, stay at least 10 feet away from overhead lines, use proper PPE

MP

Procurement Dept.

_____Integrated Management System

23

7.4. FIRE

Hazards	Control Measures					
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition.					
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area; signs, no smoking, color-coding.					
Fiammable solvents	Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans.					
Heaters	Segregation from sources of combustion, guarding special construction if used in hazardous areas.					
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents).					
Oxygen (gas and liquid)	Segregate from sources of combustion, controlled storage and					
Smoking materials	Designated smoking areas with proper ventilation, promote no small no policy.					
Static electricity	Limit use of static generators in hazardous areas. Use of anti					
Gas Leaks	Odourization for timely detection where possible, proper joining methods, Field survey training, leak detection techniques.					

7.5. OTHER

Hazards	Contracheasures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harmit, a betances, use, maintain and test engineering controls, monitor for hazardous substances; inform and train employees, use personal protective equipment (PPE), emergency plans for uncontroll of presses.
Biological: Biological agents (micro-organisms, pathogens) mutagens, carcinogens) Rodents, Snake Bite	Avoid: use, substitute less harmful substances, use maintain and test engineering controls, monitor for haza a us substances, inform and train employees, use personal protective equipment (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	Good food hygiene standards, good cleaning / disinfection, employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergonomics	Educate / Train employees; avoid repetitive tasks, procure ergonomically design products (e.g. chair, Computer desk, polisher,

No

HandBook | February 2022

8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period	
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years	
SSGC IS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years	
SSGC-IME/CRIN-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years 3 Years	
SSGC-IMS/CRM-F-PS	Management of Change Form	HSE&QA Department		
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years	
SSGC-IMS/CRM-F-07	SWOT An lysis	HSE&QA Department	3 Years	
	MGS.			
MZ	3VO PAINYSIS			

Procuremen

Integrated Management System



IMS Form

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

10/A

Zone		Department			Location	-		Date	
	Hazard	What can go	Existing C életional	Risk Priority					
S. No	(E.g. Wom out electrical cord)	Wrong (E.g. Electrical shock to any employee)	(E.g. Cover with plastic a.g.	PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. Significant)	PRIORITY (E.g. High)	Additional Operational Control (E.g. Isolate/Replace the wire)		
<u>-</u>	- 424 500 3			7 .					
				0,					
				1	6				
					D				
					-	P			
Additio	nal Comments	(If any):	<u> </u>		•		0		
	Zona	HSE Team Leader				HIRA 1	ean		
Name	& Designation	Signatu	ге	S. No N	ame & Designa			Signatur	3
			1	1					
		ŀ	Ĺ	2					
			-	3					

No





IMS Form

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01

Issue Date: July, 2021

10)

Zone		Department			Locatio	n		Date			
Proce	ss / Operati	on Descriptio	ni(E) We come	eretion)			1 12				
3. No	Activity (E.g. Fuel Combustion)	input (E.g. hiel, air)	Output (E.g. Hydrocarbon CO2. H ₂ O, CO, particulate matters	$\top I$	ronmental aspect air emissions)	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Law)	Opera	ational	: control	3
					In	:					
					G		·				
٠					•					٠	
Additi	onal Comme	ents (If any):		•		P	٥		•	.:	
	Z	Conal Team L	ader			EAIA Te					
Name	& Designat	ion Signa	ture	S. No	Name & Desig	nation	S	gnature			_
			٠.	2		•					
	•	·	Ī	3				•			

NE

Integrated Management System



27



IMS Form

SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

Wor	k Permit	Number (1	b on kiled by H.	EEGOAI;							
		•			Section	и Д 13					
	Depar	ment Nar	ne: ·					.Contact Name:			
	Responsible		Name:		(if Any):	(if Any):		T.	·	·—-	
ľ	Person		Signatur):		1	Date & T		·		
11.	Perpayaild Fain	Time:				Time:					
1 5			Date:		Permit V	alld Until -	Date:				
1 0	Local	ा गरा	Work								
be filled by Execuling Department	☐ Hot	aruuus 📹	eccical m emicals	vvorking at he	ork Mechanic	o in confined	ca work	Deta	il of Work		
led by E.	EX Othe	cavation/T of (Please)	renching provide cons	Handling	□ Janifori Asbestos □	al/Cleaning	Service hoisting		•		
io be fil		nent/took		%		•				, ;	
· -	** `	COMMENT	Opportuni	S & KISK IS 180			us .			:	
	Follow □ Elec	ing servic hickv 🗆 G	as I Wate	r 🗆 Air 🗆 Oin	d Mif requir	ed)		•			
		•	•		S ctil n	·Bn	and the second section is a	#Primorelia , es	Al distribution of months of \$770 is	west own Committee even	
To be filled	l author should below.	I authorize the task / activity to be carried out at a party plantoned location for specified time. Executing Department should carry out work in compliance to safety / PPE an out should carry out work in compliance to safety / PPE an out should carry out work in compliance to safety / PPE an out should be safety with the safety wit									
ē.		Name	·	. Designatio	n l	en an e			Date and Ti		
	-				.	7		odre and Tille			
				A STATE OF THE PARTY OF THE PAR	Section '	C"	1		The specimen management and the second		
	Name	j		Design						·	
-	Otto Lui C								Date	<u> </u>	
. 6.	☐ Hard Shields ☐ Other Any add	Hat □·Si □ Weldings:	afety Shoe ng Shields perational	s III Cover all	☐ Reflective J Harness ☐ S		()	۰	in the task/actr		
					the contract of the property		i de la composition	entre etc.		and the second second	
·	Area	Authorit	<u>-</u>	FUE	"D" (Monito	nng & Closir	rg)	- 112		•	
I have	physica	lly inspec	ted the	I.declare that	the above tasi	(/ activity has	Hees	HSE	&QA Departm	ent	
opera	site and tional co	verified the	e in place,	Lideclare that the above task / activity has been carried out in compliance with the controls / requirements mentioned above.			- manila	HSE&QA Observations during monitoring (if any):			
			٠.	The task / activity is now completed and site is safe for routine operations.			.			·	
				Any incident happened during execution: This			This w	This work permit is now considered			
Mam	s 5	ign & Stamp	Date	Name	Sign & stæmp	Date	· Nam	16	Sign & stamp	Date	
				•		٠.			arm. a starth	Jaus	
											





IMS FORM

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executing Depa	rtment	·		Zone		Date
Job/Activity:	Activity [Details:	- <u></u>	-0110	· ·	Date
	:.					•
Location					·	•
Lucation						
. •			•			
PPE Required:		1				
☐ Hard Hat ☐ S	Safety Shoes II Co	over all 🗆 Reflect	ive Jackets	□ Ear l	Plug 🗆 Ear Muf	fs □ Dust Mask d Gloves
☐ Breathing Ap	paratus Latter	s in salety betty	namess 🗀 🤅	safety (∋oggles □ Han	d Gloves
i) accidental	oberenoust detil	iop (ii lequired)				
☐ Fire Extingui	nser 🗆 Ambulance	⊉ arrication □	Other:	•		
S.No Ster	s of field Activity	Potenti	al Hazards	<u> </u>	Cor	ntrois
	• ;	0,			٠	
7		4 74 78 Z		,,,	T, 27 - T	
1,5,1			V	·		<u>·</u>
		-	~		·	<u> </u>
				4		· · ·
			·	7	<u></u>	
	· .			7		
			•		O C	
					-AX	•
Activi	ty Incharge / Sup	arvisor	L.			
	fy that all opera		Lauthorize	the tes	Executing Dep	artment ne job. The team
mentioned abo	ve, will be imple	mented at each	is adequate	ely resc	urced to execu	te the job safely.
step of the job.	The team is traine	d to execute the		,	r	to the job datery.
safe to operate.	ripment involved in	i this activity are			•	
Name &	Şign & Stamp	. Date	Name &		Ci n Ci	
Designation	4.8tr.# Cramb	. Date	Designation	on	Sign & Stamp	Date
					•	

MR

Integrated Management System





IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

Issue Date: July, 2021

MOC	C No:		•	•		Date	1		\Box
	Section A: Description	of pro	posed	change and potential ha	zards				\neg
l	MOCOwner			Location of Work:				·	╗
	Experied Duration of Work								
lŀ	Type of Change								
_	Cinalina	Pipeline construction Physical structure/building New or modification in							
ĬĬ	☐ Permanent								
ΙδΙ	☐ Temporary ☐ Abstance ☐ Other:								
181	Detail of MOC/Scope of MDC: (Summarize the basis for the proposed change and any potential health.)								
įšį	Detail of MOC/Scope of I	DC: (S	ummart	ze the basis for the propose	d.change	and any	pote	ntial health	n,
5	safety and environment	of a re	sulting t	from the proposed change.)					- 1
B	•	7							- 1
Estilled by MOC Owner			0						
، قند	The state of the s	•	51		•				
្ន	•								-
ľ	The proposed shares in		<u></u>	A Authority for our	المسائلة المسا				
			Dinituse	A sa Authority for eval	luation.				
F }	Name & Designation	n		Stamp	 	Da	ate	-	
,	•	.}							- 1
									<u>.</u>
l. 1		of the	impact	(s) related oth change					\sqcup
2:	Evaluation Criteria				Yes	No	Co	mments	
1 2	Does the proposed chang	e meet a	ill applic	able legal or other	İ		•		4
E	requirements?	<u> </u>						· · · · · ·	-1
E		sting pro	ocess/ e	quipment are Environn enta			•		l
E I	Manageable and Safe?			CC USE Brandures	AD.	 			\dashv
À.	Does the change requires Does the change will affe	cnange	s in SSC	SC HSE Procedures	10	 		·····	\dashv
百	equipment of the location	ci nie us	0 01 C1	nergency response				•	- 1
Pa	Does the change requires	any sne	cialized	training for SSGC staff					ᅴ
1	Note:	in case	of YES	" please provide details on a	segarate	spec			┥
be filled by Area Authority	The proposed change is	now st	pmitte	to in charge HSE&QA for	authoriz	ati	入	,	ᅱ
ျာ	Name & Designation			Sign & Stamp	T		ate		ᅱ
. .	, , ,								\dashv
.	}	·						•	
	Section C . Authorized	lan fan	obon-	o to proceed					펙
≤	Section C : Authorizat				# 4b - 1 - b				
2	Potential hazard/risk		level	plemented while execution of Proposed control		oonsibili	· 	7711-	
SE	Potential nazard/nsk-	RISK	18461	Proposed control	7.05	วดกรายเน	ty	Timelin	쁵
I E		<u> </u>			 -				
1 6 .					-				ᅱ
lle						····			\dashv
be filled by HSE&QA	Name& Designatio	ท	·	Sign & Stamp		n	ate	<u> </u>	
To b	- Tarriou Designatio		 	aigii w awiiip	+				
-									ļ
L	<u> </u>		<u> </u>		1				





HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

LIST OF INTERESTED PARTIES

External interested Parties	Needs & Expectation
Board Of The tors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR
· ^_	Protect shareholders interest.
9	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	ollow best practices of corporate governance.
	Serve committee meetings are held as per plan.
	Finance: benefits of the organization.
	Avoidance of any fines / penalties.
·	Reputation enhancement.
	Corporate Social Resibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to ac lieve quality goals.
	 Achievement of safe and healthy conditions in organization.
·	Commitment to quality, safety and health.
·	Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

31

.	_ `\
ᆬ.	
27	•
/;	Ý
_/	S.
`	/ o.

1.00	: IMS Form	SSGC-IMS/CRM-F-06
SSGC		Revision 00
HSE&QA Department	Context of the Organization	Issue Date: July, 2021



- Ensure that policy and related objectives are established.
- · Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
 - affective management of hazards, risks, incident, errorgency, and injury.
- Worker engage and participation in all quality, environ pant, health and safety activities.
- Continue owth in quality and productivity.
- Effective controls in quality, health & safety issues.
- No major accident at the kolace / safe working conditions for all employ expenses
- Develop positive quality and health & safety culture.
- Continuously improve quality, sair (and health performance with review process.)
- Well performed employees.
- · Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
 - _Job security.

Dune Dune

HandBook | February 2022



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

Training and development opportunities. Sustained reputation and image of company. Noncop Consultation. Communication and participation. No accident / injury / ill-health. Reward and recognitions. Opportunities for dialogue / improvement / changes. Timely and fair provision of remuneration coupled vith career progression. Client/Customer ride high quality services, quick response on any w all local laws and QH&S requirements. complan OR Uninterry religas supply. Customer facil Quick response foreries & complaints. Value for money. No health and safety issue in product. Prompt actions on quality, heaten safety issues. Minimize the risk of injuries when receiving a services. Socially and environmentally responsible. Suppliers/Contractor Continuous orders, prompt payments as per agreed terms, good long terms working relationship. Fair chance of participating in bid opening. Communication of hazards present at workplace. Timely payment.

Integrated Management System

33





HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

Context of the Organization

Trade Union & Worker
Representative

- Transparency.
- Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
- Conducive and safe environment for work
- Timely provision of information necessary for workers
- No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	 Media de agement. Patient and posta e attitude. Effective communication.
Visitors	 Safe entry and exit du in Stay at SSGC. Communication of pertinent information. Emergency response. Briefing necessary safety rules. Necessary PPE available. Site access controls.
Emergency Services (Fire/Medical etc)	 Good Risk management. Emergency procedure in place and drilled. Regulatory compliance.

A CONTRACTOR OF THE PROPERTY O

HandBook | February 2022 --



IMS Form

SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department **Context of the Organization**

Issue Date: July, 2021

	 Regular drills for flooding, spillage, site excavation and first aid etc.
1,	Availability of adequate resources.
Utility Provides .	Prompt payment.
(Power/water/uel Telecom)	Good Management.
Academic Institutes	Effective learning programs for employees.
Op.	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Learning from SSGC.
Insurance Companies	oclaims, risk management, prompt payment.
Banks	Financial performance, cash flow.
Neighborhood/Community/ Society	Safe working conditions.
	Environment frier day operations.
	Contribute positive to local environment and populations.
	No complaint relating to no semplition, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
,	Return on investment.
	Transparency.
	Rights are protected.
,	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System -

MR

35

To the	\
1	, v
	૾ૢૺૺૺ

	IMS Form	SSGC-IMS/CRM-F-06
SSGC		Revision 00
HSE&QA Department	Centext of the Organization	lssue Date: July, 2021

Third party auditors- Finance	Smooth data collection Better figure is larger and the second seco
1/2	Better financial performance Effective communication
	On time response on queries No fraud or illegal acts detection
Certification bodies	No fraud or illegal acts detection Effective implementation of ISO standards with all
Creditor/Financial	relevant clauses in the organization Repaid on time, good financial performance
Institution Government/ Regulators	
(Local/Regional/Provincial/ National/International)	continued applicable statutory and regulatory sourcements for Quality and health & safety.
, , , , , , , , , , , , , , , , , , ,	 Prompt seponses in case of any non-conformance. Proper in a tigation on uncontrollable.
	Implementation of afe policy in the field of occupational safety
	 Fulfill the requirement, of a applicable laws, rules, regulation, orders, guideline, interpretations and directives.





SSGC
HSE&QA
Department

IMS Form

SSGC-IMS/CRM-F-07

Revision 00

SWOT Analysis

. Issue Date: July, 2021

PORTEN	
STRENGTHS	WEAKNESSES
Having vast experience of Transmission and Distribution of Natural Sas.	Complex distribution network leading to UFG.
Infrastructure available in two provinces.	Substantial resources required for up gradation.
Highly competent human recourse.	Lack of succession planning.
Certified to international standards	Takes extra time to implement all requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakista.	High price.
Serving the nation since decades.	overnment new rules implementation.
Positive image of the company is already established in the Society.	Resource transfers.
OPPORTUNITIES	(H) EATS
Monopolistic market.	Depleting natural gas
Over 2.8 million customers.	Customers may turn to renewable energy sources.
Import of LNG.	High cost.
Huge infrastructure of Transmission and Distribution to connect new customers.	Gas theft and leakages resulting in huge loses.
Reduction in the lead time to facilitate complainant.	Change in Government policies.
Advancement and use of latest technology to control the system will create more effectiveness.	Criminals threats on security.

Integrated Management System

MR

37

1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.


2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

3. DEFINION

- a. Incident: Vork related event(s) in which an injury or ill health or property damage (regardless of severity) or fatality occurred, or could have occurred.
- b. Accident: An incident which an injury or illness or property damage actually occurs.
- c. Near Miss: A Near Miss such unplanned event that did not result in an injury or projectly damage, but had the potential to do so.
- CPR: Cardiopulmonary resuscitated.
- e. Emergency: An emergency is a situation hat poses an immediate risk to health, life, property, per ironment.



Accident

Near Miss

riarmful

Harmless

INCIDENT / ACCIDENT COSES

Loss of Life duced quality of life DIRECTLOSSES Visible Injury to people Damage to Company investigation ".n.z Reputation INDIRECTLOSSE (Invisible) Clearing the Site and Damage to Equipment, conducting repairs Building, Tools etc. Legal costs Time and resources utilized in hiring and training new worker

MR

Integrated Management System



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
	 Major fire Major gas leakage Explosion Bomb blast Vehicular accident 		Inform respective departmental head/incharge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has witnessed or received initial information about the incident.	
	Significant as let/ having less due to ar untoward situation		Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	including natural disaster,	O	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
	damage or theft of asset / property having an estimated amount of more than	78	Report the incident using incident notification form via web portal to in-charge INE&QA immediately (or within 24 hours) after the occurrence of incident.	Zonal HSE Tèam leader.	SSGC- IMS/IAM -F-01
1	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	Major	HSEAL will complete the investigation report via web portagorithis seven working day after receiving incident notification form.	HSE&QA	SSGC- IMS/IAM -F-02
			Additional days may also be required depending up on the criticality of investigation)	
			HSE&QA will share the report with all concerned for necessary corrective / preventive actions.	Q _S Rea	
			HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.	HSE&QA	
			Implement Corrective / Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
			Follow-up to verify the implementation of recommended corrective/preventive actions.	HSE&QA	

Al Comment

– HandBook | February 2022 🋴

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
	Minor Injuries Where only Lesis first Aid Gless than		Inform respective departmental head / in- charge.	Anyone who has witnessed or received the initial information about the incident.	
· 2	provided to the victim. Minor Vehicular accidents	Milnor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
وا آپيدوره آپيد	where there is no significant injury or loss.	8/	HSE&QA will share the information with all toncerned to avoid endournence.	HSE&QA	·
3	 Any Near Miss Occurred / Observed. 		Report be Near Miss using of the Near Miss Notification From via web portal. Enter details as mentioned on the form attach evidence (1994) and submit.	All Employees	SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset dan agreets, will be considered as accidents and will be reported through online incide it lean agement System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.

MR

Integrated Management System


Procurement -

CORRECTIVE

4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:


- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- b. Investigation vil be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- c. When indicated by the sverity of the incident, steps to secure the incident site must be initiated immediately consure that investigating party can reconstruct the events leading to the incident.
- d. Individual interviews will be conducted with each person present at the time of the incident. The following rules are rollowed for interviews with all individuals:

 1. The witnesses should be interviewed promptly, separately and privately.

 - 2. The interviewer should avoid question hat give a yes or no answer.
 - 3. After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:
 - 1. The investigator or investigating team must focus on getting accurate and complete
 - 2. Facts must be separated from opinions, and direct evidence from circumstantial evidence.
 - 3. Each concern identified in the investigation must be full processed.
- f. Upon completion of the investigation, the team will fill and sub nit be Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background I formation, Root Cause Analysis, Conclusion and Recommended Corrective / Prevenue
- g. In all cases, the incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- It is responsibility of the ZonaLHSE Team Leader to:



- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be unated including controls, risk level, likelihood etc.

4.5. Dat A alysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during pranagement review meetings to seek advice and to discuss the effectiveness of measure lactions implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Mar e	Maintained by	Retention Period
SSGC-IMS/IAM-F-01	Incident Notification + c	In-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation:Form	In-charge HSE&QA /	5 Yeárs.
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In-marrie HSE&QA / Zonar Flat Team Leader	3 Years

NR



IMS FORM

SSGC-IMS/IAM-F-01

SSGC HSE&QA Department

Incident Notification Form

Revision 01

Issue Date: Aug, 2021

Date:	·	Time:			Report No		 '.
Reported by:				<u> </u>	(10 20 11102 0)		
ocation:	٠.						
e cremi	ses	Out	side SSC	3C Premis	es 🔲		
Location	ails:		· 	· ·			
Responsible	200		Z	Conal HSE	Team Leade	· r	
Region						• •	
Particulars (of Alle	Person(s):		į	Details of Affe	ected Ass	et ((f anv)
Senal No	7	1	2	3			
Name(s)		A.				•	:
Employee ID	(S)						.].
Designation		- 4				•	
	Permanent	•	U,				• ::
}	Contractual		-4				
Type of	Contractor	:			,		
Employment .	Visitor			V			•
• • .					O ,		
	Other ·		·				
Age	•				A		•
(Note: For furthe	r details addillo	nal page may be	used)	. •		O _ ·	. •
incident Ty					 ;		
	_		. —		ge .Work R	elated in in	
Theft Sa	botage	Natural Disast	er []	Gas Leakag	e Other.		
Incident Co		es: . ·	•	:			•
Fatality SSG Othe	r Host	nitalization	Asset Da	amage	First Aid 🔲 O	ther	
incident Cla	esification	ĸ.		•	•		
Major 🔲	Minor 🗌	Near Miss	3 🔲				
Incident De	tail:				<u> </u>		
	•						1

An

HandBook | February, 2022



IMS FORM

Incident Investigation Form

SSGC-IMS/IAM-F-02

Revision 01

Issue Date: Aug, 2021

neident Notification Form Ref. No.	Incident Detail (Brieg
icident Date	
evestigated by	
A ROUND INFORMATION: .	
Y	
ROOT CAUSE AN ALYS A:	
γ_{\wedge}	
6/	
CONCLUSION:	7,
	in webst
	MG seed top graphs
RECOMMENDATION OF	CORRECTIVE AND PLEVENTIVE ACTIONS
Recommended Act	
	ions (whom) Action till (date)
1.	
2.	
3.	
4.	

Incharge HSE&QA

NOTE:

- NOTE:

 1. Please include sketch / photo where ever required to explain the accident scane / conditions

 2. Additional pages can be used for mentioning other details

 3. Transmission/Distribution department must submit the quantity of gas loss in case of any gas

Integrated Management System





Department

IMS FORM

SSGC-IMS/IAM-F-03

Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Catego Type:	☐ Unsafe Act ☐ Unsafe Condition
Names	A CONTRACTOR OF THE PARTY OF TH
Executive / Employer Next	The state of the s
Designation:	The state of the s
Departments	(1) 19 1 19 19 19 19 19 19 19 19 19 19 19 1
Location / Area:	A STATE OF THE STA
Near Miss Datail:	
Datet	· · · · · · · · · · · · · · · · · · ·
Time:	等/整理
Location:	建造的中国的国际中国
Near hilas Rélated To:	Leakinge
Brief description of what you saw! (max. 100 words)	
Attach Pictures	Choose File No file chosen

M





The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- a. Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- b. Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- c. Define mechanism and frequency to test plan so as to ensure prepare in so and effectiveness of emergency response system.



2. SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency sity. Due to variations in nature of operations, various departments/sections have developed their own ER Plant calering for their strategic, operational and physical requirements. The same includes HSE emergencies ansity for company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations, hajor environmental damage, external terror or bomb threats, public unrest, war and etc.

3. DEFINITIONS

- a. Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines vital installations and other assets.
- b. Rescue: It refers to responsive operations that as hally involve the saving of life or prevention of injury during an incident or dangerous situation.
- c. Emergency Response Organization (ERO): It is a group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any empty ency incident, such as a natural disaster or an interruption of business operations.
- d. Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency situations. All emergencies are to be reported here.
- e. First Aid: It is the provision of initial care for an illness or injury. It is used by performed by non-expert, but trained personnel to a sick or injured person until definitive medical trained can be accessed.
- f. Assembly Areas: If an evacuation to the outside is appropriate, the nor nated assembly areas for personnel shall be far enough away from the building, structure or workplace to ensure that, where practicable, everyone is protected from falling glass and other objects.
- g.. Emergency Evacuation: It is the immediate and rapid movement of people aw virom the threat or from the place of the hazard.

4. RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- a. Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- c. Call the fire brigade & other emergency services like ambulances if required.
- d. Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- e. Inform all to go back to their work places using megaphone or any other suitable means when the situation comes under control and the area is free from any hazard.



- HandBook | February 2022 👌

5. PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are listed below. Sequence of actions for any response specified on each section's ER plan may change depending upon the emergency situation.

6. Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the same need police limited to these areas:

- Fire & Emosier
- Heavy Spillage f Toxic/flammable chemicals or leakage of gas
- Heavy rain/ neod
- Earth quake
- Bomb threat
- Building & office lockdo vn/s letter in place
- Active shooter/hostage

6.1. Fire & Explosion

In case of fire & explosion each personnel propert within the premises must act as per but not limited to the following in auctions:

- a. Give voice alarm FIRE! In case of fire for air my let atte employees in the area.
- b. Push the nearest located call point button and of fire (if present).
- c. Immediately inform Emergency Response Organization through phone or in person.
- d. Try to control the fire by using fire extinguishers. Usefire extinguisher only if you have been trained.
- e. Remove all explosive, inflammable and poisonous material away to the maximum possibility.
- f. Shut off main valves of gas and circuit breakers.
- g. Stay away from the fire in case it is not controllable.
- h. Report to the designated Assembly Point away from the scene of fire polosion if asked by Emergency Response Organization through emergency exits and wait for the further instructions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage of §

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person,
- b. Eliminate all ignition sources (sparks/flames/heat) from the immediate areas.
- c. Turn off gas supply from nearest control valve...
- d. In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be taken to ventilate the gas. Ensure the availability of fire extinguishers.
- e. Stop leaks if this can be done without having any risk.
- f.. Do not touch or walk through spilled material.
- g. Prevent entry into waterways, sewers or confined space.
- h. If available wear the Personal Protective Equipment recommended.
- i. Arrange immediate cleaning of spilled chemical by taking suitable precautions

FUEL

The state of the s

Integrated Management System

to surement Dept.



in case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but

- Try to stop water by keeping sand bags.
- b. Protect building, machines, equipment, tools, parts & material.
- Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:

- Ensure no material is placed outside in open area which may be affected by rain. a. b.
- Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be accessible in case of any emergency.
- Sufficient and rain suit is available to meet the rainy condition. C. d.
- Keep the arm in e open all the time.
 All pumps used or raining out the ra
- f.
- All pumps used or training out the rainy water are in running condition.

 Sufficient quantity of sand bags is available to stop entering the water inside, which may be placed in

Class			
	Material Material	Examples	Type of Fire Extinguisher to be
· A .	Solids.	Paper, weer phastic, etc.	• Water
В:	Flammable Liquids	Paraffin, petrol all Ac.	• CO2
:0	Flammable Gases	Propane, butane, mattane, etc.	Dry Powder Dry powder
Ď	Metals [.]	Aluminum, magnesium, utanimetc.	Sodium chloride based flov
E ∵.	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	powder fire extinguisher
F	Cooking Oil & Fat	Animal fat, etc.	O. C'emical based: Potassium bicart ma

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the

- Immediately inform Emergency Response Organization through phone or in person.
- Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half b. of the height of the building) after the shocks dampen.
- Shut off all switches and valves of main supplies of gas and electricity. (If possible) d.
- Maintain your senses, do not let them disperse.
- Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires. f.
- Stay away from loosely hanging objects that may fall after initial shock and tremors.
- Wait for further instructions from Emergency Response Organization. g.
- ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- e. The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergency Response Organization.

6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Maintain your senses, do not let them disperse.
- c. Report to the designated Assembly Point if asked by Emergency Response Organization through emergency exits and wait for the further instructions.
- d. Bomb Disposal Department shall be called by Emergency Response Organization.
- e. The Boy Disposal Department shall be allowed to operate in the company premises as deemed appropriate.
- f. On getti ir clearance from Bomb Disposal Department normal routine shall be adopted as advised by Emergeno Re ponse Organization.

6.6. Building or Africa Lockdown/shelter-in-place

If a situation calls for building ar office lockdown, the personnel present within premises should act as per but no limited to following instructions:

- a. Remain calm and stay with you colleagues.
- b. Try to stay in pairs.
- c. Do not leave the room and/or built to under a lockdown situation until asked otherwise.
- d. . Keep quiet and away from doors and windows
- e. If a gunshot is heard, lay down on the incomplished under/behind furniture as much as possible.

Take care:

Don't try to be a hero in emergency situations; do not place your own life or health or that of others in danger

Be prepared for the

6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel preser within the premises must act as per but not limited to the following instructions:


- a. If it is safe to do so, exit the building; if not, lock or barricad self inside a room,
- b. Turn off lights; cover and lock the windows, and lay on the floor
- c. If the shooter(s) leave the area, go to a safer place, if possible. Have a rescape route/plan in mind, keep your hands open and visible, and follow any instructions given by law end percent.
- d. Call the Police/Rangers when it is safe to do so. Remain calm, use a client voice, and provide as much information as possible (your name and location, details about the shooter's) appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen and the provide as much information as possible (your name and location, details about the shooter's) appearance, weapons, etc.).
- e. Cooperate and negotiate with the shooter, in order to buy as much time as positive intil the rescue team reaches.

7. EMERGENCY NUMBERS

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken into account:

- Fire brigade/civil defense or equivalent.
- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated_Management System



EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you.
- Leave the building/premises immediately, do not try to investigate the source of the emergency. b. C.
- Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- e. Assist people with special needs.
- As you make your way out, encourage those you encounter to exit as well.

O BE EVACUATED

In case of eme ter yeevacuation should be carried in the following order.

9.1. Personnel

Those personnel who do not have sound health such as patients of Heart, Asthma and physically/mentally disabled people are to be expected on priority basis.

Raw material which is explosion inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to carry just also be removed.

9.3. Documents

Important records and files must also be

9.4. Equipment

Cash Lockers, Computer Sets, External Hardxpensive Tools and Fixtures must also be removed.


10. TESTING AND EXERCISES

Testing and exercise of the emergency response plan, notid be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible frequency and type of drill at each location should be as below:

periodically conduct the exercise. The

And the state of t		
Location	Type of Emergency Drill	Frequency
a. Head Office b. Regional Offices c: Billing Offices d. P&C Offices	Evacuation and Mock Emergency Drill (all employees)	Six Monthly
e. Store (all locations)f. KT (Transmission)g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Response Team	Six Monthly



Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Headquarter Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
rieadquarter otations	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSF cam leaders ensure that emergency detection and response equipment are identified, available and properly naintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of Eir Equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC-INTe/EFIN F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge HSF&QA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular location/operation/equipment/in stallation etc. The response equipment usually include but are not limited to:

- a. Fire extinguisher.
- b. Fire hydrant/hose/bucket water pump.
- c. Smoke/gas detectors.
- d., Communication equipment. (Neva Phones, Alarm systems; walkie-talkie etc.)
- e. First aid box.
- f. ER vehicles/Ambulance.
- g. Breathing apparatus.
- h. Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of he charge HSE&QA or Zonal HSE team leader.

	Location	Frequency
.a.	Head Quarter Stations	7PA
b.	Meter Manufacturing Plant	Monthly
c.	K.T (Transmission)	
a.	Head Office	
b.	Regional Offices	
	Billing Offices	
d.	P&C Offices	Quarterly
e.	Store (all locations)	· · · ·
į.	Distribution (Zonal and Sub-zonal offices)	

12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention Period
SSGC-IMS/ERP-F-01	Emergency Drill Form	HSE&QA Department	3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years

Integrated Management System

\$





IMS FORM

SSGC-IMS/ERP-F-01

Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

Zone	Ţ		•	··	·····			
		Region	•	Location	۱ . ۰	- Date ∫		
Type	Of Emergency Dril	٠ .	•	•				٠.,
1 2 7 10	e and Explosion Home	eavy spillage	of toxic/flamr	nable chemica	s 🗆 Heavy o	ias leakane m E	arthauraica	
□ B0I	mb Yn Other:		:			, , earlings in C	arunquake	
·		-	Obs	ervations	•			<u>··</u>
S.No		ription:		ime		Comments	· .	
1	Emergency siren	at ·				Comments		
2	Evacuation start	at .			.,			
. 3	Last person reache point				; .			
. 4	Firefighting/Bomb of interested party real	iched at site.	ad/other	*				
-5	Emergency under a	control at	3/		· · ·		<u> </u>	
Total	time of Drill (minute	95)						
Addit	ional Observations	(If any):	U	·	•			\Box
							Y 🔩 🗼	.
1	, .				_		A STATE OF THE STATE OF	
}	• .		•			. The state of the		·
S.No	The second secon		and the second second			3-7		l
1	<u> </u>	· · · · · · · · · · · · · · · · · · ·	Asses	smen	•		Yes. N	
2 .	Emergency respond	ders were pre	esent at the si	te	<u>ث</u>		- 1.1.55.	
3	Employee were pro	perly instruct	ed	1	7			\dashv
4.	Behavior of employ	ees was satis	sfactory		UX	•		
5	Evacuation route w	as satisfactor	у .		1	A ·	- -	┥
6	SSGC firefighters w	ere well train	ed			9	- - - - - - - - - - - - - -	\dashv
7	Firefighting equipme	ent were up t	o the mark					\dashv
	Response of the me	dical staff wa	as satisfactor	/			- -	\dashv
Overa	Il Assessment:				Satisfact	DIV I	sfactory 🗆	\dashv
S.No	Correct	ive Actions	lmprovemen	ia Demain I	A Marie Control of the Control of th	CONTRACTOR OF THE PARTY.	Stactory L	
			mithi o verilleri	LS Required		Responsibility	Target Date	9
								\dashv
								\dashv
								\dashv
	THE RESIDENCE OF THE PARTY OF T	awn, daug that maken, shipping and	diament and a restriction of the temperature	William Commence				\dashv
	Security Service	s Represen	tative		HSE&O/	Representative	Grand and a principal state of the state of the	200
	Name .		nature	N	ате	Signa		\dashv
								7
		·					· .	╛
		· <i>0</i> .					•	

Procurement Topt

HandBook | February 2022



IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

.Zone	Rec	ion				
Type	Of Equipment	The state of the s	Location			Date
O Fir	e Extinguisher n s	M HydrantAlletes D		•		etector I Emergency light
□ An	nbulance First Ale	Box C Communication	Buckets/Hose 🗆 (Smoke/i	Gas D	stactor 🗆 Emergency light
		TOX EL COMMINUNICATION		er :		
S,No		What to check	CHECKLIST	•		
Fire E	XII U.S.		· · · · · · · · · · · · · · · · · · ·	Yes	No	Comments.
01		are in operable condition	and not			
02	Pipe and przzie d	o not have cracks.	•			<u> </u>
03	Lever and lever	are in place and looked		<u> </u>	·	
04	l 🗥 extinguishers :	Territory and the second		<u> </u>		
ire H	Yaranini 10981 BRCK		essible.			
01.	No leakage in fire	hydran Sagern	<u> </u>	 -		
02	Hydrant valves are	ampariy lubei	Specific -1	 		i.
03			operauonal.			
	attached at the end		5162 516	.	. [
04	sand.	aintained and adeq ate	filed with			
irst A	id Box					•
01	All necessary/requi	red medicines are availal	ola i Si Air I	· .		
,	Gas Datactor	xpired and valid for use.		-	-	
11	Alarms and Smales			-		
ther E	quipment (if any)	gas detectors are proper	ly functioning.	Z		
11						
2	•					A
Na						PA
NO	<u> </u>	Observations				
1					R	acomplem ations
,		•				
· ·			·			UA
	•					
ditto =	,	•				
-ingUS	d Comments (If any);				•
•	•	•				
	Security Services	0				
Vame	P Design "	napresentative		HSE&	QA R	epresentative
101116	& Designation	Signature	Name & D	egiana		
				Jagna	uon	Signature
	j	•			• .	
			J			1

Integrated Management System

53



1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and quality of goods/services provided.

2. SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs agreed with SSGC.
- an independent employer/organization that is responsible to provide goods or
- in tor: Is an executive of SSGC procurement department, who has been delegated/given a sponsibility and authority from the head of department to initiate and maintain the
- NEQS: National Environ ner tal Quality Standards.
- SEPA: Sindh Environmenta extection Agency.

RESPONSIBILITIES

4.1 Suppliers/Contractors and Su Contractors

- The contractor must take all necessary afety precautions related to the performance of the contract in order to protect the work site, ich ding all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety of their employees.

 c. The contractor will also be responsible to prove relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors was have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequately fained to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC policies procedures and applicable legal and regulatory requirements.
- The contractor shall adhere to set standards and requirements for on mental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings bet HSE&QA department within 10 days of issuance of a letter to proceed.

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

– HandBook | February 2022



5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made by SSGC.
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify gaps on issues related to HSE&QA.
- e. The contractor/supplier shall educate and adequately train their employees in order to understand-
- the requirement of this procedure.
 Supplie shall adhere to technical specifications provided by SSGC to ensure quality of goods
- The control shall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's Hazards department to seek guidance and awareness on risk/hazards related to activity and its possible controls.
- h. The contract is liable and implement "permit to work (PTW), job safety analysis (JSA)" risk assessment and management procedure (SSGC-IMS/CRM-02). where required. Please re
- The contractors are responsible of dispose of any waste generated during their activities in any environmentally safe & responsible manner.
- The contractors must ensure that or ained individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with 55 cm safety procedures and NEQS and SEPA set standards.

 I. Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contractors must ensure that the workforce in lively must be physically fit and should not carry
 - any contagious disease. SSGC reserves the right to a contractal examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests.

 n. For contracts related to providing food services/canteen services/medical reports from accredited
 - For contracts related to providing food services/canteen services medical reports from accredited labs must be submitted to head of administration services de artifect for entire crew once the contract is awarded and annually for following diseases hepatiti C. tuberculosis, and chest X-ray.
 - o. In case of violations from SSGC safety standards/policies/procedu coons will be taken to penalize the contractor depending on the severity/recurrence of breaches

S. No.	Violation	Action Action
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	Written warning
3	Single Major Non-Compliance	Written warning / Stop the work on site
. 4	Multiple Major Non-Compliance	Written warning / Financial penalization, discontinuation of contract

Integrated Management System



6. ACCESS

- a. Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from
- e. Contractor in the cees must stay in their assigned area(s) at the job site and not visit other areas or make any a just needs to any piece of equipment or device unless authorized to do so by an authorized SSGC epresentative. Failure to abide by this work rule will result in immediate dismissal from the facility and including prosecution. f. Each zone maintains seg
- work areas with limited access at all times. No one is permitted to ovenide any security device for convenience. If access to a secured area is required contact the SSGC representative for authorization of time should contractor or subcontractor employees enter the
- Anywork not performed during no pusiness hours must be approved in advance by the SSGC . representative.
- h. All contractor employees will go through contractor safety/induction training upon initial work at SSGC: current) personnel for contractors will be updated and . kept at guard shack.

6.1 Tools and Property

- For any situation in which the Contractors activity may endanger product quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragment abovings or dirt in exposed product of manufacturing equipment areas, approval must be made through the SSC representative and conditionally approved by the ZTL or representative before work is to commence. established by the Zonal Team Leader or representative to protect the equit in actor must abide by conditions
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for an is forbidden on
- c. Use of company telephones is restricted, unless prior approval is attained from the Pay telephones are not available. esentative.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

:=/ Procuremant

HandBook | February 2022



- Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- a. All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as SSGC employees.
- b. Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination of dulteration, (i.e., nothing is to be carried in snirt pockets, lapel, and etc.).
- c. Appropriate PPF must be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE to their workforce.
- d. Proper clothing must be you at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- e. Persons with suspected consumicable diseases, respiratory infections, infected open cuts, sores or skin
- abrasions will not be permitted to work in any area that could result in contamination of SSGC personnel.

 f. The use of tobacco in any form is probabled at all times except in the designated Smoking areas.

 g. Chewing gum, candy, storing lunches, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. There will be a designated area for contractors to eat. (Cafeteria)
- h. In the event that there are open tanks, one product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hamned of shipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chips profiber debris may be generated.)
- ding or storing parts, lubricants, solvents or The use of containers, boxes, cans, jugs etc., fr construction material is strictly prohibited.
- The contractor is responsible to notify the SSGC represe rative immediately if foreign material used or generated by the contractor's activity, was accidentally spill into the zone area/ SSGC premises.
- k. Contractor will follow 'Spill Response Procedure' of SSGC in case spill occurred.

7. CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

- a. All applicable Occupational Safety and Environmental regulations must be followed
- phone numbers, and pager numbers as well as emergency procedures appropriate to the residence work. b. Contractors shall supply to their personnel and to the SSGC representative:
- c. Contractors shall provide the SSGC representative with a current copy of their Safety Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and associated training certificates.
- d. The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.
- e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

h. Materials, tools, equipment and supplies will be stored neatty and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or

Materials are not to be thrown or dropped from scaffolds or other overhead areas.

Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.

Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or

All electrical equipment must be properly grounded.

m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in

n. Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.

compressed gas cylinders must be supported and secured standing upright according to Pakistan ards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks noty or full. Acetylene cylinders, when in use must have a wrench in place.

Areas mere werhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation projects, night lights shall be provided by the contractor.

In the event an oil das, appor or other harmful volatile release is caused or discovered, the contractor and/or his employees shall be that once to the nearest SSGC office and request for further actions immediately.

Vehicles in Zone are required to adhere to the declared speed limit.

Any contractor, contractor employee or subcontractor violating Zone area safety or security rules shall be.

7.2 Accident Reporting.

a. Accidents occurring in Zone jurisdiction in

a. Accidents occurring in Zone jurisdiction in the properties immediately to the SSGC representative.

b. In the event of a fire, medical or other emergency, contractors are required to notify zone security or the SSGC representative immediately. When providing actification give all pertinent information, including your all contractors, and emergency situation involved.

c. All contractor injuries requiring medical assistance beyond a sic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor actident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the I SEPOA Department.

d. All contractors and subcontractors must maintain their own One ired document/record.

7.3 Confined Space Entry

a. The SSGC representative will notify the Contractor prior to being hire confined spaces. The form included in documents will be used to make this not work will involve entry into

b. All Contractors who conduct confined space entries must adhere to the CCC confined space entry


c. At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in

d. All contractors are required to keep and maintain their own equipment for confined space entry.

e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.

f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System





7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and demicks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safety operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative
- hat overhead work must occur in locations within the Zone where high voltage, overhead power all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event innot be maintained, the power lines are to be de-energized and locked out prior to proper de performing work in the event the lines must be de-energized, prior approval must be given by the SSGC representative.


7.5 Hazardous Energy Copyrol (Lockout) Procedures

- a. All contractors, contractor entrayees and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, contactor, contractor servicing or entering a piece of machinery where the danger of injury exists from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or contract employee must disconnect the source of energy and
- lock/tag out this equipment before beginning tork

 c. In the event that SSGC employees or other up income persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize the equipment. Likewise, the contractors are not to LO/TO equipment Likewise, the contractors are not to LO/TO any machinery without approval of SSGC represer remove LC/TO without communicating to all affected associates.
- e. In the event that a contractor or subcontractor has de-energized and lock equipment specific lockout procedure. and locked out a piece of equipment; the equipment specific lockout procedure must be adhered to procedure contractor employee or subcontractor can acquire the specific equipment lockout procedures in the SSGC representative.
- The lockout tag used by the contractor must have the contractor's phore of per and a person name, SSGC to be contacted concerning the lockout.

7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors: Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited. . .
- Misuse of SSGC material, equipment or products is prohibited.
- d. The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- e. All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to i.
- Provide the SSGC representative with a listing of all hazardous chemicals. ii.
- Properly label all containers, adhering to SSGC labeling requirements. iii.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas C. overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed d.
- When the use or storage of explosives or other hazardous materials or equipment is necessary for the tion of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the Gos of property qualified personnel and in conformance with all applicable Zone Requirements and
- The contration shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their sensionees of all hazardous substances in use at the job site and of the appropriate safety

Emergency Proce

- In the event of a fire, medical contractors are required to notify zone security or the SSGC representative immediately. information. In the event that Zong ser unity or SSGC representative cannot be reached, evacuate the area
- All contractors, contractor employees and discontractors are required to follow the predetermined exit routes and emergency evacuation procedures police the facility.
- All contractors, contractor employees and subtors are required to exit the work area/building in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the employee staging area located at guard shack.

Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of any that is to be used indoors. ne or gasoline powered equipment
- SSGC Management discourages the use of internal combustion engines indo no reasonable alternative means are available to complete the job. and will only permit it when

7.10 Temporary Electrical Connections

- All wiring & electrical installations are expected to follow National Electric Code practices.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have

Integrated Management System

gaureniert i

7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot Work procedure.
- b. The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the necessary precautions have been taken.
- c. The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC representative will issue a new permit.
- d. The contractor employee designated as the "fire watch" shall sign the permit after the final check has been made and return the signed permit to the SSGC representative.

7.12 Ladders and Scaffolding

- a. All land is belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet and meet SSC Work at Height Requirements.
- b. All ladders us dea Zone property must be properly secured.
- c. All scaffolding must be equipped with railings and toe boards.
- d: All "swinging" type satisfies must be inspected by the contractor and repaired if necessary before use.
- e. All overhead work from the klift must be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

8. CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors comply it all applicable environmental rules & regulations.

8.1 Non-Hazardous Waste

- a. Construction refuse and debris will not be allower to accumulate and will be removed daily by the contractor at its expense, unless otherwise negotiated in the contract document.
 b. Contractors shall take ownership of all waste and selecting generated from materials they brought to the John
- b. Contractors shall take ownership of all waste and selecting generated from materials they brought to the job site or from demolition activities, and shall dispose of a low waste and debris in accordance with all applicable laws and regulations.
- c. Reference to SSGC, The SSGC Company or any of its trademarks shall not be used in any documentation associated with the disposal of such waste and debris.
- d. Contractors shall coordinate with the Zone, whenever practical, to go gate debris or waste which may be recycled or re-used in a safe and environmentally responsible manner.
- e. Worksites may be periodically inspected by the SSGC representative to ensure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such me as the worksite and property have had a final inspection and removal of all containers, debris, wastes and male has been confirmed by the SSGC representative and documentation has been printed that all hazar sus wastes have been properly disposed.
- f. For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a drain inside of the facility.

8.2 Hazardous Materials

- a. Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
 - Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazardous chemicals.
 - iii. Properly label all containers, adhering to SSGC labeling requirements.





- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers b. include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to The SSGC Company or any of its zones or subsidiaries without authorization from the SSGC
- ractor shall assure that all employees dealing with hazardous materials and hazardous wastes have had all I gally required training and are familiar with the hazards presented by such wastes or materials.

Spill Response Procedures


- a. Each contractor is recurred to have a written emergency response plan to handle spills and releases which may occur during trainer a divery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its en ergency response plan to the SSGC representative prior to beginning work.
- Each contractor must provide and equipped with appropriate spill response equipment. All contractors, contractor employees or subcontractors who engage in the emergency response of a hazardous material release must have been trained and have the appropriate spills response certification and meet response
- Contractor must provide documentation C, spill response contractor, that is reasonably agreeable to SSGC, to respond to larger spills or releases which that it has contracted with at least one reputable outside may occur during transport, delivery or use of hazardras materials.

 The contractor shall be responsible for appropriate disalture of spills caused by their activities. Such clean-up
- will include removal or remediation of any materials impacted by such spill; such as: building materials, soil,
- In the event that a spill or release of contractor's material occurs not respond to the release to the satisfaction of SSGC, SSGC signal GC's property and the contractor does necessary steps to respond to or remediate such spill or release. Tra the right to take any reasonably all costs incurred by SSGC to respond to such spill or release. tractor shall reimburse SSGC for f.
- Spills and releases of hazardous materials must be reported immediately by se contractor to the SSGC representative,
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized recording the sentative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and undergood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCESTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by the terms listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors was a plate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, compare the rules.

Compliance with the SSGC Contractor Work Rules do that in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local afet, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with a picable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services for SSSC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold har nies. SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breast of the above warranty and/or any violation of applicable laws, regulations and/or rules.

NO






Company			
Date			
SSGC (Print)			
Signature			
Title			
SSGC Representative			
cc: Project Manager File Zone HSD Manager Contracto	٠	10	

11. DOCUMENTED IN ORMATION

				•
٠.	Record No.	Record SSGC	Maintained by	Retention Period
	SSGC-IMS/GSC-F-01	HSE A Awareness Form	HSE&QA Department	3 Years
	* *	VA		

NR

Ireness Fu.



HandBook | February 2022





IMS Form

SSGC-IMS/GSC-F-01


HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

rganization	•	0	Contact name		•
ame		·	Contact number		
ype of Converted (1) 1 Mechanical V ork, Contractor Piperme	Electrical Work □ Construction □ Ti	I Civil Work □ Was nird party inspectio	ate Disposal □ Cant n □ Goods Supplier	een □ Transport □ □ Other:	Manpower
Area of Working:	^^		,,	· ,	
Contract Coordinate	or: O				
	7	HSE&QA A		•	
j	Description	0/	ing the street of the street of	Remarks	
ISO & OHSAS Stand	ards	().			
HSE&QA Policy					•
PPE Policy			•	•	
Risk Assessment an	d Management Pro	ocedure		•	dire-
Incident and Accider	nt Management Pro	ocedure	(C)		
Emergency Respons	se Procedure		<i>D</i> ,	•	
Technical Specificat Criteria	ions/Performance	and Testing		S	
Remarks:			·.		
Supplier/0	Contractor Repres	entative	HSE	&QA Repuds (a	ive
I have received an Requirements and of the applicable while within company pre I shall make sure all Contractor companies requirements applied to performing,	understand that the supplying goods, mises or outside co employees of our onies understand a	requirements will works or services ompany premises. company and Sub-	I have met the Sup provided basic in Integrated Manag shown its commi HSE&QA Policies /and related require integrity of the good	formation of HSE/ ement System. The tment in adheren s/procedures/techni rements to ensure	SQA Policies and the Contractor hat the Company to the specification described and the contract the contract of the contract o
Name	Signature	Date	Name	Signature	Date

Integrated Management System



HSE&QA

PENALIZATION MECHANISM

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2022


for Service Contacts Only

1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Penalization mechanism

Following that depicts the mechanism/ hierarchy, which will be followed for the penalization or the contractor. Penalization Form and *Annexure-J-1* can be found below.



Jones James




(4) (4) (5) (5) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6			SSGC-HSEQP-F-1
	PENALIZ	ZATION FORM	Revision 01
ISE&QA epartment	for Service C	ontacts Only	Issue Date: Sep, 20
<i>براد</i> Project		Date	
Section		Contractor	
User Dept.		Focal Person	
Nature of	Non-Compliance (As	per Annexure J-1)	
	timpilatioo (As	- · · · · · · · · · · · · · · · · · · ·	
	O_{λ}		
		•	
	~		
(
Mode of F	Penalization 7		
	. •		
	•		
		()	
1			
Į.		1/1/2	
		Initiativa	
	· · · · · · · · · · · · · · · · · · ·	Initiat	Innature
	Name	Initiat	ignature
	· · · · · · · · · · · · · · · · · · ·	Initiat	ignature
	· · · · · · · · · · · · · · · · · · ·	Initiat	ignature
	Name	Initiat	ignature
	Name	Initiatur S S Dommended by HSEQA	ignature
	Name Reco	Initiatur S S Dommended by HSEQA	3
	Name Reco Name	Initiatur S S Dommended by HSEQA S	ignature
	Name Reco Name	Initiatur S S Dommended by HSEQA	ignature
	Name Reco Name	Initiatur S S Dommended by HSEQA S	ignature
Following	Name Reco	Initiatur S S Dommended by HSEQA S User Departmental/Division	ignature onal Head
Following	Name Reco	Initiatur S S Dommended by HSEQA S	ignature onal Head
Following	Name Reco	Initiatur S S Dommended by HSEQA S User Departmental/Division	ignature onal Head
Following S	Name Reconnended by Section is applicable (Initiatur S S Dommended by HSEQA S User Departmental/Division	ignature onal Head
Following	Name Reco	Initiate S S Ommended by HSEQA S User Departmental/Division ONLY in case of Financial	ignature onal Head
Following	Name Reconnended by Section is applicable (Initiate S S Ommended by HSEQA S User Departmental/Division ONLY in case of Financial	ignature onal Head Penalization

Copy to: Procurement/Finance/P&D Department, Contractor Note: Adequate evidences MUST be furnished along with form by initiator



ins



SSCC HSE&QA Department

ur-

PENALIZATION MECHANISM for Service Contracts ANNEXURE J-1

SSGC-HSEQP-F-1

Revision () (

Issue Date: Sep. 20

S. No. Nature of Non- Compliance Mode of Penalization HSE 1st Time -Verbal Warning Iron site in charge 1 PPE related 2nd Time ------ Written warning! **Explanation Letter** 3rd Time — Removal of worker from duties 1st Time ----- Stop work 2 Act / Unsafe Condition 2nd Time ----- Stop work along with written warning letter 3rd Time ----- Removal from duties Not reporting any major incidents within the 3 time frame specified in Tender documents / Financial Penalization up to Rs. 200 (101) HSE&OA Pla for each accident No proper tag out 1 ckout/ barrication / signage boards and systematic PPE non-1st time ----- Warning Letter compliance as advised by 2nd time —— Stoppage of Work representative(s) at Site or man 3rd Time ---- Financial Penalization up to SOPs, work instructions or ToR 3% (Max.Rs. 200,000 can be penalized) Quality : Deviation in actual manpower provided vs manpower (Organogram) submitted in tender 5 documents st of unavailable staff, as listed in Bour prelated documents Non-Compliance related to Quality Parameters 6 outlined in ToR, BOQ, applicable international Up to 2 invoice amount of the Standards & Codes and SSGC's SOPs. billing period Reporting Non Submission of time bound reports (as 7 mentioned in Tender documents / Construction Financial penalization up to 2% of the invoice amount of the billing period Unavailability of documents such as drawings, 8 SOP manuals, inspection reports and other Technical data at site office. Explanation letter Providing wrong / insufficient information in 9 invoicing pertaining to equipment and Financial penalization

l'alse reporting, misleading information

manpower.

10

amount of the billing period

billing period

Up to 2% of the invoice amount of the

Financial Penalization up to 3% of income

SSGC-HSEUP-F-10

Revision 01

ENALIZATION WECHANISM water Comments Only ANNEXURE J-1

Issue Date: Sep. 200: "

Ethics & Conduct

SSGC team

MSE&QA jecartment.

. 12

Non-comperation with SSGE team by any-staff. of Contractor. Non-cooperation includes nonsharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSGC's. representative(s). Repeated (3) absence/Unavailability of site Contractors star during surprise visits of

الكوش فالمستجرون يعدوه Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head.

Financial penalization (One day salary deduction of entire site staff of audited site)

Note:

Penalization american not exceed the 5% of the total contract value:

If Three (03) non-contract cance (on any one issue or combination of issues) are issued to any contractor, Management will decide to impose additional penalization (e.g. forfeiting of Performance Bank Guarantee / retention money), termination of contract or temporary blacklist (Blacklisting will be up one (61) year. 2.

