# **Checklist for Bidders**

ď,

Time:	Phone No:
Opening Date:	
Enquiry #: 13495	M/s,

Please Ensure before submitting the bid, that following information/ Documents have been submitted / providing along you bid Check () appropriate box.

ON O	Details of regulred information / documents	Yes	No	
5 -	Fixed Rid Rond as specified in Tender Document			
i	C. T. L. T. L. Line History is analogous if 5000			
Ż	Ungmai l'echnical literature is efictoseu, n'alif			T
w.	Any change in your current address, Phone Fax no & Email etc intimated			Т
4	Bid Validity as specified is mentioned			<del></del>
5.	Delivery / Completion period has been specified.			-
ي	All corrections/cutting/overwriting are singed & stamped			1
2	Sample (if necessary) is enclosed			
×	Form- X Duly Signed & Stamped	•	•	<del></del> T
6	Each & Every Page of the bidding documents shall be signed and stamped by		<u> </u>	
	the bidder.			
10.	Original Bid + One Copy is Submitted			

# Note:

Non-Availability of the above information/documents, or incomplete/incorrect statement on this checklist may result in rejection of the bid at / after the bid opening. As per SRO296(I)/2023 dated 08th March 2023 "E-Pak Procurement Regulations, 2023" all bidders are advised to register in e-Pak Acquisition and Disposal System (EPADS).



Ref. No. SSGC / SC / 13445 Date: September-30, 2024

M/s.	

#### CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE

Under Single Stage One Envelope Bidding Procedure

(Under the Clause # 36(a) of PPRA Rules 2004)

Supplier must be active in FBR Active Taxpayer List (ATL)

Tender Enquiry No. SSGC / SC / PT/ 13445

## **SECTION - I Invitation to Bid**

Sui Southern Gas Company Limited (SSGC) is Pakistan's leading integrated gas Company. The company is engaged in the business of transmission and distribution of natural gas in franchise area of Sindh & Balochistan.

Sui Southern Gas Company Limited (SSGC) intends to carry out the services related to Construction of Civil Works for Chain Link Fencing Enclosure (18 Nos at Daru) and (20 Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region (As per BOQ) (Having Valid PEC Certificate Category C-6 or above with Sub-Section C-10 and BC-01) (Under Single Stage One Envelope Bidding Procedure) (On Complete Package Basis).

# The priced bids shall be submitted along with FIXED Bid Bond For Rs. 140,000 (One Hundred Forty Thousand Rupees Only) in the form of Pay order / Demand Draft in favor of Sui Southern Gas Company Limited

The tender documents comprise the following:

Section -	I	Invitation to bid.
Section -	II	Instructions to bidders (A&B)
Section -	III	Scope of Work/Special Conditions of Contract
Section -	IV	Special Condition of Tender Document /General Terms & Conditions
Section -	V	Bid Bond Format/Performance Bond Format/Format of Declaration/Contract Form/Forms X/Annexure I/Form of Bid Securing Declaration
Section -	VI	Bill of Quantities (BOQs)/ Bid Form/Estimate Cost
Section -	VII	Tender Form
Section -	VIII	Blacklisting Mechanism /HSE Manual /SSTW-05/Drawing



**Procurement Department** Sui Southern Gas Company Limited, Tender Room (Ground Floor of CRD Building) Gulshan-e-Iqbal, Sir Shah Mohammad Suleman Road, Karachi Tel # 99021238, 99021279,

On or before 21-10-2024 at 1200 hours. The bids will be publicly opened at 1230 hours on same day at the above address, in the presence of bidders and / or their authorized agents who may wish to attend. Bids submitted after deadline of bid submission will not be entertained. Bids must be submitted in sealed envelopes provided with the tender documents, indicating Tender Enquiry number, due date & time on the face of the envelope, in addition to the required details of name, address & contact details of the quoting company.

Bids not conforming to the conditions stipulated in the tender documents may be rejected. The Company reserves the right to add, delete or amend any part of the tender documents during the bidding period and bidders shall be informed of the same.

The Company reserves the right to reject any or all offers without assigning any reason. The Company will appreciate confirmation by fax, addressed to General Manager (Procurement), Fax No. 99231583 of your intention to submit the bid.

The advertisement is also published in PPRA ( www.ppra.org.net ) & SSGC

(www.ssgc.com.pk) websites respectively.

kanager (Procurement) For General N

Procuremen Dept.

Note: Tender document is also available online on SSGC website for view only. Bidder is eligible to participate in bidding process only after purchasing the tender documents from Tender Room SSGC Head Office as per the procedure mentioned in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents.

## **SECTION - II**

## INSTRUCTIONS TO BIDDERS



#### SECTION - II

#### Instructions to Bidders

- All rates quoted in the prescribed SOR / BOQ shall be firm, irrevocable and not subject to change or escalation on any account what so ever. No modification, alteration or deletion in the bid will be accepted after the bid opening time.
- Sealed Bids shall be received at Company's Head Office, ST-4/B. Block'- 14, Sir Shah Suleman Road, Guishan-e-Iqbal, Karachi, up to specified time & date and will be opened publicly at specified time & date, in the presence of Bidders or their authorized representative who choose to attend. In case the bid opening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled date, it will be opened on next working day at the same time.
- All priginal bid documents accompanied with the bid bond shall be submitted by the Bidder in the envelope provided with tender documents. The sealed Bids must be submitted at the address stated above in person or by courier or by any other means but it shall be the Bidder's responsibility to ensure that Bids so submitted are delivered to the above address before the specified Bid opening date and time. The Company shall not be held responsible in any way for late receipt of Bids or their confidentiality. Bids received after the Bid closing time shall not be considered, and will be returned to the Bidder unopened
- In Case of single stage two envelop bidding system (if mentioned in press advertisement & Tender document), sealed technical offer & sealed bid shall be submitted in separate envelops (bid bond will be enclosed with "Financial" bid unless and until specified separately in tender terms). "Technical" and "Financial" is to be mentioned on the top of the envelop. Technical offers will be opened and evaluated first. Financial offer of only technically complaint bidders will be opened at a later intimated date in presence of bidder's representative. Financial offers of technically non-complaint bidders will be returned un-opened along with their bid bond.
- The Bid should be signed by a person having the authority for this purpose. In case of a bid submitted by a corporate entity, the same shall bear its seal and be duly signed by its secretary.
- 6. Bids shall be submitted strictly in accordance with the requirements of the Tender Documents and as per specifications.
- 7. Bid shall remain valid for acceptance for a period of (120) days from the date of public opening of the bids.
- 8. The Company shall not reimburse any expenses incurred in preparation of Bids.
- 9. The Bid and all subsequent correspondence shall be in the English language:
- 10. Payment for the Contracted Work / Services will be made in Pakistani Rupees only. The rates quoted by the Bidder shall therefore, be in Pakistani Rupees.
- 11. In case of any queries / clarification with regard to this Tender, the same may be forwarded to Procurement Department upto 5 days before the bid opening date, thereafter the request will not be considered.
- 12. The Company reserves the right to reject any or all Bids without assigning any reason and cancel the bidding process. Company also reserves the right to accept the whole or a part of Bid and does not bind itself to accept the lowest or any particular Bid.
- 13. In case of any conflict between the Special Terms & Conditions and elsewhere in the tender documents the Special Term & Conditions, will supersede & prevail.
- 14. Euch and every page of the bid documents being submitted by the bidders shall be singed and stamped failing which the bid may be liable for rejection.
- 15. All documentary evidence required for evaluation of bid should be submitted along with the bid in absence of any documentary evidence no marks will be awarded in accordance to the evaluation criteria,
- 16. In order to maintain cordial business relation and as per ethical business approach, please provide the justification in case of your non participation on our Fax # 99231583 & Email. mmte@ssgc.com.pk
- 17. Conditional Bid will not be accepted and liable to be rejected:
- 18. The quoted unit price and corresponding total amount shall be inclusive of all duties and Taxes and excluding provincial Sales Tax as per provincial laws.
- 19. Sealed bids shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, SSGC Hend Office. Bids are to be delivered on or before closing time after which bid will not be entertained bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening in

Dept.

- 20. Price given in the Bid Form/BOQ is firm which shall take into account all relevant factors including any. Discount / escalation given separately at the time of bid opening will not be considered.
- 21. The bidders are required to fill form SSTW-05 (if deemed required) and submit with the bid.

#### **SECTION-II**

#### INSTRUCTIONS TO BIDDERS

#### 1. Escalation

It may be clearly understood that this tender does not contain a price variation clause and, therefore, all unit prices quoted shall be firm and irrevocable and shall not be subject to escalation on any account, whatsoever.

#### 2. Bid Instructions

The bid shall be prepared in accordance with the following instructions:

#### 2.1 Examination

Bidders shall visit/inspect the Work sites and shall fully acquaint themselves with the nature and requirements of Work, form and nature of sites, access to sites, availability of materials, weather, law and order and local conditions etc. before submitting their bids. Submission of the bid shall be prima facie evidence that the Bidders have fulfilled this requirement.

#### 2.2 Validity

Bids shall remain valid for acceptance for a period of One Hundred and Twenty (120) days from the date of bid opening. If the last date falls on a holiday, the validity will be extended to the first Company working day thereafter.

#### 2.3 Cost of Preparation of Bid

Bidders will not be reimbursed for costs of any kind, whatsoever, incurred by them in connection with the preparation and the submission of their bids.

#### 2.4 Bill of Quantities and Rates

The quantities specified in the Bill of Quantities (BOQ) are estimated and are intended to serve only as a guide to the Bidders. Payments shall be made on the basis of actual work quantum as measured. No claims shall be entertained on account of increase or decrease in the scope of work. The Bidders shall ensure that their bids are not front-end loaded, which may lead to rejection of their bids.

#### 2.5 Sub-Contracting

The Bidder shall include a list of works which he intends to sub-let to sub-contractors. Sub-contractors proposed by the Bidder are subject to Company's approval.

#### 2.6 Bid Documents

Bidders shall note that the tender documents including plans, drawing and specifications, furnished for tendering purposes are not to be used for any purpose other than tendering on this specific job and shall not be reproduced without the written permission of the Company. All such documents issued for tendering shall be returned with the bid duly stamped.

Procuremen Dept.



#### 2.7 Organization Chart

An Organization chart proposed for the conduct of the Work shall be submitted after issuance of LTP (if required). The chart shall clearly show permanent members of the Bidders supervisory staff that the Bidder proposes to deploy on the work sites for the performance of the Work.

#### 2.8 List of Equipment

The Bidder shall submit after issuance of LTP (if required), a complete list of equipment proposed to be used in carrying out the Work including make and type of all such equipment.

#### 2.9 Time Schedule

The Bidder shall submit after issuance of LTP (if required), a detailed work program in the form of a bar chart showing planned schedule of various activities required to complete the entire work (as per Scope of Work) within the stipulated completion period by deploying adequate manpower.

#### 2.10 Additions, Deletions and Amendments

The Company reserves the right to add, to delete from and/or amend the work defined in Scope of Work/BOQ as deemed necessary before or after the execution of the contract. All such additions deletions and amendments shall only be authorized in writing by the Company's representative.

#### 2.11 Signing Authority

Bidders shall return all tender documents (including drawings) duly signed on all pages by an authorized representative of the Bidder and shall also carry official stamp of the Bidder's firm.

#### 2.12 Postal Address

The Bidder shall give below office telephone, telex and fax numbers including complete postal address at which correspondence may be sent and all notices may be legally served in connection with his bid and/or ensuing contract with the successful Bidder.

elephone Nos:	
elex No:	T.M. CaleM
ax No:	
ddress:	Oc die







#### 2.13 Disqualification/Rejection of Bids

Failure to comply with any instruction in the tender documents would render the bid liable to disqualification and rejection.

#### 2.14 Unit Work Rates

If the bid of the successful bidder is seriously unbalanced in relation to SSGC estimate of the cost of work to be performed under the contract, the SSGC may require the bidder to produce detail price analyses for any or all items of the Bill of Quantities to demonstrate the internal consistency of those prices with the construction method and schedule proposed. After evaluation of price analyses, the SSGC may require that the amount of Performance Bond set forth in the tender document be increased at the expense of successful bidder to a level sufficient to protect the SSGC against any and all Financial Loss in the event of default of the successful bidder under the contract.

#### 2.15 Check List

Bidder shall, interiliac, ensure the following before submitting the bid:

- All pages of the bid including drawings have been signed and stamped.
- Bid Bond for the specified amount has been enclosed.
- List of equipment and detailed work program required under 2.9 & 2.10, Section II, is enclosed.
- Postal address, telephone, telex and fax Nos. (if available have been given in Clause 2.13. Section II).
- Total amount of Bid has been mentioned in 9c, Section VII, Tender Form.
- Duly authorized representative has signed (along with witness) at the end of Tender Form, Section VII.











#### **SECTION-III**

#### SCOPE OF WORK

Sui Southern Gas Company Limited (SSGC) intends to Construction of Civil Works for Chain Link Fencing Enclosures (18 Nos at Daru) and (20 Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region.

#### Tender Ref. No. CIV-Dist-P&C 2K2459

The scope of work under the subject tender enquiry consists of;

Civil Work (Details attached with BOQ at Section-VIII) including Excavation, Block/Brick Masonry, CC Flooring, Fabrication & Installation of Cage, Plaster and Paint work.

The Contractor shall supply all finances, manpower, machinery and material for the execution of the Work.

Contractor shall ensure safe and proper execution of the construction work with proper and sufficient machinery/equipment and adequate manpower and shall complete the work within the Scheduled Time.

"Make" of following Item / Materials shall be as specified hereunder:

a)	Cement (OP / SR)	Local made only
b)	Painting	ICI, Berger or equivalent.
c)	Bricks	1 <sup>st</sup> Class bricks.
d)	Fine aggregates	Approved by Company
e)	Coarse aggregates	Approved by Company
f)	Steel / MS Angle	Amreli, Mughal or Equivalent to be
		Approved by Company
g)	Chain Link Fencing	Local made Approved by Company

All the above shall be of first/prime quality; inferior or No.2 quality of any material shall be rejected by the Company's representative. The Contractor shall remove such rejected material immediately from site as and when instructed by the Company's representative.



#### Sui Southern Gas Company

Construction of Civil Works for Chain Link Fencing Enclosures (18 Nos at Daru) and (20 Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region.

## Scope of Work (III-B) Tender Ref # CIV-DIST-P&C 2K2459

#### S# Excavation

Excavation in all kinds of soil/floor including rock/hard soil for column foundations, wall footings etc. below ground up to required depth, place and also backfill the excavated pits with same excavated earhfill material. This item includes all dewatering, shoring and disposing off all material out side the site of work to an appropriate location municipal dump as directed by the Engineer.

#### 2 Lean Concrete (1:4:8)

Providing all material for mixing, placing, form work and its removal, compacting and curing 4" thick lean concrete 1:4:8 (1 part cement, 4 parts fine clean sand and 8 parts stone ballast up to 2" and down) where required, using S.R Cement.open platform or where required, watered, consolidated and compacted with Mechanical means complete as per drawing, Site requirements and as directed by the Engineer Incharge.

#### 3 Brick Masonary

Providing and laying first class burnt brick masonry for Platform/super-structure works up to any height or depth as shown on drawings in straight or curved sections of walls of 13 1/2"- 9"-thickness or above including carriage of material, scaffolding & its removal, racking out joints lining, curing etc. complete as per specifications, drawings, Site requirements, instructions and to the entire satisfaction of the Engineer Incharge.

#### 4 Earth Filling

Supply and laying earth fill material from locally available source brought at site i/c watering compacting with mechanical means, all filled areas shall be left neat, smooth, well compacted and entire satisfaction of the Engineer.

#### 5 C.C Floor

- a. Stone Soling 6" thick (compacted thickness) 3" & downsize, compacted with mechanical compactor under floor or where required including grouting with coarse sand.
- b. Lean: concrete 4" thick 1:4:8 (1 part cement, 4 parts fine clean sand, 8 parts graded crushed stone of 3/4" & down) using S.R. cement.
- c. Cemenet concrete 2" thick 1:2:4 (1 part cement, 2 parts fine clean sand, 4 parts graded crushed stone of 3/4" & down) using S.R. cement (trowel finish) laid in panels using 5mm X 25mm glass strip, levels gradient (slope), compacting, curing, etc.

#### 6 Structural Member

Providing, fabricating, erecting and fixing in position local structural steel section of specified make for steel trusses using MS angle size 2" x 2" x 1/4", vertical supports, diagonals bracing angle used 1-1/2" x 1-1/2" x 1-1/2" x 1/4" also including 1/2" thick MS plate, anchor bolt, gusset plate welds, the cost of electric welding and paint on all structural steel members with anti rust resisting paint, 03 coat of approved enamel paint complete in all respect as per drawings specifications, Site requirements and as directed by Engineer.

#### 7 G.I Chain Link Fencing on Roof Top & Side Walls

Providing all labour & material for welding, fabricating and installation of G.I Chain Link Fencing 10 SWG mesh size 2"on roof top and all side of the TBS. Completed as per drawing and as directed by the Engineer Incharge. This item includes cost of 03 coats of enamel paint over red oxide on all MS members inside and outside, complete as per drawings, Site requirements and as directed by site Inchrage.

#### 8 G.I Chain Link Door (Size: 3'-0" x 7'-0")

Providing all labour & material for G.I Chain Link Door frame works 1-1/2" x 1-1/2" x 1-1/2" x 1-4" MS angle iron and fixing chain link fence SWG 10 Galvanized Mesh of 2" x 2" chain link fence door. This item also include cost of Electric Welding, 04 No. Hinges, Tower bolt and includes 03 coats of enamel paint over a coat of primer of specified make over all MS Work. complete in all respect as per drawings specifications and as directed by Engineer Incharge.

#### 9 Plaster 3/4"

Providing and applying 3/4" thick cement sand base plaster (Internal/External) in with plumb & line applying ratio 1:4 (1 - cement, 4 - fine sand) on walls or concrete surfaces at any height having fair face finish including the cost applying 03 coats of colour (white/ lime wash), Complete in all respect at any height as per drawing and as directed by the Engineer/ Engineer Incharge.

#### 10 Paint Work

Providing and applying distemper/Enamel paint of approved colour and shade of specified make in 3 coats on the external Surface of platform, Steel Cage and TBS/PRS Assembly as shown on the drawings complete as per specifications or as directed by the Engineer

All Mahar

Procurement Dept.

Gulshan-e

## SECTION-IM

#### SPECIAL CONDITIONS OF CONTRACT

#### 1. Representative of the Company

Representative of the Company for the purpose of this Contract would be:

Mr. Ghulam Ali Mahar

DGM-I (P&C)

#### 2. Monthly Deduction

Monthly deduction of Rs.25,000 shall be made in case Contractor fails to deploy agreed / specified full time supervisory staff at site.

#### 3. Completion Period

The entire work shall be completed within Five (05) months from the issuance of Letter to Proceed, which in case of work exigencies could be issued prior to signing of formal agreement.

#### 4. Certificate of Substantial Completion of Work

As soon as the Work shall have been substantially completed and corrected and shall have satisfactorily passed any test that may be prescribed by the Contract, the Contractor shall give the Company a notice of completion calling on the Company to inspect the works, and after inspection the Company shall grant a certificate of substantial completion and period of maintenance of the works shall commence from the date of such certificate provided that the Company may give such a certificate with respect to any part of the works before the completion of the whole of the works and shall upon the written application of the Contractor give such certificate with respect to any substantial part of the Work which has been completed to the satisfaction of the Company and occupied or used by the Company and when any such certificate is given in respect of a part of works, such part shall be considered as completed and period of guarantee and maintenance of such part shall commence from the date of such certificate. However, it shall be a condition precedent to the issue of certificate of "Substantial Completion" that the Contractor shall indemnify the Company against any failure by the Contractor to have carried out and completed the works in accordance with the Contract and shall warrant that the works are completed in every respect and conform to the Contract.

5. Final Completion Certificate

The Contract shall not be considered as completed until a final certificate have been issued

Page 7



by the Company's stating that the works have been completed corrected and maintained to satisfaction provided the Contractor has rectified all the defects mentioned in the "Punch list of Defects" to the entire satisfaction of the Company's representative. The final certificate shall be given by the Company after expiration of the period of maintenance or if different period of maintenance shall become applicable to different parts of the works the expiration of the last of such period and full effect shall be given to this clause not withstanding any previous entry on the works or the taking possession working or using thereof or any part thereof by the Company. The retention money of the Contractor shall be refunded after satisfactory completion of maintenance period and after issuance of final completion certificate.

#### 6. Liquidated Damages

The rate of liquidated damages shall be 0.1% percent of the final contract value for each day of delay and limited to a maximum of ten (10%) percent of the final contract value.

#### 7. Performance Bond

The performance bond shall be in an amount equal to Five (5%) percent of the bid value / contract value and it shall be submitted within 10 days of receipt by the Contractor of the Letter of Intent. The performance bond shall be released after satisfactory completion of work and issuance of substantial completion certificate.

#### 8. Maintenance Period.

The maintenance period will be Five (05) months after the issuance of Substantial Completion Certificate by the Company.

#### 9. Retention Money

The retention money shall be equal to Five (05%) percent of the certified value of work which would be released after the maintenance period and rectification of punch list defects, to the satisfaction of the Company.

#### 10. Mode of Payment

The Payment shall be made to the contractor as per actual executed quantities as per BOQ/Site requirements on 100% Completion of each TBS/PRS Assembly.

#### 11. Survey Equipment

The contractor shall provide all the required survey equipment at site. The survey instrument / equipment shall be in good condition and shall be available at site for use by the Company.

#### 12. Quality of Cement

Cement shall be procured from the approved local factories only complying with B.S. 4027. Imported cement shall not be used under any circumstances.

#### 13. Fine Aggregate / Coarse Aggregates (Complying with BS 882)\

i) Approved quality of sand shall be used as fine aggregates.

ii) Well graded crush stone (3/4" and down) of approved quality shall be used as coarse aggregates.

Procurement

Dept.

Gulshan-e



#### 14. Water and Electricity

Water & electricity requirement for all purposes shall be arranged by the Contractor. Only sweet water complying with ASTM-D 596 shall be used for construction work.

#### 15. Quality of Material, Workmanship and Tests

All material and workmanship shall be of respective kinds described in the contract (drawings, sketches/BOQ/specifications etc.) and in accordance with the Company instructions and shall be subjected to tests from time to time as the Company may direct. There will be no compromise on the quality of workmanship or material. The Contractor shall provide such assistance, instruments, machines, labor and materials as are required for examining, measuring and testing any work and the quality, weight or quantity of any material used. The Contractor shall supply samples of materials before incorporation in the work for testing and/or approval as may be selected and required by the Company. All samples shall be supplied by the Contractor at his own cost and the cost of carrying out all such tests shall also be borne by the Contractor. In order to ensure quality of construction the Company (besides carrying out other tests as required under the contract) may carry out chemical tests to find out the ratio of cement and aggregate for the mortar or concrete used in the work. This shall also be at Contractor's cost.

All the requirements related to Electrical Inspector and K.E.S.C / WAPDA for electrical works are required to be completed by the contractor

#### 16. Damage to Property and Persons

The Contractor shall, except if and so far as the Contract provides otherwise, indemnify and keep indemnified the Company against all losses and claims for injuries or damage to any persons or property whatsoever arise out of or in connection with or in consequence of the construction and maintenance of the works and against all claims demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation hereto.

#### 17. Health Safety Environment (HSE)


The contractor will follow the health, safety & environmental conditions as mentioned in Section – IX "HSE Manual". The Contractor shall also deploy a full time qualified and experience safety manager for strict compliance to company HSE policy.

#### 18. Providing mobile phone facility

Contractor will provide mobile phone facility to his supervisor at site in order to maintain 24 hours contact with Engineer-Incharge during the execution course of the project.

#### *NOTE:*

• In case of any conflict between Special Conditions & General Conditions of the contract, the Special Conditions will govern.









## Section - U Special Conditions of Tender Document

#### Tender Enquiry No. SSGC/SC/

Note: In case of any conflict between special conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

- Contractor to submit the following within 15 days after issuance of Letter of Intent (LOI).
  - a. Performance Bank Guarantee
  - b. Stamp Papers
  - c. Insurance Policy
  - d. Any other Document as mentioned in the LOI
- Formal contract will be made on Non-Judicial stamp paper of value @ Rs 0.35 per hundred rupees of contract value, as per prevailing rate by Government of Sindh & Balochistan. The stamp duty will be borne by the contractor and also submit the copy of challan of stamp paper. Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and nonjudicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.
- 3- All kinds of Government Taxes, Duties and Levies against any item of the contract, shall entirely be the responsibility of the Contractor. Income Tax will be deducted as per applicable Law under the prevailing Government Rules. Rate of Income Tax deduction in relation to submission of Income Tax certificate from the Contractor should also be stipulated.
- Bank Guarantee (Bid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing rate as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee/Performance Bank guarantee being prepared by the State Bank's schedule banks should ensure that there should be no deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee format as given in the tender document or else bid will be liable for rejection.
- 5- If the letter to proceed (LTP)by user deptt. is not issued within six months after issuance of letter of intent (LOI), both the parties are at liberty to terminate/revoke the LOI without any claim of loss or damage to the other party.
- 6- The completion period of the said work shall start with effect from the issuance of Letter to Proceed, which in case of work exigencies could be issued prior to signing of formal agreement.
- In case of services and works tenders:
  - Bids determined to be substantially responsive will be checked by the Procuring Agency for an arithmetic error. Errors will be corrected by the Procuring Agency as follows;
  - a. Where there is a discrepancy between the amounts in figures and in words, the amount in words will govern:
  - b. Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quality, the unit rates as quoted will govern, unless in the opinion of the Procuring Agency there is an obviously gross misplacement of the decimal point in the unit rate, in which case the line item total as quoted will govern and the unit rate will be corrected.
- 8- The bidder shall fill in rates and prices for all items of the works / services described in the BOQ. Item against which no rate or price is entered by a bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by rates and prices for other items in the BOQ. Any Bidder who change / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- Method For Submission of Bid Bond (Under Single Stage Two Envelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid bond as per clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the bid bond is placed in the financial proposal will also be considered. Without submission of bid bond (either in Technical proposal or financial proposal) the bid will be rejected.
- 10- Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however other contents of clause 9 will remain unchanged. The submission of fixed amount of Bid security is appearing in the Schedule of Requirement/Bid Form.



a) All the bidders are advised to furnish fixed bid security amount appearing in Schedule of Requirement/Bid

Form, failing which their bid will be rejected.

- b) The submission of fixed amount of bid security is also mandatory for all the bids valuing Rs.500,000/- or less.
- c) The word lowest bidder or the lowest evaluated bid has been substituted to read as most advantageous bid.
- 11- Bid shall remain valid for acceptance for period of (120) days from the date of public opening of the bids & Bid Bond validity is for 150 days.
- 12- In case the local agent requires to offer bid form more than one Principal / Manufacturer, it is mandatory to purchase separate tender document for each Principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be

13- Blacklisting Mechanism of Suppliers and Contractors and their Local Agent:

Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.

- 14- Original counter slip of token which is issued with tender document to be attached on the TOP of envelope at the time of bid submission"
- 15- The Successful Contractor(s) / Supplier(s) / Consultant(s) shall submit a copy of Professional Tax Certificate with their Invoices / Bills failing which the payment will not be released.

16- Contracts of Contractors

In the event the contractor is not willing to extend the CONTRACT for further term(s) / Period(s) under the same terms & conditions and the quoted price as defined in the bid documents, the contractor is liable to intimate in writing to SSGC at-least 3 (Three) months in advance prior to completion of the existing contract term / period, failing which, action will be taken as per tender terms.

In addition to the Clause 22 -Insurance, of General Term and Condition, when The Successful Contractor(s) / Supplier(s) will submit Insurance Policy to SSGC, the Insurance Company (policy issuer) should be registered with SECP, otherwise the insurance policy will not be considered / rejected at contractor's risk and cost. The insurance coverage period will be according to the work completion period as mentioned in the contract / tender documents.

18- Fixed Bid Security - Alternative Bid

A bidder cannot submit two bids/offers with a single fixed bid security/pay order. However, the alternative bids/offers with separate fixed bid security/pay order can be accepted, failing which the bids will be liable for

19- Bid Bond & PBG (Performance Bank Guarantee) for Proprietary Tenders

In case of proprietary Tenders, the Bid Bond & Performance Bank Guarantee (PBG) are not required / Applicable.

- 20- SSGC will not pay invoices if they are turned in after 6 months of work completion / material delivered.
- 21- It is mandatory for the bidders to follow all the terms and conditions given in the tender documents without any addition / deletion / amendment and submit the bid accordingly. Therefore, in this context, the bidders are requested not to give their own terms and conditions as it tantamount towards the conditional bid. Otherwise their terms and conditions will not be considered and the Purchase Order / Contract will be awarded based on only as per SSGC tender terms and conditions.
- 22- The bidders/contractors are required to provide their only one Bank Account number (IBAN number) on the 'FORM-X' attached duly signed & stamped as one time information, which shall be firm (not changeable) for all the future payment transactions.

23- Payment:

The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.

- Purchase order No. & date (a)
- Items (b)
- Quantity (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc. (g)



(h) Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
  - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ)
- 25. Subsequent to the issuance of LOI, successful bidder has to submit 10% Performance Bank Guarantee of the contract value unless and until specified in the tender document.
- 26. Company reserve the right to award the Purchase Order /LOI to most advantageous bidder.
- 27. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million and above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).
- 28. Bidder will be blacklisted and henceforth cross debarred for participating in respective category of Public Procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fraudulent practices, if in breach of obligation(s) under the Bid conditions:
  - a) The bidder have withdrawn or modified their bid during the period of bid validity as specified in the tender terms.
  - b) Having been notified of the acceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract or accept purchase order (ii) fail or refuse to furnish the performance security or to comply with any other condition as mentioned in the tender document.
- 29. Wherever the "Rate Only" is mentioned (either on BOQ or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is on item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on item wise basis) as given in the BOQ.
- 30. Lots: In case when the tender is floated on LOT basis, following clauses to be applied:
  - a) The bidder(s) are essentially / mandatorily required to submit fixed bid bond as mentioned in the bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of opening of technical proposal.
  - b) Evaluation for each LOT will be carried out separately. Each LOT will be awarded separately.
- 31. For open competitive bidding if the most advantageous bidder is new local manufacturer, 10% trial order will be placed and remaining 90% order will be awarded to the next most advantageous bidder at their own quoted rates.
- 32. Redressal of Grievances And Settlement of Disputes:
  - Any bidder feeling aggrieved by any act of the procuring agency after the submission of
    his bid may lodge a written complaint concerning his grievances within seven days of
    announcement of the technical evaluation report and five days after issuance of final
    evaluation report.
  - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.
  - In case, the complaint is filed after the issuance of final evaluation report, the complainant cannot raise any objection on technical evaluation of the report. Provided that the complainant may raise the objection on any part of the final evaluation report in case where single stage single envelope bidding procedure is adopted.





#### **General Terms & Conditions**

## 1. <u>Definitions and Interpretation:</u> 1.1 In these tender document

- In these tender documents (as hereinafter defined) the following words and expressions shall have the meaning hereby assigned to them except where the Tender requires otherwise.
- a) Company means the Sui Southern Gas Company Limited; a Company registered under statutes of Pakistan and includes any successors-in-interest or assignees.
- b) Engineer means the Engineer(s) nominated by the Company to look after and supervise the Work.
- c) Representative of the Company means a duly authorized person appointed by the Company or as specified in the "Special Conditions of the Contract" to perform the assigned duties.
- d) Bidder means any person or persons, firm or company bidding for the Work.
- e) Contractor means the persons, firm or company whose Tender (as hereinafter defined) has been accepted by the Company and includes the Contractor's representatives, sub-Contractors, successors and permitted assignees (Prior to the execution of the Contract the word "Contractor" also means a Tenderer or Bidder submitting a proposal in accordance with the Tender Documents).
- f) Agent or Representative means person(s) appointed by the Contractor to perform duties as set forth in the Contract.
- g) Laborers/Workmen means such laborers/workmen and staff as may be employed by the Contractor for purpose of carrying out the Work.
- h) Sub Contractor means any firm or person having a direct Contract with the Contractor. Nothing contained herein however, shall be deemed or be construed to impose upon the Company, any obligation, liability or duty to a sub-contractor or to create any contractual relation between any sub-contractor and the Company.
- i) Work means whole of the Works / Services or part thereof to be executed in accordance with Tender / Contract documents, whether temporary or permanent and whether original, altered substituted or additional.
- j) Contract Documents shall consist of duly executed Articles of Agreement, the Tender Documents and the Tender submitted by the successful Bidder including modifications thereto incorporated in the documents before and after the execution of the Contract.
- k) Contract Price/Value means the sum named in Schedule of (SOR) / BOQ subject to additions thereto or deductions there from as may be made under the provisions hereinafter contained.
- Plant means all machineries, equipment, materials, appliances or things of whatsoever nature required in or about the execution, completion or maintenance of the Work, but does not include such equipment, materials, appliances or things intended to form part of the permanent Work.
- m) Temporary Works means all temporary works of every kind required in or about the execution, completion or maintenance of the Work.
- n) Drawings means the drawings referred to in the Contract documents and any modification of such drawings.
- O) Location means the land and other places on, under in or through which the Work is to be executed or carried out and other lands or places provided by the Company for the purpose of the Contract.
- p) Approved/Approval means approved/approval in writing by Company's representative or as specified in "Special Conditions of Contract".
- q) Tender/Bid means the offer tendered by the Bidder for the Work governed by the Contract.
- r) When the terms Acceptable, Satisfactory, Proper, or other such general qualifying terms are used in the Contract, it shall be understood that reference is made to be sole ruling and the sole judgment of the Company.
- s) The Word Equivalent or Equal where used in these documents in the general sense shall not mean Similar but shall mean "Conforming to, Like, of Kind/Quality and Function". "Proprietary Items" and "Trade Names" are used for the purposes of establishing a standard of "Kind, Quality and Function" and "Equipment" items, articles, things or materials will be approved, if held to be "Equivalent" by the Company.
- t) Approved Banker wherever occurring in this Contract shall mean a Scheduled Commercial Bank operating in Karachi and acceptable to the Company.

Dept.

4

- u) Specification(s) means the standard codes of practice and other specifications issued with the Tender and any notification such as specifications approved in writing by the Company and other specifications as may from time to time be furnished or approved in writing by the Company.
- v) Month means calendar month of the Christian era.
- w) Time Schedule is a graphical illustration of the time span of various Work activities defining starting and completion dates.
- **Bonds** mean Bid Bond, Performance Bond or Bank Guarantee and other instruments of security furnished by the Bidder of his surety in accordance with the Tender/Contract.
- y) Completion Date means the date on which the Work has been completed in accordance with the Contract so that it can be utilized for intended purpose.
- z) Day means a day of 24 hours mid night to mid night.
- aa) Completion Period means the time allowed for the execution of the Work.
- 1.2 Words importing the singular only also include the plural and vice-versa where the Contract so requires.
- 1.3 The marginal headings or notes in these Conditions of Contract shall not be deemed to be part thereof or be taken into consideration in the interpretation or construction thereof or of the Contract.
- 1.4 If there is any conflict between the Special Conditions and the General Conditions, the Special Conditions shall modify, supplement and supersede the General Conditions.

2. Examination:

Bidders shall visit/inspect/examine the Work & Location and shall fully acquaint themselves with the nature and requirements of Work/Services, access to Work/Location, availability of materials, weather, law and order and local conditions etc. before submitting their Bids. Submission of the Bid shall be prima facie evidence that the Bidders have fulfilled this requirement and shall be binding upon him.

3. <u>Conflict between Drawings/Specifications/SOR:</u>

In case of any conflict between drawings/specifications, SOW/TOR and SOR/BOQ, with regard to the quality of any item, the Contractor / Consultant shall base his quotation for the better quality. In case of any deficiency in the drawings/details, the Contractor / Consultants shall seek clarification from the Company. Submission of Bids/rates on the basis of incomplete drawings/details shall be Contractor / Consultant's sole responsibility.

4. <u>Additions, Deletions:</u>

The Company reserves the right to make addition (Upto 15 %) and delete the quantity from the Work defined in SOW/TOR/SOR/BOQ as deemed necessary before or after the execution of the Contract. All such additions and deletions shall only be authorized in writing by the Company.

5. Schedule of Requirement:

The quantities specified in the SOR/BOQ are estimated and are intended to serve only as a guide to the Bidders. Payments shall be made on the basis of actual Work quantum done as measured. No claims or adjustments shall be entertained/allowed on account of increase or decrease in the Scope of Work which has not been duly authorized by the Company through the issue of change orders as stipulated in the relevant provision.

6. Rate:

The Bidder shall quote all item rates and lump sum prices as shown in the "SOR/BOQ". Bidders shall fill in the rate / price for each item in the SOR/BOQ. In case of any discrepancy between item rate and the amount, the quoted item rate will prevail. The quantities given in the SOR/BOQ are estimated ones and are subject to variations. That is, there could be increase or decrease. Nevertheless, the item rates quoted by the Bidder shall remain fixed and no escalation whatsoever shall be permissible. The rates / prices quoted by the Bidder shall be workable. The Bidder shall be required to furnish a complete rate analysis of any item in the SOR/BOQ as considered necessary, by the Company.

7. Escalation:

It may be clearly understood that this tender does not contain a price variation clause and therefore, all unit prices quoted shall be firm, irrevocable fixed and valid until completion of the Contract and will not be subject to variation on any account.

8. Validity:

Bids shall remain valid for acceptance for a period of (120) days from the date of bid opening. If the last date falls on a holiday, the validity will be extended to the first Company working day thereafter.

9. <u>Bid Bond (Earnest Money):</u>

The Bidder is required to furnish Bid Bond strictly in accordance with the prescribed format, in the form of a Pay Order, Demand Draft or Bank Guarantee issued only by a scheduled commercial bank operating in Karachi, for an amount fixed bid bond as specified of tendered Work / Services quoted by the Bidder in favor of Sui Southern Gas Company Limited. No Bid shall be considered without a Bid Bond and no cash or cheque or a guarantee issued by an insurance company shall be accepted.

The same of the sa

The Bid Bond shall remain valid for a period of 150 days from the date of Bid opening. Bid Bonds of the unsuccessful Bidders shall be returned as soon as practicable, The successful Bidder's Bid Bond sphall be retained by Company until execution of a Contract for the Work / Services defined in these documents and the submission of a Performance Bond prior to the execution of Contract.

In the event that the successful Bidder refuses or fails to provide (PBG) and Stamp papers for contract within fifteen (15) days of the issuance of a Letter of Intent, Company shall be at liberty to forfeit the Bid Bond.

In the event of the bid bond validity falling short of the prescribed period of 150 days as the case may be either (i) due to extension in the bid submission date or (ii) where so required by the procuring agency, than in such an event it shall be mandatory on the bidder to extend the bid bond validity up to 150 days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.

In case when bidder submit alternate bids a separate bid bond for each bid is required otherwise bid will be liable for rejection. In case of Single Stage Two Envelope bidding system (bid bond will be enclosed with "Financial" bid, unless and until specified separately in Tender terms).

The bid bond may be forfeited if a bidder withdraws the bid during validity period specified by the bidder or if successful bidder fails to:

- > Accept purchases order/LOI,
- > Furnish performance guarantee in accordance with clause 10 of General Terms & Conditions,
- > Extend Services as per requirement and completion Period.

#### 10. Performance Bond:

The Bidder shall furnish a Performance Bond strictly (if the bid increases to Rs. 500,000/-) in accordance with the prescribed format in the form of a bank guarantee issued by a scheduled commercial bank operating in Karachi for an amount equivalent to **EVVE** (os) percent of the Contract value. Failure to furnish the performance Bond before execution of the Contract will entitle the Company to consider the Bidder as having abandoned the Contract and the forfeit the Bid Bond. The Performance Bond shall remain valid till after three (03) month of completion of the work.

The Company's right to recover damages from the Bidder for breach of Contract shall not be limited to the value of the Performance Bond. In the event of the Bidder failing to execute a formal Contract or to submit the Performance Bond in the manner aforesaid and in the period specified, the Company shall be entitled to appropriate the earnest money submitted by the Bidder with his tender without prejudice to its right to claim any further loss or damage which may result to it by reason of the aforesaid default of the Bidder as if Contract is actually executed for the purpose of such claims.

The Bidder shall extend the validity period of the Performance Bond for such period(s) as required for the Contract performance.

The performance bond of the successful bidder will be released after successful completion of work.

#### 11. Retention Money:

١.

in Pigg

The amount to be retained from payments shall be equal to the specified percent of certified value of Work which would be released after the maintenance period.

#### 12. <u>Completion Period</u>:

Subject to any requirements as to completion of any portion of the Work before the completion of the whole of Work, the Work shall be completed within the specified completion period. The Work shall not be considered as completed until the Company has certified in writing that it has been completed. Should extra, altered or additional Work of any kind, or any other cause of delay, which in the opinion of the Company could not have been foreseen by the Contractor / Consultant requires extension in completion time, then on the written request of the Contractor / Consultant, the completion period as provided in the Contract shall be extended by the Company. All such extensions shall be allowed in writing by the Company's representative.

#### 13. Signing / Execution of Contract / Agreement:

Formal signing / execution of Contract / Agreement shall be completed within fifteen (15) days of receipt of "Letter to Proceed". The Company shall prepare the Contract in accordance with the prescribed format (Contract Form, and Articles of Agreement) for the purpose and the successful Bidder shall be communicated the date and time by the Company for the execution of Contract.

The successful Bidder shall provide the stamp paper, of value at the rate of thirty five (35) paisa per every hundred Rupees or part thereof of the amount of the Contract, or at the prevailing rate as specified by the Government of Pakistan.

Procutement Dept.

第之

ern G

Procurement Dept.

In case the agreement is executed for services i.e Janitorial, Canteen, Landscaping, Maintenance Contract etc.... will be for One year extendable for further Two terms of one year each unless specified in Special Term & conditions.

#### 14. Award / Evaluation Criteria:

Company reserves the right to settle the final award of job to the technically compliant and lowest evaluated and commercially responsive bidder.

Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure economic procurement.

#### 15. Commencement & Execution of Work:

Notwithstanding any delay in the preparation / execution of the Contract the successful Bidder shall commence mobilization / preparations and under take the Work within (15) days after receipt of the Letter to Proceed.

The Contractor / Consultant shall prior to commencement of Work, obtain the written authority and instructions of the Company.

#### 16. Change in Orders:

The Company may at any time, by a written notice to the Contractor / Consultant, make changes within the general Scope of Work of the Contract.

Upon notification by the Company of such change, the Contractor / Consultant shall submit to the Company an estimate of costs for the proposed change (hereinafter referred to as a change) within ten (10) calendar days of receipt of notice of the change, and shall include an estimate of the impact (if any) of the change on the completion date (s) under the Contract, as well as detailed schedule for the execution of the change, if applicable.

The Contractor / Consultant shall not perform changes in accordance with above, until the Company has authorized a Change Order in writing on the basis of the estimate provided by the Contractor / Consultant.

Changes mutually agreed upon as a change shall constitute a part of the Work under this Contract, and the provisions and conditions of the Contract shall apply to said change.

#### 17. Assignment:

The Contractor / Consultant shall not assign, in whole or in part, its obligations to perform under the Contract except with the Company's prior written consent.

#### 18. Termination of Contract:

The Company may decide to terminate the Contract in one of the following situations:

#### (i) Termination for Default:

The Company may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Contractor / Consultant, terminate the Contract in whole or in part.

- (a) If the Contractor / Consultant fails to complete the contracted Works / Services within the time period(s) specified in the Contract or any extension thereof granted by the Company.
- (b) If the Contractor / Consultant fails to perform any other obligation(s) under the Contract.
- (c) If the Company during the completion period of the Contract has reason to believe that the Contractor / Consultant will not be able to fulfill the obligations under the Contract.

Prior to the exercising of any right by the Company to terminate the Contract, the Company shall issue notice to the Contractor / Consultant specifying the default(s) and the Contractor / Consultant shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and / or the default(s) continues, the Contract may be terminated by the Company.

#### (ii) <u>Termination for Insolvency:</u>

The Company may at any time terminate the Contract by giving written notice to the Contractor / Consultant, without compensation to the Contractor / Consultant, if the Contractor / Consultant becomes bankrupt or otherwise insolvent. Notwithstanding the above such termination will not prejudice or affect any right of action or remedy which as accrued or will occur thereafter to the Company.

Procurement Dept.

#### (iii) Termination for Convenience:

- a. The Company may by written notice sent to the Contractor / Consultant, terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the company's convenience, the extent to which performance of work under the Contract is terminated and the date upon which such termination becomes effective.
- b. The Works that are complete and ready for Commissioning within thirty (30) days after the Contractor / Consultant's receipt of notice of termination shall be at the Contract prices and on the existing Contract terms. For the remaining Works, the Company can also opt to have any portion thereof completed and commissioned at the contract prices and on the other contract terms.

#### 19. Liquidated Damages:

If the Contractor / Consultant fails to complete the Work or perform the Services specified in the Contract within the stipulated period / scheduled time specified in the Contract, the Company, without prejudice to any other remedies, shall deduct from the bills or any other due payments / guarantees, as liquidated damages, a sum equivalent to 0.1 % per day of the value the Contract, until actual completion of the Work or performance of the Services. However if delay of over 100 days takes place (i.e. equal to 10%), the Company reserves the right to terminate the Contract at the risk and cost of Contractor / Consultant. The liquidated damages shall also be applicable for the Works / Services terminated under Clause 16.

The payment of liquidated damages shall not relieve the Contractor / Consultant from performing and fulfilling all its obligations under the Contract and nor shall the rights and entitlements of the Company be affected or reduced in any manner.

#### 20. Force Majeure:

The parties will not be considered to be in default in the execution of their contractual obligations or any of them to the extent that the execution of such obligations or any of them is delayed or omitted by cause of Force Majeure. Each party will advise the other party by written notice within 07 days of the occurrence of any such case of Force Majeure. The term Force Majeure employed herein shall mean acts of public renemy, wars (whether declared or not) invasion, hostilities, revolution, epidemics, riots (other than among the Contractor / Consultant's own employees) fires, floods, earth quake, commotion, disorder and other causes similar in kind to those herein mentioned, not under the control of either party, which makes the performance of this agreement unfeasible and which by the exercise of due diligence the party seeking excuse from performance is unable to over come.

The Company shall not be liable to the Contractor / Consultant for any damage or loss caused by Force Majeure directly or indirectly.

#### 21. Safety of Employees and Works:

The Contractor / Consultant shall be responsible to take all necessary precautions for the safety of employees on or off the Work, and shall comply with all applicable safety laws and codes to prevent accidents or injury to persons on about or adjacent to the places where the Work is being performed. All statutory rules, orders, regulation from time to time in force relating to taking and observance of all safety precaution governing or which might be deemed to be given during the execution and performance of the Work. The Contractor / Consultant shall comply with any and all personnel safety regulations. Any person of the Contractor / Consultant violating the safety rules shall be removed by the Contractor / Consultant from site and replaced without delay.

#### 22. Insurance:

The Contractor / Consultant shall be responsible for obtaining a Contractor / Consultant's All Risk Policy (CAR) against risks to the Works and shall make good at his own cost, all losses or damages whether to the Works or to the lives, persons, whether under the workmen's compensation Act or Third Party Risk, or property of others from whatsoever cause arising out of or in connection with the works either during the progress of the works or during the period of maintenance provided by this Contract.

The Contractor / Consultant shall arrange insurance approved by the Company fully to cover workmen compensation and other claims arising out of sickness, injury or death of his personnel working at site and also to cover theft, loss of or damage to the Company's material in his possession and to indemnity the Company for third party claims for damage done or said to have been done to those persons or their property as a result of the Contractor / Consultant's activities on and off the site.

Insurance will be required where ever applicable: Company's Address:
GENERAL MANAGER (PROCUREMENT)
SUI SOUTHERN GAS COMPANY LIMITED,
2<sup>ND</sup> FLOOR, HEAD OFFICE, ST-4/B, B-14,
SIR SHAH SULEMAN ROAD,
GULSHAN-E- IQBAL,

Contractor / Consultant's Address:

KARACHI -PAKISTAN.

#### 23. Dispute Resolution:

If any dispute shall arise as to the interpretation of this Contract or any matter or thing arising there from, the same shall be settled as far as possible by way of amicable resolution. Failing such settlement, the dispute may be referred for arbitration to two Arbitrators, one to be nominated by each Party. The appointed Arbitrators shall before proceeding on the reference appoint an Umpire. The Award given by the Arbitrators or the Umpire as the case may be shall be final and binding on the Parties. The proceedings shall be governed by the Pakistan Arbitration Act, 1940 and any statutory modification thereof. The venue of arbitration shall be Karachi.

All costs of Arbitration shall be borne by the Parties themselves, unless otherwise ordered by the Arbitrator. Notwithstanding the existence of any difference or dispute, or the commencement or continuance of any arbitration proceedings, Works to be done or Services to be provided under this Contract shall not be suspended or discontinued by the Contractor / Consultant nor shall any payment be withheld by the Company except the difference of the amount in dispute, which is the subject matter of such proceedings.

#### 24. Income Tax and Duties:

All kinds of Government Taxes and Duties (income tax, custom duties, etc.) also the provincial sales tax as per provincial law, against any item of the contract, shall be entirely the responsibility of the Contractor / Consultant. Income Tax will be deducted as applicable under the prevailing Government Rules. Rate of Income Tax deduction in relation to submission of Income Tax certificate from the Contractor / Consultant should also be stipulated.

All Foreign Service providers are required to obtain Advance Ruling from the Federal Board of Revenue (FBR) under Section 206A of the Income Tax Ordinance 2001 (Pakistan's Income Tax Law). The advance Ruling issued by FBR covers application of Income Tax Ordinance 2001 to Transaction proposed or entered in to Foreign Service Provider".

#### 25. Payments:

Payment will be made within 30 days after completion of works.

The Contractor / Consultant shall submit to the Company during the execution of the Work on-account bills along with a statement / details of executed Work.

The rates and prices in such on-account bills and statement of Work shall be in accordance with those in the SOR/BOQ so far as such rates and prices are applicable and on the approved rates and prices for other items of Work. All payments against on-account bills shall be treated as provisional payments and will be subject to final adjustment.

The Company may withhold payment or on-account of subsequently discovered evidence, nullify the whole or part of any certificate to such extent as may be necessary to protect itself from loss on-account of:

- (a) Defective Work not remedied.
- (b) Claims filed or reasonable evidence indicating probable filling of claim.
- (c) Failure of the Contractor / Consultant to make payments properly to Sub-Contractor / Consultants.
- (d) Damage to another Contractor / Consultant.

When the grounds are removed payment shall be made for amounts withheld because of them.

Payments in respect of extra / additional Work will be made on the basis of the original Contract rates and the Contractor / Consultant will not be entitled to any extra compensation / payment including idle charges because of such delays.

2

Ļ.

Procurement Dept.

Procureme Dept.

The making and acceptance of the final payment after successful completion of Work shall constitute a waiver of all claims by the Company other than those arising from faulty Work appearing after final payment and of all claims by the Contractor / Consultant, except those previously made and still unsettled.

Supplier (s) are required to submit signed and stamped acknowledgement slip, Sale Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid.

#### 26. Blacklisting of Suppliers and Contractor / Consultants:

The company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceeding) if, a supplier or Contractor / Consultant who either constantly fails to perform satisfactorily or found to be indulged a corrupt and fraudulent practices as defined blow:

- Corrupt and fraudulent practices" includes the offering, giving, receiving, or soliciting of anything 26.1
- of value to influence the action of an official/company.

  If the supplier/Conducter Consultant found responsible for the detriment of the 26.2 proceedings of procurement/contract, process or its execution.
- Misrepresentation of facts (by providing fake documents, concealing) mis-reporting facts reporting facts 26.3 pertaining to the bid) in order to influence the procurement process purchase order/contract.
- Collusive practices among bidders (prior to or after bid submission) designed to establish bid 26.4 prices at artificial, non-competitive levels and to deprive the company of the benefits of free and open competitive.

#### 27. GOP's Obligation:

The contract shall be governed by the Law of Pakistan. The Contractor / Consultant is obligated to comply with all regulations and ordinance in force or to be passed by the Government of Pakistan in connection with Labor legislation during the course of the work to be performed. Any additional financial charges on -account of revision in minimum wages by GOP will be company's responsibility while the contract is in operation.

This contract embodies the entire understanding of the parties hereto on this subject and there are no commitment, terms, conditions or obligations, oral or written, express or implied, other than those contained herein.

#### 28.

. 45 ·

Sealed bids shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, and SSGC Head Office, In accordance to the time specified in invitation to bid & tender notice (which ever applicable), Bids are to be delivered on or before closing time after which all bids submitted after the time prescribed shall not be entertained and will be returned without being opened. In case bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening time.

#### 29. Rebate / Discount:

Unit rate (s) given in the Bill of Quantities shall take into account all relevant factors including discount if any. Discount given separately at the time of bid opening will not be considered.

#### 30. Joint Ventures:

In the event that the bidder is bidding as a Joint Venture, the Company will require the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with the bid. The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all liabilities arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.

#### 31. Correction / Amendments in Quoted Price:

Any overwriting in BOQ / SOR is not allowed. In case of type of any amendment / correction required in unit price / total amount the same has to be strikeout and re-written with corrected figures, properly signed & stamped out, in order to avoid an ambiguous bid.

SCHTON	_ \ /
SECTION	<u></u>

(On Stamp Paper @ Rs.100 for first Rs.100, 000 and Rs.50 per subsequent Rs.100, 000 of Guarantee Value)

#### **BID BOND FORMAT**

Sui Southern Gas Company Limited, ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal, Karachi.

## Tender Enquiry No SSGC / SC /

D	ear Sirs,
	consideration of Messrs hereinafter lled "The Bidder" having submitted the accompanying bid and in consideration of value received from we hereby agree to undertake as
fo	llows:
1.	To make un-conditional payment of Rupees upon your return demand without further recourse, question or reference to the Bidder or any other person, in the event of the with drawl of the aforesaid Bid by the Bidder before the end of the period specified in the Bid after the opening of the same for the validity thereof, or if no such period to be specified within 120 days after said opening and or in the event that the Bidder within the period specified thereof, or if no period be specified with 15 days after prescribed forms are presented to the Bidder of signature the Bidder shall fail to execute such further contractual documents if any as may be required by the Company, or on the Bidders' failure to give the requisite Performance Bond as may be required for the fulfillment or resulting Contract with 10 days of the acceptance of the Bid.
2.	To accept written intimation(s) from you as sufficient evidence of the existence of default or non compliance as aforesaid on the part of the Bidder and to make payment immediately upon receipt of the written intimation.
3.	No grant of time or other indulgence to, or composition, or arrangement with the Bidder in respect of the aforesaid Bid with or without notice to us shall in any manner discharge or otherwise, however, affect this guarantee and our liabilities and commitments hereunder.
4.	The guarantee shall be binding on us and our successors in interest and shall be irrevocable.
5.	This guarantee shall remain valid upto
Υσ	ours faithfully,
No	te: Any extensions / amendments (in all guarantees/bonds) if required shall be made on stamp papers of Rs.50



(On Stamp Paper @ Rs.100 for first Rs.100, 000 and Rs.50 per subsequent Rs.100, 000 of Guarantee Value)

## PERFORMANCE BOND FORMAT

ST-4/B,	othern Gas Company Limited, , Sir Shah Muhammad Suleman Road, 4, Gulshan-e-Iqbal,	Bank Guarantee #  Date of Issue :  Date of Expiry :  Amount :
	Tender Enquiry No	o SSGC / SC /
Dear Si	rs,	·
In consi M/s received	ideration of your entering/having entered into Co hereinafter called 'I from the Contractor, we hereby agree and underta	ontract No with "The Contractor" and in consideration of value ke as follows:-
amo the dam and men Con liabi	aggregate payment of Rupees  agged and security for the due fulfillment by the Cototal and faithful performance of the above Corationed Contract upon your written demand(s) withtractor or any other person in the event of the Con	and un-conditional payment in such when called upon by you to do so, not exceeding in , being the amount covering liquidated ontractor of al! liabilities, obligations, commitments stract by the Contractor as specified in the above thout further recourse, question or reference to the tractor's default in compliance with its obligations, in pursuance of the Work committed by it in the sole judge.
, · com	accept written intimation(s) from you as sufficingliance as aforesaid on the part of the Contractor written intimation.	ent evidence of the existence of default or non and to make payment immediately upon receipt of
spec	keep this guarantee in full force from the date of sified in the above referred Contract and all other of we contract are duly fulfilled by the Contractor to the	this guarantee till the Contractor's obligations as bligations of the Contractor as are contained in the e satisfaction of the Company.
the p	performance of its obligations under and in pursu	n, or arrangement with the Contractor in respect of ance of the said agreement or any clause thereof, arge or otherwise howsoever effect this guarantee
5. The	guarantee shall be binding on us and our successor	s in interest and shall be irrevocable.
6. This cons	guarantee shall not be affected by any change titution of	
6. This	guarantee shall remain valid upto	·



#### **DECLARATION FORM**

#### (FORMAT OF DECLARATION)

M/s	[the Seller/Supplier] hereby decrares its intention not to obtain or induce
theprocurement of any contract, r	right, interest, privilege or other obligation or benefit from Sui Southern
GasCompany Limited or any adn	ninistrative subdivision or agency thereof or any other entity owned or
controlledby Sui Southern Gas Com	pany Limited (SSGCL) through any corrupt business practice.

Without limiting the generality of the foregoing, [the Seller/Supplier] represents and warrants that it has fullydeclared the brokerage, commission, fees, etc., paid or payable to anyone and not given or agreed to give andshall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through anynatural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whetherdescribed as consultation fee or otherwise, with the object of obtaining or inducing the procurement of acontract, right, interest, privilege or other obligation or benefit in whatsoever form from SSGCL, except that which has been expressly declared pursuant hereto.

[The Seller/Supplier] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with SSGCL and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[The Seller/Supplier] accepts full responsibility and strict liability for making any false declaration, notmaking full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of thisdeclaration, representation and warranty. It agrees that any contract, right, interest, privilege or otherobligation or benefit obtained or procured as aforesaid shall, without prejudice to any other rights andremedies available to SSGCL under any law, contract or other instrument, be voidable at the option of SSGCL.

Notwithstanding any rights and remedies exercised by SSGCL in this regard, [the Seller/Supplier] agrees to to to to supplier so to to supplier supplier so to to supplier supplier to the sum of the purpose of the sum of the purpose of the pu

SIGNATURE & STAMP

NOTE

- 1. The above declaration is to be furnished along with the bid on letter head, for bid(s)amounting to total bid value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



#### **CONTRACT FORM**

## Contract No. SSGC/SC/

## ARTICLES OF AGREEMENT

	AGREEMENT, made and entered into this day of, 2018 by and between Sui Southern company Limited, having its office at ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal,
Karac	hi, hereinafter referred to as the "Company" of the one part and M/s.
	hereinafter referred to as the "Contractor" (which
expres the sai	ssion shall include the successors, of the said firm, heirs, executives, administrators and assigns of the Partners of d firm individually or severally) of the other part.
WITN	ESSETH:
WHEI	REAS, under the procedures, bids have heretofore been received by the Company for carrying out " and the tender of the Contractor for the said work has been accepted by the Company.
NOW contain	THEREFORE, for and in consideration of the promises, negotiations, covenants and agreements hereunder ned and to be performed by the parties hereto, the said parties hereby covenant and agree as follows:-
Article	e-1 Work and Cost of the Work:
	In consideration of the covenants and agreements to be kept and performed by the contractor and for the faithful performance of this Contract and the completion of the work embraced therein according to the specifications and conditions herein contained and referred to or agreed to in course of subsequent negotiations and in accordance with the Contract, the Company shall pay and the Contractor shall receive and accept as full compensation for everything furnish and done by the contractor under this agreement as sum of approximately Rs.  (
ii)	The Contractor at his own proper cost and expense shall do all work and furnish all labour, materials, tools, supplies, machinery and other equipment and plant that may be necessary for the satisfactory completion of all the works as set forth in the contract documents.
Article	<u>-2 - Time:</u>
	The maintenance of a rate of progress in the works at a rate which will result in its completion within the specified time, is of the essence of the contract and the Contractor agrees to proceed with all the due diligence and care at all times to take all precautions to ensure the timely completion as defined herein; time being deemed to be essence of the Contract of part of the Contractor.
Article-	The said work shall be started on the Contractor's receipt from the Company of a written order to proceed, and the Contractor shall have the work called for duly and fuily complete in total months {including () weeks mobilization period} from the date of issuance of such order.  3 - Contract Documents:
	It is understood and agreed that the contract documents which comprise this Contract are attached hereto and made a part hereof and consist of the following:-

Procurement

a) The Article of Agreement.



b)	Bid ((submitted vide letter No, dated compris Invitation, Instructions to bidders, Scope of Work, Special and General Conditions Tender Form, Bill of Quantities, Drawings, etc.).	ing Letter of of Contract,
c)	Company letter No, dated	
	Contractor letter No, dated	
d)	Notice of Award (Letter of Intent (LOI) No.SSGC/MAT/S&C/	, dated
e)	Acceptance by the Contractor on the copy of LOI.	
f)	Letter to Proceed No.SSGC/PROC/S&C/, dated	
g)	Performance Bank Guarantee No, dited, and Rs issued by M/s	nounting to
It is agreed by in the office of	by the parties to the contract that this contract shall be executed in two counterparts; one cope of the Sui Southern Gas Company Limited and one given to the Contractor.	y to be retained
IN WITNESS authorized repre	S WHEREOF the parties hereto have executed this Contract at Karachi in two counterparts presentatives as of the day and year herein above set forth.	ts by their duly
Signed for and M/s. Sui Souther	nd on behalf of Signed for and on behalf of thern Gas Company Limited M/s. Karachi	
Signature :	Signature :	
Name :	Name :	
In the presence	ce of:	
Signature :	Signature :	
Name :	Name :	
Signature :		
		thern Ga



	Supplier code:
	FORM-X
	BANK ACCOUNT DETAILS
<u>(Ma</u>	ndatory requirement for Digital Online Banking)
As per FBR Regulations repayment online w.e.f. 01-1 mandatory:	f # C.No.4 (24) IT-Budget/2021-142150-R dated 23 <sup>rd</sup> Sept <sup>2</sup> 2021 to make the 1-2021. All beneficiaries are required to fill in the below details, which is
Name of Firm:	
Address of Firm:	
CNIC #: .	
NTN #:	
Bank Name:	
A/C Title name:	
Branch code:	
Bank A/c #:	(16 Digits)
Bank IBAN #:	(24 Digits)
☐ Information already su	bmitted.
Date:	Authorized Sign & Stamp
Note: All payments transa one time information to be submitted, please tick the duly signed & stamped.	ctions will be made qualibove mentioned Account details. This is only a provided by the all-beneficiaries. Incase if the above detail has already box above "Information already submitted" and also ensure Form-X is

duly signed & stamped.

thern Gas Procurement Dept.

#### TTI-E GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 IPART II

#### **ANNEXURE: I**

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- 1. Name
- 2. Father's Name/Spouse's Name
- 3. CNIC / NICOP/Passport No.
- 4. Nationality
- 5. Residential address
- 6. Email address
- 7. Date on which shareholding, control or interest acquired in the business.
- 8. In case of indirect shareholding, control or interest being exercised through intermediary companies, entries or other legal persons or legal arrangements in the chain of ownership or control, following additional particulars to be provided:

1	2	3	4	5	6	7	8	9	10
Name	Legal form (Company/Limited Liability Partnership /Association of Persons/Single Member Company/Partnership Firm/Trusted/Any other Individual, Body Corporate (to be Specified)	Date of Incorporation / Registration	Name of Registering Authority	Business Address	Country	Email Address	Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Interest of Legal Person or Legal Arrangement in the Company	Identity of Natural Person who Ultimately owns or Controls the Legal Person or Arrangement

9. Information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set opposite respective names).



1	2	3	4	5	6	7	8
Name and surname (in block Latter's)	CNIC no (in case of foreigner Passport No)	Father's / Husband's Name in Full	Current Nationally	Any other Nationality lies)	Occupation	Residenti ally address in full of the registered / principle office address for a subscribe rs other that natural Person	Numbers of shares taken by cash subscribers (in figures and words
	-			L			
					-		
			Total numb and words)				

10. Any other information incidental to or relevant to beneficial owner(s)

Name and signature (Person authorized to issue notice on behalf of the company)





#### Form of Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)]
No.: [number of Bidding process]
Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [complete name of Procuring Agency]

We, the fundersigned, declare that

We understand that, according to your conditions, Bids must be supported by a Bid-Securing Declaration.

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to abide with a bid securing declaration however without indulging in corrupt and fraudulent practices, if we are in breach of our obligation(s) under the Bid conditions, because we:

- (a) have withdrawn our Bid during the period of Bid validity specified in the Leffer of Bid; or
- (b) having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid validity; (i) fail or refuse to sign the Contract; or fii) fail or refuse to furnish the Performance Security (or guarantee), if required, in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid.

Name of the Bidder		is	
Name of the person duly authorized to s	ign the Bid on beh	all of the Bid	der
Title of the person signing the bid	Mary Mary		
Signature of the person named above		4	
Date signed	- Tanana Maria	N OF THE	·

- \*: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder
- \*\*: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all members to the Joint Venture that submits the Bid.]



Yours faithfully.

Note: This section forms a part of the tender. Bidders are required to fill in the blank spaces in this tender form.

SECTION-VII

#### **TENDER FORM**

Sui Southern Gas Company Limited, ST 4/B, Block 14, Sir Shah Muhammad Suleman Road. Gulshan-e-Iqbal, KARACHI.

Sui Southern Gas Company Limited

Construction of Civil Works for Chain Link Fencing Enclosures (18:Nos at Daru) and (20:Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region.

## Tender Ref. No. CIV-Dist-P&C 2K2459

Dear Sir,

- Having examined the Site, Drawings, Conditions of Contract, Scope of Work and Bill of 1. Quantities for the subject Work, I/We, the undersigned offer to undertake, complete and maintain the whole of the said Work in conformity with the contract terms the unit rates
- 2 I/We undertake, if my/our tender is accepted, to commence the Work within specified time after receipt of the letter of intent/letter to proceed/signing of contract, and to complete and deliver the whole of the Work contained in the contract within the period specified in the tender document.
- 3. If my/our tender is accepted, I/We shall provide an irrevocable bank guarantee of a Scheduled Bank (acceptable to the Company) to be jointly or severally bound with me/us in a sum specified hereunder and in Annexure II for the due performance of the contract.
- 4. I/We agree to abide by this tender for the period of 90 days from the date fixed for opening the same and it shall remain binding upon me/us and may be accepted at any time before the expiration of this period.


5. I/We agree to execute the Work in a manner satisfactory to the Company whose decision shall be final and without appeal on work methods, specifications, and quality of materials, equipment and workmanship.

6. I/We agree to supervise and furnish adequate engineering and supervisory staff, labour force, tools, plants, machinery and finances to perform the Work in time as specified in the agreed Time Schedule to ensure that all will be done in accordance with accepted international engineering standards.

7. Unless and until a formal agreement is prepared and executed, this tender together with the

Company's written acceptance shall constitute a binding contract between us.





8. I/We understand that the Company is not bound to accept the lowest or any tender received without assigning any reasons. 9. For ease of reference certain information and special stipulations applicable to the contract within the subject of the tender are set forth herewith: Name of the Company Sui Southern Gas Company Name of the Project Ъ. Construction of Civil Works for Chain Link Fencing Enclosures (18: Nos at Daru) and (20 Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region. Tender Ref. No. CIV-Dist-P&C 2K2459 Amount of Bid c. (To be filled in by the Bidder) d. Retention Money Five (5%) Percent of all payments made to the Contractor. Date of award of Work Date of acknowledgement of Letter of Intent e. (LOI) by the Contractor. f. Mobilization Period Two (02) weeks from the date of issuance of Letter to Proceed Value of Performance Bond Five (5%) Percent of the Contract / Bid Value. g. Completion Period h. : Five (05) months from the date of Letter to Proceed including 2 weeks' mobilization period. i. Mode of Payment As per Clause 10, Section-IV, "Special Conditions" of Tender Enquiry. Maintenance Period i. Five (05) months from the date of completion. Liquidated Damages 0.1% percent of contract value for each day of k. delay subject to a maximum of 10%. 1. (CAR) Contract Value + 10% Insurance In the name of \_\_\_\_\_ Dated this \_\_\_\_\_ day of 2024. Signature in the capacity of

Report Run by :

DESKTOP-D30VR27

Enquiry No. SSGC/SC/13445

#### TENDER ENQUIRY NO. SSGC/SC/13445



#### SCHEDULE OF REQUIREMENT

AND

#### BID FORM

Sr.	DESCRIPTION OF ITEMS / PART NOS.	QUNATITY	MOU	UNIT PRICE	TOTAL AMOUNT
	(1)	(3)	(4)	(5)	6=3X5
,	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES, SIZE: 14'x8', FOR HAJI ESSA RAKHRO, PANDHI MIRBHAR, HAJI GUL RAKHRO AT KUNAR HYDERABAD REGION (AS PER BOQ)	91.00			
1	[1] SC251402  Delivery Schedule:	j	Square Fee		
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR MOULA BUX SOOMRO AT KUNAR HYDERABAD REGION (AS PER BOQ)				
2	[2] SC251403  Delivery Schedule:	77.00	Square Fee		
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR HAJI YAR M SOLANGI AT KUNAR HYDERABAD REGION (AS PER BOQ)				
3	[3] SC251404  Delivery Schedule:	77.00	Square Fee		
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR RAMZAN RAKHRO AT KUNAR HYDERABAD REGION (AS PER BOQ)				
4	[4] SC251405  Delivery Schedule:	77.00	Square Fee		
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR HAJI MALLAH AT KUNAR HYDERABAD REGION (AS PER BOQ)				



Report Run by :

DESKTOP-D30VR27

Enquiry No.

SSGC/SC/13445

		,	<del></del>		
	CONSTRUCTION OF CIVIL WORKS				
İ	FOR CHAIN LINK FENCING				
ŀ	ENCLOSURE FOR TBS/PRS				1
	ASSEMBLIES SIZE: 12'x8', FOR				
	HAJI MALLAH AT KUNAR HYDERABAD	!			
	REGION (AS PER BOQ)				
_		77.00			
5	[5] SC251406	//.00	Square Fee		;
	Delivery Schedule:			į	
	CONSTRUCTION OF CIVIL WORKS			1	
	FOR CHAIN LINK FENCING				
	ENCLOSURE FOR TBS/PRS				İ
	ASSEMBLIES SIZE: 12'x8', FOR				1
†	URS BAHRANI & KHAMOON MALLAH				i
	AT KUNAR HYDERABAD REGION (AS				
	PER BOQ)				
6	[6] SC251407	77.00	Square Fee		
			-		
	Delivery Schedule:				
	CONGENTION OF CIVIL HOPEC			t	
1	CONSTRUCTION OF CIVIL WORKS				
İ	FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS				
İ	ASSEMBLIES SIZE: 12'x8', FOR				
	MOHAMMED HASHIM CHUTTO AT				
	KUNAR HYDERABAD REGION (AS PER			Ì	
	BOQ)				
	<del></del>				
7	[7] SC251408	77.00	Square Fee		
1	Delivery Schedule:			ĺ	-
	CONSTRUCTION OF CIVIL WORKS			1	
	FOR CHAIN LINK FENCING				
ì	ENCLOSURE FOR TBS/PRS				
	ASSEMBLIES SIZE: 12'x8', FOR				
	USMAN/ARIF SHORO, DUR M				
	CHUTTO, HAROON SHORO AT KUNAR HYDERABAD REGION (AS PER BOQ)				
	HIDERABAD REGION (AS PER BOO)				
8	[8] SC251409	77.00	Square Fee		
	Delivery Schedule:				
	Dentely Sulledule.				
-	CONSTRUCTION OF CIVIL WORKS				
	FOR CHAIN LINK FENCING				
	ENCLOSURE FOR TBS/PRS			}	
	ASSEMBLIES SIZE: 12'x8', FOR				
	PANI LADHO ROKHRO AT KUNAR				1
	HYDERABAD REGION (AS PER BOQ)				
	1	77.00			
9	[9] SC251411	//.00	Square Fee		1
	Delivery Schedule:				
	CONSTRUCTION OF CIVIL WORKS				İ
	FOR CHAIN LINK FENCING			[	
	ENCLOSURE FOR TBS/PRS				}
	ASSEMBLIES SIZE: 12'x8', FOR				
	EIDO TANGRI & M YOUSAF DAL AT	.			į
	KUNAR HYDERABAD REGION (AS PER	<u> </u>			
	BOQ)		-		
10	[10 SC251412	77.00	Square Fee		
	Delivery Schedule:		_		
	Delivery Schedule.				
L	I				

Oracle Financial Generated

Gulshan-e-lo

Report Run by : DESKTOP-D30VR27

Enquiry No. SSGC/SC/13445

	CONSTRUCTION OF CIVIL WORKS		Thern C	
	CONSTRUCTION OF CIVIL WORKS			
	Delivery Schedule:			1
10			Square req	
16	[16 SC251418	91.00	Square Fee	
	BOQ)			
	KUNAR HYDERABAD REGION (AS PER			
	ASSEMBLIES SIZE: 14'x8', FOR NOOR M GOPANG & AHMED DUDO AT			
	ENCLOSURE FOR TBS/PRS			
	FOR CHAIN LINK FENCING		1	
	CONSTRUCTION OF CIVIL WORKS			
	Delivery Schedule:			:
12	[15 SC251417	,,,,,,	Square Fee	
15	(15, 00051417	77.00	Square Fee	
	HYDERABAD REGION (AS PER BOQ)		1	
	ASSEMBLIES SIZE: 12'x8', FOR SAHIB DINO KHASKHELY AT KUNAR			
	ENCLOSURE FOR TBS/PRS			
	FOR CHAIN LINK FENCING			
	CONSTRUCTION OF CIVIL WORKS	·		
	Delivery Schedule:			
14	[14 SC251416	91.00	Square Fee	
	HIDERABAD REGION (NO FER BOQ)			
	JHANG KATIAR AT KUNAR HYDERABAD REGION (AS PER BOQ)			
	ASSEMBLIES SIZE: 14'x8', FOR			
	ENCLOSURE FOR TBS/PRS			
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING			
	Delivery Schedule:			
13	[13 SC251415	91.00	Square Fee	
	REGION (AS PER BOQ)			
	HABIB LAKHO AT KUNAR HYDERABAD			
:	ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 14'x8', FOR			
	FOR CHAIN LINK FENCING			
	CONSTRUCTION OF CIVIL WORKS			
	penyory ochiculia.			
12	[12 SC251414 Delivery Schedule:	22.00	Square Fee	
12		91.00	Squaro Foc	
	(AS PER BOQ)			
	MIR HASSAN HAJANO & PIR NOOR M SHAH AT KUNAR HYDERABAD REGION			
	ASSEMBLIES SIZE: 14'x8', FOR			
	ENCLOSURE FOR TBS/PRS			† !
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING			
		<u> </u>		1
	Delivery Schedule:			
11	[11 SC251413	77.00	Square Fee	
	HYDERABAD REGION (AS PER BOQ)			
	GHULAM RASOOL BROHI AT KUNAR			
	ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 14'x8', FOR			
	FOR CHAIN LINK FENCING			
	CONSTRUCTION OF CIVIL WORKS			

Procurement. Depti.

Gulshan-e-lo

DESKTOP-D30VR27

Enquiry No.

SSGC/SC/13445

	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR KARHALI SHARIF/MIYON IBRAHIM DARS AT KUNAR HYDERABAD REGION (AS PER BOQ)			
17	  [17 SC251419	77.00	Square Fee	
	Delivery Schedule:		1-1	
	Banvery Contodule:			
;	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR MOHAMMED YOUSAF CHUTTO AT KUNAR HYDERABAD REGION (AS PER BOQ)			
18	[18 SC251421 Delivery Schedule:	77.00	Square Fee	
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR ABDULLAH SOLANGI & JALALUDDIN SOLANGI AT DARU HYDERABAD REGION (AS PER BOQ)			
19	[19 SC251422	77.00	Square Fee	
1	Delivery Schedule:			
<b>+</b> -	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 14'x8', FOR BUDHO KHOR & GUL M THORO AT DARU HYDERABAD REGION (AS PER BOQ)			
20	[20 SC251423	91.00	Square Fee	
	Delivery Schedule:			
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 14'x8', FOR FATTAN DAMACH & GUL M DAMACH AT DARU HYDERABAD REGION (AS PER BOQ)			
21	[21 SC251424	91.00	Square Fee	
	Delivery Schedule:			
,	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR PAHLWAN KHAN LASHARI & HAJI JAN ALI MARI AT DARU HYDERABAD REGION (AS PER BOQ)			



DESKTOP-D30VR27

Enquiry No. SSGC/SC/13445

			<del>-</del>	
To be a second of the second o	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR PAHLWAN KHAN LASHARI & HAJI			
	JAN ALI MARI AT DARU HYDERABAD REGION (AS PER BOQ)			
22	[22 SC251425	77.00	Square Fee	
;	belivery Schedule:			
·				
*	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR PUNHAL KHAN LASHARI & HAJI JAN ALI MARI AT DARU HYDERABAD REGION (AS PER BOQ)			
23	[23 SC251426	77.00	Square Fee	
	Delivery Schedule:		_	1
	CONSTRUCTION OF CIVIL WORKS			
	FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS		1	
	ASSEMBLIES SIZE: 12'x8', FOR M			
	BUX KALERI, ALI KHAN MARI, BAKHTIA MARI AT DARU HYDERABAD			
	REGION (AS PER BOQ)			
24	[24 SC251427	77.00	3quare Fe∈	
1	Delivery Schedule:			
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR SAJAN KHOSO, DILI JAN KHOSO, LAL KHAN & RAEES GULDIN KHAN MARI, LAUNG KHAN URF GHULAM HUSSAAIN KHOSO AT DARU HYDERABAD REGION (AS PER BOQ)			
25	[25 SC251428	77.00	Square Fee	
	Delivery Schedule:			
	CONCURRIGATION OF CALLEY MODIFIE			
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING			ļ
	ENCLOSURE FOR TBS/PRS			
	ASSEMBLIES SIZE: 12'x8', FOR CHETAN KACHI AT DARU HYDERABAD			
	REGION (AS PER BOQ)			
26	[26 SC251429	77.00	Square Fee	
1	Delivery Schedule:		74440	
·				
;	CONSTRUCTION OF CIVIL WORKS			
	FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS			
	ASSEMBLIES SIZE: 12'x8', FOR			
	SOOMAR, ALI MUHAMMED & HAKIM KALERI AT DARU HYDERABAD			
	REGION (AS PER BOQ)			
		· · · · · · · · · · · · · · · · · · ·		



DESKTOP-D30VR27

Enquiry No.

SSGC/SC/13445

1	CONSTRUCTION OF CIVIL WORKS			
1	FOR CHAIN LINK FENCING			
Ì	ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR			
	SOOMAR, ALI MUHAMMED & HAKIM			
	KALERI AT DARU HYDERABAD			
	REGION (AS PER BOQ)			
27	[27 SC251431	77.00	3quare Fee	
	Delivery Schedule:			
	CONSTRUCTION OF CIVIL WORKS			
	FOR CHAIN LINK FENCING			
İ	ENCLOSURE FOR TBS/PRS			
ì	ASSEMBLIES SIZE: 12'x8', FOR			
	QADIR BUX BAKHRO, GUL M KHATTI & MIRZO KALERI AT DARU			
	HYDERABAD REGION (AS PER BOQ)			
28	[28 SC251432	77.00	Square Fee	
	Delivery Schedule:			
1	CONSTRUCTION OF CIVIL WORKS			
1	FOR CHAIN LINK FENCING			
	ENCLOSURE FOR TBS/PRS			
1	ASSEMBLIES SIZE: 14'x8', FOR MUHARAM FAQIR, SARANG SOLANGI,			
	HAJI IBRAHIM SOLANGI AT DARU			
1	HYDERABAD REGION (AS PER BOQ)			
20		91.00		
29	[29 SC251433	91.00	Square Fee	
	<u>Delivery Schedule:</u>			,
	CONCERNICATION OF CIVIT MODIC		<del></del>	
1	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING			
	ENCLOSURE FOR TBS/PRS			
1	ASSEMBLIES SIZE: 14'x8', FOR			
	KARIMDAD & DARIYA KHAN			
]	KHASKHELI AT DARU HYDERABAD			1
1	REGION (AS PER BOQ)			
30	[30 SC251434	91.00	3quare Fe∉	
	Delivery Schedule:		74440 104	
	Solitory Collectule.		,	
	CONSTRUCTION OF CIVIL WORKS		† <del></del>	
	FOR CHAIN LINK FENCING			
1	ENCLOSURE FOR TBS/PRS			
	ASSEMBLIES SIZE: 14'x8', FOR			
;	JAHAN KHAN & DOST M KATHIO AT			
	DARU HYDERABAD REGION (AS PER BOQ)			
	<u>500/</u>			
31	[31 SC251435	91.00	Square Fee	
	Delivery Schedule:			
<u> </u>				
	CONSTRUCTION OF CIVIL WORKS			
	FOR CHAIN LINK FENCING			
	ENCLOSURE FOR TBS/PRS			
	ASSEMBLIES SIZE: 12'x8', FOR PIR ZAMAN SHAH AT DARU			
	HYDERABAD REGION (AS PER BOQ)			
L	110 111 100/		<del></del>	1



DESKTOP-D30VR27

Enquiry No. SSGC/SC/13445

	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR PIR ZAMAN SHAH AT DARU HYDERABAD REGION (AS PER BOQ)			
32	[32 SC251436	77.00	Square Fee	
"-			oquare req	
	Delivery Schedule:			
			<u> </u>	
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR CHETAN KACHI & BHALO KOLHI AT DARU HYDERABAD REGION (AS PER BOQ)			
33	[33 SC251437	77.00	Square Fee	
			square rec	
	Delivery Schedule:			
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR MONGIAN JO TAAR AT DARU HYDERABAD REGION (AS PER BOQ)			
34	[34 SC251438	77.00	Square Fee	
	Delivery Schedule:		_	
	Solivery Schoolies.			
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR BADER MEMON AT DARU HYDERABAD REGION (AS PER BOQ)			
35	[35 SC251439	77.00	Square Fee	
	belivery Schedule:		Januaro 200	
	Delivery Schedule.			1 1
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR TAHIR & ISMAIL UNNAR AT DARU HYDERABAD REGION (AS PER BOQ)			
36	[36 SC251441	77.00	Square Fee	1
	Delivery Schedule:		-	
	CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 12'x8', FOR DILAWAR FEQEER AT DARU HYDERABAD REGION (AS PER BOQ)			
37	[37 SC251442	77.00	Square Fee	
	Delivery Schedule:			
	CONSTRUCTION OF CIVIL WORKS			
	FOR CHAIN LINK FENCING		1	
L	LOW CHAIN DIME EFUCING			

Oracle Financial Generated

DESKTOP-D30VR27

Enquiry No.

SSGC/SC/13445

91.00		CONSTRUCTION OF CIVIL WORKS FOR CHAIN LINK FENCING ENCLOSURE FOR TBS/PRS ASSEMBLIES SIZE: 14'x8', FOR OBHAYO KHASKHELY, SYED KAMIL SHAH AT DARU HYDERABAD REGION (AS PER BOQ)			
Delivery Schedule:	38	[38 SC251443	91.00	Square Fee	

Fix Bid Bond Amount in PKR:

140,000

#### NOTE :

- (i) The quoted unit price and corresponding total amount shall be inclusive of all duties & Taxes, excluding Sales Tax as per provincial laws.
- (ii) Incase of supply of material alongwith services GST will be exclusive of quoted rate of material.
- (iii) Bidders are essentially required for quote their rates on bid form / BoQ.
- (iv) Prices given in the bid form and BOQ shall take into account all relevant factors including discounts, if any. Discount given separately at the time of bid opening will not be considered.
  - (v) Any Bidder who change/amend the BOQ or Price Schedule (description, quantity, uom etc.) will be render the bid as conditional bid and will be liable for rejection.

SIGNAUTRE OF BIDDER:	
NAME:	
NAME OF BIDDER:	
STAMP:	······································
DATE:	<del></del>



## Sui Southern Gas Company

Construction of Civil Works for Chain Link Fencing Enclosures (18:Nos at Daru) and (20 Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region.

## Tender Ref # CIV-DIST-P&C 2K2459

## **BILL OF QUANTITIES**

Serial #	Description	Unit	TOTAL QTY	Rate Per SFT	Total Amount(Rs)
1	Undertaking the subject civil works for construction of CC Platform with Chain Link Fencing Enclosures for TBS Assemblies (List attached) as per specifications, Scope of Work as attached at Section III, As per attached drawings, as per site requirements and as directed by the Engineer In-charge.  Note 1: Sizes of Assemblies as mentioned in attached list are tentative, however enclosure shall be constructed as per actual sizes, as per site requirements and as directed by Engineer In-charge.  Note 2: Only steel cage size/area shall be measured for payment.	SFT	3094.0 (Cage Area)		
			i	d Total unt(Rs)	

thern G Procurement 4 1

Dept.

## Sui Southern Gas Company Limited

Construction of Civil Works for Chain Link Fencing Enclosures (18 Nos at Daru) and (20:Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region.

## Tender Ref # CIV-DIST-P&C 2K2459

## LIST OF TBS/PRS Daru Field

Sr. No.	Name of Villages	Platform Size	Cage Size	Cage Area Sft	
1	Haji Essa Rakhro, Pandhi Mirbhar, Haji Gul M Rakhro	14'x8'	13'x7'	91.0	5092
2	Moula Bux Soomro 12'x8' 11'x7'		11'x7'	77.0	•
3	Haji Yar M Solangi	12'x8'	11'x7'	77.0	
4	Ramzan Rakhro	12'x8'	11'x7'	77.0	·
5	Haji Mallah	12'x8'	11'x7'	77.0	
6	Urs Bahrani & Khamoon Mallah	12'x8'	11'x7'	77.0	\chi^\
7	Mohammed Hashim Chutto	12'x8'	11'x7'	77.0	ι, .
8	Usman/Arif Shoro, Dur M Chutto, Haroon Shoro	12'x8'	11'x7'	77.0	
9	Pani Ladho Rokhro	12'x8'	11'x7'	77.0	1,
10	Eido Tangri & M Yousaf Dal	12'x8'	11'x7'	77.0	12+
11	Ghulam Rasool Brohi	14'x8'	13'x7'	91.0	13+
12	Mir Hassan Hajano & Pir Noor M Shah	14'x8'	13'x7'	91.0	J
13	Habib Lakho	14'x8'	13'x7'	91.0	15
14	Jhang Katiar	14'x8'	13'x7'	91.0	10
15	Sahib Dino Khaskhely	12'x8'	11'x7'	77.0	127
16	Noor M Gopang & Ahmed Dudo	14'x8'	13'x7'	91.0	13
17	Karhali Sharif/Miyon Ibrahim Dars	12'x8'	11'x7'	77.0	16
18	Mohammed Yousaf Chutto	12'x8'	11'x7'	777.0	], 1
	, ( , )	Total Ca	ge Area	1470.00	1

Procurement Dept.

Chillett Nangericke beek

## Sui Southern Gas Company Limited

Construction of Civil Works for Chain Link Fencing Enclosures (18:Nos at Daru) and (20:Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region.

## Tender Ref # CIV-DIST-P&C 2K2459

## LIST OF TBS/PRS Kunar Field

Sr. No.	Name of Villages	Platform Size	Cage Size	Cage Area Sft
1	Abdullah Solangi & Jalaluddin Solangi	12'x8'	11'x7'	77.0
2	Budho Khor & Gul M Thoro	14'x8'	13'x7'	91.0
3	Fattan Damach & Gul M Damach	14'x8'	13'x7'	91.0
4	Pahlwan Khan & Adam Khan Jamali	12'x8'	11'x7'	77.0
5	Punhal Khan Lashari & Haji Jan Ali Mari	12'x8'	11'x7'	77.0
6	M Bux Kaleri, Ali Khan Mari, Bakhtiar Mari	12'x8'	11'x7'	77.0
7	Sajan Khoso, Dili Jan Khoso, Lal Khan Mari, Raees Guldin Khan Mari, Laung`Khan Urf Ghulam Hussain Khoso	12'x8'	11'x7'	77.0
8	Chetan Kachi	12'x8'	11'x7'	77.0
9	Soomar, Ali Muhammed & Hakim Kaleri	12'x8'	11'x7'	77.0
10	Qadir Bux Bakhro, Gul M Khatti & Mirzo Kaleri	12'x8'	11'x7'	77.0
11	Muharam Faqir, Sarang Solangi Haji Ibrahim Solangi	14'x8'	13'x7'	91.0
12	Karimdad & Dariya Khan Khaskheli	14'x8'	13'x7'	91.0
13	Jahan Khan & Dost M Kathio	14'x8'	13'x7'	91.0
14	Pir Zaman Shah	12'x8'	11'x7'	77.0
15	Chetan Kachi & Bhalo Kolhi	12'x8'	11'x7'	77.0
16	Mongian Jo Taar	12'x8'	11'x7'	77.0
17	Bader Memon	12'x8'	11'x7'	77.0
18	Tahir & Ismail Unnar	12'x8'	11'x7'	77.0
19	Dilawar Feqeer	12'x8'	11'x7'	77.0
20	Obhayo Khaskhely, Syed Kamil Shah	14'x8'	13' <u>x</u> 7'	91.0
	8 200	o tal C	age Area	1624.00

otal Cage Area

Produrements
Deptt.

1624.00

Chuland Minterior Dept.



# **Estimated Cost**

SR	Requisition	Description	Estimated
NO	No		Cost
01	544115 544140	Construction of Civil Works for Chain Link Fencing Enclosures (18)Nos at Daru) and (26)Nos at Kunar) TBS/PRS Assemblies at Hyderabad Region	6,961,000



4

SECTION-VIII

# SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

# BLACKLISTING MECHANISM (REVISION-1)

#### 1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

#### 2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Gas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (PEC), or any other competent forum. The procedure shall also be applicable on the prequalified firms. The procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in conflict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute / Law or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, or rules shall prevail. This SOP shall become a part of the future Bidding Documents.

#### 3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority to Appeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to lodge protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/division/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative penalty disqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for infractions committed during the competitive bidding stage, whereby such firms/individuals are prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a project or contract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resolution or rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting.
- 3.9 "PA-Project Authority A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



#### 4. REASONS FOR BLACKLISTING

- 4.1 The following shall comprise the broad multilateral guidelines for blacklisting:
  - 4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;
  - 4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
  - 4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and
  - 4.1.4 "Coeroive Practice" means harming or threatening to harm, directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the procurement process or affect the execution of a contract.
- 4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

#### 4.2. 1 Competitive Bidding Stage

During the competitive bidding stage, the Procuring Agency shall impose on bidders or prospective bidders the penalty of Suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution. as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Submission of eligibility requirements containing false information or falsified documents.
- ii. Submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding.
- iii. Submission of unauthorized or fake documents for pre-qualification/ tendering i.e. without specific authorization from the principals/ manufacturers etc.
- iv. Failure of the firm to provide authentic Warranty Undertaking and Performa Invoice of the manufacturers / Principal / Trading house.
- v. Failure of the firm to submit specific authority letter of the Original Equipment Manufacturer (OEM) for participation in a particular tender;
- vi. Unauthorized use of one's name, or using the name of the name of another for purpose of public bidding.
- vii. Deviations from specifications and terms & conditions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable cause, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid.
- ix. Refusal or failure to post the required performance security within the prescribed time.
- x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated: 12th October 2020 Revision-1; Dt: 3 Sept 2024



- xi. Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

#### 4.2.2 Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
- ii. Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful instruction of the Procuring Agency or its representative(s) pursuant to the implementation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
  - a. Employment of competent technical Person(s) / Firm(s)nel, competent engineers and/or work supervisors;
  - b. Provision of warning signs and barricades in accordance with approved plans and specifications and contract provisions;
  - c. Stockpiling in proper places of all materials and removal from the project site of waste and excess materials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions;
  - d. Deployment of committed equipment, facilities, support staff and manpower; and
  - e. Renewal of the effectivity dates of the performance security after its expiration during the course of contract implementation.
  - f. Non-Performance of the supplier in respect of tender terms & conditions and the delivery / supply of material.
- iii. Assignment and subcontracting of the contract or any part thereof or substitution of key Person(s) / Pirm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier or distributor arising from his fault or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- v. For the procurement of consulting services, poor performance by the consultant of his services arising from his fault or negligence, any of the following acts by the consultant shall be construed as poor performance:
  - a. Defective design resulting in substantial corrective works in design and/or construction:
  - b. Failure to deliver critical outputs due to. consultant's fault or negligence;
  - c. Specifying materials which are inappropriate, substandard or way above acceptable standards:

Page 3 of 10 Dated : 12<sup>th</sup> October 2020 Revision-1 : Dt: 3 Sept 2024



- d. Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- e. Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.
- vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
  - i. Obtaining fraudulent payments;
  - ii. Obtaining contracts by misleading the purchaser:
  - iii. Refusal to pay SSGC dues etc.;
  - iv. Failure to fulfill contractual obligations;
  - v. Changes in the status of firm's ownership/partnership etc. causing dissolution of the firm which existed at the time of inspection / bidding prior to original registration of the firm;
  - vi. Registration of a firm with a new name by the Proprietor or family or a nominee thereof of a firm that has been already blacklisted;
  - vii. Consequential operational damages caused to SSGC equipment or infrastructure as a result of equipment or parts thereof supplied on trial basis or due to failure of such equipment;
- viii. Contractors who have negotiated Plea Bargain under the National Accountability Ordinance 1999, or contractors involved with any other criminal proceedings conducted by any investigation agency where default has been proved specifically in relation to supplies made to or contracts concluded with SSGC.
- ix. Involved in litigation or needless petitioning to influence or obstruct the procurement process either on his own behalf or at the behest of any other vested interest;
- x. A firm may be disqualified for a period extendable to two years in case a decision by a court is awarded against the said firm after litigation, or where the firm is involved in litigation at least three times during two financial years, or where a firm has on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Government Ministries / Divisions / Departments and organizations / autonomous bodies subordinate thereto; and
- xii. Blacklisting in case of Joint Venture firms will also result in termination of the concerned Joint Ventures Partners.

## 5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

5.1 Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

Page 4 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

## 6. SUSPENSION AND BLACKLISTING PROCEDURE

- 1. The supplier or contractor who is to be blacklisted for a specified period is given adequate opportunity of being heard.
- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by providing adequate time, so as to given him adequate opportunity of being heard before taking any action.
- 3. In case the supplier or contractor does not attend the meeting on the given date and time a final notice is served to him / her to attend the meeting on the revised date and time. Despite the final notice, if the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will form comprising of User, Procurement and HSE&QA departments to address the issues in the meeting with the supplier or contractor. Members of committee may not below of grade IV.
- 5. In case the supplier or contractor is found at default based on the fact of the case as well as the tender terms and conditions, and do not justify the grounds of his default as per the tender terms and conditions, the approval is sought from the management for their temporary or permeant blacklisting along with encashment of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the defaulted supplier or contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor alongwith covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated : 12th October 2020 Revision-1 : Di: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

#### 7. STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

#### 8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual due to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

#### 9. AMENDMENTS

- 9.1 In the implementation of Blacklisting Mechanism, the modifications may be introduced thereto through the amendment of its specific provisions as the need arises.
- 9.2 Any amendment to this Blacklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the said amendment.

#### 10. EFFECTIVITY

The Blacklisting Mechanism or any amendments thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Public Procurement Rules, 2004.

## 11. The Steps to be Followed are As Under

The causes and reasons to be taken into consideration for Debarment / Blacklisting of any Person(s) / Firm(s) are given as under:

#### PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and sputious documents, making false statements, making frivolous complaints and allegations to gain undue advantage,

Page 6 of 10 Dated : 12<sup>th</sup> October 2020 Revision-1 : Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- iv Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

#### 2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. Extraordinary delay in signing or refusal to accept the Notification of Award and/or the contract without any cogent reason.
- ii. Misconduct, i.e., failure to proceed with the signed contract, withdrawal of commitments, quoting an unreasonably and unfairly low financial offer and subsequently withdrawing such an offer, frustrating the evaluation/bidding process and not responding to written communication in a reasonable time.
- iii. Causes mentioned in Sub-Clauses i, ii and iii above.
- iv. Submission of fake / frivolous or mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions / clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, any defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect liability period as defined in the contract.

#### 3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
  - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
  - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
  - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the Project Authority prior to blacklisting. Member of RPC must be one grade up from the members of PA.

#### 5. PROCEDURE FOR BLACKLISTING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in hereinabove under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the concerned Project Authority / formation shall promptly formulate its recommendations and submit through the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, details of charges and documentary evidences to initiate proceedings under this Mechanism.

#### 6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Convener of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the Person(s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said charges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines,
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

#### 7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

#### 8. COMMUNICATION OF DECISION

After recommendation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (RPC)", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.

The temporary Blacklisting on the grounds and reasons specified herein above shall be for a reasonable specified period of time and as a general rule of prudence, the period may not exceed three years, except in cases where debarment/blacklisting has been done by any other government department or an International Financial Institution (Donor Agency), In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period of temporary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution (Donor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blacklisting List:

- i. The decision of blacklisting will be immediately circulated to all concerned as mentioned herein above under the heading Communication of Decision.
- ii. In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority. (iii)The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



## 9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

Page 10 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024





# Sui Southern Gas Company Limited

Health, Safety, Environment & Quality Assurance

# HSE&QA AWARENESS FOR SUPPLIERS AND CONTRACTORS (Revised in 2023)



Always be proactive about safety!

Report Hazard before it results in an Accident

# If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it







9/2







## HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication. consultation and participation on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Director. August, 2021



MR

ス



#### **PURPOSE**

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

- a. SSGC existing facilities/installations.
- b. Any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.
- Any new project. C.
- Covering all the activities performed by SSGC taking into consideration of compliance, obligations, risks & opportunities within the scope, external and internal issues related to scope of operations, requirements, information, needs and expectations of relevant interested parties.
- Providing guidance to employees in relation to hazard identification, risk e. assessment and risk control in respective areas.
- f. Identification, control, monitoring and management of environmental aspects and assessment of its impacts.



#### 2. SCOPE

This procedure is applicable to the identification of occupational health and safety hazards and associated risks, environmental aspects and impacts associated with activities, processes and equipment related to SSGC existing facilities/installations, any new project or any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and safety risk.

#### 3. **DEFINITIONS & ACRONYMS**

- ·HAZARD: Source or situation with a potential for harm in terms of injury or ill health, damage to property, damage to workplace environment, or a combination of these.
- RISK: Combination of probability of occurrence of a hazardous event or exposure and the resulting · Consquences.
- c. COPPORTUNITY: Opportunities can arise as a result of a situation favorable to achieving an intended result, for example, a set of circumstances that allow the organization to attract customers, develop new products and services, reduce waste or improve productivity. Actions to address opportunities can also include consideration of associated risks.
- d. SWOT: Strength, Weakness, Opportunity & Threat.
- RISK MANAGEMENT: The set of control measures used to reduce or eliminate specific risk. e.
- RISK ASSESSMENT: Risk Assessment is a systematic approach to hazard identification. This is the f. overall process of estimating the priority of risk and deciding significance of risk.
- RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk assessment matrix. g. Hazards related to applicable legal requirements will fall in the high risk category.
- HIRA: Hazard Identification and Risk Assessment. h.
- EAIA: Environmental Aspect and Impact Assessment. i.
- IEE: Initial Environment Examination. j.
- EIA: Environment Impact Assessment. k.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a I. work activity and /or work related situation.
- OHS&E: Occupational Health, Safety & Environment. m.
- PTW: Permit to Work. n.
- MOC: Management of Change. ο.
- MOC Owner: The employee who initiates the MOC. p.
- JSA: Job Safety Analysis. q.
- EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.



HandBook | February 2022



#### 4. RESPONSIBILITIES

## 4.1 Corporate HSE&QA In-charge

a. Managing OHS&E risks and their controls.

b. Reporting to Senior Management on OHS&E related issues.

c. Providing support to comorate HSE&QA team and zonal representatives.

d. Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure.

#### 4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- b. Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E.

c. Maintaining records of the OHS&E with the help of local HSE&QA team.

d. Implementing this procedure. Liaise with corporate HSE&QA team if required.

### 4.3 Zonal HSE&QA representative

a. Coordinating with Zonal HSE team leader for carrying out HIRA and EAIA in their zones.

b. Liaise with corporate HSE&QA team and zonal HSE team leader for OHS&E.

c. Reviewing/monitoring HIRA and EAIA in their zones and providing input on any changes.

## 4.4 Departmental Head of Executing Department

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks. Ensure implementation of JSA for job/activity performed outside SSGC permanent locations.

#### 4.5 Employees

Participating in the identification and assessment of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

#### 4.6 Visitors & Contractors

Identifying and reporting any risk or hazard at any location of SSGC. This also includes the worksites and SSGC temporary locations during project executions.

#### 5. DECISION MATRIX

Type of Risk/Hazard Assessment		Responsibility
HIRA	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	Zonal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

N

Procurement Dept.

Integrated Management System



MOC  Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure.  MOC owner	or modifications in existing designs MOC owner
---	--

Risk Assessment and Management Procedure is divided into five sections based on the type of risk assessment needed:

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

#### 6. PROCEDURE

# Section 1 Context of the Organization.

## 6.1. Context of the Organization

i. Management defines scope of the company services and its boundaries considering the internal and external issues of the organization.

ii. In consultation with HSE&QA, Management & Zonal Heads identify external & internal interested parties and maintain its list with needs & expectations. Interested parties are those stakeholders who receive company services, who may be impacted by them, or those parties who may otherwise have a significant interest in the company. Interested parties may include:

Interested Parties	Requirements
Board of Directors	Good financial performance, legal compliance/avoidance of fines.
Law Enforcers/Regulators	Identification of applicable statutory and regulatory requirements for the products and services provided and understanding of the requirements.
Customers	Value for money, quality service, facilitation and quick response.
Bank/Finance **	Good Financial Performance.
Employees	Professional development, prompt payment, health and safety, work/life balance, employment security.
Insurance	No claims/prompt payment/risk management.
Community	No complaint relating to: noise, parking, health and safety, pollution, waste.
External providers	Prompt payment as per agreed terms, health and safety, long-
(Vendors/Suppliers)	term working relationship.
Trade Unions	Compliance of local labor laws.



- HandBook | February



iii. By using SWOT analysis or any other tool, identify external and internal issues that are relevant to company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

# 6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces.
- b. Complex transmission and distribution network.
- c. Succession planning.
- d. Contractual relationships.
- e. Availability of reliable, qualified and competent workforce.
- f. Staff retention...
- g. Impact of unionization.

# 6.1.2. External issues could include in risk & opportunity assessments, but are not limited to:

- a. **Political:** Government policies, political stability, international trade agreements etc.
- b. **Economic:** Fuel/utility prices, cash flow, credit availability, exchange rates, tariffs and inflation, general taxation issues etc.
- c. Social: Consumer buying pattern, education level, advertising and publicity, ethical & religious issues, demographics etc.
- d. **Technological:** Intellectual property issues, software changes, internet, technology legislation, associated/dependent technology, renewable energy etc.
- Legal and regulatory: Consumer protection, industry-specific regulation and permits, trade union regulations, employment law, international legislation, human rights/ethical issues etc.
- f. Environment: Customer demographics and environmental issues.
  - **Government:** The directives from Prime Minister, Ministry of Petroleum (energy division), regulatory bodies like OGRA, SEPA & BEPA etc.
- d. Ensuring the policy and objectives are established for the integrated management system and are compatible with the context and strategic direction of the organization.
- e. The management shall monitor and review information about these external and internal issues during the management review meetings.



Always be proactive about safety!

Report Hazard before it results in an Accident

W

Procurement Dept.



## Section 2

## Hazard Identification and Risk Assessment

#### i. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

- a. Routine & non routine activities, any emergency situations.
- b. Activities of all persons having access to the SSGC permanent and temporary locations.
- c. Human behavior, capabilities and other human factors.
- d. Designing of work processes.
- e. Material in use.
- f. Infrastructure, equipment and materials at the workplace or project site, whether provided by organization or others.
- g. Changes or proposed changes in the organization, its activities or materials.
- h. Fabrication, installation & commissioning.
- i. Handling & disposal of waste material.
- j. Purchase of goods & services.
- k. Any applicable legal obligations that is related to risk assessment and implementation of necessary controls.
- Before commencement of any new operation/activity.
- m. Periodic Review for updating the existing hazard identification and risk assessment information.

## At SSGC, we adapt five steps of risk assessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precautions.
- \* Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if necessary.

#### ii. Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below:

Risk Priority		Probability			
		Very Likely	Likely.	Unlikely	Very Unlikely
C	Catastrophic				Medium
n s e q u	Significant	er ef		Medium	<b>Me</b> dium'
и е п	Harmful		Medium	Medium.	
e s	Negligible	Medlum	Medium		

MR



· HandBook | February





HAZARD CONSEQUENCE RATING TABLE			
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.		
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.		
Harmful	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.		
Negligible	Hazard may cause minor injury, illness or property damage, first aid treatment is required only, very low financial loss.		

PROBABILITY RATING TABLE			
Very Likely	Exposure to hazard likely to occur frequently. Similar incidents reported more than once in SSGC during last 10 years.		
Likely	Exposure to hazard likely to occur but not frequently. Similar incidents reported once in last 5 years in SSGC.		
Unlikely (*)	Exposure to hazard unlikely to occur.		
Highly Unlikely	Exposure to hazard so unlikely that it can be assumed that it will not happen.		

RISK PRIORITY TABLE			
Risk Priority	Definitions of Priority		
	Situation is considered critical, stop work immediately or consider cessation of this operation/task.  Must be fixed ASAP, Zonal HSE team leader should take immediate actions.		
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.		
Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.			







# Section 2 Hazard Identification and Risk Assessment

### iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- a. Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- b. Classification of risk/impact.
- c. Description or reference to control the risks/impacts.
- d. Description or reference to monitor the risks/impacts.
- e. Identified competency and or training requirements.
- f. Input for setting improvement objectives and programs for its achievement.


The risk/impact measures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/impact assessments as input for the following:


- a. Setting objectives and targets.
- b. Training needs identification.
- c. Terminating the risk/impact if it is practical.
- d. Facility engineering control.
- .e. Emergency Preparedness.
- f. Administrative controls.
- g. insurance.

The ultimate requirement is to reduce the risk/impact to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further reduction becomes unreasonably inconsistent to the additional risk reduction obtained.

## iv Risk Control



MP





HandBook | February 2022



The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. **Elimination:** The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority risk.
- c. **Engineering:** Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any project/process and must seek out for best possible solution in terms of OHS&E.
- d. **Administrative:** Administrative controls involve making changes to the way in which people work and promoting safe work practices via education and training. Administrative controls may involve\ training employees in operating procedures, good housekeeping practices, emergency response in the event of incidents such as fire or employee injury, and personal hygiene practices.
- e. Personal Protective Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible. PPE should be properly identified for specific process/job.

System & work area Hazards	i lilada O
Access / Egress Obstructions	Likely Consequences
	Minor injury, trips and falls
Asphyxiate Gas (CO <sub>2</sub> fire suppression)	Possible death by asphyxiation
Buried Cables	Exposure to buried cables – major / minor injury
Electricity (HV/LV)	Fatality by electric shock or serious burn injuries
Falling Loads / Objects	Serious head and / or body injury
Flammable Vapors / Gases / liquids	Explosion or fire
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disorientation, loss of consciousness
Moving Parts	Entrapment, major or minor injury
Noise with the second of the s	Long term hearing loss, tinnitus
Openings in Floor / Walkways	Falls from height, major injury possible fatality
Flammable Materials / Gases	Creation of hazardous area, fire, explosion
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort, long term loss of vision
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and / or body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured
Long Working Hours	Major / minor accident due to fatigue
Manual Handling	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes
	Total mistakes

M





Oxygen deficiency	Death of asphyxiation
Poor Lighting / Visibility	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health =	Chemical burns, toxic, poisoning , irritants, pollutant
Repetitive Task / Operation	Muscular / skeletal injuries
Rotating / Moving Part	Major injury, potential for fatality
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume	Unconsciousness, respiratory problems
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hand Tools	Minor laceration and impact injuries
Use of Hazardous Substances	Burns to skin, eyes, and respiratory system. Environment Hazards
Use of Power Tools	Impact injury, hand / arm vibration - loss of sensation over time
Use of Workshop Equipment	Major / minor injuries - entrapment, cutting tools
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury

## v. ' Environmental Aspect Identification & Impact Assessment

## a. Environmental Aspects:

An Environmental aspect is any element of SSGC business operation that negatively affect the Environment. While conducting environmental assessment, following aspects are usually considered:

# "REDUCE CARBON." FOOTPRINT"

What we can do:

- Recycle: what you can
- Reduce: avoid unnecessary consumption of resources
- Reuse: Buy items that are reusable: and reuse them
- Unplug electrical devices that are not in use
- Avoid unnecessary driving
- Use LED bulbs.
- · Plant a tree

Emissions to air	Water Discharges	
Solid non-hazardous waste	Solid Hazardous Waste	
Consumption of natural resources/ Energy	Noise	
Heat	Odor	
Dust	Vibration	
Effect on visual / aesthetics	Use of Ozone depleting substances	
Use of radioactive / nuclear material	Spillage of chemicals	

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

WK



HandBook | February 202

Procuremen Dept.



# b. Control of Aspects having Significant Environmental Impact:


The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment.
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring devices/gauges, computerized feedback monitoring and control systems.
- g. Environmental friendly disposal or treatment systems etc.
- h. Fire prevention/suppression systems.
- i. Containment walls.
- i. Scrubbers.
- k. Dust Collectors.
- I. Other controls: Training, SOP.

The record of operational controls on significant environmental risks is maintained on 'Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

After identification of aspects and assessment of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where required, in-charge HSE&QA suggests necessary changes or improvement in risk assessment to concerned Zonal HSE Team Leader.



Zonal HSE Team Leader ensures that environmental aspects and impacts related to the activities/processes/equipment are kept current by conducting the same assessment:

- a. Once every six months to update the information, and identify new environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects)
- b. Carry out assessment, for new or changes in activities/processes/equipment.
- c. When there is a change in laws & regulations.

# d. IEE (Initial Environment Examination) / EIA (Environment Impact Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required by regulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to ensure the compliance for all



When combusted:

- One liter of Diesel produces 2.68 kg of CO2
- One liter of Petrol produces 2.31 kg of CO2
- One MMBTU of Natural Gas produces 53.07 kg of CO2

Integrated Management System



## Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)
- c. Maintenance Work on High Voltage electrical equipment.
- d. Any janitorial service involving Safety Risks such as work at height.
- e. Any Maintenance activity by any department/contractor which compromises critical safety system.
- f. Work involving interaction with asbestos.
- g. Work in areas where there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/activity that requires additional precautions.
- i. Any specific activity performed during development, modification and up gradation of SSGC's Vital Installations including SMS/Valve Assembly/TBS/PRS etc.

#### II. Exclusion

Following activities are not under the scope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to control the associated risks for the following:

- a. Providing Gas connections to new customers
- b. Emergency Response to Consumer calls (1199)
- c. Planned enhancement of Distribution network
- d. Work on live pipelines like hot tapping, installing Service Tee etc.
- e. Any major/minor rehabilitation/reinforcement work

## If it's UNSAFE

- ✓ Report it
- √ Remove it
- √ Replace it









## III. Responsibilities


S No.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTVV.  Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations.  Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	Area/Facility where the task/activity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity.  Authorized to stop work in case of noncompliance to PTW requirements.
43 54	Contractor	The Individual/organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If required, Monitor the task/activity during execution and identify any gaps related to proposed controls. Responsible to close the PTW and maintains records.  Authorized to stop work in case of noncompliance to PTW requirements.


yo





## IV. PTW Process Flow









#### V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

#### VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.







# Section 4 Job Safety Analysis Section 4

### I. Job Safety Analysis (JSA)

Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04):

a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme).

d. Any Emergency maintenance work.

e. Any particular job/activity requiring JSA as necessitated by HSE&QA.

### II. Responsibilities

S No.	Functions	Details	Responsibilities
1	Activity In- charge/ Supervisor	Individual who is assigned to carry out the task/activity requiring JSA.	<ul> <li>List down the activities step wise and identify hazards and their controls</li> <li>Ensure that task/activity is carried with proposed controls</li> <li>Ensure the team/equipment involved are competent and safe</li> <li>Report any untoward situation</li> </ul>
2	Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.  The Individual /	Authorize JSA     Ensure Adequate resources are provided to carry out the task/activity in safe manner     Select competent team and team leader for the activity/task     Submit a copy of JSA prior to job execution to HSE&QA/Zonal HSE Team Leader.
3	Contractor	organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

MR







### Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried out using MOC methodology.

#### II. Scope


This procedure is intended to address those changes which may have a direct impact on SSGC's Integrated Management System, or the subsequent delivery of services.

To make sure that changes are assessed and documented in a consistent manner so that:


- a. Unnecessary or counterproductive changes are prevented.
- b. Changes do not adversely affect safety, the environment, quality, operations, or the level of service to the
- c. No changes are made by individuals without knowledge and/or agreement of all relevant parties.
- d. A record of the assessment rationale and change assessment process is produced.
- e. To make sure proper change out of employees during operations is addressed.

### III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the designated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the details/scope of the project.
- b. Area Authority: Area authority is responsible to identify the possible impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorize the change after assessing the







## IV. Definition of Change

For the purpose of this procedure a "change" is an alteration to Processes;

- a. Documented information maintained by this IMS.
- b. Equipment, hardware, software, infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management.

Other types of changes not listed above can be related to any element of the process, such as inputs, resources, persons, activities, controls, measurements, outputs, etc.

**Note:** Not all alterations to a system require the Management of Change Process (MOC) (e.g. changing employees, editorial changes to HSE & QA procedures and forms, etc.)

### V. Levels of Change

#### Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.


#### Level 2

 b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work environment.

#### Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables operations, safety or work environment.

MR



HandBook | February

Procuremen Dept.



#### VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

### Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (Major Impact), as appropriate to the change under consideration. Changes that have negligible impact may be processed by the Management Representative directly.

If the request is accepted, In-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward the request to the appropriate process owner for implementation.

### Step 3 - Implementation of Actions

The process owner will be responsible for implementing and coordinating the actions required for the proposed change. If it is determined that further assessment is required during the course of implementing the change, these assessments will be documented and submitted for review prior to completing the change process. Only after all assessments have been reviewed shall the MOC process be continued and monitored through completion.


### VII. Closing out the MOC

The in-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness of any corresponding control measures.

### VIII. Record Keeping


The In-charge HSE&QA will retain a log showing each MOC (Control Number of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the actions taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.

N






### MOC Process Flow



NR

-5 :

127



Procurement Dept.

HandBook | February 2022



7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

### 7.1. PHYSICAL

Hazards	Control Measures
Adverse weather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad housekeeping	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / cold surfaces	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning The Property of the P	Life guarding, lifesaving equipment, presence of first Aider
Excavation work	Physical barriers; fencing, shoring, safe system of work, signs, caution tape.
Fail from height	Edge protection; safety lines / harnesses, safe means of access, (e.g. scaffolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, physical means of securing.
Lighting	Good work area design and lighting equipment, measuring of illumination (LUX level), appropriate lighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical means for lifting and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.





## 7.2. MECHANICAL

Hazards	Control Measures						
Hand tools	Periodic inspection, electrical testing and maintenance.						
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training.						
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.						
Manual handling	Regular assessment of handling techniques Improvisation to eliminate stress / fatigue, training in good lifting techniques.						
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.						
Over Pressure	Proper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV's where required, periodic inspection.						

# 7.3. ELECTRICAL

10.11	
Hazards	Control Measures
Live working	Avoid (i.e. No Live Working), use competent / trained staff.
Hand tools	Regular inspection, testing of electrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible material, guarding.
Machines / Electrical cables	Electrical testing and maintenance, good electrical safety design, periodic inspection for design load vs actual load, use of circuit breakers, lockout / tag out, anti-static materials, Use double insulation, proper grounding.
Electrical cables / cords	Use factory assembled cords, always use plugs, no paked wires
Power Lines (Overhead / Buried)	Look out for signs, contact local utilities (KE, WAPDA) for locations, stay at least 10 feet away from overhead lines, use proper PPE.

MR

Procurement Dept.



Integrated Management System

23

### 7.4. FIRE

Hazards	Cc atrol Measures							
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition.							
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area, signs, no smoking, color-coding.							
Flammable solvents	Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames, emergency plans.							
Heaters	Segregation from sources of combustion, guarding special construction if used in hazardous areas.							
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents).							
Oxygen (gas and liquid)	Segregate from sources of combustion, controlled storage and usage.							
Smoking materials	Designated smoking areas with proper ventilation, promote no smoking policy.							
Static electricity	Limit use of static generators in hazardous areas. Use of anti-static devices: earthling.							
Gas Leaks	Odourization for timely detection where possible, proper joining methods, Field survey, training, leak detection techniques.							

### 7.5. OTHER

Hazards	Control Measures
Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia)	Avoid use, substitute less harmful substances, use, maintain and test engineering controls, monitor for hazardous substances; inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled releases.
Biological: Biological agents (micro-organisms: pathogens, mutagens, carcinogens) Rodents, Snake Bite	Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazardous substances, inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC.
Food / Water safety	Good food hygiene standards, good cleaning / disinfection, employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.
Ergonomics	Educate / Train employees, avoid repetitive tasks, procure ergonomically design products (e.g. chair, Computer desk, procuser, conjugater)

Wo


## 8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-05	Management of Change Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-07	SWOT Analysis	HSE&QA Department	3 Years

NR







Zone		Department			Location		l Detail		
S. No	Hazard	What can go wrong	Existing Operational	F	Risk Priority	Date			
	(E.g. Wom out electrical cord)	(E.g. Electrical shock to any employee)	Control (E.g. Covered with plastic tape)	PROBABILITY (E.g. Likely)	CONSEQUENCE (E.g. Significant)	PRIORITY (E.g. High)	Additional Operational Controls (E.g. Isolate/Replace the wire)		
	,				J.J.	, ngn,			
	, 						,		
٠ . ا				<del></del> -	<del> </del>		•		
	i								
	1 5	٥							
· .	707						•		
	प्रार्थित								
					_	ļ	. ;		
Addition	al Comments (	16					·		
140111011	ai Conintents (	ir any);							
		4					•		
Na 0	Zonal I	ISE Team Leader				HIRA Te	eam		
vame &	Designation	Signature	S.	No Na	me & Designat		Signature		
				1					
			<b> </b>	2					
				3					

N





SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01


Issue Date: July, 2021

Zone	1	Department				Location	.		
Proce	ss / Operat	ion Description	on:(E.g. Power	Genera	ation)	Location			Date
S.No	Activity (E.g. Fuel Combustion)	Input (E.g. fvei, air)	Output (E.g. Hydrocai CO2, H <sub>2</sub> O, ( particulate ma	t roons,	Environmental a	ins)	Environmental impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/ Low)	Operational controls
	,	_	٠			·	•		
	,						· ·	· .	,
,.	W.,								
ddition	nal Commen	its (If any):	·						
	, ,				,				
	Zor	nai Team Lea	der	T			FAIA T		
ame & Designation Signature			e	S. N	S. No Name & Designation				
	٠.	. •		1			.011	Sign	nature
				2				<del></del>	
		<u> </u>		3					

NR

Integrated Management System







SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

Worl	k Permit Number (1	o be filled by i	SEAQAI:								
<u> </u>				Section	"A"						
	Department Na			Contrac	tor Details	Contact	Contact Name:				
	Responsible Person	Name:		(If Any):		Signatu			<del></del>		
i		Signatu	re:			Date & 7					
툍	Permit Valid From	Time:		Po-mit \	In the Line of the A	Time:					
뉥		Date:		Permit Valid Until Date:							
	Location of the Type of Work(s)										
to be filled by Executing Department	Hot Work   E   Hazardous ch   Working w   Excavation/ Other (Please r   Equipment/tools	emicals can be micals can be micals can be micals can be used to be used the association and the association and the association are micals and the association and the association are micals and the association are mi	Detail o	of Work							
* -	Procedure: Context, Following servic □ Eiectricity □ G	es to be i	Solated / lock	ementy:				-			
				Section	"B"	ندون است. * 12 گهره * متبلند، نام هنواند	a anima na mana a a a a a a a a a a a a a a a	and the or Declared Astrono	مراه المراجعة والمستنبط والمستنبط والمستنبط والمستنبط		
To be filled by Area	I authorize the tas should carry out w below.  Name	k / activity vork in cor		, · · · , <b>-</b> · · · · · · · · · · · · · · · · · · ·	entioned locat frements iden	ion for spe tified by H	cified tim SE&QA.I	e. Executing Department	Department in section 'C'		
F)	, Name	<del></del>	Designation Signature				Date and Time				
	The business of the second of	·		The second secon							
				Section '	"C"	distance of the second section	countries as being recognise	and the same of the contraction of	198 (c. p. 1984) i Agus Paris de Ser Rassa.		
	Vame		Design	ation	S	ignature	ı	Date	<del></del>		
To be fill HSE&(	Following controls PPE Required: □ Hard Hat □ Sa Shields □ Welding □ Others: Any additional op □ Fire Extinguishe	fety Shoe g Shields Jerational	s ☐ Cover all ☐ Safety Bett	Reflective J				the task/acti			
	the control of the co	or all and desire and all and and and and and and and and and and	of the property of the second control of	Annual Park, the second course of the park	officers of a process of the second	e in Park splens y and sale	V-7.70	a area and a	in the face of the control of the control of		
	Area Authority	<u> </u>	Section	"D" (Monito	ring & Closii	ng).					
work si	physically inspecte te and verified the onal controls are i	ed the	Executing Department I declare that the above task / activity has been carried out in compliance with the controls / requirements mentioned above.			- in	HSE&QA Department HSE&QA Observations during monitoring (If any):				
			The task / activity is now completed and site is safe for routine operations.  Any incident happened during execution:			71.	·				
	·	,	V T			close.	This work permit is now considered close.				
Name	Sign & Stamp	Date	Name	Sign & stamp	Date	Nam	e s	iign & stamp	Date		





## IMS FORM

SSGC-IMS/CRM-F-04

**Job Safety Analysis Form** 

Revision 01

Issue Date: July, 2021

Executing Dep	artment	·		<u> </u>	<del></del>			
Job/Activity:		y Details:	Zon	е	Date ;			
CODIT COLUMNY.	ACIIVII	y Details:						
•								
Location:								
			•					
PPE Required	•							
☐ Hard Hat ☐	Safetv Shoes □	Cover all  Reflec	ctive lackets 🗆 🗗	or Diver Ci Const	<i>(</i> ( = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 =			
400 0:::0:0,	a m A A GIONIO OUR		/ Harness ☐ Safe	ar Plug LI Ear Mi	Jffs ∐ Dust Mask			
	paratus 🗀 Ottie	5.		ny coggies in ha	na Gioves			
Any additional	l operational co	ntrols (If required ce □ Barrication □	i)		W .			
to the Change Late of the State	the control of the second section of the second	ce Li Barrication L		•				
S.No , Ster	os of field Activity	Potent	tial Hazards	Co	ontrols			
					<del></del>			
4.	·							
200					180			
14.								
	· · · · · · · · · · · · · · · · · · ·			•	·			
	<u> </u>							
			a .					
A - 11 - 1								
Activit	y Incharge / Su	pervisor	Head o	of Executing Dep	partment			
mentioned abov	y mat all ope /e.will he imple	rational controls, emented at each	authorize the	team to conduct t	the job. The team			
step of the job.	The team is train	ed to execute the	is adequately re	esourced to execu	ute the job safely.			
job and the equi	pment involved	n this activity are						
safe to operate.	T	·		•				
Designation	Designation Sign & Stamp		Name & Designation	Sign & Stamp	Date			
			3	1	<del> </del>			
	<u> </u>	.1	L	1				

MR

Integrated Management System \_\_\_





W.X.O.



# IMS FORM


## SSGC-IMS/CRM-F-05

# Management of Change

Revision 01

Issue Date: July, 2021

М	OC No:							Sees 1					
	Section A : De	escription of p	ropose	d change and potenti	al bar			Date i					
1.	THOC OWNER	į.		Location of Wo	ork:	arus							
	Expected Dura Work	tion of			OIK.								
١.		Type of Change											
le l	☐ Permanent	☐ Pipeline cons	truction 🗆	Physical structure/building	☐ New	or mo	dification	on in					
To be filled by MOC Owner	☐ Temporary ☐ Substance ☐ Other:												
Ιž	Detail of MOC/S	Detail of MOC/Scope of MOC: (Summarize the basis for the proposed change and any potential health,											
ed by	safety and envir	onment impacts	resulting	from the proposed chan	ge.)	arange.	and .	апу ро	tential nealth,				
≡			•										
Pé.	`[			•	-				we f				
2									•				
			•										
	The proposed of	hange is now s	ubmitte	d to Area Authority for	evalua	tion.							
ŀ	Name & De	esignation		Sign & Stamp				Date					
								Date					
<u> </u>	<u> </u>		1	•			•		•				
:,	Section B : Evaluation of the impact(s) related to the change												
*	Evaluation Crite	eria			nge	Yes	T &						
To be filled by Area Authority	Does the propos	ed change meet	all applic	able legal or other		1 05	No	C.	omments				
יסנ	requirements?				j								
=	All modifications	in the existing pr	ocess/ e	quipment are Environme	ntally								
Ġ	iviariageable and	Sare?											
Are.	Does the change	requires change	es in SSC	SC HSE Procedures									
5	Does the change	will affect the u	se of En	nergency response									
Ď	equipment of the	location							i				
Ĕ.	Does the change	requires any sp	ecialized	training for SSGC staff									
þe	The proposed of	hance is now a	OF YES	please provide details o	n a ser	parate	sheet						
္	Name & De	signation	upuuttec	to In charge HSE&QA	for au	thoriz	ation.						
· .		Signation	1	Sign & Stamp				Date					
	٠		İ										
_	Continuo O A	<del>}</del>											
⋖	Section C : Aut	norization for	change	to proceed									
2	Potential hazar	ed controls shou	ld be imp	plemented while execution	n of the	e job.							
S	Potential nazar	d/risk Risk	level	Proposed control		Resp	onsib	ility	Timeline				
Ŧ				· · · · · · · · · · · · · · · · · · ·									
2		<del></del>											
be filled by HSE&QA			<del></del>										
ě	Name& Des	ignation	<del></del>	Cian 2 Ctana									
2				Sign & Stamp	_			Date					
-			Í										
	<del></del>		!		1				1				





SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department **Context of the Organization** 

Issue Date: July, 2021

Procurement Dept.

## LIST OF INTERESTED PARTIES

External Interested Parties	Needs & Expectation			
Board Of Directors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR			
	Protect shareholders interest.			
	Ensure adherence / compliance to GOP / SECP guidelines.			
	Allocate resources to maximize revenue.			
	Follow best practices of corporate governance.			
	Ensure committee meetings are held as per plan.			
Ä	Financial benefits of the organization			
51 19 2 1 18 1 18 2	Avoidance of any fines / penalties.			
	Reputation enhancement.			
	Corporate Social Responsibility (CSR).			
	Enhanced corporate governance (CG).			
	Allocation of all resources to achieve quality goals.			
	Achievement of safe and healthy conditions in organization.			
	Commitment to quality, safety and health.			
	Be prepared to seek advices from industry experts as required.			
	No major accident at company premises.			
Management	Take policy decisions to increase revenue per employee.			
	Collins of the collin			

Integrated Management System

31

S. S.	
1.3	^
/	.o.
\	SO,

, ,
A
SSGC

SSGC-IMS/CRM-F-06

Revision 00

HSE&QA Department

# Context of the Organization

Issue Date: July, 2021

- Ensure that policy and related objectives are established.
  - Communicate clear roles to employees.
  - Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.
- Effective management of hazards, risks, incident, emergency, and injury.
- Workers engage and participation in all quality, environment, health and safety activities.
- Continued growth in quality and productivity.
- Effective controls on quality, health & safety issues.
- No major accident at workplace / safe working conditions for all employees.
- Develop positive quality and health & safety culture.
- Continuously improve quality, safety and health performance with review process.
- Well performed employees.
- Better staff retention and morale.

#### Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings.

OR

- Good and safe working conditions.
- \_\_Job security.

HandBook | February 2022

Dept.



SSGC-IMS/CRM-F-06

HSE&QA Department

# Context of the Organization

Revision 00


Issue Date: July, 2021

	<ul> <li>Training and development opportunities.</li> </ul>
	<ul> <li>Sustained reputation and image of company.</li> </ul>
-	Consultation.
	Communication and participation.
	No accident / injury / ill-health.
	Reward and recognitions.
	Opportunities for dialogue / improvement / changes.
Oli vie	Timely and fair provision of remuneration coupled with career progression.
Client/Customer	Timely provide high quality services, quick response on any complaint, follow all local laws and QH&S requirements.
	Uninterrupted gas supply.
	Customer facilitation.
	Quick response of queries & complaints.
	• Value for money.
. ,	No health and safety issue in product.
	<ul> <li>Prompt actions on quality, health and safety issues.</li> </ul>
,	Minimize the risk of injuries when receiving a services.
Supplied to	<ul> <li>Socially and environmentally responsible.</li> </ul>
Suppliers/Contractor	<ul> <li>Continuous orders, prompt payments as per agreed terms, good long terms working relationship.</li> </ul>
	Fair chance of participating in bid opening.
	Communication of hazards present at workplace.
	Timely payment.

Integrated Management System








	Transparency.
Trade Union & Worker Representative	Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
	Conducive and safe environment for work
· ·	Timely provision of information necessary for workers
	No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media management.
*	Patient and positive attitude.
	Effective communication.
Visitors	Safe entry and exit during stay at SSGC.
	<ul> <li>Communication of pertinent information.</li> </ul>
	Emergency response.
	Briefing necessary safety rules.
	Necessary PPE available.
	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
(	Emergency procedure in place and drilled.
	Regulatory compliance.





HSE&QA Department

## IMS Form

SSGC-IMS/CRM-F-06

**Context of the Organization** 

Revision 00

Issue Date: July, 2021

· · · · · · · · · · · · · · · · · · ·	·
	<ul> <li>Regular drills for flooding, spillage, site excavation and first aid etc.</li> <li>Availability of adequate resources.</li> </ul>
Utility Providers	
(Power/water/fuel, Telecom)	Prompt payment.
	Good Management.
Academic Institutes	Effective learning programs for employees.
·	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
0	Learning from SSGC.
Insurance Companies	No claims, risk management, prompt payment.
Banks	Financial performance, cash flow.
Neighborhood/Community/ Society	Safe working conditions.
Av	<ul> <li>Environment friendly operations.</li> </ul>
	<ul> <li>Contribute positivel to local environment and populations.</li> </ul>
·	<ul> <li>No complaint relating to noise, pollution, waste and employment.</li> </ul>
Share Holders	Minimize risk and losses.
	Increase market capitalization.
	Return on investment.
	Transparency.
	Rights are protected.
	Good dividend.
Federal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating

Integrated Management System

MR

Signouremen!





•
<b>9</b> :
<b>የየ</b> ርሲ
SSGC
• •
HSE&QA

Department

### **IMS Form**

**Context of the Organization** 

SSGC-IMS/CRM-F-06

Revision 00

Issue Date: July, 2021

	•
Third party auditors- Finance	Smooth data collection
T manoc	Better financial performance
	Effective communication
	On time response on queries
	No fraud or illegal acts detection
Certification bodies	Effective implementation of ISO standards with all relevant clauses in the organization
Creditor/Financial Institution	Repaid on time, good financial performance
Government/ Regulators (Local/Regional/Provincial/ National/International)	<ul> <li>Identified applicable statutory and regulatory requirements for Quality and health &amp; safety.</li> </ul>
	Prompt responses in case of any non-conformance.
**	Proper investigation on uncontrollable.
	<ul> <li>Implementation of safe policy in the field of occupational safety.</li> </ul>

directives.



Fulfill the requirements of all applicable laws, rules, regulation, orders, guidelines, interpretations and

HSE&QA Department

# IMS Form

SSGC-IMS/CRM-F-07

Revision 00

Issue Date: July, 2021

# **SWOT Analysis**

and the same of th	
POSITIVE	
STRENGTHS	WEAKNESSES
Having vast experience of Transmission and Distribution of Natural gas.	Complex distribution network leading to
Infrastructure available in two provinces.	Substantial resources required for up
Highly competent human resource.	gradation.  Lack of succession planning.
Certified to international standards.	Takes extra time to implement all
Sole Motor	requirements because of big size of the organization.
Sole Meter manufacturing plant in Pakistan.  Serving the nation since decades.	High price.
Positive image of the company is also also	Government new rules implementation.  Resource transfers.
established in the Society.	resource nansiers.
OPPORTUNITIES  Monopolistic market.	THREATS
	Depleting natural gas.
Over 2.8 million customers.	Customers may turn to renewable energy sources.
nport of LNG.	High cost.
uge infrastructure of Transmission and istribution to connect new customers.	Gas theft and leakages resulting in huge loses.
eduction in the lead time to facilitate mplainant.	Change in Government policies.
vancement and use of latest technology to ntrol the system will create more ectiveness.	Criminals threats on security.
	inern

Integrated Management System —



### 1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.


#### 2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

#### 3. DEFINITION

- a. Incident: Work-related event(s) in which an injury or ill health or property damage (regardless of severity) or fatality occurred, or could have occurred.
- b. Accident: An incident in which an injury or illness or property damage actually occurs.
- c. Near Miss: A Near Miss is an unplanned event that did not result in an injury or property damage, but had the potential to do so.
- d. CPR: Cardiopulmonary resuscitation .
- Emergency: An emergency is a situation that poses an immediate risk to health, life, property, or environment.






Near Miss





### INCIDENT / ACCIDENT LOSSES



MR

Integrated Management System

### 4. PROCEDURE

# 4.1. Incident Classification Table

Incident Type	Classification	Actions to be taken	Responsibilities	Record
<ul> <li>Major fire</li> <li>Major gas leakage</li> <li>Explosion</li> <li>Bomb blast</li> <li>Vehicular accident</li> <li>Significant asset / human loss due to any untoward situation</li> </ul>		Inform respective departmental head/incharge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has	
		Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
natural disaster, damage or		Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed	
theft of asset / property .having an -estimated amount of more than Rs. 30,000 Injury/illness serious enough to result in two off workdays.	theft of asset / property -having an estimated amount of more than	Report the incident using incident notification form via web portal to in-charge HSE&QA immediately (or within 24 hours) after the occurrence of incident.	Zonal HSE Team !eader.	SSGC- IMS/IAM -F-01
		working days after receiving incident notification form. Additional days may also be required depending upon	HSE&QA	SSGC- IMS/IAM -F-02
		report with all concerned for necessary corrective /	HSE&QA	• .
		incident data base using online web portal and will share the information with all concerned to avoid	HSE&QA	
	[ F	Preventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report	
	ollow-up to verify the mplementation of ecommended			
	Major gas leakage Explosion Bomb blast Vehicular accident Significant asset / human loss due to any untoward situation including natural disaster, damage or theft of asset / property having an estimated amount of more than Rs. 30,000 Injury/illness serious enough to result in two	leakage Explosion Bomb blast Vehicular accident Significant asset / human loss due to any untoward situation including natural disaster, damage or theft of asset / property having an estimated amount of more than Rs. 30,000 Injury/illness serious enough to result in two off workdays.	Major gas leakage Explosion Bomb blast Vehicular accident Significant asset / human loss due to any untoward situation including natural disaster, damage or theft of asset / property .having an estimated amount of more than Rs. 30,000 Injury/illness senious enough to result in two off workdays.  Major gas leakage Explosion Bomb blast Vehicular accident Significant asset / human loss due to any untoward situation including natural disaster, damage or theft of asset / property .having an estimated estimated estimated incomplete the investigation report via web portal to in-charge HSE&QA immediately (or within 24 hours) after the occurrence of incident.  HSE&QA will complete the investigation report via web portal within seven working days after receiving incident notification form. Additional days may also be required depending upon the criticality of investigation.  HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.  Implement Corrective / Preventive action.  Follow-up to verify the implementation of	Major gas leakage Explosion Bomb blast Vehicular accident Significant asset / human loss due to any untoward situation including natural disasfer, damage or theft of asset / property having an estimated amount of more than Rs. 30,000 fluing an estimated amount of more than Rs. 30,000 senough to result in two off workdays.  Major gas  Inform respective departmental head/incharge and immediately call local rescue departments, such as Fire Brigade. Bomb Disposal Squad etc. Thus, whichever is necessary.  Security department in case within SSGC premises, Siter Zonal HSE team leader in case it is outside the SSGC premises.  Provide Help/Support to the victims such as First Aid or CPR if needed.  Report the incident using incident notification form via web portal to in-charge HSE&QA immediately (or within 24 hours) after the occurrence of incident.  HSE&QA will complete the investigation report via web portal within seven working days after receiving incident notification form.  Additional days may also be required depending upon the criticality of investigation  HSE&QA will share the report with all concerned for necessary corrective / preventive actions.  HSE&QA will maintain incident data base using online web portal and will share the information with all concerned to avoid reoccurrence.  Implement Corrective / Preventive action.  Follow-up to verify the implementation of

- HandBook | February 20

Procurement Dept. Dept.

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
-	Minor Injuries     where only     basic first Aid     or less than		Inform respective departmental head / in-charge.	Anyone who has witnessed or received the initial information about the incident.	
2	two off days provided to the victim.  Minor Vehicular accidents	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
where there is no significant injury or loss.		HSE&QA will share the information with all concerned to avoid reoccurrence.	HSE&QA		
<b>3</b>	Any Near     Miss     Occurred /     Observed.		Report the Near Miss using online Near Miss Notification Form via web portal. Enter details as mentioned on the form attach evidence (if any) and submit.	Ali Employees	SSGC- IMS/IAM -F-03

### 4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset damage etc. will be considered as accidents and will be reported through online Incident Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.


MR

40 Secont emerged Dept.


### 4.3. Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:

- a. Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- a. Determination of root cause using any suitable method like tripod analysis etc.
- b. Investigation will be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- c. When indicated by the severity of the incident, steps to secure the incident site must be initiated immediately to ensure that investigating party can reconstruct the events releading to the incident.
- d. Individual interviews will be conducted with each person present at the time of the incident. The following rules are followed for interviews with all individuals:
  - 1. The witnesses should be interviewed promptly, separately and privately.
  - 2. The interviewer should avoid questions that give a yes or no answer.
  - 3. After the interview, the interviewer should document any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:
  - 1. The investigator or investigating team must focus on getting accurate and complete information.
  - 2. Facts must be separated from opinions, and direct evidence from circumstantial evidence.
    - 3. Each concern identified in the investigation must be fully addressed.
- f. Upon completion of the investigation, the team will fill and submit the Online Incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background Information, Root Cause Analysis, Conclusion and Recommended Corrective / Preventive Actions.
- g. In all cases, the Incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- j. It is responsibility of the Zonal HSE Team Leader to:





- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

### 4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be updated including controls, risk level, likelihood etc.

### 4.5. Data Analysis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during management review meetings to seek advice and to discuss the effectiveness of measures / actions implemented.

### 5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention. Period	
SSGC-IMS/IAM-F-01	Incident Notification Form	In-charge HSE&QA / Zonal HSE Team Leader	3 Years	
SSGC-IMS/IAM-F-02	Incident Investigation Form	In-charge HSE&QA / Zonal HSE Team Leader	5 Years	
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In-charge HSE&QA / Zonal HSE Team Leader	3 Years	



Integrated Management System

42

:= ::.



## **IMS FORM**

SSGC-IMS/IAM-F-01

**Incident Notification Form** 

Revision 01

Issue Date: Aug, 2021

	Date:		Time:				Report No.		
	Reported b	y:	<del></del>		· ·		(To be filled by HSELQA)		
	Location:								
	SSGC Prer	nises		Outside St	SGC Premi	ises			
	Location De	etails:			_				
	Responsib	ie Zone		•	Zonal HS	E Tea	m Leader		
	Region								
	Particulars Serial No	of Affecte				Deta	ils of Affected Asse	et //famul	
			1	2	3			70 (1.1 41.13)	•
•	Name(s)					<u> </u>			
	Employee it	O(s) .			<del></del>	1			
•	Designation				<u> </u>				
		Permanent	-		1				
		Contractual	<u> </u>	<u> </u>	1		·		
-	Type of Employment	Contractor	<u> </u>					٠ .	
		Visitor							
		Other							
ı	Age	Ou isi		<u> </u>				•	
Ĺ	· · · · · · · · · · · · · · · · · · ·							•	
	ote: For further		nal page may b	e used)					•
	cident Typ				, <i>'</i>			•	
Fi	re Exp	losion V	ehicular Act	cident As	set Damag	e 🔲	Work Related Injury		
	ien [ Sab	otage     N	latural Disas	iter 🔲 G	as Leakage		Other:		
	cident Con		s:				<del></del>	لـــــــا	
Fa	tality SSGC Other	Hospi	talization	Asset Dan	nage Fi	rst Aic	I Other		
In	cident Clas	ட். sification:							•
		Minor 🗍	Near Mis	s	•		•		
Inc	cident Deta	-		~				•	
				· · · · ·	··				
				•					/sx
		. —							//- <u>-</u> // Pr

W. The second second

Procurement Dept.



Incident Date
Investigated by

Incident Notification Form Ref. No.

### **IMS FORM**

SSGC-IMS/IAM-F-02

**Incident Investigation Form** 

Incident Detail (Brief)

Revision 01

Issue Date: Aug, 2021

BACKGROUND INFORMATION:		
·		
ROOT CAUSE ANALYSIS:		
·		
CONCLUSION:		
•		
	•	
RECOMMENDATION OF CORRECTIVE AND PRE	PATIVE ACTIONS	
	ERMIC ACTIONS	
Recommended Actions	Action by (whom)	Action till
	Action by (whom)	(date)
1,	· · · · · · · · · · · · · · · · · · ·	
2.		
,		
3.		
		•
4.		
Is risk assessment required for the corrective actions? If yes, please mention		
recommended actions:	the senal numbers for	the
		<del></del>
Incharge HSE&QA		——————————————————————————————————————
NOTE:		
		1
<ol> <li>Please include sketch / photo where ever required to explain the accident scene / conditions</li> </ol>		
<ol> <li>Please include sketch / photo where ever required to explain the accident scene / conditions</li> <li>Additional pages can be used for mentioning other details</li> <li>Transmission/Distribution department must submit the quantity of gas loss in case of any gas</li> </ol>		

tegrated Management System

44

apsi i minima i



## **IMS FORM**

SSGC-IMS/IAM-F-03

SSGC HSE&QA Department


Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Category/Type:	☐ Unsafe Act ☐ Unsafe Condition
Name:	The desirable regions are selected as a finite control of the cont
Executive / Employee No.:	
Designation:	The state of the s
Department	to the second of
Location / Area:	The state of the s
lear Miss Detail:	And care of a manufacture of adultification of the care of the car
Date:	
line:	Separated to the second
ocation:	The state of the s
ear ନିଷିତ୍ର Related To:	Leakage
V * Y 547 Hydriannanhain new William	☐ Physical ☐ Other ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
ief description of what u saw! (max. 100 words):	
tach Picture:	Choose File No file chosen










#### 1. PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage risks arising from such situations are exercised.

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- a. Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- b. Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- c. Define mechanism and frequency to test plan so as to ensure preparedness and effectiveness of emergency response system.



#### 2. SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency site. Due to variations in nature of operations, various departments/sections have developed their own ER Plans catering for their strategic, operational and physical requirements. The same includes HSE emergencies arising from company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations, major environmental damage, external terror or bomb threats, public unrest, war and etc.

#### 3. DEFINITIONS

- a. Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines, vital installations and other assets.
- b. Rescue: It refers to responsive operations that usually involve the saving of life or prevention of injury during an incident or dangerous situation.
- c. Emergency Response Organization (ERO): It is a group of people, in each section (such as HO, Headquarters etc.), who prepare for and respond to any emergency incident, such as a natural disaster or an interruption of business operations.
- d. Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency situations. All emergencies are to be reported here.
- e. First Aid: It is the provision of initial care for an illness or injury. It is usually performed by non-expert, but trained personnel to a sick or injured person until definitive medical treatment can be accessed.
- f. Assembly Areas: If an evacuation to the outside is appropriate, the nominated assembly areas for personnel shall be far enough away from the building, structure or workplace to ensure that, where practicable, everyone is protected from falling glass and other objects.
- g.. Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

#### 4. RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- c. Call the fire brigade & other emergency services like ambulances if required.
- d. Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- e. Inform all to go back to their work places using megaphone or any other suitable means when the situation comes under control and the area is free from any hazard.



- HandBook | February 2022 🐫

### **PROCEDURE**

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are lis ted below. Sequence of actions for any response specified on each section's ER plan may change depending

### **Emergency Considerations**

The following areas of needs to be given consideration while identifying potential emergency situation but the Fire & Explosion

- Heavy Spillage of Toxic/flammable chemicals or leakage of gas
- Heavy rain/ flood
- Earth quake
- Bomb threat
- Building & office lockdown/shelter in place
- Active shooter/hostage situation

### 6.1. Fire & Explosion

In case of fire & explosion each personnel present within the premises must act as per but not limited to the following instructions:

- Give voice alarm FIRE! In case of fire for all immediate employees in the area. h
- Push the nearest located call point button in case of fire (if present).
- Immediately inform Emergency Response Organization through phone d.
- Try to control the fire by using fire extinguishers. Use fire extinguisher only if you have been trained.
- Remove all explosive, inflammable and poisonous materials away to the maximum possibility. f.
- Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable.
- Report to the designated Assembly Point away from the scene of fire / explosion if asked by Emergency Response Organization through emergency exits and wait for the further instructions.

# 6.2. Heavy spillage of toxic/flammable chemicals or leakage of gas

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each personnel present within the premises must act as per but not limited to following instructions:

- Immediately inform Emergency Response Organization through phone or in person. b.
- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas. C.
- Turn off gas supply from nearest control valve.
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be d. taken to ventilate the gas. Ensure the availability of fire extinguishers. Stop leaks if this can be done without having any risk. e.
- f. Do not touch or walk through spilled material.
- Prevent entry into waterways, sewers or confined space. g.
- h. If available wear the Personal Protective Equipment recommended.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions

Integrated Management System







In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but not limited to the following instructions:

- Try to stop water by keeping sand bags.
- Protect building, machines, equipment, tools, parts & material.
- c. Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:


- a. Ensure no material is placed outside in open area which may be affected by rain.
- b. Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be accessible in case of any emergency.
- c. Sufficient quantity of tarpaulin and rain suit is available to meet the rainy condition.
- d. Keep the drain line open all the time.
- e. All pumps used for draining out the rainy water are in running condition.
- f. Sufficient quantity of sand bags is available to stop entering the water inside, which may be placed in advance if required.

		CLASSES OF FIR	
Class	Material	Examples	Type of Fire Extinguisher to be used
A .	Soilds	Paper, wood plastic, etc.	Water
В	Flammable Liquids	Paraffin, petrol, oil, etc.	CO2     Dry Powder
::C	Flammable Gases	Propane, butane, methane, etc.	Dry powder
Ď	Metals	Aluminum, magnesium, titanium, etc.	Sodium chloride based dry powder fire extinguisher
E	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	CO2 Fire Extinguisher
F	Cooking Oil & Fat	Animal fat, etc.	<ul> <li>Dry chemical based: Potassium bicarbonate</li> <li>Wet: Fine chemical mist</li> </ul>

### 6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen.
- c. Shut off all switches and valves of main supplies of gas and electricity. (If possible)
- Maintain your senses, do not let them disperse.
- e. Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires.
- f. Stay away from loosely hanging objects that may fall after initial shock and tremors.
- g. Wait for further instructions from Emergency Response Organization.
- h. ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- The Bomb Disposal Department shall be allowed to operate in the company premises as deemed f.
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by

### 6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following

- Immediately inform Emergency Response Organization through phone or in person.
- Maintain your senses, do not let them disperse. b.
- Report to the designated Assembly Point-if asked by Emergency Response Organization through emergency d.
- Bomb Disposal Department shall be called by Emergency Response Organization.
- The Bomb Disposal Department shall be allowed to operate in the company premises as deemed appropriate. f.
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by

# 6.6. Building or Office Lockdown/shelter-in-place

If a situation calls for building or office lockdown, the personnel present within premises should act as per but not limited to following instructions:

- Remain calm and stay with your colleagues.
- b. Try to stay in pairs.
- Do not leave the room and/or building under a lockdown situation until asked otherwise.
- Keep quiet and away from doors and windows.
- If a gunshot is heard, lay down on the floor and shield under/behind furniture as much as possible.

### Take care:

Don't try to be a hero in emergency situations; do not place your own life or health or that of others in danger Be prepared for

unexpected!

# 6.7. Active Shooter/Hostage Situation

In case of shooter/hostage situation each personnel present within the premises must act as per but not limited to

- a... If it is safe to do so, exit the building; if not, lock or barricade yourself inside a room.
- Turn off lights, cover and lock the windows, and lay on the floor.
- c. ) If the shooter(s) leave the area, go to a safer place, if possible. Have an escape route/plan in mind, keep your hands open and visible, and follow any instructions given by law enforcement.
- Call the Police/Rangers when it is safe to do so. Remain calm, use a quiet voice, and provide as much information as possible (your name and location, details about the shooter(s) - appearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen and try to pinpoint the location.
- Cooperate and negotiate with the shooter, in order to buy as much time as possible until the rescue team

### **EMERGENCY NUMBERS**

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken Fire brigade/civil defense or equivalent.

- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.

Integrated Management System





#### 8. EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you.
- b. Leave the building/premises immediately, do not try to investigate the source of the emergency.
- c. Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- e. Assist people with special needs.
- f. As you make your way out, encourage those you encounter to exit as well.

### 9. THINGS TO BE EVACUATED

In case of emergency, evacuation should be carried in the following order:

#### 9.1. Personnel

Those personnel who do not have sound health such as patients of Heart, Asthma and physically/mentally disabled people are to be evacuated on priority basis.

#### 9.2. Raw Material

Raw material which is explosive, inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to carry must also be removed.

#### 9.3. Documents

Important records and files must also be removed.

### 9.4. Equipment


Cash Lockers, Computer Sets, External Hard-drives, Expensive Tools and Fixtures must also be removed.

### 10. TESTING AND EXERCISES

Testing and exercise of the emergency response plan should be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The record and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible to periodically conduct the exercise. The frequency and type of drill at each location should be as below:

Location	Type of Emergency Drill	Frequency
<ul><li>a. Head Office</li><li>b. Regional Offices</li><li>c. Billing Offices</li><li>d. P&amp;C Offices</li><li>e. Store (all locations)</li></ul>	Evacuation and Mock Emergency Drill (all employees)	Six Monthly
f. KT (Transmission) g. Distribution (Zonal and Sub-zonal offices)	Fire Fighting Drill by Emergency Response Team	Six Monthly



Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response Team	Quarterly
Headquarter Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
	Fire Fighting Drill by Emergency Response Team	Monthly

# 11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSE team leaders ensure that emergency detection and response equipment are identified, available and properly maintained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of ER Equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment Form (SSGC-IMS/ERP-F-02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge HSE&QA as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular location/operation/equipment/installation etc. The response equipment usually include but are not limited to:

- Fire hydrant/hose/bucket/water pump.
- Smoke/gas detectors. C.
- Communication equipment. (Mega phones, Alarm systems, walkie-talkie etc.) d.
- e.

1191

- ER vehicles/Ambulance.
- Breathing apparatus. g.
- Emergency lights.
- Hammer/Axe/shovel/ropes etc.

Frequency of inspection and monitoring of ER Equipment will be as per table given below. However, if situation warrants, this frequency can be changed on the instructions of In-charge HSE&QA or Zonal HSE team leader.

a. Head Quarter Stations		Frequency
h Mat I de Cualter Stations		
b. Meter Manufacturing Plant		
c. K.T (Transmission)		Monthly
a. Head Office		•
b. Regional Offices		
c. Billing Offices		• •••
d. P&C Offices		Quarterty
e. Store (all locations)		Quarterly
f. Distribution (Zonal and Sub-zonal offices)	į	•

## 12. DOCUMENTED INFORMATION:

Record No	Record Name	Maintained by	Retention	
SSGC-IMS/ERP-F-01	Emergency Drill Form	HSE&QA Department	Period 3 Years	
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	HSE&QA Department	3 Years	

Integrated Management System











# IMS FORM

SSGC-IMS/ERP-F-01

# Emergency Drill Form

Revision 01

Issue Date: Aug, 2021

				<u> </u>			· · · · · · · · · · · · · · · · · · ·
Zone		Region		Location		- Date	
Type	Of Emergency Drill			<del></del>	<del></del>	<del></del>	
□ Fir	e and Explosion D He	avv spillage o	of toxic/flamm:	hle chemicale	· "		
□Во	mb Threat D Other:	, sp.mage c		able chemicals	o ⊔ ⊓eavy	gas leakage 🗆 E	arthquake
<u> </u>	The Cart D Carton .				<u> </u>	*	
S.No	7	1_41		rvations			
1	Emergency Siren ra	ription.	Tin	ne		Comments	
2	Evacuation started						
			<u> </u>		٠.,		
3	Last person reache point	o at the assen	nbly				
4	Firefighting/Bomb d	isposal squad	/other			·	·
	interested party rea	ched at site	;		• • 50	•	•
5	Emergency under c	ontrol at			<del></del>		<del></del>
Total	time of Drill (minute	s):		<u>'</u>			
Addit	ional Observations (	If any):					
					•		•
	,	.*				e e e e e e e e e e e e e e e e e e e	
S.No	1 1				:		2201
1			Assess		• •		. Yes. No
2	Emergency respond	ers were pres	ent at the site	<u> </u>	· ·		1:
3	Employee were prop				·		.
4	Behavior of employe	es was satisfa	actory		•	•	
5	Evacuation route wa			<u> </u>			
6	SSGC firefighters we	re well trained	<u> </u>				
7	Firefighting equipme	nt were up to	the mark				T
	Response of the med	dical staff was	satisfactory		•	•	
Overa	I Assessment:			•	Satisfac	tory  Unsat	isfactory
S.No	Correcti	ve Actions/in	nprovements	Required		Responsibility	7 7
							- arget Date
	•						
			· · · · · · · · · · · · · · · · · · ·				+
	Security Services	Representa	tive	A STATE OF THE STATE OF THE STATE OF	HSF&C	A Representati	10
	Name	· · · · · · · · · · · · · · · · · · ·	ature	NI-		<del></del>	
		Oign		i Na	me	Sigr	ature
				<del></del>			









# IMS FORM

SSGC-IMS/ERP-F-02

# Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

Zon		Region					Date.	Aug,
Тур	e Of Equipme	-4		Locat	ion			
	Fire Extinguisher   Fire Hydrant/Water Pump/Buckets/Hose   Ambulance   First Aid Box   Communication Equipment   Ot						Date	
□ Ar	nbulance 🗆 F	rst Aid Box r	Commercial Pur	mp/Buckets/Hose ເ	□ Smoke	/Gas Deta		
-			Communicat	ion Equipment 🛭 C	ther:	OGO DELE	Emergency ligh	it
S.No			-	CHECKLIST				
Fire !	xtinguisher		hat to check		Yes	No		
01	Fire extingu	shers are in	operable cond		103	140	Comments	
100	expired.		oberanie coud	ition and not	1			
	UZ Pipe and nozzle do not have asset							
03	rever and le	/er pin are in	Diago					
04			ny visible and a	Ked.				
Fire H	ydrant/Hose/	Bucket	ly visible and a	accessible.		<del></del>		
101	No leakage in	fire hydrant	Eveter					
02	r yorani valve	S are prope-						
03	Hose pipe is r	olled and or	pperly placed.	nd operational.	1			
	attached at the		Puly Placed.	NOZZIES are	++			
04	rire buckets a	re maintaine	a and adequat	plu Ell		.		
First Ai	d Roy		- Cocquat	ery filled with		<del></del>		
01 /	All necessarie							
E	ox.	ednited Wed	icines are avai	llable in First Aid	<del>, , , , , , , , , , , , , , , , , , , </del>			
_ UZ   1V	redicines are.	Of expired	nd valid for use					
								- 1
01 A	larms and Sm	oke/gas dote	od -		<del></del> .			
ther E	uipment (if a	ny)	ctors are prop	erly functioning.				
<u>u i                                   </u>								
02						T-	and the second second	
No						<del></del>		
		Obser	vations					
1   .					_	Recor	nmendations	
2								
								7
distant d	·							-
mona! (	Comments (If a	iny):						٦.
•								
			_				,	7
- 08	curity Service	s Represer	ntative					- 1
vame &	Designation		ignature		HSE&Q	A Repres	entative	
		+	3.101016	Name & De	esignatio			_
•							Signature	1
					•			7
						1		1
						<del>!</del>		

Integrated Management System -

MR

Procurement Dept.

55



#### 1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and quality of goods/services provided.

#### 2. SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

#### 3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs agreed with SSGC.
- b. Supplier: Is an independent employer/organization that is responsible to provide goods or services.
- c. Contract coordinator: Is an executive of SSGC procurement department, who has been delegated/given responsibility and authority from the head of department to initiate and maintain the contract.
- d. NEQS: National Environmental Quality Standards.
- e. SEPA: Sindh Environmental Protection Agency.

#### 4. RESPONSIBILITIES

#### 4.1 Suppliers/Contractors and Sub Contractors

- a. The contractor must take all necessary safety precautions related to the performance of the contract in order to protect the work site. including all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safety and well-being of their employees.
- c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors who have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequately trained to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC policies, procedures and applicable legal and regulatory requirements.
- f. The contractor shall adhere to set standards and requirements for environmental protection.

#### 4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

#### 4.3 HSE&QA Department

- In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

NR.

- HandBook | February 2022



#### 5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify
- e. The contractor/supplier shall educate and adequately train their employees in order to understand
- f. Supplier shall adhere to technical specifications provided by SSGC to ensure quality of goods
- g. The contractor shall perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HSE&QA department to seek guidance and awareness on risk/hazards related to activity and its possible controls.
- h. The contract is liable to understand and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please refer to risk assessment and management procedure (SSGC-IMS/CRM-02).
- The contractors are responsible to dispose of any waste generated during their activities in an
- The contractors must ensure that only trained individuals meeting necessary requirements/skills will
- k. Any equipment used by contractor during the project must not pose any environmental and/or safety concerns, and should be in accordance with SSGC's safety procedures and NEQS and SEPA set standards.
- Any identified hazards discovered by the contractor that is beyond their ability and/or responsibility to fix must be immediately reported to the contract coordinator and HSE&QA department in writing.
- m. The contractors must ensure that the workforce involved must be physically fit and should not carry any contagious disease. SSGC reserves the right to ask for medical examination/tests of any employee. Contractor will bear all expenses incurred during the medical examination/tests.
- n. For contracts related to providing food services/canteen services, medical reports from accredited labs must be submitted to head of administration services department for entire crew once the contract is awarded and annually for following diseases hepatitis B & C, tuberculosis, and chest
- o. In case of violations from SSGC safety standards/policies/procedures, actions will be taken to penalize the contractor depending on the severity/recurrence of breaches, as per following matrix:

S NO#	Violation	Action
1	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	•
3	Single Major Non-Compliance	The state of the s
4	Multiple Major Non-Compliance	Written warning / Stop the work on site Written warning / Financial penalization, discontinuation of contract

Integrated Management System

Procurement Dept.



#### 6. ACCESS

- a. Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from
- e. Contractor employees must stay in their assigned area(s) at the job site and not visit other areas or make any adjustments to any piece of equipment or device unless authorized to do so by an authorized SSGC representative. Failure to abide by this work rule will result in immediate dismissal from the facility and including prosecution.
- Each zone maintains secure work areas with limited access at all times. No one is permitted to override any security device for convenience. If access to a secured area is required contact the SSGC representative for authorization. At no time should contractor or subcontractor employees enter the area without prior authorization.
- g. Any work not performed during normal business hours must be approved in advance by the SSGC
- h. All contractor employees will go through contractor safety/induction training upon initial work at So and annually thereafter. A copy of authorized (current) personnel for contractors will be updated and

# 6.1 Tools and Property

- For any situation in which the Contractors activity may endanger product quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments, shavings or dirt in exposed product of manufacturing equipment areas, approval must be made through the SSGC representative and conditionally approved by the ZTL or representative before work is to commence. The Contractor must abide by conditions established by the Zonal Team Leader or representative to protect the equipment.
- b. Soliciting, selling of any merchandise, gambling or distribution of literature for any cause is forbidden on
- c. Use of company telephones is restricted, unless prior approval is attained from the SSGC representative.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- e. Cameras of any kind are not permitted in SSGC/ work site unless prior written approval is attained from f.
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.

- HandBook | February 2022 117





- h. Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

# 6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as
- Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination or adulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).
- c. Appropriate PPEs must be worn by all personnel, including dress as appropriate. Contractor is responsible to
- Proper clothing must be worn at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are safety and contamination hazards and are not to be worn in working areas.
- Persons with suspected communicable diseases, respiratory infections, infected open cuts, sores or skin abrasions will not be permitted to work in any area that could result in contamination of SSGC personnel.
- The use of tobacco in any form is prohibited at all times except in the designated Smoking areas.
- g. Chewing gum, candy, storing lunches, eating or drinking beverages are not permitted in or adjacent to the SSGC premises and storage areas. There will be a designated area for contractors to eat. (Cafeteria)
- In the event that there are open tanks, or exposed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the possibility of any foreign material. (This shall include: grinding, cutting, core drilling, masonry work, jack hammering, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, chips or other debris may be generated.)
- i. The use of containers, boxes, cans, jugs etc., for holding or storing parts, lubricants, solvents or construction material is strictly prohibited.
  - The contractor is responsible to notify the SSGC representative immediately if foreign material used or generated by the contractor's activity, was accidentally spill into the zone area/ SSGC premises.
  - Contractor will follow 'Spill Response Procedure' of SSGC in case of any spill occurred.

# 7. CONTRACTOR SAFETY REQUIREMENTS

# 7.1 General Safety Rules

- All applicable Occupational Safety and Environmental regulations must be followed.
- Contractors shall supply to their personnel and to the SSGC representative: emergency contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to their on-site work.
- c. Contractors shall provide the SSGC representative with a current copy of their Safety Program including: Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (if applicable) and d.
- The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.
- Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be worn at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockout system to ensure compliance.

Integrated Management System

ern Ga Procurement Dept.

- g. Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the
- h. Materials, tools, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- k. Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or
- All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in the hazardous area involved.
- n. Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- All compressed gas cylinders must be supported and secured standing upright according to Pakistan standards. When hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks whether empty or full. Acetylene cylinders, when in use must have a wrench in place.
- p. Areas where overhead hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation projects, night lights shall be provided by the contractor.
- In the event an oil, gas, vapor or other harmful volatile release is caused or discovered, the contractor and/or his employees shall report it at once to the nearest SSGC office and request for further actions immediately. Vehicles in Zone are required to adhere to the declared speed limit.
- s. Any contractor, contractor employee or subcontractor violating Zone area safety or security rules shall be subject to immediate dismissal.


## 7.2 Accident Reporting

- a. Accidents occurring in Zone jurisdiction must be reported immediately to the SSGC representative.
- b. In the event of a fire, medical or other emergency, contractors are required to notify zone security or the SSGC representative immediately. When providing notification give all pertinent information, including your SSGC, location, and emergency situation involved.
- c. All contractor injuries requiring medical assistance beyond basic first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor Accident Investigation Form). This report must be submitted to the SSGC representative for forwarding to the HSE& QA Department.
- d. All contractors and subcontractors must maintain their own OH&S required document/record

## 7.3 Confined Space Entry

- The SSGC representative will notify the Contractor prior to being hired, if the work will involve entry into confined spaces. The form included in documents will be used to make this notification.
- b. All Contractors who conduct confined space entries must adhere to the SSGC confined space entry
- c. At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- f. All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA

Integrated Management System.





## 7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements. C.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and derricks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safely operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative
- f. In the event that overhead work must occur in locations within the Zone where high voltage, overhead power lines are located, all cranes and overhead lifting devices must maintain a 10-foot dearance. In the event proper clearance cannot be maintained, the power lines are to be de-energized and locked out prior to performing work. In the event the lines must be de-energized, prior approval must be given by the SSGC

# 7.5 Hazardous Energy Control (Lockout) Procedures

- All contractors, contractor employees and subcontractors must comply with the SSGC Energy Control
- In the event that a contractor, contractor employee or subcontractor servicing or entering a piece of machinery where the danger of injury exists from unexpected energizing of the equipment or unexpected release of stored energy, the contractor or contract employee must disconnect the source of energy and lock/tag out this equipment before beginning work.
- In the event that SSGC employees or other unknown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize the equipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC representative or remove LO/TO without communicating to all affected associates.
- Contractors are required to supply their own lockout locks, tags and hasps.
- e. In the event that a contractor or subcontractor has de-energized and locked out a piece of equipment, the equipment specific lockout procedure must be adhered to. A contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedures from the SSGC representative.
- The lockout tag used by the contractor must have the contractor's phone number and a person name, SSGC to be contacted concerning the lockout.

# 7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- b. The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited.
- Misuse of SSGC material, equipment or products is prohibited.
- "The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- All contractors, contractor employees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



HandBook | February 2022



hern Ga

Procurement Dept.

#### 7.7 Hazard Communication

- a. Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
- Provide the SSGC representative with a listing of all hazardous chemicals.
- ii. Properly label all containers, adhering to SSGC labeling requirements.
- iii. Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- b. The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, contractor employees, or subcontractors will come in contact with during the work on Zone property.
- c. At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas with the Company representative.
- d. When the use or storage of explosives or other hazardous materials or equipment is necessary for the execution of the work, the Contractor shall exercise the utmost care and shall carry on such activities under the supervision of properly qualified personnel and in conformance with all applicable Zone Requirements and local environmental and safety regulations.
- e. The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their employees of all hazardous substances in use at the job site and of the appropriate safety procedures and policies.

#### 7.8 Emergency Procedures

- a. In the event of a fire, medical or other emergency, Contractors are required to notify zone security or the SSGC representative immediately. Tell the security personnel the location of the fire and any other pertinent information. In the event that Zone security or SSGC representative cannot be reached, evacuate the area and call area/city emergency department as soon as possible.
- b. All contractors, contractor employees and subcontractors are required to follow the predetermined exit routes and emergency evacuation procedures posted at the facility.
- c: All contractors, contractor employees and subcontractors are required to exit the work area/building in the event of emergency alarm activation or if instructed to by an SSGC representative. In the event of an evacuation, contractors are required to go directly to the employee staging area located at guard shack.

# 7.9 Gasoline and Propane Powered Equipment

- a. Contractors are required to inform the SSGC representative of any propane or gasoline powered equipment that is to be used indoors.
- b. SSGC Management discourages the use of internal combustion engines indoors, and will only permit it when no reasonable alternative means are available to complete the iob.

# 7.10 Temporary Electrical Connections

- a. All wiring & electrical installations are expected to follow National Electric Code practices.
- b. All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- c. Electrical outlets for portable power tools not a part of permanent wiring of the building should have ground-fault circuit interrupters (GFCI).

integrated Management System

Det -

# 7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot
- the SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the b. necessary precautions have been taken. C.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC representative will issue a new permit. d.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been made and return the signed permit to the SSGC representative.

# 7.12 Ladders and Scaffolding

- All ladders belonging to the contractor must be labeled with the contractor's SSGC and possess safety feet and meet SSGC Work at Height Requirements. b.
- All ladders used on Zone property must be properly secured.
- All scaffolding must be equipped with railings and toe boards. C. d.
- All "swinging" type scaffolds must be inspected by the contractor and repaired if necessary before use.
- All overhead work from a forklift must be conducted from a secured safety cage. Standing on forks or pallets

# CONTRACTOR ENVIRONMENTAL RULES

SSGC requires that contractors comply with all applicable environmental rules & regulations.

# 8.1 Non-Hazardous Waste

- Construction refuse and debris will not be allowed to accumulate and will be removed daily by the contractor а. at its expense, unless otherwise negotiated in the contract document.
- Contractors shall take ownership of all waste and debris generated from materials they brought to the job site or from demolition activities, and shall dispose of such waste and debris in accordance with all applicable
- Reference to SSGC. The SSGC Company or any of its trademarks shall not be used in any documentation C. associated with the disposal of such waste and debris. d.
- Contractors shall coordinate with the Zone, whenever practical, to segregate debris or waste which may be recycled or re-used in a safe and environmentally responsible manner. e.
- Worksites may be periodically inspected by the SSGC representative to ensure that the contractor is fulfilling its obligations under its contract. Final payment will be withheld until such time as the worksite and property have had a final inspection and removal of all containers, debns, wastes and materials has been confirmed. by the SSGC representative and documentation has been printed that all hazardous wastes have been properly disposed.
- f. For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a

### 8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior
  - i. Provide the SSGC representative with a listing of all hazardous chemicals.
  - ii. Provide the SSGC representative with copies of all MSDSs for the hazarcous chemicals.
  - iii. Properly laber all containers, adhering to SSGC labeling requirements.





. . , , e de la companya de l



- b. No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- c. Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference representative or Zone HSE Manager.
- d. The contractor shall assure that all employees dealing with hazardous materials and hazardous wastes have had all legally required training and are familiar with the hazards presented by such wastes or materials.


# 8.3 Spill Response Procedures

- Each contractor is required to have a written emergency response plan to handle spills and releases which may occur during transport, delivery, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its emergency response plan to the SSGC representative prior to beginning work.
   Each contractor must provide and be continued with a service and be contractor.
- b. Each contractor must provide and be equipped with appropriate spill response equipment. All contractors, contractor employees or subcontractors who engage in the emergency response of a hazardous material requirements.
- c. Contractor must provide documentation to verify that it has contracted with at least one reputable outside spill response contractor, that is reasonably agreeable to SSGC, to respond to larger spills or releases which d.
   d. The contractor shall be reasonable for
- d. The contractor shall be responsible for appropriate clean-up of spills caused by their activities. Such clean-up will include removal or remediation of any materials impacted by such spill; such as: building materials, soil, groundwater or surface waters, etc.
- In the event that a spill or release of contractor's material occurs on SSGC's property and the contractor does
  not respond to the release to the satisfaction of SSGC, SSGC shall have the right to take any reasonably
  all costs incurred by SSGC to respond to such spill or release. The Contractor shall reimburse SSGC for
   Spills and releases of borordore respond to such spill or release.
- f. Spills and releases of hazardous materials must be reported immediately by the contractor to the SSGC representative.
- g. Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to the contractor is also bound to follow SSGC up to the contractor is also bound to follow SSGC up to the contractor.
- h. Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

# 8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.

Integrated Management System





# 9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized representative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and understood the visitor agreement and will abide by the document while visiting the SSGC facility as required.


# 10. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges that we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by the items listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who violate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, comply with these rules.

Compliance with the SSGC Contractor Work Rules does not in any way relieve any contractor or person from complying with any applicable Federal. Provincial or local safety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable to contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with all applicable Federal, State and Local laws, regulations and rules while we are engaged to work or perform services for SSGC, including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold harmless SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breach of the above warranty and/or any violation of applicable laws, regulations and/or rules.

N





Company	
cc: Project Manager File Zone HSE Manager	·

# 11. DOCUMENTED INFORMATION

Record No.	Record SSGC	Maintained by	Retention Period
SSGC-ĬMS/GSC-F-01	HSE&QA Awareness Form	HSE&QA Department	3 Years





HandBook | February 2022





# **IMS** Form

SSGC-IMS/GSC-F-01

# HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

Organization	•	į	Contact name				
Name			Contact number				
Type of Contract ☐ Mechanical Wo Contractor ☐ Pipe	rk 🗆 Electrical Work	: □ Civil Work □ Wi Third party inspecti	aste Disposal □ Ca on □ Goods Suppli	nteen □ Transport er □ Other:	□ Manpower		
Area of Working:							
Contract Coordin	ator:						
		HSE&QA A	wareness		, Ti		
	Description		•	Remarks	- ·		
4SO & OHSAS Sta	andards			•			
HSE&QA Policy							
PPE Policy		,					
Risk Assessment	and Management P	rocedure		•	e si		
Incident and Accid	lent Management Pi	rocedure					
Emergency Respo	onse Procedure						
Technical Specific Criteria	ations/Performance	and Testing					
Remarks:							
Supplier	/Contractor Repres	sentative	HSE&QA Representative				
Requirements and be applicable while within company por I shall make sure a Contractor company.	and reviewed the standard understand that the supplying goods, remises or outside call employees of our danies understand a sicable to the activities	e requirements will works or services ompany premises. company and Sub- and agree to the	nave met the Suppliers/contractors representative and				
Name	Signature	Date	Name	Signature	Date		
	·						

M

65

HSE&QA

#### PENALIZATION MECHANISM

for Service Confacts Only

SSGC-HSEQP-F-10

Revision 01


Issue Date: Sep. 2000

#### 1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

#### 1.1 Penalization mechanism

Following flow chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and *Annexure-J-1* can be found below.



(4)					SSGC-HSI	EQP-F-
SE&QA		ALIZATION			Revisi	on 01
partment MP	for Service Contracts Only.				Issue Date:	— <u></u> Sep, 2(
Project			() Date			
Section			Date	L		· · · · · ·
			Contractor			
Jser Dept.			Focal Person			<del></del> .
Nature of N	lon-Compliance	(As per Anne	xure J-1\			
				<del></del>		
	•					
			<del></del>			
Node of Pe	nalization					-
Mode of Pe	nalization					
Node of Pe	nalization				·	
Node of Pe	nalization					- 
Mode of Pe	nalization					·
Mode of Pe		Initiat	or		·	
Mode of Pe	nalization Name	Initiat	or	Signat	ure	
Mode of Pe		Initiat	or	Signati	ure	
Mode of Pe		Initiat	or	Signati	ure	
Mode of Pe	Name Re	Initiat	by HSEQA			
Mode of Pe	Name		by HSEQA	Signati		
Mode of Pe	Name Re Name	ecommended	by HSEQA	Signatu	ıre	
Mode of Pe	Name Re	ecommended	by HSEQA	Signatu	ıre	
	Name Re Name	ecommended by User Depa	by HSEQA rtmental/Divis	Signatu sional H	ure lead	
	Name Re Name	ecommended by User Depa	by HSEQA rtmental/Divis	Signatu sional H	ure lead	
	Name Re Name	ecommended by User Depa	by HSEQA rtmental/Divis	Signatu sional H	ure lead	
	Name Re Name	by User Depa	by HSEQA rtmental/Divis	Signatu sional H	lead zation	

Copy to: Procurement/Finance/P&D Department, Contractor

Note: Adequate evidences MUST be furnished along with form by initiator



int

67

HSE&QA Department

# PENALIZATION MECHANISM for Service Contracts only

ANNEXURE J-1

SSGC-HSEQP-I Revision () (

Issue Date: Sep. ,'n

S. No. Nature of Non- Compliance Mode of Penalization HSE 1st Time ----- Verbal Warning from site in charge 1 PPE related 2<sup>nd</sup> Time ----- Written warning: **Explanation Letter** 3rd Time ----- Removal of worker from duties 1st Time ----- Stop work 2 Unsafe Act / Unsafe Condition 2nd Time ----- Stop work along with written warning letter 3rd Time ----- Removal from duties Not reporting any major incidents within the time frame specified in Tender documents / 3 Financial Penalization up to Rs. 200,000 HSE&QA Plan for each accident No proper tag out/ lockout/ barrication / signage boards and systematic PPE non-Ist time ----- Warning Letter compliance as advised by SSGC 4 2nd time ---- Stoppage of Work representative(s) at Site or mentioned in SSGC 3rd Time ---- Financial Penalization my fe-SOPs, work instructions or ToRs. 3% (Max.Rs. 200,000 can be penalized. Quality Deviation in actual manpower provided vs the manpower (Organogram) submitted in tender 5. documents Cost of unavailable staff, as listed in Hour or other related documents Non-Compliance related to Quality Parameters outlined in ToR, BOQ, applicable international 6 Up to 2% of the invoice amount of the Standards & Codes and SSGC's SOPs. billing period Reporting Non Submission of time bound reports (as mentioned in Tender documents / Construction 7 Financial penalization up to 2% of the Plan invoice amount of the billing period Unavailability of documents such as drawings, SOP manuals, inspection reports and other 8 Technical data at site office. Explanation letter Providing wrong / insufficient information in Financial penalization 0 invoicing pertaining to equipment and Up to 2% of the invoice amount of the manpower.

False reporting, misleading information

10

Financial Penalization up to 3% amount of the billing period

Procurement Dept.

billing period

HSE&QA Department

# PENALIZATION MECHANISM for Service Contracts Only.

ANNEXURE J-1

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2000

Ethics & Conduct

11	Non-cooperation with SSGC team by any staff of Contractor. Non-cooperation includes non-sharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSGC's representative(s).
12	Repeatedly (03) absence/Unavailability of site Contractors staff during surprise visits of SSGC teams

Removal from duties in case the request in made against this non-Compliance

Note: Approval will be taken from contract owner i.e. User Departmental Head.

Financial penalization (One day salary deduction of entire site staff of audited site)

Note:

- 1. Penalization amount will not exceed the 5% of the total contract value.
- 2. If Three (03) non-compliance (on any one issue or combination of issues) are issued to any contractor, Management will decide to impose additional penalization (e.g. forfeiting of Performance Bank Guarantee / retention money), termination of contract or temporary blacklist (Blacklisting will be up to one (01) year.

  3. Tender/Project specific requirements and a year.
- Tender/ Project specific requirements and penalization are outlined in tender documents/





Ref No	Dated
M/s	
SNTN	•
Address	
•	
NOTICE UNDER RULE 3(1) OF T PROCEDURE (WITHHOLDING	THE SINDH SALES TAX SPECIAL i) RULES, 2011.
Dear Sir,	
deduct the prescribed amounts of Since relation to the services provided or rer	rocedure (Withholding) Rules 2011 and
	Signature
·	Name
•	CNIC
Procurement Dept.	Designation
Gulstian e. H. S.	Official seal



# **Procurement Department**

#### **Standard Advisory to all Bidders**

SUB: Sindh Sales Tax Withholding On Services Payment

(Effective from 1 July 2024)

Dear Sir,

#### **Background**

Please be informed that:

- 1. Uptil February 2024, SSGC deducted 20% of Sindh Sales Tax amount from Invoice value payable to a Vendor for services rendered in Sindh & deposit the same with Sindh Revenue Board, while remaining 80% is deposited by the Vendor themselves.
- From March 2024 June 2024, SSGC deducted 80% of Sindh Sales Tax amount from Invoice value payable to a Vendor for services rendered in Sindh & deposit the same with Sindh Revenue Board, while remaining 20% is deposited by the Vendor themselves

#### **Amendment in Law**

Sindh Revenue Board (SRB) has amended Withholding Rules thereby requiring SSGC to deduct 20% of sales tax amount from Invoice Value.

#### **Revised Procedure for Sindh Sales Tax Withholding**

In order to ensure implementation of above amendment, following process is being implemented 01. July 2024:

- 1) 80% Sales Tax to continue to be withheld on 'Past" Invoices only (where Vendor has already deposited 20% Sales Tax in Government treasury provides evidence thereof).
- 2) 20% Sales Tax will be deducted on Current and future invoices (while 80% will be deposited by vendor directly with SRB)

It is needless to mention that only Sindh Withholding Rules have been amended white there is no change in other Rules (income tax withholding Balochistan Sales Tax withholding; etc.)



## سوئ سدرن گیس کمپنی لمیٹڈ پروکیورمنٹ ڈیپارٹمنٹ

# تمام ٹھیکیداروں کے لئے معیاری ایڈوائزری خدمات کی ادائیگی پر سندہ سیلز ٹیکس (۱جولانی ۲۰۲۴ سے نافذ العمل)

#### <u>یس مننظر</u>

#### مطلع كيا جاخ كه:

1. فروری 2024 تک، SSGC نے سندھ میں فراہم کی جانے والی خدمات کے لیے وینڈرز کی انوائس ویلیو سے سندھ سیلز ٹیکس کی رقم کا 20% کاٹ لیا ہے اور اسے سندھ ریونیو بورڈ کے پاس جمع کرایا ہے، جبکه وینڈرز بقیه 80% خود جمع کراتے ہیں۔

2. مارچ 2024 سے جون 2024 تک، SSGG نے سندھ میں فراہم کی جانے والی خدمات کے لیے وینڈرز کی انوائس ویلیو سے سندھ سیلز ٹیکس کی رقم کا 80% کاٹ لیا ہے اور اسے سندھ ریونیو بورڈ کے پاس جمع کرایا ہے، جبکه بقیه 20% وینڈرز خود جمع کراتے ہیں۔

#### قانون میں ترمیم

سندھ ریونیو بورڈ (SRB) نے ود ہولڈنگ رولز میں ترمیم کی ہے جس کے تحت SSGC کو انوائس ویلیو سے سیلز ٹیکس کی رقم کا 20% کٹوتی کرنا ہوگی۔

## سنده سیلز ٹیکس ودہولڈنگ کا نظرثانی شدہ طریقه کار

مندرجه بالا ترمیم کے نفاذ کو یقینی بنانے کے لیے، 01 جولائی 2024 سے درج ذیل عمل کو نافذ کیا جا رہا ہے:

1) 80% سیلز ٹیکس صرف 'ماضی' انوائسز پر کٹوتی جاری رہے گی (جہاں وینڈر نے پہلے ہی سرکاری خزانے میں 20% سیلز ٹیکس جمع کرایا ہے اس کا ثبوت فراہم کرتا ہے)۔

2) %20 سیلز ٹیکس موجودہ اور مستقبل کے انوائسز پر کاٹا جائے گا (جبکه 80% وینڈر براہ راست SRB کے ساتھ۔ جمع کرائے گا)

یه واضح رہے که صرف سندھ ودہولڈنگ رولز وائث میں ترمیم کی گئی ہے دیگر رولز (انکم ٹیکس ود ہولڈنگ بلوچستان سیلز ٹیکس ود ہولڈنگ وغیرہ) میں کوئی تبدیلی نہیں کی گئی ہے۔

