Checklist for Bidders

Time:	Phone No:
Opening Date:	
Enquiry #: 13708	M/s,

Please Ensure before submitting the bid, that following information/ Documents are been submitted / providing along you bid Check () appropriate box.

		\ \	_
C NO	netails of required information / opcurrents	 22	
5	The state of the s		
, i	Fixed Bid Bond as specified in Terider Document		
2.	Original Technical literature is enclosed, if an		
i	Any change in voir current address. Phone Tax & Email etc intimated		
i	Ally citalife in your ball the second of the		
4.	Bid Validity as specified is filentioned		
u ا	Delivery / Completion period has been secified.		
5			
Œ	All corrections/cutting/overwriting/are singed & stamped	and the same of th	,-
5			
~	Sample (if necessary) is enclosed		<u> </u>
0	Form Y Duly Stant & Stant Po		
Ö.	Total Algunda	-	
9	Each & Every Page of the Ading documents shall be signed and stamped by		
	the bidder.		
70			
<u>;</u>	Oligiliai biu + Ol		

Note:

by e information/documents, or incomplete/incorrect statement on this checklist may result in er the bid opening. Non-Availability of the rejection of the bid at

As per SRO296(I)/2023 dated 08th March 2023 "E-Pak Procurement Regulations, 2023", all bidders are advised to register in e-Pak Acquisition and Disposal System (EPADS).



Ref. No. SSGC / SC / 13708 Date: March - 11, 2025

M/s.				
			•	

Construction of Paver Block at LPG Air Mix Plant Gawadar

Supplier must be active in FBR Active Taxpayer List (ATL)
Under Single Stage Two Envelope Bidding Procedure

Tender Enquiry No. SSGC / SC / PT / 13708

SECTION - I Invitation to Bid

Sui Southern Cas Company Limited (SSGC) intends to carry out the work related to <u>Civil Work Construction of Paver Plock at LPG Air Mix Plant Gawadar (As Per Criteria/BOQ) (Having Valid PEC Certificate Catagory C-6 Or above) (Under Single Stage Two Envelope Bidding Procedure) (On Complete Package (Basis)).</u>

The Company invites you to subport Technical Proposal and Financial Proposal in two separate sealed envelopes "Under Single's age Two Envelope Bidding Procedure" i.e. Sealed Technical offer & Sealed Financial offers shall be submitted in separate envelopes. Technical offers will be opened and evaluated first. Financial offers of only technically compliant bidders will be opened on later intimated date in presence of bidder' representative.

The priced bids shall be submitted along with FIXED Bid Bond Rs. 145,000 (One Hundred Forty-five Thousand Rupees Only) in the form of Pay order Demand Draft in favor of Sui Southern Gas Company Limited. No bid shall be entertained without sid be 1/2 earnest money.

The Company reserves the right to add, delete from or am and my part of these tender documents during the bidding period and bidders shall be informed accordingly.

Bids not conforming to the terms and conditions or a part thereof stipulated in these tender documents may be rejected.

The Tender documents comprise the following:

Technical Proposal

Section – I	Invitation to Bid
Section - II	Instructions to Bidders/(A&B)/Instruction to Applicant
Section - III	Scope of Work/Special Conditions of Contact/Evaluation Criteria with
	Forms
Section - IV	Special Conditions of Tender Document
Section – V	General Terms & Conditions



Financial Proposal

Section – VI Tender Form

Section – VII Bill of Quantity (BOQ)/Bid Form

Section – VIII Bid Bond Format/Performance Bond /Format of Declaration/Contract

Form/Form X/Annexure I/ Form of Bid Securing Declaration

Section – IX/X Blacklisting Mechanism/HSE Manual/SSTW-05/Drawings

Application for technical and financial proposals will be received at:

Procurement Department, Sui Southern Gas Company Limited, SSGC House, Sir Shah Suleman Road, Block-14, Gulshan-e-Iqbal, <u>Karachi.</u> Tel # 99021238, 99021279.

On or before 24-03-2025 at 1100 hrs. The bids will be publicly opened at 1130 hours on same day at the above address, in the presence of bidders and / or their authorized agents who may wish to attend. All bids are to be deny red on or before closing time after which all bids submitted after the time prescribed shall not be entertained and will be returned without being opened. In case bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening time.

Tenders shall be enclosed; plain sealed envelope marked as:

STRUCTLY CONFIDENTIAL"

Construction of Pay r Block at LPG Air Mix Plant Gawadar

Enguis 4 SSGC/SC/13708

ern G

Procuremen

For General Manager (Procurement)

Note: Tender document is also available online on SSGC website for view only. Bidder is eligible to participate in bidding process only after purchasing the tinder documents from Tender Room SSGC Head Office as per the procedure mentional in the Press Publication / SSGC website. It is mandatory for bidders to attach original Token Slip in front of the Sealed Envelope (issued at the time of Purchasing) as an evidence that supplier has purchased the Tender documents. Further, any Corrigendum/Clarifications/Addendums/Extensions issued to be notified to only those bidders who have purchased Tender documents.

TECHNICAL PROBAL PROBASAL Procurement a procurement a pept.

SECTION - II

INSTRUCTIONS TO BIDDERS

NOT TOR BIDDING BURBOSK



SECTION - II

Instructions to Bidders

- All rates quoted in the prescribed SOR / BOQ shall be firm, irrevocable and not subject to change or escalation on any account what so ever. No modification, alteration or deletion in the bid will be accepted after the bid opening time.
- Sealed Bids shall be received at Company's Head Office, ST-4/B. Block 14, Sir Shah Suleman Road, Guishan-e-Iqbal, Karachi, up to specified time & date and will be opened publicly at specified time & date, in the presence of Bidders or their authorized representative who choose to attend. In case the bid opening date falls on a holiday or due to some unavoidable circumstances, it is not possible to open on scheduled date, it will be opened on next working day at the same time.
- All priginal bid documents accompanied with the bid bond shall be submitted by the Bidder in the envelope provided with tender documents. The sealed Bids must be submitted at the address stated above in person or by couries or by any other means but it shall be the Bidder's responsibility to ensure that Bids so submitted are delivered to the above address before the specified Bid opening date and time. The Company shall not be held a any way for late receipt of Bids or their confidentiality. Bids received after the Bid closing time idered, and will be returned to the Bidder unopened!
- s ge two envelop bidding system (if mentioned in press advertisement & Tender document), sealed technical stelf & sealed bid shall be submitted in separate envelops (bid bond will be enclosed with "Financial" bid unless and until specified separately in tender terms). "Technical" and "Financial" is to be mentioned on the top of the envelop. Technical offers will be opened and evaluated first. Financial offer of only technically complaint buder will be opened at a later intimated date in presence of bidder's representative. Financial offers of technic co-complaint bidders will be returned un-opened along with their bid bond
- The Bid should be signed by person having the authority for this purpose. In case of a bid submitted by a corporate entity the same shall be seed and be duly signed by its secretary. corporate entity, the same shall be seal and be duly signed by its secretary.
- Bids shall be submitted strictly in a ce with the requirements of the Tender Documents and as per specifications.
- Bid shall remain valid for acceptance for a prood f (120) days from the date of public opening of the bids.
- The Company shall not reimburse any expenses red in preparation of Bids.
- The Bid and all subsequent correspondence shall be in English language:
- 10. Payment for the Contracted Work / Services will be need Pakistani Rupees only. The rates quoted by the · Bidder shall therefore, be in Pakistani Rupees.
- 11. In case of any queries / clarification with regard to this Tend e same may be forwarded to Procurement Department upto 5 days before the bid opening date, thereafter the quest will not be considered. Department up to 5 days before the bid opening date, thereafter the relation. The Company reserves the right to reject any or all Bids without
- any reason and cancel the bidding process. Company also reserves the right to accept the whole or a part of dend does not bind itself to accept the lowest or any particular Bid.
- 13. In case of any conflict between the Special Terms & Conditions and elsewhere i the tender documents the Special Term & Conditions, will supersede & prevail.
- 14. Each and every page of the bid documents being submitted by the bidders shall be sme d and stamped failing which the bid may be liable for rejection.
- 15. All documentary evidence required for evaluation of bid should be submitted along with the bid in absence of any documentary evidence no marks will be awarded in accordance to the evaluation criteria,
- 16. In order to maintain cordial business relation and as per ethical business approach, please provide the justification in case of your non participation on our Fax # 99231583 & Email. mmte@ssgc.com.pk
- 17. Conditional Bid will not be accepted and liable to be rejected:
- 18. The quoted unit price and corresponding fotal amount shall be inclusive of all duties and Taxes and excluding provincial Sales Tax as per provincial laws.
- 19. Sealed bids shall be mailed/submitted/dropped in tender box placed at Tender Room, CRD Building, SSGC Head Office. Bids are to be delivered on or before closing time after which bid will not be entertained in er bid is sent through courier, the same shall be delivered at least half an hour before scheduled opening its
- 20. Price given in the Bid Form/BOQ is firm which shall take into account all relevant factors including any. Discount / escalation given separately at the time of bid opening will not be considered.
- 21. The bidders are required to fill form SSTW-05 (if deemed required) and submit with the bid.

SECTION-II

INSTRUCTIONS TO BIDDERS

1. Escalation

It may be clearly understood that this tender does not contain a price variation clause and, therefore, all unit prices quoted shall be firm and irrevocable and shall not be subject to escalation on any account, whatsoever.

2. Bid Instructions

The bid shall be prepared in accordance with the following instructions:

2. Examination

Bidders shall visit/inspect the Work sites and shall fully acquaint themselves with the nature and requirements of Work, form and nature of sites, access to sites, variability of materials, weather, law and order and local conditions etc. before submitting their bids. Submission of the bid shall be prima facie evidence that the Biders have fulfilled this requirement.

2.2 Clarification

Each Bidder shall be deemed to have satisfied himself before submitting as to the correctness and a creciency of its tender/offer and the rates quoted, which rates shall, cover all its obligations under the Contract and all matters and things necessary for proper for pletion and maintenance of the Work. The Bidder may submit questions/queries regarding these documents to the Company in writing within a period extending upt 10 (ten) days after issuance of the tender enquiry. Replies shall be issued to all Eddle's in writing and will be on record as addenda to the ensuing Contract. The Company will not be responsible for verbal clarifications. The bid submission time will however not be extended on this account.

2.3 Validity


Bids shall remain valid for acceptance for a proof of One Hundred and Twenty (120) days from the date of bid opening. If the last date falls on a holiday, the validity will be extended to the first Company working day thereafter.

2.4 Cost of Preparation of Bid

Bidders will not be reimbursed for costs of any kind, whatsoever, incurred by them in connection with the preparation and the submission of their bids.

2.5 Bill of Quantities and Rates

The quantities specified in the Bill of Quantities (BOQ) are estimated and are intended to serve only as a guide to the Bidders. Payments shall be made on the basis of actual work quantum as measured. No claims shall be entertained on account of increase or decrease in the scope of work. The Bidders shall ensure that their bids are not front-end loaded, which may lead to rejection of their bids.





2.6 **Sub-Contracting**

The Bidder shall include a list of works which he intends to sub-let to subcontractors. Sub-contractors proposed by the Bidder are subject to Company's approval.

2.7 **Bid Documents**

Bidders shall note that the tender documents including plans, drawing and specifications, furnished for tendering purposes are not to be used for any purpose other than tendering on this specific job and shall not be reproduced without the written permission of the Company. All such documents issued for tendering shall be returned with the bid duly stamped.

Organization Chart

An Organization chart proposed for the conduct of the Work shall be submitted th the bid. The chart shall clearly show permanent members of the Bidders visory staff that the Bidder proposes to deploy on the work sites for the performance of the Work.

2.9 List of Iquiment

1 submit with the bid, a complete list of equipment proposed to be used in carrying out the Work including make and type of all such equipment.

2.10 Time Schedule

The Bidder shall subnit it his bid, a detailed work programme in the form of a bar chart showing planner so ledule of various activities required to complete the entire work (as per Scope of Wark) within the stipulated completion period by deploying adequate manpower.

2.11 Additions, Deletions and Amendments
The Company reserves the right to add, to elete from and/or amend the work defined in Scope of Work/BOQ as de med necessary before or after the execution of the contract. All such additions de tons and amendments shall only be authorized in writing by the Company's represertative.

2.12 Signing Authority

rackings) duly signed Bidders shall return all tender documents (includins on all pages by an authorized representative of the Boder and shall also carry official stamp of the Bidder's firm.

2.13 Postal Address

The Bidder shall give below office telephone, telex and fax numbers including complete postal address at which correspondence may be sent and all notices may be legally served in connection with his bid and/or ensuing contract with the successful Bidder.





Telephone Nos:	
Telex No:	
Fax No:	
Address:	

alification/Rejection of Bids

Failure comply with any instruction in the tender documents would render the bid liable disqualification and rejection.

2.15 Unit Work

The unit work rate quoted by the Bidder shall be workable. The Bidder shall be complete rate analysis of any work item as considered required to furn necessary.

2.16 Check List

Bidder shall, interalia, ensure the following before submitting the bid:

- All pages of the bid including drawings have been signed and stamped.
- Bid Bond for the specified amount has been enclosed. gramme required under 2.9 & 2.10, List of equipment and detailed work Section II, is enclosed.
- If available have been given in Postal address, telephone, telex and fax N Clause 2.13, Section II).
- Total amount of Bid has been mentioned in 9c, on VII, Tender Form.
- witness) at the end of Duly authorized representative has signed (alon Tender Form, Section VII.



SECTION-IA

INSTRUCTIONS TO APPLICANTS

- 1. Sui Southern Gas Company Limited (SSGC) intends to technically qualifying contractors for the Construction of Paver Block at LPG Air Mix Plant Gawadar (Single Stage Two Envelope Bidding Procedure) who have valid Pakistan Engineering Council registration in Category- C-6 and above under Single Stage Two (02) Envelope Bidding Procedure.
- 2. Technical Qualification Application(s) (FORM-1: LETTER OF APPLICATION) shall be submitted along with forms duly filled/completed in a sealed envelope as per requirement and sent by registered post / courier or delivered in person at the address mentioned in the subject form.
- 3. All the information shall be filled-in/submitted strictly as per "Forms" enclosed. If necessary, additional motocopies of the "Forms" may be made. Each page of each form should be clearly marked it corner as follows: on the to

Page 1

.....; etc.

4. Some forms will require attachments (documentary evidence, etc.). Such attachments should be clearly marked as follows: -

Attachment 1 of Forn

Attachment 2 of Form I.s

- are not enclosed with the application, no credit/points will be 5. In case the attachments where regiven for that particular item.
- 6. Each sheet shall be duly stamped & signe by he applicant(s) or a person or persons duly authorized nsidered for evaluation. to sign on behalf of the applicant(s) otherwise p
- ted as confidential and will not be returned. 7. All documents submitted by the applicants shall Only financial bids of non-technically complaint bidder vill be returned after due process.
- and will be returned un-attended. The 8. Documents received after the due date will not be considere name and mailing address of the applicants shall also be new on the envelopes so that the application can be returned unopened.
- 9. SSGC will only inform the successful/qualified applicants of the resu their application. SSGC reserves the right to reject or accept any application and to annul the t chr cal qualification process d applicants or any and reject all applications, without thereby incurring any liability to the obligation to inform the applicants of the grounds for the action of SSGC.
- 10. The technical qualification Questionnaire contains forms as follows:

Form-I:

Letter to Application

Form-II:

General Information

Form-III:

Details of Completed Similar Type of Projects/Works During

Last Eight (08) Years

Form-IV:

Details of Permanent Key Staff with the Firm/Contractor

Form-V:

Details of Relevant Equipment/Tools/Machinery owned by the

Procurement

Dept.

Firm

Form-VI:

Registration/Office facilities

Form-VII

Financial Stability


All the information shall be submitted strictly in Company brochures, etc. could be forwarded as supplementary but the prescribed formats.

th the above formats/forms. not be entertained in lieu of



EVALUATION OF APPLICATION FOR TECHNICAL QUALIFICATION

- 1. The firm/contractor must submit a valid PEC registration for the year 2024-25 in C-6 and above.
- 2. SSGC may request additional information, or documents in support of information submitted by the firm/contractor.
- 3. The decision of SSGC to accept or reject any application for technical qualification will be final.
- 4. The firm desiring to be technically qualified must have suitable machinery & equipment and qualified experienced manpower to handle the subject project.
- 5. Application for technical qualification of each applicant will be compared with a predetermined set of values and Minimum Qualifying marks = 65% (Overall).



SECTION-III

SCOPE OF WORK

Sui Southern Gas Company Limited (SSGC) intends to construct the Paver Block at LPG Air Mix Plant Gawadar

The scope of work under the subject tender enquity consists of CC Paver Flooring Work.

The Contractor shall supply all manpower, machinery, material and finances for the execution/completion of the Work.

sure safe and proper execution of the construction work with proper and Contractor si sufficient mach. suipment and adequate manpower and shall complete the work within the Scheduled Time:

"Make" of following Items aterials shall be as specified hereunder: POPO

- Cement (OP/SR)
- 2. Fine Aggregates
- 3. Coarse Aggregates
- 4. Paver Block

To be approved by the Company

be approved by the Company

eved by the Company

aving compressive strength of City Paver 7000psi of appre



All the above shall be of first/prime quality; inferior or No.2 quality of any material shall be rejected by the Company's representative. The Contractor shall remove such rejected material immediately from site as and when instructed by the Company's representative.



SECTION-IV

SPECIAL CONDITIONS OF CONTRACT

1. Representative of the Company

Representative of the Company for the purpose of this Contract would be:

Mr. Ghulam Ali Mahar

General Manager (P&C)

2. Algorithly Deduction

Monthly deduction of Rs. 25,000 shall be made in case Contractor fails to deploy agree / Secified full time PEC Registered Engineer.

3. Completion Feriod

The entire work s'a be completed within Four (04) months from the issuance of Letter to proceed, which in case of work exigencies could be issued prior to signing of formal agreement.

4. Certificate of Substantial Co apl tion of Work

As soon as the Work shall have been substantially completed and corrected and shall have satisfactorily passed any test pa may be prescribed by the Contract, the Contractor shall give the Company a notice of completion calling on the Company to Company shall grant a certificate of inspect the works, and after inspection the substantial completion and period of mainter and of the works shall commence from the date of such certificate provided that the Cor pary may give such a certificate with respect to any part of the works before the complete of the whole of the works and shall upon the written application of the Contractor give a h certificate with respect to any substantial part of the Work which has been complete the satisfaction of the Company and occupied or used by the Company and when any such certificate is given in respect of a part of works, such part shall be considered as completed and period of guarantee and maintenance of such part shall commence from the date of such certificate. However, it shall be a condition precedent to the issue of certificate of "Substantial Completion" that the Contractor shall indemnify the Company against any failure by the Contractor to have carried out and completed the works in accordance with the Contract and shall warrant that the works are completed in every respect and conform to the Contract.





5. Final Completion Certificate

The Contract shall not be considered as completed until a final certificate have been issued by the Company's stating that the works have been completed corrected and maintained to satisfaction provided the Contractor has rectified all the defects mentioned in the "Punch list of Defects" to the entire satisfaction of the Company's representative. The final certificate shall be given by the Company after expiration of the period of maintenance or if different period of maintenance shall become applicable to different parts of the works the expiration of the last of such period and full effect shall be given to this clause not withstanding any previous entry on the works or the taking possession working or using thereof or any part thereof by the Company. The retention money of the Contractor shall be refunded after satisfactory completion of maintenance period and after issuance of final completion certificate.

6. quidated Damages

rate of liquidated damages shall be 0.1% percent of the final contract value for of delay and limited to a maximum of ten (10%) percent of the final contract

7. Performance

The performance bond shall be in an amount equal to Five (5%) percent of the bid and it shall be submitted within 10 days of receipt by the value / contract Contractor of the Letter of Intent. The performance bond shall be released after ork and issuance of substantial completion certificate. satisfactory completion

8. Maintenance Period.

(04) months after the issuance of Substantial The maintenance period will Completion Certificate by the Compa

9. Retention Money

The retention money shall be equal to Five (5%) percent of the certified value of work which would be released after the maintenance ce period and rectification of punch list defects, to the satisfaction of the Company.

10. **Mode of Payment**

The payment shall be made as per following schedule: Payment against running bills shall be made to the Contracted by the Company as per in the General actual executed quantities and in accordance with the condition Conditions of Contract and Bill of Quantities.

11. Survey Equipment


The contractor shall provide all the required survey equipment at site. The survey instrument / equipment shall be in good condition and shall be available at site for use by the Company.

12. **Quality of Cement**

Cement shall be procured from the approved local factories only complying with B.S. 4027. Imported cement shall not be used under any circumstances







Page 8

13. Fine Aggregate / Coarse Aggregates (Complying with BS 882)

- i) Approved quality of sand shall be used as fine aggregates.
- ii) Well graded crush stone (3/4" and down) of approved quality shall be used as coarse aggregates.

14. Water and Electricity

Water & electricity requirement for all purposes shall be arranged by the Contractor. Only sweet water complying with ASTM-D 596 shall be used for construction work.

15. Quality of Material, Workmanship and Tests

All material and workmanship shall be of respective kinds described in the contract (drawings, sketches/BOQ/specifications etc) and in accordance with the Company instructions and shall be subjected to tests from time to time as the Company may deect. There will be no compromise on the quality of workmanship or material. The Contractor shall provide such assistance, instruments, machines, labor and materials as are required for examining, measuring and testing any work and the quality, weight or quantity of any material used. The Contractor shall supply samples of materials before incorporation in the work for testing and/or approval as may be selected and required by the Company. All samples shall be supplied by the Contractor at its way cost and the cost of carrying out all such tests shall also be borne by the Contractor is order to ensure quality of construction the Company (besides carrying out other tests a required under the contract) may carry out chemical tests to find out the ratio of the rest and aggregate for the mortar or concrete used in the work. This shall also be a Contractor's cost.

All the requirements related to Electrical Inspector and K.E.S.C / WAPDA for electrical works are required to be completed by the contractor

16. Damage to Property and Persons

The Contractor shall, except if and to lar as the Contract provides otherwise, indemnify and keep indemnified the Company quainst all losses and claims for injuries or damage to any persons or property whatsoever arise out of or in connection with or in consequence of the construction and maintanance of the works and against all claims demands, proceedings, damages, costs, charge and expenses whatsoever in respect of or in relation hereto.

17. Health Safety Environment (HSE)

The contractor will follow the health, safety & environmental with ans as mentioned in Section – IX "HSE Manual". The Contractor shall also deploy stull time qualified and experience safety manager for strict compliance to company HSE policy.

18. Providing mobile phone facility

Contractor will provide mobile phone facility to his supervisor at site in order to maintain 24 hours contact with Engineer-Incharge during the execution course of the project.

NOTE:

• In case of any conflict between Special Conditions & General Conditions of the contract, the Special Conditions will govern

Procuremer

SECTION-I-B

Technical Qualification of Construction Firms / Contractors

Construction of Paver Block at LPG Air Mix Plant Gawadar

Tender Ref No. CIV-LPG-P&C 2K2506

SECTION - I-B

Mandatory requirements:

- a) Registration with PEC for category C-6 and above
- b) Registration with Balochistan Revenue Board (BRB)
- c) Banker's Confidential Certificate (direct from Bank)/Bank Account Statement (Last Three Year)
- d) Income Tax Ass sement Order or Income Tax Clearance Certificate (Last Three Years)
- e) Audit Report for the last three (03) years from Government Registered Reputed Audit Firms

Evaluation Criteria for Technical Qualification

S/No.	GW FNON	OVERALL (Maximum Marks)
1	Firm's Experience	50
2	Relevant Technical Staff	15
3	Equipment & Tools Owned / Rented by the Frm	10
4	Office Facilities	05
5	Financial Stability	20
	Total Num	100

For the purpose of quantitative evaluation, the above five criteria have been urther sub-divided as under:

	CRITERION	OVERALL (Max Marks)
1	Firm's Experience Relevant Experience of Firms with Similar Works/Projects of Last 08 Years	50
i)	10 marks for each work more than Rs. 07 million. Max 2 Projects	20
ii)	05 marks for each work between Rs. 05 to 07 million. Max 3 Projects	15
iii)	03 marks for each work between Part Go 5 million. Max 5 Projects	15

	CRITERION	OVERALL (Max Marks)
2.	Relevant: Technical Staff:	15
i)	B.E / B.Sc. (Civil Engineers) registered with PEC (Experience more than 4 years) (5 marks)	05
ii)	Associate Civil Engineers/ D.A.E (Civil) (Experience more than 4 years) (4 marks)	04
iii)	Surveyor (Min DAE Civil) (Experience more than 3 years) (3 marks)	03
iv)	Accountant (2 marks)	02
v)	Computer Operator/Clerk Staff (1 marks)	01


	CRITERION	OVERALL (Max Marks)
3	Relevant Instrument & Equipment & Tools Owned / Rented by the Firm	10
i)	Compactor (i.e Plate/Rolle)	03
ii)	Concrete Mixers	02
iii)	Dump Truck/ loading truck	02
iv)	Paver Lifting Tools	01
v)	Generator (5KWA)	01
vi)	Transport Vehicles	01

	CRITERION	OVERALL (Max Marks)
4	Registration / Office Facilities	05
i)	Office Facility in Karachi	1.5
ii)	Computers	1.5
iii)	Landline Telephone/Mobile Facility	01
iv)	Email Facility	01

	CRITERION	OVERALL (Max Marks)
5	<u>Financial Stability</u>	20
5.1	Annual Turnover for Last Three Years (Each Year)	
i)	Annual Turnover above PKR 07 Million	10
ii)	Annual Turnover between PKR 05 to 07 Million	07
iii)	Annual Turnover between PKR 03 to 05 Million	05
iv)	Annual Turnover between PKR 01 to 03 Million	03
5.2	Cash in Hand/Bank	
i)	Cash in Hand/Bank above PKR 07 Million	10
ii)	Cash in Hand/Bank between PKR 05 to 07 Million	₩ 07
iii)	Cash in Hand/Bank between PKR 3 625 Million (CC): U	.) 05
iv)	Cash in Hand/Bank between \$601 to 039 Milion	03
	Procurement a Pr	#. W. C.

Note:

- 1. * Minimum Qualifying marks = 65
- 2. Documentary evidence against each field of marking criteria may be verifiable without which marks will not be awarded.
- 3. CVs/Resumes and PEC certificate of Engineer must be provided else no marks will be awarded.
- 4. Surveyor must be at least DAE from any Technical Board.
- 5. Contractor must provide affidavit that all rented / owned equipment and tools will be readily available at site as per instruction of engineer incharge



Procuremen Dept.

FORM-I:

LETTER OF APPLICATION . .

Registered E	susiness Name:
Registered E	susiness Address:
Telephone:	
Fax:	
Procuremer Sui Souther Sir Shah Su Gulshan-e-I Karachi-753	
any pers	on, bank, department, agency or firm.
as follow	names and positions of contact persons who may be contacted for further information's, if required, are vs:
a)	
b)	
c)	Hadlare that:
4. We d	declare that;
(An affidavit	on Judicial / Stamp Paper of Rs. 50/- will be submitted giving the followings:
i)	The statements made and the information provided in the application are complete, true and correct in every respect.
ii)	This firm has never been black listed by any Government department, Semi government Authority or Private Company or Corporation and not involved in litigation/arbitration with any client. (In case of any involvement in litigation/arbitration, details should be furnished)
Respectfully,	
(Authorized : Date :	representative of applicant) Open Gas Control of Gulst Procure ment Gas Control of Gas Con

FORM-II:

GENERAL INFORMATION

Company Name :				
1.	Head Office Ad	ldress:		
	Telephone No.			
	Fax No			
	E-mail:	^		
2.	Karachi Office	Addres		
	Telephone No.			
	Fax No.			
	E-mail:			
3.	Year incorporat	ed:		
	Note: Documelse n	mentary evidence (where required) is mandatory require nert and to be submitted with to marks will be awarded.	the bid	
•		ificate of registration and ownership / Rental Agreement e premises used solely by applicant. If shared give names of other firms.		





FORM-III:

DETAILS OF COMPLETED SIMILAR TYPE OF PROJECTS/WORKS DURING LAST Eight (08) YEARS

Name of Work:		
Scope & Details of Work:		
Total Value of Project:		
Value of work being executed		
Name of Client:		
Address of Client:		
Date of Award Work:		
Start Late:		
Scheduled Completion Date	Š	
Actual Completion Date:		
•		_
		_
	' Va	

All the information provided shall be supported with documentary evidence otherwise no credit/ points will be given. Required attachments (documentary evidence, etc.) should be clearly marked as Attachment

1 to Page of Form-III or Attachment 2 to Page ... of Form-III

Please fill one form for each work/project





Note:

FORM-IV: DETAILS OF PERMANENT KEY STAFF WITH THE FIRM/CONTRACTOR

Name	Designation	Educational Qualification	Years of Experience	Date of Appointment	Attended Training with year	Driving License No (If Required)
The second section of the second section of the second section of the second section of the sect						
	A .					
errolle vale ut fra mende de la constante de l	O					
					erkke erkki deggi kultu u kishbal bala da atau unfilodora Bala da atau unfilodora Ish bala hara da kishbal tala da arar bala da kishbal tara da	
		8/	20/1/6			
			On			
			6	<i>A</i> .		
				CP.	The state of the s	
					7	

Note: Resume (CV) of each of the above to be submitted, and should include registration numbers (and documents) with PEC etc. No Points will be awarded if Resume not attached for individual.






FORM-V:

DETAILS OF RELEVANT EQUIPMENT/ MACHINERY / TOOLS OWNED BY THE FIRM/ CONTRACTOR

Description	Nos. of Each	Owned Or Leased	Year of Purchase	Capacity/ Performance / Size	Present Location
V					
			***************************************		waliowandi iliyi aqaabii iliida baho addaa
Q	P				
- ,	80				
		W.			
			D		
			7		
		Description Each	Description Ros. of Each Or Leased	Description Nos. of Each Cor Leased Purchase	Description Nos. ul Or Leased Purchase Performance / Size

Note: The bidder has to provide undertaking that the above equipment will a made available at project site within the mobilization period. The information provided shall be supported with documentary evidence where required, otherwise no credit/points will be given.







FORM-VI:

Registration / Office Facility

Office Facility (Proof of Ownership / Rent) (400Sft Min):	
Porta Cabin (Detail with proof of ownership / Rent):	
Computer Facilities (List Items):	
(1)	
(2)	
(4)	Philipping and the second seco
(2) (3) (4)	Colon Representation of the second se



FORM - VII:


Financial Stability

Firm/Contractor applying for technical qualification shall submit the following certificates / registration / statements.

D. Financial Stability

- Attachment of Last Three Year Turnover
- Attachment with details of Cash in hand

Note: In order to be eligible for assignment of marks, Documentary evidence needs to be attached



Special Conditions of Tender Document

Tender Enquiry No. SSGC/SC/

Note: In case of any conflict between special conditions of Tender Document and any other terms & conditions, the Special Conditions of Tender Document will govern / prevail.

- Contractor to submit the following within 15 days after issuance of Letter of Intent (LOI).
 - a. Performance Bank Guarantee
 - b. Stamp Papers
 - c. Insurance Policy
 - d. Any other Document as mentioned in the LOI
- Formal contract will be made on Non-Judicial stamp paper of value @ Rs 0.35 per hundred rupees of contract value, as per prevailing rate by Government of Sindh & Balochistan. The stamp duty will be borne by the contractor and also submit the copy of challan of stamp paper. Further as per Government of Sindh Board of Revenue notification NO.CIS/SWB/BOR/R&T-17/2022-808 dated 08-06-2022 all judicial and nonjudicial stamp paper of the denomination of rupee five hundred and above shall be exclusively on e-stamp.
- All kinds Government Taxes, Duties and Levies against any item of the contract, shall entirely be the responsion for the Contractor. Income Tax will be deducted as per applicable Law under the prevailing Government cules. Rate of Income Tax deduction in relation to submission of Income Tax certificate from
- the Contractor out also be stipulated.

 Bank Guarantee (Sid Bond Guarantee/Performance Bank Guarantee) will be made on Non-Judicial stamp paper at the prevailing are as specified by the respective Provinces. Further the bidder/contractor submitting the Bid Bond guarantee errormance Bank guarantee being prepared by the State Bank's schedule banks should ensure that there should be no deletion/insertion/alteration/modification of any terms in the Bid Bond/PBG guarantee formates even in the tender document or else bid will be liable for rejection.
- eptt. is not issued within six months after issuance of letter of intent If the letter to proceed (LTP) by us (LOI), both the parties are at libert, b rminate/revoke the LOI without any claim of loss or damage to the other party.
- 6- The completion period of the said work sha start with effect from the issuance of Letter to Proceed, which in case of work exigencies could be issued pro ning of formal agreement.
- In case of services and works tenders: Bids determined to be substantially responsive will be checked by the Procuring Agency for an arithmetic error. Errors will be corrected by the Procuring Agency of follows
 - a. Where there is a discrepancy between the amounts in right and in words, the amount in words will govern; and
 - b. Where there is a discrepancy between the unit rate and the line to total resulting from multiplying the unit rate by the quality, the unit rates as quoted will govern, unless in the pinion of the Procuring Agency there is an obviously gross misplacement of the decimal point in the unit are in which case the line item total as quoted will govern and the unit rate will be corrected.
- The bidder shall fill in rates and prices for all items of the works / services discused in the BOQ. Item against which no rate or price is entered by a bidder will not be paid for by the Procuring Agency when executed and shall be deemed covered by rates and prices for other items in the BOQ. Any Bidder who change / amend the BOQ or Price Schedule (description, Quantity, UOM etc.) will render the bid as conditional bid and will be liable for rejection.
- Method For Submission of Bid Bond (Under Single Stage Two Envelope Bidding Procedure): In case of Single Stage Two Envelope Tenders the fixed bid bond as per clause#09 of General Terms & Conditions to be placed in the Technical Proposal. However, if the bid bond is placed in the financial proposal will also be considered. Without submission of bid bond (either in Technical proposal or financial proposal) the bid will be rejected.
- 10- Bid bond submission (2%) of the bid amount as mentioned in the clause 9 of General Terms & Conditions, to be treated as null & void, however other contents of clause 9 will remain unchanged. The submission of fixed amount of Bid security is appearing in the Schedule of Requirement/Bid Form.



a) All the bidders are advised to furnish fixed bid security amount appearing in Schedule of Requirement/Bid

Form, failing which their bid will be rejected.

- b) The submission of fixed amount of bid security is also mandatory for all the bids valuing Rs.500,000/- or less.
- c) The word lowest bidder or the lowest evaluated bid has been substituted to read as most advantageous bid.
- 11- Bid shall remain valid for acceptance for period of (120) days from the date of public opening of the bids & Bid Bond validity is for 150 days.
- 12- In case the local agent requires to offer bid form more than one Principal / Manufacturer, it is mandatory to purchase separate tender document for each Principal / Manufacturer, failing which the bid submitted with the original tender document will only be accepted and the bid with photocopy of tender document will be rejected.
- 13- Blacklisting Mechanism of Suppliers and Contractors and their Local Agent:

Black listing mechanism is attached separately in the tender documents which will become an integral part of Tender Documents and now be followed / enforced in true letter & sprit and supersede the Black listing terms as mentioned in the General Terms & Conditions.

- 14- Original counter slip of token which is issued with tender document to be attached on the TOP of envelope at the time of bid submission"
- 15- The Successing Contractor(s) / Supplier(s) / Consultant(s) shall submit a copy of Professional Tax Certificate es / Bills failing which the payment will not be released. with their my
- 16- Contracts of C

In the event the lattra for is not willing to extend the CONTRACT for further term(s) / Period(s) under the same terms & conditions and the quoted price as defined in the bid documents, the contractor is liable to intimate in writing to SS Cat-least 3 (Three) months in advance prior to completion of the existing contract term / period, failing which act in will be taken as per tender terms.

17- Insurance

insurance, of General Term and Condition, when The Successful In addition to the Clause 22 Assurance, of General Term and Condition, when the Successful Contractor(s) / Supplier(s) will submit surance Policy to SSGC, the Insurance Company (policy issuer) In addition to the Clause 2 should be registered with SECP, thruse the insurance policy will not be considered / rejected at ge period will be according to the work completion period as contractor's risk and cost. The insurance mentioned in the contract / tender documents

18- Fixed Bid Security - Alternative Bid

red bid security/pay order. However, the alternative A bidder cannot submit two bids/offers with a sm bids/offers with separate fixed bid security/pay order a accepted, failing which the bids will be liable for rejection.

19- <u>Bid Bond & PBG (Performance Bank Guarantee) for Pr</u> etary Tenders

nk Guarantee (PBG) are not required / In case of proprietary Tenders, the Bid Bond & Performance Applicable.

- 20- SSGC will not pay invoices if they are turned in after 6 months of week completion / material delivered.
- 21- It is mandatory for the bidders to follow all the terms and conditions given in the tender documents without any addition / deletion / amendment and submit the bid accordingly. Therefore, this context, the bidders are addition / deletion / amendment and submit the bid accordingly. Therefore, requested not to give their own terms and conditions as it tantamount towards the onditional bid. Otherwise he awarded based on their terms and conditions will not be considered and the Purchase Order / Cons only as per SSGC tender terms and conditions.
- 22- The bidders/contractors are required to provide their only one Bank Account number (BAN number) on the 'FORM-X' attached duly signed & stamped as one time information, which shall be firm (not changeable) for all the future payment transactions.
- 23- Payment:

The supplier after delivery of goods and its acceptance shall submit invoice to Finance Department of the Company, containing following information i.e.

- Purchase order No. & date
- **Items (b)**
- **Ouantity** (c)
- Price (d)
- Invoice value (e)
- Point of delivery (f)
- Delivery challan indicating delivery date, etc. (g)



(h) Supplier(s) are required to submit signed and stamp acknowledgement slip, Sales Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid.

Payment will be made within 30 days of completion of stated requirements.

- 23. In case the insurance policy submitted by the contractor is expired during the execution of job, it is the responsibility of the user department to coordinate with the contractor to get it renewed/updated till the period the job is completed/commissioned.
 - In case the job is not completed within the given time as per tender terms and the insurance policy submitted by the contractor expires, the contractor is liable to get this insurance policy renewed / updated immediately till the period of the job is completed / commissioned as per tender terms failing which the contractor will be responsible for any loss to SSGC.
- 24. Bidders can quote their rates on both i.e. Schedule of Requirement/Bid Form as well as Bill of Quantity (BoQ)
- 25. Subsequent to the issuance of LOI, successful bidder has to submit 10% Performance Bank Guarantee of the contract value unless and until specified in the tender document.
- 26. Company reserve the right to award the Purchase Order /LOI to most advantageous bidder.
- 27. As per SRO 592(I)/2022 of PPRA Regulations, for Procurement Contracts/Purchase Orders worth of Rs. 50 million are above, bidders/contractors are required to submit the Beneficial Owner's Information for Public Procurement Contracts/Purchase Orders (Annexure-I).
- 28. Bidder while blacklisted and henceforth cross debarred for participating in respective category of Public Procurement or certains for a period of (not more than) six months, if fail to abide with a bid securing declaration (which is an integral part of tender document), however, without indulging in corrupt and fraudulent practices, if it reach of obligation(s) under the Bid conditions:
 - a) The bidder have withdraw or modified their bid during the period of bid validity as specified in the tender terms.
 - b) Having been notified of the ceptance of bid by procuring agency during the period of bid validity (i) failure to sign the contract of accept purchase order (ii) fail or refuse to furnish the performance security or to comply with any other condition as mentioned in the tender document.
- 29. Wherever the "Rate Only" is mentioned (the er on BOQ or anywhere in tender documents) the same shall only be applicable not exceeding 15% of the original procurement for the same items as given in the BOQ for package basis. In case the requirement is or item wise basis (not package basis) then not exceeding 15% of the original Procurement for the same items (on it mayise basis) as given in the BOQ.
- 30. Lots: In case when the tender is floated on Lots; following clauses to be applied:
 - a) The bidder(s) are essentially / mandatorily required to submit fixed bid bond as mentioned in the #bid form/BOQ/Invitation to Bid. Separate fixed bid bond to be submitted against each individual LOT and its validity to be 150 days at the time of or an against each individual requirement.
 - b) Evaluation for each LOT will be carried out separately Each LOT will be awarded separately.
- 31. For open competitive bidding if the most advantageous bidde shew local manufacturer, 10% trial order will be placed and remaining 90% order will be awarded to be next most advantageous bidder at their own quoted rates.
- 32. Redressal of Grievances And Settlement of Disputes:
 - Any bidder feeling aggrieved by any act of the procuring agency after the submission of his bid may lodge a written complaint concerning his grievances within seven days of announcement of the technical evaluation report and five days after issuance of final evaluation report.
 - In case, the complaint is filed against the technical evaluation report, the GRC shall suspend the procurement proceedings.
 - In case, the complaint is filed after the issuance of final evaluation report, the complainant cannot raise any objection on technical evaluation of the report. Provided that the complainant may raise the objection on any part of the final evaluation report in case where single stage single envelope bidding procedure is adopted.



SECTION -

General Terms & Conditions

1. <u>Definitions and Interpretation:</u>

- In these tender documents (as hereinafter defined) the following words and expressions shall have the meaning hereby assigned to them except where the Tender requires otherwise.
 - a) Company means the Sui Southern Gas Company Limited; a Company registered under statutes of Pakistan and includes any successors-in-interest or assignees.
 - b) Engineer means the Engineer(s) nominated by the Company to look after and supervise the Work.
 - c) Representative of the Company means a duly authorized person appointed by the Company or as specified in the "Special Conditions of the Contract" to perform the assigned duties.
 - d) Bidder means any person or persons, firm or company bidding for the Work.
 - contractor means the persons, firm or company whose Tender (as hereinafter defined) has been accepted by Company and includes the Contractor's representatives, sub-Contractors, successors and permitted as gives (Prior to the execution of the Contract the word "Contractor" also means a Tenderer or Bidder su mit and a proposal in accordance with the Tender Documents).
 - f) Agent of Representative means person(s) appointed by the Contractor to perform duties as set forth in the Contract.
 - g) Laborers/Worl nen means such laborers/workmen and staff as may be employed by the Contractor for purpose of carrying at the Work.
 - h) Sub Contractor mean any firm or person having a direct Contract with the Contractor. Nothing contained herein however, shall be deaded or be construed to impose upon the Company, any obligation, liability or duty to a sub-contractor or to create any contractual relation between any sub-contractor and the Company.
 - Work means whole of the Works. Services or part thereof to be executed in accordance with Tender / Contract documents, whether temporary or partial en and whether original, altered substituted or additional.
 - j) Contract Documents shall consist of Country of Country of Country of Agreement, the Tender Documents and the Tender submitted by the successful Bidder is adding modifications thereto incorporated in the documents before and after the execution of the Contract.
 - k) Contract Price/Value means the sum named in the dule of (SOR) / BOQ subject to additions thereto or deductions there from as may be made under the provisions havinafter contained.
 - Plant means all machineries, equipment, materials, appliances of things of whatsoever nature required in or about the execution, completion or maintenance of the Work, but does not include such equipment, materials, appliances or things intended to form part of the permanent Work.
 - m) Temporary Works means all temporary works of every kind required in a out the execution, completion or maintenance of the Work.
 - n) Drawings means the drawings referred to in the Contract documents and any vod lestion of such drawings.
 - o) Location means the land and other places on, under in or through which the Work to executed or carried out and other lands or places provided by the Company for the purpose of the Contraction
 - P) Approved/Approval means approved/approval in writing by Company's representative or as specified in "Special Conditions of Contract".
 - q) Tender/Bid means the offer tendered by the Bidder for the Work governed by the Contract.
 - r) When the terms Acceptable, Satisfactory, Proper, or other such general qualifying terms are used in the Contract, it shall be understood that reference is made to be sole ruling and the sole judgment of the Company.
 - s) The Word Equivalent or Equal where used in these documents in the general sense shall not mean Similar but shall mean "Conforming to, Like, of Kind/Quality and Function". "Proprietary Items" and "Trade Names" are used for the purposes of establishing a standard of "Kind, Quality and Function" and "Equipment" items, articles, things or materials will be approved, if held to be "Equivalent" by the Company.
 - t) Approved Banker wherever occurring in this Contract shall mean a Scheduled Commercial Bank operating in Karachi and acceptable to the Company.

Dept.

į

4.1

- u) Specification(s) means the standard codes of practice and other specifications issued with the Tender and any notification such as specifications approved in writing by the Company and other specifications as may from time to time be furnished or approved in writing by the Company.
- v) Month means calendar month of the Christian era.
- w) Time Schedule is a graphical illustration of the time span of various Work activities defining starting and completion dates.
- **Bonds** mean Bid Bond, Performance Bond or Bank Guarantee and other instruments of security furnished by the Bidder of his surety in accordance with the Tender/Contract.
- y) Completion Date means the date on which the Work has been completed in accordance with the Contract so that it can be utilized for intended purpose.
- z) Day means a day of 24 hours mid night to mid night.
- aa) Completion Period means the time allowed for the execution of the Work.
- 1.2 Words importing the singular only also include the plural and vice-versa where the Contract so requires.
- 1.3 The deginal headings or notes in these Conditions of Contract shall not be deemed to be part thereof or be taken into a degration in the interpretation or construction thereof or of the Contract.
- 1.4 If there is any conflict between the Special Conditions and the General Conditions, the Special Conditions shall modify, supplier at and supersede the General Conditions.
- 2. Examination:

Bidders shall visit/inspect examine the Work & Location and shall fully acquaint themselves with the nature and requirements of Work/Services, coess to Work/Location, availability of materials, weather, law and order and local conditions etc. before submitting heir Bids. Submission of the Bid shall be prima facie evidence that the Bidders have fulfilled this requirement and shall & inding upon him.

3. Conflict between Drawings/Specia cations/SOR:

In case of any conflict between drawing specifications, SOW/TOR and SOR/BOQ, with regard to the quality of any item, the Contractor / Consultant share the drawings/details, the Contractor / Consultant share the drawings/details, the Contractor / Consultant share the drawings/details shall be Contractor / Consultant's sole responsibility.

Additions, Deletions:

The Company reserves the right to make addition 20115%) and delete the quantity from the Work defined in SOW/TOR/SOR/BOQ as deemed necessary before a acceptance the execution of the Contract. All such additions and deletions shall only be authorized in writing by the Company

5. Schedule of Requirement:

The quantities specified in the SOR/BOQ are estimated and intended to serve only as a guide to the Bidders. Payments shall be made on the basis of actual Work quantum done of easured. No claims or adjustments shall be entertained/allowed on account of increase or decrease in the Scope of Work which has not been duly authorized by the Company through the issue of change orders as stipulated in the relevant provision.

6. Rate:

1. 1

The Bidder shall quote all item rates and lump sum prices as shown in the "SOF 150.2". Bidders shall fill in the rate / price for each item in the SOR/BOQ. In case of any discrepancy between item rate, it is amount, the quoted item rate will prevail. The quantities given in the SOR/BOQ are estimated ones and are subject to vary tions. That is, there could be increase or decrease. Nevertheless, the item rates quoted by the Bidder shall main fixed and no escalation whatsoever shall be permissible. The rates / prices quoted by the Bidder shall be workable. The Bidder shall be required to furnish a complete rate analysis of any item in the SOR/BOQ as considered necess.

7. Escalation:

It may be clearly understood that this tender does not contain a price variation clause and therefore, all unit prices quoted shall be firm, irrevocable fixed and valid until completion of the Contract and will not be subject to variation on any account.

8. Validity:

Bids shall remain valid for acceptance for a period of (120) days from the date of bid opening. If the last date falls on a holiday, the validity will be extended to the first Company working day thereafter.

9. Bid Bond (Earnest Money):

The Bidder is required to furnish Bid Bond strictly in accordance with the prescribed format, in the form of a Pay Order, Demand Draft or Bank Guarantee issued only by a scheduled commercial bank operating in Karachi, for an amount fixed bid bond as specified of tendered Work / Services quoted by the Bidder in favor of Sui Southern Gas Company Limited. No Bid shall be considered without a Bid Bond and no cash or cheque or a guarantee issued by an insurance company shall be accepted.

The same of the sa

The Bid Bond shall remain valid for a period of 150 days from the date of Bid opening. Bid Bonds of the unsuccessful Bidders shall be returned as soon as practicable, The successful Bidder's Bid Bond sphall be retained by Company until execution of a Contract for the Work / Services defined in these documents and the submission of a Performance Bond prior to the execution of Contract.

In the event that the successful Bidder refuses or fails to provide (PBG) and Stamp papers for contract within fifteen (15) days of the issuance of a Letter of Intent, Company shall be at liberty to forfeit the Bid Bond.

In the event of the bid bond validity falling short of the prescribed period of 150 days as the case may be either (i) due to extension in the bid submission date or (ii) where so required by the procuring agency, than in such an event it shall be mandatory on the bidder to extend the bid bond validity up to 150 days within 30 days of the opening of technical proposal / bid, and / or where so required by the procuring agency.

In case when bidder submit alternate bids a separate bid bond for each bid is required otherwise bid will be liable for rejection. In case of Single Stage Two Envelope bidding system (bid bond will be enclosed with "Financial" bid, unless and until specified separately in Tender terms).

The bir and may be forfeited if a bidder withdraws the bid during validity period specified by the bidder or if successful bidder fails to:

- Accer pur chases order/LOI,
- Furnishment Furnis
- Extend Services as per requirement and completion Period.

10. Performance Bond

وزيء

The Bidder shall furnish a Performance Bond strictly (if the bid increases to Rs. 500,000/-) in accordance with the prescribed furnish in the form of a bank guarantee issued by a scheduled commercial bank operating in Karachi for a product equivalent to (55/-05/-) percent of the Contract value. Failure to furnish the performance Bond before execution of the Contract will entitle the Company to consider the Bidder as having abandoned the courset and the forfeit the Bid Bond. The Performance Bond shall remain valid till after three (03) month of course from the work.

The Company's right to recover damages for the Bidder for breach of Contract shall not be limited to the value of the Performance Bond. In the every of the Bidder failing to execute a formal Contract or to submit the Performance Bond in the manner aforesalt and in the period specified, the Company shall be entitled to appropriate the earnest money submitted by the filter with his tender without prejudice to its right to claim any further loss or damage which may result that he reason of the aforesaid default of the Bidder as if Contract is actually executed for the purpose of such claims.

The Bidder shall extend the validity period of the Performance and for such period(s) as required for the Contract performance.

The performance bond of the successful bidder will be released ster successful completion of work.

11. Retention Money:

The amount to be retained from payments shall be equal to the specified erent of certified value of Work which would be released after the maintenance period.

12. <u>Completion Period:</u>

Subject to any requirements as to completion of any portion of the Work before the completion of the whole of Work, the Work shall be completed within the specified completion period the Work shall not be considered as completed until the Company has certified in writing that it has been completed. Should extra, altered or additional Work of any kind, or any other cause of delay, which in the opinion of the Company could not have been foreseen by the Contractor / Consultant requires extension in completion time, then on the written request of the Contractor / Consultant, the completion period as provided in the Contract shall be extended by the Company. All such extensions shall be allowed in writing by the Company's representative.

13. Signing / Execution of Contract / Agreement:

Formal signing / execution of Contract / Agreement shall be completed within fifteen (15) days of receipt of "Letter to Proceed". The Company shall prepare the Contract in accordance with the prescribed format (Contract Form, and Articles of Agreement) for the purpose and the successful Bidder shall be communicated the date and time by the Company for the execution of Contract.

The successful Bidder shall provide the stamp paper, of value at the rate of thirty five (35) paisa per every hundred Rupees or part thereof of the amount of the Contract, or at the prevailing rate as specified by the Government of Pakistan.

Procurement Dept.

In case the agreement is executed for services i.e Janitorial, Canteen, Landscaping, Maintenance Contract etc... will be for One year extendable for further Two terms of one year each unless specified in Special Term & conditions.

14. Award / Evaluation Criteria:

Company reserves the right to settle the final award of job to the technically compliant and lowest evaluated and commercially responsive bidder.

Evaluation may be carried out both on item or on group of items/single or multiple package basis depending upon the nature of requirement exclusively at the discretion of the company to ensure economic procurement.

15. Commencement & Execution of Work:

Notwithstanding any delay in the preparation / execution of the Contract the successful Bidder shall commence mobilization / preparations and under take the Work within (15) days after receipt of the Letter to Proceed.

The Contractor / Consultant shall prior to commencement of Work, obtain the written authority and instructions of the Company.

16.

Change in Coders:
The Comparatory The Company pay at any time, by a written notice to the Contractor / Consultant, make changes within the general Scope of Work of the Contract.

Upon notification by the Company of such change, the Contractor / Consultant shall submit to the Company an estimate of costs for the proposed change (hereinafter referred to as a change) within ten (10) calendar days of receipt of notice of the change, and shall include an estimate of the impact (if any) of the change on the completion (ate s) under the Contract, as well as detailed schedule for the execution of the change, if applicable.

The Contractor / Consultant shall not perform changes in accordance with above, until the Company has authorized a Change Order in writing in he basis of the estimate provided by the Contractor / Consultant.

Changes mutually agreed upon as a change shall constitute a part of the Work under this Contract, and the all apply to said change. provisions and conditions of the Contract

Assignment: 17.

cole or in part, its obligations to perform under the The Contractor / Consultant shall not assign Contract except with the Company's prior written of

Termination of Contract: 18.

The Company may decide to terminate the Contract in one of the following situations:

Termination for Default:

The Company may, without prejudice to any other femels for breach of Contract, by written notice of default sent to the Contractor / Consultant, terminate the Contract in whole or in part.

- If the Contractor / Consultant fails to complete the cor at ed Works / Services within the (a) time period(s) specified in the Contract or any extension the of granted by the Company.
- ion(s) under the Contract. If the Contractor / Consultant fails to perform any other con-(b)
- If the Company during the completion period of the Contra has eason to believe that (c) s mer the Contract. the Contractor / Consultant will not be able to fulfill the obliga

ap ny shall issue Prior to the exercising of any right by the Company to terminate the Contract, the notice to the Contractor / Consultant specifying the default(s) and the Contractor / Consultant shall submit an explanation within seven (07) days of receipt of such notice. If such explanation is not furnished within the stipulated time or if so furnished, is found to be unsatisfactory and / or the default(s) continues, the Contract may be terminated by the Company.

Termination for Insolvency: (ii)

The Company may at any time terminate the Contract by giving written notice to the Contractor / Consultant, without compensation to the Contractor / Consultant, if the Contractor / Consultant becomes bankrupt or otherwise insolvent. Notwithstanding the above such termination will not prejudice or affect any right of action or remedy which as accrued or will occur thereafter to the Company.

Procurement Dept.

٠. <u>. ب</u>

Procurement Dept.

(iii) Termination for Convenience:

- a. The Company may by written notice sent to the Contractor / Consultant, terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the company's convenience, the extent to which performance of work under the Contract is terminated and the date upon which such termination becomes effective.
- b. The Works that are complete and ready for Commissioning within thirty (30) days after the Contractor / Consultant's receipt of notice of termination shall be at the Contract prices and on the existing Contract terms. For the remaining Works, the Company can also opt to have any portion thereof completed and commissioned at the contract prices and on the other contract terms.

19. Liquidated Damages:

If the Contractor / Consultant fails to complete the Work or perform the Services specified in the Contract within the stipulated period / scheduled time specified in the Contract, the Company, without prejudice to any other remedies, shall deduct from the bills or any other due payments / guarantees, as liquidated damages, a sum equivalent to 0.1 % per day of the value the Contract, until actual completion of the Work or performance of the Services. However if delay of over 100 days takes place (i.e. equal to 10%), the Company reserves the right to terminate the Contract at the risk and cost of Contractor / Consultant. The liquid at chamages shall also be applicable for the Works / Services terminated under Clause 16.

The payment of liquidated damages shall not relieve the Contractor / Consultant from performing and fulfilling and obligations under the Contract and nor shall the rights and entitlements of the Company be affected or reduced in any manner.

20. Force Majeure:

The parties will not be considered to be in default in the execution of their contractual obligations or any of them to the extent that he execution of such obligations or any of them is delayed or omitted by cause of Force Majeure. Each party will divise the other party by written notice within 07 days of the occurrence of any such case of Force Majeure. The term Force Majeure employed herein shall mean acts of public enemy, wars (whether declared or not invasion, hostilities, revolution, epidemics, riots (other than among the Contractor / Consultant's own employees) fires, floods, earth quake, commotion, disorder and other causes similar in kind to those herein tent oned, not under the control of either party, which makes the performance of this agreement unfeasible and which by the exercise of due diligence the party seeking excuse from performance is unable to over the

The Company shall not be liable to the Contractor Consultant for any damage or loss caused by Force Majeure directly or indirectly.

21. Safety of Employees and Works:

The Contractor / Consultant shall be responsible to take all necessary precautions for the safety of employees on or off the Work, and shall comply with alkappare ble safety laws and codes to prevent accidents or injury to persons on about or adjacent to the places where the Work is being performed. All statutory rules, orders, regulation from time to time in force relating to a king and observance of all safety precaution governing or which might be deemed to be given during the execution and performance of the Work. The Contractor / Consultant shall comply with any and all persons as fety regulations. Any person of the Contractor / Consultant violating the safety rules shall be removed by the Contractor / Consultant from site and replaced without delay.

22. Insurance:

The Contractor / Consultant shall be responsible for obtaining a Contractor / Consultant's All Risk Policy (CAR) against risks to the Works and shall make good at his own cost, all losses or damages whether to the Works or to the lives, persons, whether under the workmen's compensation Act or Third Party Risk, or property of others from whatsoever cause arising out of or in connection with the works either during the progress of the works or during the period of maintenance provided by this Contract.

The Contractor / Consultant shall arrange insurance approved by the Company fully to cover workmen compensation and other claims arising out of sickness, injury or death of his personnel working at site and also to cover theft, loss of or damage to the Company's material in his possession and to indemnity the Company for third party claims for damage done or said to have been done to those persons or their property as a result of the Contractor / Consultant's activities on and off the site.

Insurance will be required where ever applicable: Company's Address: GENERAL MANAGER (PROCUREMENT) SUI SOUTHERN GAS COMPANY LIMITED, 2ND FLOOR, HEAD OFFICE, ST-4/B, B-14, SIR SHAH SULEMAN ROAD, **GULSHAN-E-IQBAL**, KARACHI -PAKISTAN. Contractor / Consultant's Address:

Dispute Resolution: 23.

If any dispute shall arise as to the interpretation of this Contract or any matter or thing arising there from, the same shall be settled as far as possible by way of amicable resolution. Failing such settlement, the dispute may be eigred for arbitration to two Arbitrators, one to be nominated by each Party. The appointed Arbitrators of the Jappire as the case may be shall be final and binding on the Party. shall be governed by the Pakistan Arbitration Act, 1940 and any statutory modification thereof. The venue of arbitration shall be Karechi.

All costs of Arbitration stell be borne by the Parties themselves, unless otherwise ordered by the Arbitrator. Notwithstanding the existence of any difference or dispute, or the commencement or continuance of any arbitrator of ceedings, Works to be done or Services to be provided under this Contract shall not be suspended or discontinued by the Contractor / Consultant nor shall any payment be withheld by the Company except the ofference of the amount in dispute, which is the subject matter of such proceedings.

Income Tax and Duties:

All kinds of Government Taxes and Duties, and the tax, custom duties, etc.) also the provincial sales tax as per provincial law, against any item of the central than the contract of the central than the contract of the central than the contract of the central than the central t All kinds of Government Taxes and Duties Consultant. Income Tax will be deducted as appleable under the prevailing Government Rules. Rate of Income Tax deduction in relation to submission of the prevailing transfer from the Contractor / Consultant under the prevailing Government Rules. Rate of should also be stipulated.

All Foreign Service providers are required to obtain Ad are Ruling from the Federal Board of Revenue (FBR) under Section 206A of the Income Tax Ordinance 2001 (a) istan's Income Tax Law). The advance Ruling issued by FBR covers application of Income Tax Ordin ce 2001 to Transaction proposed or entered in to Foreign Service Provider".

25. Payments:

Payment will be made within 30 days after completion of works.

The Contractor / Consultant shall submit to the Company during the execution of the Work on-account bills along with a statement / details of executed Work.

with those in the The rates and prices in such on-account bills and statement of Work shall be in account SOR/BOQ so far as such rates and prices are applicable and on the approved rates and prices for other items of Work. All payments against on-account bills shall be treated as provisional payments and will be subject to final adjustment.

The Company may withhold payment or on-account of subsequently discovered evidence, nullify the whole or part of any certificate to such extent as may be necessary to protect itself from loss on-account of:

- Defective Work not remedied. (a)
- Claims filed or reasonable evidence indicating probable filling of claim. (b)
- Failure of the Contractor / Consultant to make payments properly to Sub-Contractor / Consultants. (c)
- Damage to another Contractor / Consultant. (d)

When the grounds are removed payment shall be made for amounts withheld because of them.

Payments in respect of extra / additional Work will be made on the basis of the original Contract rates and the Contractor / Consultant will not be entitled to any extra compensation / payment including idle charges because of such delays. hern d

Ľ

rocuremen Dept.

Procureme Dept.

The making and acceptance of the final payment after successful completion of Work shall constitute a waiver of all claims by the Company other than those arising from faulty Work appearing after final payment and of all claims by the Contractor / Consultant, except those previously made and still unsettled.

Supplier (s) are required to submit signed and stamped acknowledgement slip, Sale Tax return, Annex "C" & Annex "I" (whichever applicable) in which Sales Tax (of relevant Sales Tax invoice) is paid.

26. Blacklisting of Suppliers and Contractor / Consultants:

The company shall permanently blacklist or temporarily debar (at least for 6-months from participating in SSGC's tender proceeding) if, a supplier or Contractor / Consultant who either constantly fails to perform satisfactorily or found to be indulged to corrupt and fraudulent practices as defined blow:

- Corrupt and fraudulent practices" includes the offering, giving, receiving, or solicities of anything of value to influence the action of an official/company. 26.1
- If the supplier/Contractor Consultant found responsible for the detriment of the company during 26.2 proceedings of mocurement/contract, process or its execution.
- isrepresentation of facts (by providing fake documents, concealing) mis-reporting facts reporting facts 26.3 nining to the bid) in order to influence the procurement process order/contract.
- ractices among bidders (prior to or after bid submission) designed to establish bid 26.4 prices at attricial, non-competitive levels and to deprive the company of the benefits of free and open competiti

GOP's Obligation: 27.

The contract shall be go erned by the Law of Pakistan. The Contractor / Consultant is obligated to comply with all regulations and ordinate in force or to be passed by the Government of Pakistan in connection with Labor legislation during the course of the work to be performed. Any additional financial charges on account of revision in minimum was by GOP will be company's responsibility while the contract is in account of revision in minimum w operation.

This contract embodies the entire und starting of the parties hereto on this subject and there are no commitment, terms, conditions or obligances, pral or written, express or implied, other than those contained herein.

28. Late Bid:

Sealed bids shall be mailed/submitted/dropped in terrer box placed at Tender Room, CRD Building, and SSGC Head Office, In accordance to the time specified in invitation to bid & tender notice (which ever applicable), Bids are to be delivered on or before closing time a which all bids submitted after the time prescribed shall not be entertained and will be returned with a bing opened. In case bid is sent through courier, the same shall be delivered at least half an hour before schauled opening time.

29.

Unit rate (s) given in the Bill of Quantities shall take into account all re factors including discount if any. Discount given separately at the time of bid opening will not be considered

30. Joint Ventures:

In the event that the bidder is bidding as a Joint Venture, the Company will e the joint venture agreement duly executed by the parties to the Joint Venture to be submitted with The joint venture parties shall also furnish an undertaking to be jointly and severally liable for all lia three arising out of obligation under the Purchase Order / Contract. The, Joint Venture agreement of the parties must specify share of each partner and name of the lead partner along with their registration with the FBR, SST and BST as the case may be failure to specify these two narrations the joint venture agreement will not be entertained.

31. Correction / Amendments in Quoted Price:

Any overwriting in BOQ / SOR is not allowed. In case of type of any amendment / correction required in unit price / total amount the same has to be strikeout and re-written with corrected figures, properly signed & stamped out, in order to avoid an ambiguous bid.

PROPOL Procurement Dept. Procu

SECTION-VII

TENDER FORM

Sui Southern Gas Company Limited, ST 4/B, Block 14, Sir Shah Muhammad Suleman Road, Gulshan-e-Iqbal, KARACHI.

Sui Southern Gas Company Limited

Construction of Paver Block at LPG Air Mix Plant Gawadar Tender Reference No. CIV-LPG-P&C 2K2506

Dear Sir,

- Having examined the Site, Drawings, Conditions of Contract, Scope of Work and Bill of Quantities for the subject Work, I/We, the undersigned offer to undertake, complete and maintain the whole of the said Work in conformity with the contract terms the unit rates given.
- I/We undertake, if my/our ender is accepted, to commence the Work within specified time after receipt of the letter of interpretater to proceed/signing of contract, and to complete and deliver the whole of the Work or aired in the contract within the period specified in the tender document.
- 3. If my/our tender is accepted, I/We stall provide an irrevocable bank guarantee of a Scheduled Bank (acceptable to the Company) to be jointly or severally bound with me/us in a sum specified hereunder and in Annexary in for the due performance of the contract.

 4. I/We agree to abide by this tender for the pelos of 90 days from the date fixed for opening
- 4. I/We agree to abide by this tender for the pelo of 90 days from the date fixed for opening the same and it shall remain binding upon me/us in may be accepted at any time before the expiration of this period.
- 5. I/We agree to execute the Work in a manner satisfactor to the Company whose decision shall be final and without appeal on work methods, specifications, and quality of materials, equipment and workmanship.
- 6. I/We agree to supervise and furnish adequate engineering and supervisory staff, labour force, tools, plants, machinery and finances to perform the Work in the as specified in the agreed Time Schedule to ensure that all will be done in accordance with accepted international engineering standards.
- 7. Unless and until a formal agreement is prepared and executed, this tender together with the Company's written acceptance shall constitute a binding contract between us.
- 8. I/We understand that the Company is not bound to accept the lowest or any tender received without assigning any reasons.
- 9. For ease of reference certain information and special stipulations applicable to the contract within the subject of the tender are set forth herewith a Gas

Procuremen

a.	Name of the Company	:	Sui South	ern Gas Con	npany L	imited	
b.	Name of Work	:	Air Mix l	ction of Pave Plant Gawad ference #. CIV	lar		
c.	Amount of Bid	:	Rs(To be fi	lled in by the	e Bidde	r)	
d.	Retention Money	:	Five (5% the Contr	b) Percent of actor.	f all pay	ments mad	de to
e.	Date of award of Work	:		cknowledger the Contract		Letter of I	ntent
f.	Achilization Period	:	Two (02) Letter to	weeks from Proceed	the date	e of issuan	ce of
g.	Value of Performance Bond	:	Five (5% Value.	%) Percent	of the	Contract /	Bid
h.	Completion Resort	:) months fro including 2			
i.	Mode of Payment			Clause 10, ns" of Tender			ecial
j.	Maintenance Period		Four (completic	04) months	from	the date	e of
k.	Liquidated Damages	:		rcent of cont subject to a n			ı day
1.	Insurance	:	(C.A.F)	Contract Valu	ue + 109	%	
In the name	e of			'\\			
	day of						•
Signature			in	1		cap	acity
of Duly a	uthorized to sign	the	tender f	or and	on	behalf	of
Name :					Service Servic	CO COMO COMO COMO COMO COMO COMO COMO C	
		•	OS INC.	Gas Contraction of the Contracti	111111111111111111111111111111111111111	S. A.	(-E)

S.

**BILL OF QUANTITIES

OR BIDDING BURDOSK

SECTION VIII

Construction of Paver Block at LPG Air Mix Plant Gawadar

Tender Reference No. CIV-LPG-P&C 2K2506

Bill of Quantities

Item No.	Description	Unit	Qty	Rate Rs.	Amount Rs.
1	C.C Paver Flooring (80mm)				
a)	Providing all material, labour and equipm of for supplying Stone Soiling (6" thick) over compacted earth as per specification drawing and directed by the Engineer.	Cft	9,000		
b)	Providing all material, labour and equipment for laying as eling & curing 4" thick Cement Concrete (2.4%) as per specification, drawing and diseased by the Engineer.		6,000		
c)	Providing all material, labour and equipment for laying city paver 197m 197mm x 80mm (thick) paver blocks 7000 psi of approved make including layers of 2" thick bonding sand with leveling/dressing the ground, interlocking by spreading fine granular sand/stone crusher dust over pavers and compacting with plate compactor as per specification, drawing and directed by the Engineer.		18,000) S	
	Total Amount (Rs.)				







Enquiry No.

SSGC/SC/13708

TENDER ENQUIRY NO. SSGC/SC/13708

SECTION-3

SCHEDULE OF REQUIREMENT

AND

BID FORM

Sr. NO.	DESCRIPTION OF ITEMS / PART NOS.	QUNATITY	UOM	TOTAL AMOUNT
	(1)	(3)	(4)	
	CONSTRUCTION OF PAVER BLOCK AT LPG AIR MIX PLANT GAWADAR (AS PER BOQ)			
1	[1] SC242611	1.00	Lot	
	Delivery Schedule:			

Fix Bid Bond Amou

NOTE:

- n PKA (i) The quoted unit price and corresponding total of all duties & Tayon and all duties & Tayon unt shall be inclusive of all duties & Taxes, excluding Sales Tax as per rovincial laws.
- (ii) Incase of supply of material alongwith services ill be exclusive of quoted rate of material.
- (iii) Bidders are essentially required for quote their on bid form / BoQ.
- (iv) Prices given in the bid form and BOQ shall take into ac out all relevant factors including discounts, if any. Discount given serar ely at the time of bid opening will not be considered.
- Any Bidder who change/amend the BOQ or Price Schedule (description, quantity, uom etc.) will be render the bid as conditional bid and will be liable for rejection (v) Any Bidder who change/amend the BOQ or Price Schedule (des rejection.

	NAME	
	NAME OF BIDDER:	
Gas Co	STAMP	
sett ale	DATE	
Prochement 2		

SIGNAUTRE OF BIDDER:



(On Stamp Paper @ Rs.100 for first Rs.100, 000 and Rs.50 per subsequent Rs.100, 000 of Guarantee Value)

BID BOND FORMAT

Su: Southern Gas Company Limited, ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal, Karachi.

Tender Enquiry No SSGC / SC /

_		
D	ear Sirs,	
In ca	consideration of Messrs	einafter d from
fo	llows:	arc as
2.	To make un-conditional payment of Rupees upon your return demand without recourse, question or felerance to the Bidder or any other person, in the event of the with drawl aforesaid Bid by the Bidder b fore the end of the period specified in the Bid after the opening of the for the validity thereof, or it is such period to be specified within 120 days after said opening and the event that the Bidder within the period specified thereof, or if no period be specified with 1 after prescribed forms are presented to the Bidder of signature the Bidder shall fail to execute such contractual documents if any as may be required by the Company, or on the Bidders' failure to g requisite Performance Bond as may be required for the fulfillment or resulting Contract with 10 of the acceptance of the Bid. To accept written intimation(s) from you as safecient evidence of the existence of default of compliance as aforesaid on the part of the Bidder and or take payment immediately upon receipt written intimation.	of the e same d or in 57 days further ive the lays of
3.	No grant of time or other indulgence to, or composition, or arrangement with the Bidder in respect aforesaid Bid with or without notice to us shall in any manner a scharge or otherwise, however, affective and our liabilities and commitments hereunder.	of the
4.	The guarantee shall be binding on us and our successors in interest and shall be irrevocable.	
5.	This guarantee shall remain valid upto	
Υů	urs faithfully,	
Νo	te: Any extensions / amendments (in all guarantees/bonds) if required shall be made on stamp pape Rs.50	rs of



(On Stamp Paper @ Rs.100 for first Rs.100, 000 and Rs.50 per subsequent Rs.100, 000 of Guarantee Value)

PERFORMANCE BOND FORMAT

Sui Southern Gas Company Limited, ST-4/B, Sir Shah Muhammad Suleman Road, Block 14, Gulshan-e-Iqbal, <u>Karachi.</u>	Bank Guarantee # Date of Issue: Date of Expiry: Amount:
Tender Enquir	y No SSGC / SC /
Dear Sirs,	
In consideration of your entering/having entered in M/s. hereinafter careceived from the Corrector, we hereby agree and un	11 1 //771 60
amount as you may require from time to time as the aggregate payment of Rypees damaged and security for the seculfillment by the and total and faithful performence of the above mentioned Contract upon your writer demand.	and un-conditional payment in such and when called upon by you to do so, not exceeding in, being the amount covering liquidated the Contractor of al! liabilities, obligations, commitments to Contract by the Contractor as specified in the above so without further recourse, question or reference to the to Contractor's default in compliance with its obligations, or and in pursuance of the Work committed by it in the the sole judge.
2. To accept written intimation(s) from you as scompliance as aforesaid on the part of the Contraction.	act of make payment immediately upon receipt of
	ate of this guarantee till the Contractor's obligations as ther obligation of the Contractor as are contained in the r to the satisfaction of the Company.
the performance of its obligations under and in	osition, or arrangement with the Contractor in respect of pursuance of the said agreement or any clause thereof, discharge or otherwise howster or effect this guarantee
. The guarantee shall be binding on us and our succ	cessors in interest and shall be irrevocable.
. This guarantee shall not be affected by any ch constitution of	nange in the constitution of the guarantor bank or the
. This guarantee shall remain valid upto	



DECLARATION FORM

(FORMAT OF DECLARATION)

M/s	[the Seller/Supplier] hereby decrares its intention not to obtain or induce
theprocurement of any contract,	right, interest, privilege or other obligation or benefit from Sui Southern
GasCompany Limited or any ad	ministrative subdivision or agency thereof or any other entity owned or
controlledby Sui Southern Gas Con	npany Limited (SSGCL) through any corrupt business practice.

Without limiting the generality of the foregoing, [the Seller/Supplier] represents and warrants that it has fullydeclared the brokerage, commission, fees, etc., paid or payable to anyone and not given or agreed to give andshall not give or agree to give to anyone within or outside Pakistan either directly or indirectly through anynatural or juridical person, including its affiliate, agent, associate, broker, consultant, director, promoter, shareholder, sponsor or subsidiary, any commission, gratification, bribe, finder's fee or kickback, whetherdescribed as consultation fee or otherwise, with the object of obtaining or inducing the procurement of acontract, reg Interest, privilege or other obligation or benefit in whatsoever form from SSGCL, except thatwhich has be re pressly declared pursuant hereto.

[The Seller/Supplied certifies that it has made and will make full disclosure of all agreements andarrangements with all persons in respect of or related to the transaction with SSGCL and has not taken anyaction or will not take an act by to circumvent the above declaration, representation or warranty.

[The Seller/Supplier] accepts in responsibility and strict liability for making any false declaration, notmaking full disclosure, misreprese fire facts or taking any action likely to defeat the purpose of thisdeclaration, representation and wa It agrees that any contract, right, interest, privilege or otherobligation or benefit obtained or p As aforesaid shall, without prejudice to any other rights andremedies available to SSGCL under any lay ontract or other instrument, be voidable at the option ofSSGCL.

Notwithstanding any rights and remedies exercise by SSGCL in this regard, [the Seller/Supplier] agrees to indemnify SSGCL for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to SSGCL in an amount equivalent to ten time the sum of any commission, gratification, bribe, finder's fee or kickback given by [the Seller/Supplier] as afc especial for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obtain on or benefitin whatsoever form of Poor, SSGCL.

SIGNATURE & STAMP

NOTE

- 1. The above declaration is to be furnished along with the bid on letter head, for bid(s)amounting to total bid value of Rs. 10,000,000/- (Ten million) or above.
- 2. Please note that submitting the declaration is a mandatory requirement.



CONTRACT FORM

Contract No. SSGC/SC/

ARTICLES OF AGREEMENT

Gas (Kara	as the company of the one part and was.
expre	hereinafter referred to as the "Contractor", (which session shall include the successors, of the said firm, heirs, executives, administrators and assigns of the Partners of aid firm individually or severally) of the other part.
<u>WIT</u>	NESSETH:
- "	EREAS, upde the procedures, bids have heretofore been received by the Company for carrying out " rk and the teacer of the Contractor for the said work has been accepted by the Company.
conta	THEREFORE, for the in consideration of the promises, negotiations, covenants and agreements hereunder ined and to be performed by the parties hereto, the said parties hereby covenant and agree as follows:-
<u>Articl</u>	le-1 Work and Cost of the Work.
i)	In consideration of the covenant and agreements to be kept and performed by the contractor and for the faithful performance of this Contract and the completion of the work embraced therein according to the specifications and conditions her in contained and referred to or agreed to in course of subsequent negotiations and in accordance with the Contract, the Company shall pay and the Contractor shall receive and accept as full compensation for expectating furnish and done by the contractor under this agreement as sum of approximately Rs
	work and agreed to and accepted by the parties as one partiment, and at the times and in the manner prescribed by the conditions of the Contract.
ii)	The Contractor at his own proper cost and expense shall do all work and furnish all labour, materials, tools, supplies, machinery and other equipment and plant that may be decessary for the satisfactory completion of all the works as set forth in the contract documents.
Article	e-2 - Time:
	The maintenance of a rate of progress in the works at a rate which will result in the oppletion within the specified time, is of the essence of the contract and the Contractor agrees to proceed with all the due diligence and care at all times to take all precautions to ensure the timely complet on as defined herein; time being deemed to be essence of the Contract of part of the Contractor.
Article	The said work shall be started on the Contractor's receipt from the Company of a written order to proceed, and the Contractor shall have the work called for duly and fuily complete in total months {including () weeks mobilization period} from the date of issuance of such order.
	It is understood and agreed that the contract documents which comprise this Contract are attached hereto and
	made a part hereof and consist of the following:- a) The Article of Agreement

Procuremen Dept.



b)	Bid ((submitted vide letter No, dated comprising Letter of Invitation, Instructions to bidders, Scope of Work, Special and General Conditions of Contract, Tender Form, Bill of Quantities, Drawings, etc.).
c)	Company letter No, dated
-,	Contractor letter No, dated
d)	Notice of Award (Letter of Intent (LOI) No.SSGC/MAT/S&C/, dated
۵)	Accordance built Communication and the commu
e) f)	Acceptance by the Contractor on the copy of LOI.
g)	Letter to Proceed No.SSGC/PROC/S&C/, dated Performance Bank Guarantee No, dated, amounting to Rs issued by M/s
IN WITNESS authorized rep	the parties to the contract that this contract shall be executed in two counterparts; one copy to be retained the Sui Southern Gas Company Limited and one given to the Contractor. WHEREOF the parties hereto have executed this Contract at Karachi in two counterparts by their duly resolutives as of the day and year herein above set forth. Signed for and on behalf of
M/s. Sui South	Signature :
Name:	· · · · · · · · · · · · · · · · · · ·
	Signature: Name :
Signature :	
	Name: Contine in Gas Contine in G

.

.

Supplier code:
FORM-X
Bank account details form for all Beneficiaries
(Mandatory requirement for Digital Online Banking)
s per FBR Regulations ref # C.No.4 (24) IT-Budget/2021-142150-R dated 23 rd Sept'2021 to make the syment online w.e.f. 01-11-2021. All beneficiaries are required to fill in the below details, which is andatory:
ame of Firm:
ddress of Firm:
NIC#:
ΓN #:
ank Name:
ank A/C Title name:
ranch code:
ank A/c #: (16 Digits)
ank IBAN #:(24 Digits)
Information already submitted.
ote: Please be attached copy of Cheque / Account Maintenance Certificate Mandatory)
Procurement Dept. Authorized Sign & Stamp
te: All payments transactions will be made on above mentioned Account details. This is only a time information to be provided by the all beneficiaries. Incase if the above detail has already bmitted, please tick the box above "Information already submitted" and also ensure Form-X is ly signed & stamped.

TTI-E GAZETTE OF PAKISTAN, EXTRA., MAY 14,2022 IPART II

ANNEXURE: I

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- 1. Name
- 2. Father's Name/Spouse's Name
- 3. CNIC / NICOP/Passport No.
- 4. Nationality
- 5. Residential address
- Email address
- which shareholding, control or interest acquired in the business.
- 8. In case of indirect shareholding, control or interest being exercised through intermediary companies, patries or other legal persons or legal arrangements in the chain of ownership or control, following additional particulars to be provided:

1	2	3	4	(3)	6	7	8	9	10
Name	Legal form (Company/Limited Liability Partnership /Association of Persons/Single Member Company/Partnership Firm/Trusted/Any other Individual, Body Corporate (to be Specified)	Date of Incorporation / Registration	Name of Registering Authority	Business Address	Country	Email Address	Percentage of shareholding control or interest of BO in the Legal Person or Legal Arrangement	Percentage of shareholding, Control or Interest of Legal Person or Legal Arrangement in the Company	Identity of Natural Person who Ultimately owns or Controls the Legal Person or Arrangement
					<u></u>	<u> </u>			

 Information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set opposite respective names).

Dept.

Gulshan-e

Name and		3	14	15	6	! 7	0
surname (in block Latter's)	CNIC no (in case of foreigner Passport No)	Father's / Husband's Name in Full	4 Current Nationally	Any other Nationality lies)	Occupation	Residenti ally address in full of the registered / principle office address for a subscribe rs other that natural	Numbers of shares taken by cash subscribers (in figures and words
						Person	
			7.4.1				
			and words)	ers of shares t	aken (ın figures	
	other informatio	n to id intal to			owner	(s).	
Name and sig (Person autho	nature rized to issue not	ice on behalt of	te company)	IN Pro	nern (
Name and sig (Person autho	nature rized to issue not	ice on behalt of	te company)	SO THE SOUTH OF THE SECOND SEC	ocuren Dept.		



Form of Bid-Securing Declaration

[The Bidder shall fill in this Form in accordance with the instructions indicated.]

Date: [date (as day, month and year)]

No.: [number of Bidding process]

Alternative No.: [insert identification No if this is a Bid for an alternative]

To: [complete, riquie of Procuring Agency]

We, the findersigned, declare that

We restand that, according to your conditions, Bids must be supported by a Bid-Security Delaration

We accept that we will be blacklisted and henceforth cross debarred for participating in respective category of public procurement proceedings for a period of (not more than) six months, if fail to a side with a bid securing declaration, however without indulging in corrupt and fra detail practices, if we are in breach of our obligation(s) under the Bid-conditions, because he

- (a) are have withdrawn on B rearing the period of Bid validity specified in the Leffer of Bid; or
- (b) having been notified of the acceptance of our Bid by the Procuring Agency during the period of Bid validary of fail or refuse to sign the Contract; or (ii) fail or refuse to furnish the Perform representative (or guarantee), if required in accordance with the ITB.

We understand this Bid Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your not cation to us of the name of the successful Bidder; or (ii) twenty-eight days after the expiration of our Bid

Name of the Bidder	(
Name of the person duly authorized to sign the Bidron behalf of the Politer*	
Title of the person signing the Bid	_
Signature of the person named above	•
Date signeddate	_

- *: In the case of the Bid submitted by joint venture specify the name of the Joint Venture as Bidder
- **: Person signing the Bid shall have the power of attorney given by the Bidder attached to the Bid

[Note: In case of a Joint Venture, the Bid-Securing Declaration must be in the name of all members to the Joint Venture that submits the Bid.]



SUI SOUTHERN GAS COMPANY LIMITED PROCUREMENT DEPARTMENT

BLACKLISTING MECHANISM (REVISION-1)

1 BACKGROUND

In pursuance of Rule-19 of Public Procurement Rules, 2004 read with Rule-2(f) (fa) and the criteria for Blacklisting of Suppliers and Contractors / Consultants doing business with the SSGCs is reiterated hereafter to eliminate unfair trade practices.

2 SCOPE

The procedure shall be applicable and remain in force, along with any amendments thereto, within Sui Southern Cas Company Limited ("SSGC") until any clear instructions or guidelines are impacted by the Government through Public Procurement Regulation Authority (PPRA), Pakistan Engineering Council (LeC), or any other competent forum. The procedure shall also be applicable on the prequalified firms. In procedure shall be applicable on any "Person(s)/Firm(s)", which for the purposes of this Mechanism shall inter alia include suppliers, bidders, contractors, consultants, firms, individuals, and organizations transacting business with SSGC. Wherever any provision of this Mechanism shall be in conflict with provisions of any applicable guidelines of donor agencies, or any other applicable Statute (Lew or Rule enforced at the time in Pakistan, the provisions of such applicable guidelines, laws, as we shall prevail. This SOP shall become a part of the future Bidding Documents.

3 DEFINITION OF TERMS

- 3.1 "Appellate Authority" Authority Appeal against issuance of Blacklisting Order.
- 3.2 "Appeal" Right of firm/individual to dodge protest against the issuance of Blacklisting Order.
- 3.3 "Procuring Agency" Any department/dilasion/factory/project exercising general and/or administrative control over the unit.
- 3.4 "Blacklisting Order" An administrative per an disqualifying a firm/individual from participating in procurement for a given period.
- 3.5 "Suspension" The administrative penalty imposed for in actions committed during the competitive bidding stage, whereby such firms/individ als are prohibited from further participation in the bidding process of Procuring Agency.
- 3.6 "Contract Implementation" A process of undertaking a proje or ontract in accordance with the contract documents.
- 3.7 "Termination of Contract" Extinction of contract by reason or resulting rescission under applicable rules/regulations/laws arising from the default of the firms/individuals.
- 3.8 "Delist" Removal of supplier/contractor from blacklisting,
- 3.9 "PA-Project Authority -" A three-member committee comprising of User, HSE&QA & Procurement Deptt. to address the issue.
- 3.10 RPC-SSG's Rights Protection Committee To examine the justification of PC.

Page 1 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



REASONS FOR BLACKLISTING

- 4.1 The following shall comprise the broad multilateral guidelines for blacklisting:
 - 4.1. I "Corrupt Practice" means the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;
 - 4.1.2 "Fraudulent Practice" means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;
 - 4.1.3 "Collusive Practice" means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser, designed to establish bid price at artificial, non-competitive levels, and
 - 4.1.4 "Coercive Practice" means harming or threatening to harm. directly or indirectly, Person(s) / Firm(s) or their property to influence their participation in the procurement process or affect the execution of a contract.
- 4.2 In addition to above, blacklisting of firms/individuals may be resorted to when the charges are of serious nature, which include but are not limited to the following:

4.2. I Competitive Bidding Stage

orang the competitive bidding stage, the Procuring Agency shall impose on bidders or post ctive bidders the penalty of Suspension from participating in the public bidding process. Without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- i. Submission of elicibility requirements containing false information or falsified documents.
- ii. Submission of bits that contain false information or falsified documents, or the concealment of such differential in the bids in order to influence the outcome of eligibility screening or any outer stage of the public bidding.
- iii. Submission of unauthorization is the documents for pre-qualification/ tendering i.e. without specific authorization is the principals/ manufacturers etc.
- iv. Failure of the firm to provide propertie Warranty Undertaking and Performa Invoice of the manufacturers / Principal Trading house.
- v. Failure of the firm to submit specific authority letter of the Original Equipment Manufacturer (OEM) for participation in a tisular tender;
- vi. Unauthorized use of one's name, or using the name of the name of another for purpose of public bidding.
- vii. Deviations from specifications and terms & conditions of the purchase order/contract.
- viii. Withdrawal of a bid, or refusal to accept an award or refusal to perform the job or enter into contract with the government without justifiable and chafter he had been adjudged as having submitted the Lowest Calculated Responsive Bid.
- ix. Refusal or failure to post the required performance security within the prescribed time.
- x. Refusal to clarify or validate in writing its Bid during post qualification within a period of seven (7) working days, or as may be specifically prescribed, from receipt of the request for clarification.

Page 2 of 10 Dated : 12th October 2020 Revision-1 ; Dt: 3 Sept 2024



- Any documented unsolicited attempt by a bidder to unduly influence the outcome of the bidding in his favor.
- xii. Any attempt to give illegal gratification to any representative of the purchaser to influence the process of procurement.

In addition to the penalty of suspension, the bid security posted by the concerned bidder or prospective bidder could also be forfeited / encashed.

Purchase Order / Contract Implementation Stage

During the Purchase Order / Contract implementation stage, the procuring entity shall impose on contractors after the termination of the contract the penalty of suspension from participating in the public bidding process, without prejudice to the imposition of additional administrative sanctions as the internal rules of the agency may provide and/or further criminal prosecution, as provided by applicable laws, for violations committed which include but are not limited to the following:

- į. Failure of the contractor, due solely to his fault or negligence, to mobilize and start work or performance within the specified period in the Letter to Proceed.
 - Failure by the contractor to fully and faithfully comply with its contractual obligations without valid cause, or failure by the contractor to comply with any written lawful as action of the Procuring Agency or its representative(s) pursuant to the dementation of the contract. For the procurement of infrastructure projects or consultancy contracts, lawful instructions include but are not limited to the following:
 - Em Abyment of competent technical Person(s) / Firm(s)nel, competent engineers work supervisors;
 - vior of warning signs and barricades in accordance with approved plans and b. and contract provisions; specificat o
 - Stockpiling in poer places of all materials and removal from the project site of waste and excess meterials, including broken pavement and excavated debris in accordance with approved plans and specifications and contract provisions;

 Deployment of committed quipment, facilities, support staff and manpower; and

 - Renewal of the effectively ates of the performance security after its expiration during the course of contract in ementation.
 - f. Non-Performance of the supplied in respect of tender terms & conditions and the delivery / supply of material.
- Assignment and subcontracting of the contract rany part thereof or substitution of iii. key Person(s) / Firm(s)nel named in the proposal without prior written approval by the Procuring Agency.
- iv. For the procurement of goods, unsatisfactory progress in the delivery of the goods by the manufacturer, supplier or distributor arising from the mult or negligence and/or unsatisfactory or inferior quality of goods, as may be provided in the contract.
- For the procurement of consulting services, poor performant V. y are consultant of his services arising from his fault or negligence, any of the following ts the consultant shall be construed as poor performance:
 - Defective design resulting in substantial corrective works in design and/or construction;
 - Failure to deliver critical outputs due to. consultant's fault or negligence;
 - Specifying materials which are inappropriate, substandard or way above acceptable standards;

Page 3 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



- Allowing defective workmanship or works by the contractor being supervised by the consultant; and
- Submitting CV's of key Person(s) / Firm(s)nel in the prequalifying process or bid documents of professionals that are not in actual employment of the bidder.
- VI. For the procurement of infrastructure projects, poor performance by the contractor or unsatisfactory quality and/or progress of works arising from his fault or negligence.

vii. Willful or deliberate abandonment or non-performance of the project or contract by the contractor resulting to substantial breach thereof without lawful and/or just cause.

In addition to the penalty of suspension, the performance security posted by the contractor could also be forfeited.

- 4.2.3 In addition to above, other grounds for blacklisting of firms/individuals include but are not limited to the following:
 - i. Obtaining fraudulent payments;
 - ring contracts by misleading the purchaser:
 - to pay SSGC dues etc.;
 - rulil contractual obligations;
 - v. Changes in the status of firm's ownership/partnership etc. causing dissolution which existed at the time of inspection / bidding prior to original registration of the firm;
 - vi. Registration of a firm with a new name by the Proprietor or family or a nominee thereof of a firm that has been already blacklisted;
 - vii. Consequential operation damages caused to SSGC equipment or infrastructure as a result
- of equipment or parts thereof applied on trial basis or due to failure of such equipment;
 viii. Contractors who have neg in ad Plea Bargain under the National Accountability Ordinance In any other criminal proceedings conducted by any 1999, or contractors involve as been proved specifically in relation to supplies made investigation agency where default to or contracts concluded with SSGF.
- Involved in litigation or needless petitioning to influence or obstruct the procurement process either on his own behalf or at the behast of a vother vested interest; ix. Involved in litigation or needless petricing
- to two years in case a decision by a court x. A firm may be disqualified for a period ext is awarded against the said firm after litigation & where the firm is involved in litigation at least three times during two financial years, or where from has on account of litigation caused substantial financial losses to SSGC;
- xi. Blacklisted by other Federal and Provincial Governmen Midstries / Divisions / Departments and organizations / autonomous bodies subordinate thereto;
- xii. Blacklisting in case of Joint Venture firms will also result in an ination of the concerned Joint Ventures Partners.

5. SYSTEM OF PENALTIES

For the purpose of uniformity, following system of penalties shall be adopted for procurement of goods, works and services:

Sil Blacklisted and henceforth cross debarred for participation in any public procurement or disposal proceedings for the period of not more than ten years, if corrupt and fraudulent

> Page 4 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



practice as defined in these rules is established against the bidder or the bidders in pursuance of blacklisting proceedings;

- 5.2 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than three years, if the bidder fails to perform his contractual obligations during the execution of contract or breaches the contract due to his capacity and capability to perform or otherwise. However, procuring agency shall initiate such blacklisting or debarment proceedings after exhausting the forum of arbitration, provided that such provision exists in the conditions of contract, and if such failure or breach is covered in the respective dispute settlement clauses of the contract, and
- 5.3 blacklisted and henceforth cross debarred for participation in respective category of public procurement or disposal proceedings for a period of not more than six months, if the bidder fails to abide with a bid securing declaration, however without being indulged in any corrupt and fraudulent practice.

6. SUSPENSION AND BLACKLISTING PROCEDURE

Pie supplier or contractor who is to be blacklisted for a specified period is given adequate or por unity of being heard.

- 2. The supplier or contractor who is to be blacklisted for a specified period is called for meeting by activiting adequate time, so as to given him adequate opportunity of being heard before taking any action.
- 3. In case the supplier a contractor does not attend the meeting on the given date and time a final notice is served to him / her to attend the meeting on the revised date and time. Despite the final notice, in the supplier or contractor does not attend the meeting as per schedule, automatically be considered at fault. Action will be taken as per below clauses 5 to 9.
- 4. A three-member committee will form emprising of User, Procurement and HSE&QA departments to address the issues in the preting with the supplier or contractor. Members of committee may not below of grade I
- 5. In case the supplier or contractor is found at de aux based on the fact of the case as well as the tender terms and conditions, and do not patify the grounds of his default as per the tender terms and conditions, the approval is scaply from the management for their temporary or permeant blacklisting along with encast the end of bid bond or PBG as the case may be.
- 6. The decision of the management is communicated to the decision of contractor through a formal letter.
- 7. A copy of the letter of the defaulted supplier / contractor along with covering letter with pertinent documents is / also forwarded to the Authority (PPRA) for uploading on PPRA website.
- 8. The blacklisting information of the supplier / contractor is uploaded on the websites.

Page 5 of 10 Dated : 12th October 2020 Revision-1 : Di: 3 Sept 2024



- 9. Any bidder not satisfied with the decision of the procuring agency, may lodge an appeal in the relevant court of jurisdiction.
- 10. After coming into force the procurement contracts, the dispute between the parties to the contract shall be settled by arbitration.

STATUS OF BLACKLISTED FIRM/INDIVIDUAL

Blacklisting of a firm/individual will not affect other ongoing contracts/works/supply orders. However, such blacklisted firm shall stand barred from all future tender processes/participation and Standing Security, if any, could be confiscated until recovery of financial damages ascertained by the authority while issuing Blacklisting Order.

8. DELISTING

A temporary blacklisted firm / individual shall be automatically restored after the period for the penalty has elapsed, unless the procuring agency wants to maintain the blacklisted status of firm / individual the to justifiable reasons with the prior approval of Appellate Authority. In the latter case, the temporary blacklisted firm / individual shall be restored.

9. AMENDMENTS

- 9.1 In the implement ion of Blacklisting Mechanism, the modifications may be introduced thereto through the one dment of its specific provisions as the need arises.
- 9.2 Any amendment to this 3 acklisting Mechanism shall be applicable to tenders advertised for bid after the effectivity of the said amendment.

10. EFFECTIVITY

The Blacklisting Mechanism or any amends ento thereof shall take effect immediately and from the date of its issuance. All future tender documents must be governed by these instructions. However, these cannot override the provisions of Yu 1.2 Procurement Rules, 2004.

11. The Steps to be Followed and Under

The causes and reasons to be taken into consideration for Debarment Bloc listing of any Person(s) / Firm(s) are given as under:

1. PRE-AWARD STAGE:

The following shall be considered, inter alia, the events / reasons for initiating proceedings under this Mechanism at the Pre-Award Stage:

- i Indulging in Corrupt: Fraudulent as well as Collusive practices.
- ii Submission of false and spurious documents, making false statements, making frivolous complaints and allegations to gain undue advantage.

Page 6 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii Commission of embezzlement, criminal breach of trust, theft, cheating, forgery, bribery, falsification or destruction of records, receiving stolen property, false use of trademark, securing fraudulent registration, giving false evidence, furnishing of false information of serious nature.
- Submission of false bid security or infringement of documents to get undue monetary or any other benefit.
- v Breach of confidentiality of evaluation process based on illegal access or in any way to get undue benefit or to provide benefit or to frustrate the bidding/evaluation process. This will also include attempts to sabotage the bidding process directly or indirectly.

2. POST- AWARD STAGE:

The following shall be considered, interalia, the events / reasons for initiating proceedings under this Mechanism at the Post-Award Stage:-

- i. Explaordinary delay in signing or refusal to accept the Notification of Award and/or the contact without any cogent reason.
- ii. Misconduct he., failure to proceed with the signed contract, withdrawal of commitments, quoting an unregronably and unfairly low financial offer and subsequently withdrawing such an offer constraint the evaluation/bidding process and not responding to written communication if a r asonable time.
- iii. Causes mentioned in S b-Clauses i, ii and iii above.
- iv. Submission of fake / frivoleds of mutilated Performance Guarantee or Advance Payment Guarantee etc.
- v. Non-satisfactory performance during the execution of the contract / purchase order.
- vi. Non-performance or Breach of provisions / clauses of the contract agreements/tender terms.
- vii. Notwithstanding the warranty/defect liability period, the defect in a product, equipment, plant, facility or services rendered that may subsequently surface during field operations within 5 years of its commissioning.
- viii. Failure to honour obligations within warranty period or defect heality period as defined in the contract.

3. OTHER CAUSES:

- i. The Person(s) / Firm(s) is blacklisted by any Government department in Pakistan, or it is established that the firm is involved in any kind of corruption or corrupt practices anywhere in the world.
- ii. Violations of provisions / instructions set down in the Bidding Documents.

Page 7 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



- iii. Any attempt / activity to malign or bring SSGC into disrepute and harm its interest(s).
- iv. Person(s) / Firm(s)(s) blacklisted by International Financial Institutions (donor agencies) will be liable to be blacklisted after receipt of confirmation from the donor agencies without any further proceeding.
- v. Any other cause deemed just and appropriate by CPPA in the given circumstances.
- Note: (1) If above mentioned causes occur either on part of the principal bidder or the local agent, both shall be considered for blacklisting / debarment.
 - (2) The authorization of the foreign bidder to local agent shall contain his complete particulars including the name of the company, name of the owner, National Tax number (NTN), CNIC (Computerized National Identity Card) No. etc. In case, the said information is found to be missing, even after calling for the same within a reasonable time, the authority letter shall not be accepted.
 - (3) The Bidding Documents shall be issued against original authority letter or in case of scanned copy, the email of the foreign bidder shall be enclosed. However, at the time of bidding, the original authority letter shall be attached with the bid. In the absence of the same, the bid shall be rejected.
 - 4. FORMULATION of SSGC's Rights Protection Committee: A permanent Committee namely "SSGC's Rights Protection Committee (RPC or Committee)" shall examine the justification of the reasons given by the reject Authority prior to blacklisting. Member of RPC must be one grade up from the members of RPA.

5. PROCEDURE FOR BLACKLISTING

Upon receipt of or obtaining information and/or knowledge that any Person(s) / Firm(s)(s) is involved in practices mentioned in herein between under the heading of Pre-Award Stage; Post-Award Stage and Other Causes, the contental Project Authority / formation shall promptly formulate its recommendations and submit any dok the Managing Director, SSGC to SSGC's RPC / Committee along with its findings, det alof charges and documentary evidences to initiate proceedings under this Mechanism.

6. INITIATION OF AN ACTION

- (i) Within a period of 15 days after receiving the recommendations of Blacklisting / Debarment from the concerned Project Authority, the Correct of the Committee shall issue a Show Cause Notice ("Notice") thereby informing the vertor(s) / Firm(s) about the alleged charges and shall provide an opportunity to the defend said marges within a time period of 15 (fifteen) days.
- (ii) The Person(s) / Firm(s)(s) shall be accorded adequate opportunity of hearing in order to defend the charges within the given timelines.
- (iii) The Notice to the Person(s) / Firm(s) shall be sent at the mailing/postal address as provided under the Contract or any other address provided by way of subsequent written communication by the Person(s) / Firm(s) The non-receipt of the Notice due to incorrect / change in mailing address without any written communication shall not be attributable to

Page 8 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024



SSGC. In case of non-receipt of any reply from the accused Person(s) / Firm(s) within the formulated time, but not less than the time given in (i) above, the Committee shall have the right to proceed on Ex-parte basis.

7. DECISION

The committee shall hold an independent inquiry/investigation as the case may be, and, which may include site visits and interviews with the parties concerned. The Committee shall complete the entire inquiry/investigation, preferably within a period of 30 days after receipt of response from the Person(s) / Firm(s) against whom proceedings under this Mechanism has been initiated and shall present the report to the Managing Director, SSGC. If required, the Committee may report the case to an appropriate law enforcement agency depending upon the nature of the case for detailed investigations with the prior approval of Managing Director, SSGC. iii. The Person(s) / Firm(s) against whom proceedings have been initiated under this Mechanism shall not proceed for arbitration/litigation during the proceedings for blacklisting.

8. COMMUNICATION OF DECISION

After response andation for temporary & permanent blacklisting by "SSGC's Rights Protection Committee (R) (R)", the Person(s) / Firm(s) concerned shall be informed within 10 days of such decision. The decision of the Committee will be notified on SSGC 's and PPRA's websites and shall also be conveyed to Pakistan Engineering Council.


The temporary Black stir, on the grounds and reasons specified herein above shall be for a reasonable specified period at time and as a general rule of prudence, the period may not exceed three years, except in casts where debarment/blacklisting has been done by any other government department or an International Financial Institution (Donor Agency). In case the Person(s) / Firm(s) has been blacklisted by the government department or the International Financial

Institution (donor agency), the period for exporary blacklisting/debarment shall be for a maximum period of 3 years or the time period for which the concerned government department/International Financial Institution (hornor Agency) debarred the contractor (whichever is higher). However the permanent blacklisting cannot be revived.

Action after the Person(s) / Firm(s) are placed on Blackles List:

- i. The decision of blacklisting will be immediately circulated to all concerned as mentioned herein above under the heading Communication of Decision.
- ii, In case of a contract already awarded to a Person(s) / Firm(s) which has been blacklisted and termination is either not possible or not feasible, the concerned Project Authority may proceed in this case to complete the contract with the approval of Competent Authority (iii) The blacklisted Person(s) / Firm(s) shall stand disqualified from bidding from the date of decision against them. Any pending bids shall also stand rejected. If a contract has already been awarded to Person(s) / Firm(s), it shall be voidable at the option of SSGC. (iv) A separate register or data base will be maintained for blacklisted firms indicating reasons and period.

Page 9 of 10 Dated : 12th October 2020 Revision-1 : Dt: 3 Sept 2024



9. Effectiveness

This Mechanism or any amendments thereof shall take effect immediately with the approval from Managing Director of Sui Southern Gas Company Limited.

NOT TOR BIDDING BURBOSE

Page 10 of 10 Dated: 12th October 2020 Revision-1: Dt: 3 Sept 2024





HSE&QA AWARENESS FOR SUPPLIERS AND OONTRACTORS (Revised in 2023)



Always its supactive about safety!

Report Hazard before it results in an Accident

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it





4/1



00

Sui Southern Gas SSGC Company Limited

HSE & QA-IMS POLICY

SSGC is committed to the Health and Safety of all its Employees & Stakeholders, preservation of Environment and achieving Operational excellence by improving Quality of products / services along with efforts to promote Safety Culture in the Company. Continual improvement of HSE and QA performance by reducing potential hazards to prevent injuries and illness is our key priority. It also includes communication. consultation and participation on HSE and QA objectives and targets with stakeholders, conserving resources and adhering to applicable Laws and Regulations in all activities / processes related to the Transmission and Distribution of natural gas within its franchise area.

Managing Directo August, 2021

franc

Procurement G.

MR



1. PURPOSE

The purpose of this procedure is to identify the context of the organization, assess the risks and opportunities and establish controls associated with all the activities undertaken by the company to address risks and opportunities for:

- a. SSGC existing facilities/installations.
- Any routine/non-routine activity, performed within permanent locations or outside permanent locations of SSGC, that requires prior permit/safety analysis to identify and mitigate safety risks.
- c. Any new project.
- d. Covering all the activities performed by SSGC taking into consideration of compliance, obligations, risks & opportunities within the scope, external and internal issues related to scope of operations, requirements, information, needs an expectations of relevant interested parties.
- e. Providing or idance to employees in relation to hazard identification, risk assessment and isk control in respective areas.
- Identification cord of monitoring and management of environmental aspects and assessment of a impacts.



2. SCOPE

This procedure is applicable to be indiffication of occupational health and safety hazards and associated risks, environmental aspects and implicits associated with activities, processes and equipment related to SSGC existing facilities/installations, ally new project or any routine/non-routine activity, performed within permanent locations or outside permanent actions of SSGC, that requires prior permit/safety analysis to identify and mitigate occupational health and largety risk.

3. DEFINITIONS & ACRONYMS

- a. HAZARD: Source or situation with a potential or better in terms of injury or ill health, damage to property, damage to workplace environment, or a combination of these.
- b. RISK: Combination of probability of occurrence of a war a rous event or exposure and the resulting consquences.
- C. OPPORTUNITY: Opportunities can arise as a result of a studion favorable to achieving an intended products and services, reduce waste or improve productivity. Actions address opportunities can also include consideration of associated risks.
- d. SWOT: Strength, Weakness, Opportunity & Threat.
- e. RISK MANAGEMENT: The set of control measures used to reduce or eliminate specific risk.
- f. RISK ASSESSMENT: Risk Assessment is a systematic approach to hazare in diffication. This is the overall process of estimating the priority of risk and deciding significance of risk.
- g. RISK ASSESSMENT METHODOLOGY: Risk priority shall be defined by the risk separent matrix. Hazards related to applicable legal requirements will fall in the high risk category.
- h. HIRA: Hazard Identification and Risk Assessment.
- i. EAIA: Environmental Aspect and Impact Assessment.
- IEE: Initial Environment Examination.
- k. EIA: Environment Impact Assessment.
- ILL HEALTH: Identifiable, adverse physical or mental condition arising from and/or made worse by a work activity and /or work related situation.
- m. OHS&E: Occupational Health, Safety & Environment.
- n. PTW: Permit to Work.
- o. MOC: Management of Change.
- p. MOC Owner. The employee who initiates the MOC.
- JSA: Job Safety Analysis.
- r. EXECUTING DEPARTMENT: It refers to the department performing the work or is responsible to get the work done through contractor.







RESPONSIBILITIES

4.1 Corporate HSE&QA In-charge

- Managing OHS&E risks and their controls.
- Reporting to Senior Management on OHS&E related issues. b.
- C. Providing support to comorate HSE&QA team and zonal representatives.
- Liaise with zonal HSE team leaders/HSE&QA representatives for implementation of this procedure. d.

4.2 Zonal HSE team leaders

- Carrying out HIRA, providing and utilizing resources to identify and review OHS&E risks and implementing their controls in consultation with corporate HSE&QA team.
- Ensuring that employees, contractors and visitors have sufficient knowledge related to OHS&E. b.
- Maintaining records of the OHS&E with the help of local HSE&QA team.
- Implementing this procedure. Liaise with corporate HSE&QA team if required.

4.3 Zonal I & A representative

- th onal HSE team leader for carrying out HIRA and EAIA in their zones. Coordinatin a.
- Liaise with corp rate HSE&QA team and zonal HSE team leader for OHS&E. b.
- Reviewing/monitoring that and EAIA in their zones and providing input on any changes.

4.4 Departmental Head

Departmental Head Trecuting Department

Acquiring PTW for any activity that requires prior permit to identify and mitigate safety risks."

Ensure implementation of JSA for any activity performed outside SSGC permanent locations activity performed outside SSGC permanent locations.

4.5 Employees

Participating in the identification and a nt of OHS&E risks when required by either Zonal HSE team leader or HSE&QA representative.

4.6 Misitors & Contractors

Visitors & Contractors

Identifying and reporting any risk or hazard at any location of SSGC. This also includes the worksites and SSGC temporary locations during project executions.

5. DECISION MATRIX

		•
Type of Risk/Hazard Assessment	Methodology*	Responsibility
HIRA.	Periodic risk assessment of SSGC's existing facilities/installations such as Head office, Headquarters, Regional offices etc.	onal HSE team leader
PTW	On-site Risk assessment (for Permanent Locations) for any routine/non-routine activity that requires prior permit to identify and mitigate safety risks.	Departmental head/Contractor executing the task/activity requiring PTW
JSA	On-site Risk assessment (for Field Locations) for any routine/non-routine activity.	Departmental head/Contractor executing the field activity

Integrated Management System





MOC	Risk assessments for new Projects, major changes or modifications in existing designs and infrastructure.	MOC owner

Risk Assessment and Management Procedure is divided into five sections based on the type of risk

- Section 1: Context of the Organization.
- Section 2: Hazard Identification and Risk Assessment.
- Section 3: Permit to Work.
- Section 4: Job Safety Analysis.
- Section 5: Management of Change.

EDURE

Section 1 Context of the Organization

6.1. Context of the ganization

Management define pf the company services and its boundaries considering the internal and external issues of the orga

In consultation with HSE&QA agement & Zonal Heads identify external & internal interested parties and maintain its list with needs a xrectations. Interested parties are those stakeholders who receive company services, who may be impacted by them, or those parties who may otherwise have a significant interest in the company. Interested ay include:

Interested Parties	Requirements
Board of Directors	Good financial pur rmance, legal compliance/avoidance of fines.
Law Enforcers/Regulators	Identification of applicable statutory and regulatory requirements for the product and services provided and understanding of the requirements.
Customers	Value for money, quality service resilitation and quick response.
Bank/Finance	Good Financial Performance. Professional development, prompt payment, health and safety work/life balance, employment security.
Insurance	No claims/prompt payment/risk management.
Community	No complaint relating to: noise, parking, health and safety pollution, waste.
contract of Cabbuers 1	Prompt payment as per agreed terms, health and safety, long-term working relationship.
	Compliance of local labor laws.



By using SWOT analysis or any other tool, identify external and internal issues that are relevant to iii. company operations and its strategic direction and that may affect the ability to achieve the intended result(s) of integrated management system. Internal and external issues can be positive or negative that can affect the OH&S management system.

6.1.1. Internal issues could include in risk & opportunity assessments, but are not limited to:

- Operations spread in two provinces. a.
- b. Complex transmission and distribution network.
- Succession planning. C.
- d. Contractual relationships.
- e. Availability of reliable, qualified and competent workforce.
- f: Staff retention.
- ionization.

could include in risk & opportunity assessments, but are not 6.1.2. External limited to:

- Political: Government policies, political stability, international trade agreements etc. a.
- Economic: Fuel/util y p ces, cash flow, credit availability, exchange rates, tariffs and inflation, general taxati
- Social: Consumer buying lattern, education level, advertising and publicity, ethical & religious issues, demographics
- religious issues, demographics co **Technologicai:** Intellectual stope ty issues, software changes, internet, technology legislation, associated/dependent econology, renewable energy etc. **Legal and regulatory:** Consumer of the changes internet, technology legislation, associated and regulatory in the change of the changes in the change of the chang
- ction, industry-specific regulation and permits. trade union regulations, employment law in emplo etc.
- Environment: Customer demographics an pronmental issues.
- Ensuring the policy and objectives are established for that tegrated management system and are compatible with the context and strategic direction the organization.
- The management shall monitor and review information about e external and internal issues during the management review meetings.



Report Hazard before it results in an Accident

Procuremen Dept.



Section 2 Hazard Identification and Risk Assessment

i. Hazard Identification and Risk Assessment

The Zonal HSE team leader in consultation with local HSE&QA representatives plan and initiate the HIRA and EAIA process. The assigned team must be competent and have enough knowledge of the entire process. Cross functional teams are recommended for such activity to cover all aspects during assessment. The record of OHS&E risk assessment is maintained in Hazard Identification & Risk Assessment Form (SSGC-IMS/CRM-F-01). The identification/assessment process shall take into account:

a. Routine & non routine activities, any emergency situations.

- b. Activities of all persons having access to the SSGC permanent and temporary locations.
- .c. Hun poehavior, capabilities and other human factors.
- d. Des ning f work processes.
- e. Material in s
- f. Infrastructure equipment and materials at the workplace or project site, whether provided by organization or offices.
- G. Changes or process shanges in the organization, its activities or materials.
- h. Fabrication, installation I commissioning.
- . Handling & disposar or west material.
- Purchase of goods & sen ces.
- Any applicable legal obligation that is related to risk assessment and implementation of necessary controls.
- Before commencement of any new operation/activity.
- m. Periodic Review for updating the extent insparate identification and risk assessment information.

At SSGC, we adapt five steps of risk assessment:

- Step 1: Identify the hazards.
- Step 2: Decide who might be harmed and how.
- Step 3: Evaluate the risks and decide on precaution
- Step 4: Record your findings and implement them.
- Step 5: Review your risk assessment and update if necessar

ii. Risk Assessment Matrix

Risk assessment should be carried out as per assessment matrix below

Risk Priority			Probe	bility
•		Very Likely	Likely	Unlikely Very Unlikely
C	Catastrophic			. Medium
n s e	Significant	est de la constant de	,	Medium Medium
и е п с	Harmful		Medium	Medium.
e s	Negligib ie		Medium	

MR



HAZARD CONSEQUENCE RATING TABLE		
Catastrophic	Hazard may cause death or total loss of one or more bodily functions. In case of failure a huge financial loss will occur.	
Significant	Hazard may cause severe injury, illness or permanent or partial loss of one or more bodily functions (e.g. prolong exposure to asbestos resulting in Asbestosis or prolong exposure to paint fumes resulting in Chronic Lung Disorder), or serious property damage, loss that may result in disruption of SSGC core activities.	
Harmful	Hazard may cause a reportable incident i.e. an incident that results in the employee being unable to undertake their normal duties and may need medical treatment, or property damage, loss that result in partial disruption of SSGC core activities.	
Negligible	Hazard may cause minor injury, illness or property damage, first aid treatment is required only, very low financial loss.	

i 2	PROBABILITY RATING TABLE
Very Likely	Exposure Constructed likely to occur frequently. Similar incidents reported more than once it SSGC during last 10 years.
Likely	Exposure to hazard Le y to occur but not frequently. Similar incidents reported once in last 5, each in SSGC.
Unlikely	Exposure to hazard unlikely recour.
Highly Unlikely	Exposure to hazard so unlikely that it can be assumed that it will not happen.

	RISK PRIORITY TABLE
Risk Priority	Definitions of Priority
	Situation is considered critical, stop work immediately or consider cessation of this operation/task. Must be fixed ASAP, Zonal HSE team leader should take immediate actions.
Medium	Is very important, must be fixed within two weeks, Zonal HSE team leader considers short term and/or long term actions.
Low	Is still important but can be dealt with through scheduled maintenance or similar type of action However, if solution is quick and easy then fix it immediately. Review and/or manage by routine procedures.







Section 2 Hazard Identification and Risk Assessment

iii. Risk/Impact Assessment Outputs

The output of risk/impact assessment may include the following:

- Identified operations of all hazards/aspects and risks/impacts associated with company activities/system etc.
- b. Classification of risk/impact.
- Description or reference to control the risks/impacts. C.
- Description or reference to monitor the risks/impacts. d.
- Identified competency and or training requirements. e.
- ut for setting improvement objectives and programs for its achievement. f.

ct peasures identified shall include controls such as termination/elimination, treatment of the risk/impact and substitution of risk by suitable means and where required tolerated as long as it meets local laws/legislation.

Use output of risk/imp chassessments as input for the following:

- Setting objectives and targets. Training needs descriptation.
- b.
- Terminating the risk C. ct if it is practical.
- Facility engineering control
- e. e. Emergency Preparedness.
 - Administrative controls.
 - insurance.

The ultimate requirement is to reduce the instant pact to a level as low as reasonably practical (ALARP) i.e. where the trouble, difficulty and cost for further reduction becomes unreasonably inconsistent to the

iv Risk Control

Elimination

Engineering

Administrative





HandBook | February 2022

· The hazards and risks are controlled through 'operational controls' by considering the following hierarchy.

- a. Elimination: The best way to control a hazard is to eliminate it. This can be achieved by making changes to the work process so that the task is no longer carried out, or by physically removing the hazard altogether. Elimination is the most effective way to control hazards and should be used whenever possible.
- b. Substitution: Substitution is the second most effective method for controlling hazards and risks. It is similar to elimination but involves the substitution of one higher priority risk by another lower priority
- c. Engineering: Engineering controls are implemented by making changes to the design of an equipment or process to minimize its hazard. Engineering controls are based on the concept of "Doing it right the first time". Departments shall incorporate this concept during planning phase of any project/process and must seek out for best possible solution in terms of OHS&E.
- istrative: Administrative controls involve making changes to the way in which people work and promoting safe work practices via education and training. Administrative controls may involved ses in operating procedures, good housekeeping practices, emergency response in the event of incident such as fire or employee injury, and personal hygiene practices.
- Equipment (PPE): Use of PPE will kick-off where no other controls stated above are possible PP bould be properly identified for specific process/job.

	3.
System & work area Hazalds	Likely Consequences
Access / Egress Obstructions	iror injury, trips and falls.
Asphyxiate Gas (CO ₂ fire suppression)	os ble death by asphyxiation
Buried Cables	Expresurato buried cables - major / minor injury
Electricity (HV/LV)	Fatality electric shock or serious burn injuries
Falling Loads / Objects	Serious head and / or body injury
Flammable Vapors / Gases / liquids	Explosion or fire
Flammable Materials	Potential for fire
Hot / Humid Work Environment	Heat stress, disories are loss of consciousness
Moving Parts	Entrapment, major or mit or Nurv
Noise	Long term hearing loss, til-nite
Openings in Floor / Walkways	Falls from height, major injury oor sible fatality
Flammable Materials / Gases	Creation of hazardous area, fire, ex locon-
Heat, sparks and naked flames	Burns to exposed skin
High intensity light (welding)	Arc flash, short term discomfort, long term loss of vision
Housekeeping poor	Slip, trip, fall, fire hazards, blocking fire escapes
Lifting Operations	Falling or moving loads - serious head and for body injury
Live Electrical Work	Fatality by electric shock or serious burn injuries
Lone Working	No emergency response if injured.
Long Working Hours	Major / minor accident due to fatigue
்Manual Handling சி. இத்திருந்தின்	Muscular / skeletal injuries
New Task / Operation	Major / minor injury resulting from mistakes

Procuremen

Dept.

Oxygen deficiency	Death of asphyxiation
Poor Lighting / Visibility	Minor / major injury, fall or impact injury
Slipping / Tripping Hazards	Minor injury, trips and falls
Spillages (Oil and chemicals)	Land contamination
Substances hazardous to health	Chemical burns, toxic, poisoning , irritants, pollutant
Repetitive Task / Operation	Muscular / skeletal injuries
Rotating / Moving Part	Major injury, potential for fatality
Sharp Edges / Cutting Surface	Amputation and cuts, predominantly to hands
Smoke / Fume	Unconsciousness, respiratory problems
Trailing Cables and Hoses	Tripping hazard causing major / minor accident
Use of Hand Tools	*Minor laceration and impact injuries
Use of Haz ado us Substances	Burns to skin, eyes, and respiratory system. Environment Hazards
Use of Power Tools	Impact injury, hand / arm vibration - loss of sensation over time
Use of Workshop E inherit	Major / minor injuries - entrapment, cutting tools
Vibration	Hand / arm vibration - loss of sensation over time
Work at Height	Major / minor injury
▼ ■ '	

Environmental Aspet Lentification & Impact Assessment

a. Environmental Aspects

An Environmental aspect is any element of SG: business operation that negatively affect the Environment. While conducting environmental assessment, following aspects are usually considered:

"REDUCE CARBON" "FOOTPRINT"

What we can do:


- Recycle: what you can
- Reduce: avoid unnecessary consumption of resources.
- Reuse: Buy items that are reusable, and reuse them.
- Unplug electrical devices that are not in use
- Avoid unnecessary driving
- Use LED bulbs...
- · Plant a tree

Emissions to air	Water Discharges *.
Solid non-hazardous waste	Solid Hazardous Waste
Consumption of natural resources English	gy Noise
Heat	Odor
Dust	ration
Effect on visual / aesthetics	Use of Ozone depleting
Use of radioactive / nuclear material	Spillate of Aemicals

For identification of environmental aspects and impact, each process/activity/equipment is assessed for its inputs and outputs. The inputs can be raw materials, utilities, energy etc. The output can be atmospheric emissions, liquid effluents, noise, hazardous/non-hazardous wastes, vibration etc.

The inputs, outputs, environmental aspects, their associated impact and controls are recorded on Environmental Aspect & Impact Assessment Form (SSGC-IMS/CRM-F-02).

MR



b. Control of Aspects having Significant Environmental Impact:

The significant environmental risks require control measures to eliminate or reduce the impact to a tolerable level either by establishing objective or through application of controls by considering the 4R methodology i.e. Reduce, Reuse, Recover and Recycle.

cicanitoglistanie


ate de la place de la se

Some of the suggested operational controls are listed below:

- a. Design of environmental friendly processes/operations.
- b. Isolation or enclosure of hazardous material storage, process or noisy equipment
- c. Mechanical exhaust systems/booths for controlling toxic materials.
- d. Replacement of potentially unsafe equipment or machinery with new equipment/machines that meet environmental standards.
- e. Electrical or mechanical safety interlock, guards, indicators.
- f. Safety devices (Relieve valves, NRVs, indicators etc.), measuring or monitoring vices/gauges, computerized feedback monitoring and control systems.
- g. Environmental rier lly disposal or treatment systems etc.
- h. Fire prevention/sup sion systems.
- i. Containment walls.
- j. Scrubbers.
- k. Dust Collectors.
- I. Other controls: Training, So

The record of operational controls of significant environmental risks is maintained on Environmental Aspect & Impact Assessment Form (SSGC-IMS/F & I-F-02).

After identification of aspects and asset of impacts, it is sent to HSE&QA Department for reviewing adequacy and correctness. Where resp In-charge HSE&QA suggests necessary changes improvement in risk assessment to concerns HSE Team Leader:



Zonal HSE Team Leader ensures that enviro aspects and impacts related activities/processes/equipment are kept current by conducting the same assessment:

- a. Once every six months to update the information, and identify a environmental aspects. (Use SSGC-IMS/CRM-F-02 for recording new hazards and aspects
- b. Carry out assessment, for new or changes in activities/processes
- c. When there is a change in laws & regulations.

d. IEE (Initial Environment Examination) / EIA (Environment in at Assessment):

In addition to all of above assessments, SSGC will carry out IEE / EIA as required egulatory requirements for new projects. It is the responsibility of corporate HSE&QA head/DMD/MD to en compliance for all new projects.



When combusted:

- One liter of Diesel produces 2.68 kg of CO2
- One liter of Petrol produces 2.31 kg of CO2
 - One MMBTU of Natural Gas produces 53.07 kg of CO2

P_{rocuremen}



Section 3 Permit to Work

I. Permit to Work (PTW)

A Permit to Work (SSGC-IMS/CRM-F-03) is needed for any routine/non routine activity (Conducted within permanent locations of SSGC) where the work could expose persons to specific hazards. PTW should be acquired and maintained in the zones where job/activity is carried out. Normally following activities require

- a. Task based Hot Work operation such as welding, brazing, cutting, grinding.
- b. Confined space working. (tank cleaning etc.)
- c. Maintenance Work on High Voltage electrical equipment.
- d. Any janitarial service involving Safety Risks such as work at height.
- e. Any Mat tenance activity by any department/contractor which compromises critical safety system.
- nteraction with asbestos.
- Mere there is a risk of exposure to hazardous chemicals or microorganisms.
- h. Any job/task/ac vity that requires additional precautions.
- i. Any specific activity parormed during development, modification and up gradation of SSGC's Vital Valve Assembly/TBS/PRS etc.

II. Exclusion

Following activities are not und the scope of PTW management, however the risk assessment, JSA and or process SOPs are implemented to provide the associated risks for the following:

- a. Providing Gas connections to n
- b. Emergency Response to Consume
- c. Planned enhancement of Distribution set
- d. Work on live pipelines like hot tapping, in allig ervice Tee etc.
- e. Any major/minor rehabilitation/reinforcement

If it's UNSAFE!

- ✓ Report it
- ✓ Remove it
- √ Replace it



III. Responsibilities

S No.	Functions		
3 140.	Functions	Details	Responsibility
1	Executing Authority	The department intends to carry out the task / activity that requires PTW. Situation may arise where Executing Authority is same as Area Authority (e.g. HQs).	Fill out the PTW form. Ensures that task/activity is carried out according to the SOP and controls are implemented to ensure safe operations. Immediately report any incident happened during execution of job to In-charge HSE&QA.
2	Area Authority	And Facility where the task/activity is carried out.	Authorize PTW and verify the compliance during the execution of task/activity. Authorized to stop work in case of noncompliance to PTW requirements.
*3	Contractor	The Individual/organization carrying out the Tast/ ctivity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in PTW.
4	HSE&QA	HSE&QA will identify the risk/hazards associated with the activity/task and propose controls. In Zones where HSE&QA representatives are not present, Zonal HSE team leader will officiate for HSE&QA responsibilities.	If a wared, Monitor the task a givety during execution and identity any gaps related to proposed controls. Responsible to close the P Wand maintains records. Authorized to stop work in case of noncompliance to PTW requirements.


2



Integrated Management System,



IV. PTW Process Flow







HandBook | February 2022




V. Permit Display

Copy of the permit to work should be clearly displayed at the work site or in a location close to where the work activity is being undertaken. Executing department/contractors are also required to ensure that a copy of the permit to work is kept and made available upon request by Area Authority/ HSE&QA.

VI. PTW Closure

Once the task/activity is completed the PTW form is returned back to HSE&QA/Zonal HSE team leader for closing and updating the records. A new PTW is required if the task/activity is not completed within stipulated time frame mentioned on PTW.







Section 4 Job Safety Analysis

I. Job Safety Analysis (JSA)


Job safety analysis is needed for any routine/non-routine activity (Conducted outside permanent locations of SSGC i.e. Field Locations) where the work could expose persons to specific hazards. Normally following activities require JSA (SSGC-IMS/CRM-F-04): a. Work on live pipelines like hot tapping.

- b. Any major/minor rehabilitation/reinforcement/maintenance work on existing distribution/transmission
- c. Installing service connection for new schemes. (Blanket JSA may be carried out for each scheme). d. Any Emergency maintenance work.
- ar job/activity requiring JSA as necessitated by HSE&QA.

II. Respon

S No.	Functions	Details	Responsibilities
1	Activity Incharge/ Supervisor Head Of Executing Department	Head of the department who is authorizing the task/activity requiring JSA.	 List down the activities step wise and identify hazards and their controls Ensure that task/activity is carried with proposed controls Ensure the team/equipment involved are competent and safe Report any untoward situation Authorize JSA Ensure Adequate resources are rovided to carry out the activity in safe manner See a competent team and team leaders the activity/task Submit a cop of JSA prior to job execution to HSE QA/Zonal HSE
3	Contractor	The Individual / organization carrying out the Task/Activity on behalf of the executing department.	Liaise with executing department to ensure the controls are implemented as per requirement identified in JSA

MR





Section 5 Management of Change

I. Management of Change (MOC)

The purpose of this document is to provide all SSGC employees with instructions on Management of Change (MOC) process. Any changes that may affect quality, operations, safety, or the environment will be adequately assessed and must be approved by management or a designated representative of management prior to implementation.

Risk Assessment for any new project, major modification in existing design /facility/ installation will be carried out using MOC methodology.

II. Scope

This procedure is latered to address those changes which may have a direct impact on SSGC's Integrated Management System of the subsequent delivery of services.

To make sure that changes are assessed and documented in a consistent manner so that:

- a. Unnecessary or counterproduct verchanges are prevented.
- b. Changes do not adversely affect bety, the environment, quality, operations, or the level of service to the client.
- c. No changes are made by individuals when the knowledge and/or agreement of all relevant parties.
- d. A record of the assessment rationale and change assessment process is produced.
 - e. To make sure proper change out of employee during operations is addressed.


III. Responsibility

- a. MOC Owner: MOC owner is responsible to fill out the designated section of the MOC form (SSGC-IMS/CRM-F-05) which briefly describe the details scope of the project.
- b. Area Authority: Area authority is responsible to identify the passile impacts of the change that is taking place. Generally geographical head/zonal HSE team leader is considered the area authority.
- c. HSE&QA Department: HSE&QA Department is responsible to authorize the change after assessing the risk and their controls.









IV. Definition of Change

For the purpose of this procedure a "change is Iteration to Processes:

- a. Documented information maintained by this IM
- b. Equipment, hardware, software, infrastructure.
- c. Personnel assignments and training.
- d. Vendor selection and management.

Other types of changes not listed above can be related to any e resources, persons, activities, controls, measurements, outputs, etc f the process, such as inputs,

Note: Not all alterations to a system require the Management of Change employees, editorial changes to HSE & QA procedures and forms, etc.) ss (MOC) (e.g. changing

V. Levels of Change

Level 1

a. Change which has limited or no effect on deliverables, operations, safety, work environment, etc.

Level 2

b. Changes to equipment, procedures and employee assignments that have a moderate impact on deliverables, operations, safety, or work environment.

Level 3

c. Changes to equipment, procedures and employee assignments that have a major impact on deliverables,



HandBook | February 2022



VI. Change Procedure

Step 1 - Initiation of Change

Any employee or contractor that becomes aware of a need for change can initiate the MOC process. The originator will notify their immediate Supervisor/Manager, detailing the proposed change on the MOC form (SSGC-IMS/CRM-F-05). With concurrence by their Supervisor / Manager, the MOC form shall then be forwarded to In-charge HSE&QA for review.

Step 2 - Review by in-charge HSE&QA

In-charge HSE&QA will review the MOC request for potential operational impact, cost/benefit analysis, and associated risk, with input from the appropriate process owners (Moderate Impact) and/or SSGC top management (lajor Impact), as appropriate to the change under consideration. Changes that have negligible impact may be pressed by the Management Representative directly.

If the request is accepted in-charge HSE&QA will detail any actions deemed necessary to control the impact of the change and forward the request to the appropriate process owner for implementation.

Step 3 - Implementation of Ac


The process owner will be responsible for implementing and coordinating the actions required for the proposed change. If it is determined that further also sement is required during the course of implementing the change, change. If it is determined that further these assessments will be documented by submitted for review prior to completing the change process. Only after; all assessments have been reviewed il the MOC process be continued and monitored through completion. -

VII. Closing out the MOC

The in-charge HSE&QA will review the satisfactory implementation of the proposed change, and effectiveness


VIII. Record Keeping

The In-charge HSE&QA will retain a log showing each MOC (Control N er of Log) and file the initial MOC request (SSGC-IMS/CRM-F-05) with all information supporting the actions taken throughout the MOC process. These records shall be maintained for a minimum of 3 years.






MOC Process Flow



NR



HandBook | February 2022

7. TYPICAL SSGC OPERATIONAL HAZARDS AND THEIR POSSIBLE CONTROLS Some of the common Hazards related to SSGC operations are tabulated below and may be used while doing Risk assessment. There might be other hazards related to a particular activity/ operation or process. These hazards should be identified accordingly along with possible controls.

7.1. PHYSICAL

Hazards	Control Measures
Adverse eather	Shelter, personal protective equipment (PPE; cold / wind / rain-proof).
Poor / Bad conservening	Improved safety attitude, good management, safety inspection, good work layout.
Contact with hot / calc	Insulation, guarding, PPE (gloves, face shields, insulated clothing).
Drowning (Life guarding, lifesaving equipment, presence of first Aider
Excavation work	discollabarriers; fencing, shoring, safe system of work, signs, causion table.
Fail from height	Edge protection, safety lines / harnesses, safe means of access, (e.g. scaffolding), safe system of work (e.g. permit to work).
Fall of material from height	Alternative storage, by sical means of securing.
Lighting	Good work area design and lighting equipment, measuring of illumination (LUX level), appropriately ighting.
Awkward lifting while laying pipes in trenches	Define weight limits, use mechanical laying and laying of pipes.
Noise	Reduction at source, insulation, PPE
Slips / Trips / Falls on same level	Good maintenance of work areas, good housekeeping, good cleaning, good footwear.
Stacking	Good work area layout, height limits, weight limits, strong packing, mechanical assistance.
Vibration	Elimination or reduction at source, damping, insulation, PPE.

No



7.2. MECHANICAL

Hazards	Control Measures
Hand tools	Periodic inspection, electrical testing and maintenance.
Machines	Periodic inspection, testing and maintenance, physical barriers (guarding), safety interlocks, supervision and training.
Mechanical lifting operations	Periodic inspections, maintenance, supervision and training.
Manus handling	Regular assessment of handling techniques, improvisation to eliminate stress / fatigue, training in good lifting techniques.
Moving vehicles	Good road layout within premises, proper signs, vehicle maintenance, speed limit, enforce SSGC driving policy, defensive driving classes.
47	Proper identification of pressure vessels, preventive maintenance, pressure indicators, alarms, PRV's where required, periodic in a ction.
	5 / ₄

7.3. ELECTRICAL

The state of the first the state of the state of	
Hazards	Control Measures
Live working	Avoid (i.e. No Live working), use competent / trained staff.
Hand tools	Regular inspection, testing of electrical integrity and replacement (where appropriate).
Heaters (elements)	Isolate from combustible materia, de ding.
Machines / Electrical cables	Electrical testing and maintenance, good perfical safety design, periodic inspection for design load vs act a local use of circuit breakers, lockout / tag out, anti-static materials, Use double insulation, proper grounding.
Electrical cables / cords	Use factory assembled cords, always use plugs, no naked wires.
Power Lines (Overhead / Buried)	Look out for signs, contact local utilities (KE, WAPDA) for locations, stay at least 10 feet away from overhead lines, use proper PPE.

MP

Integrated Management System



23

7.4. FIRE

Hazards	Cc atrol Measures
Combustible materials	Avoid, reduce storage of combustible materials, isolate from sources of heat and ignition.
Flammable gases	Storage of gas cylinders (e.g. hydrogen, acetylene) outside in an isolated, well-ventilated area, signs, no smoking, color-coding.
Fiammable solvents	Controlled storage, use and disposal (e.g. limit quantities held), fire proof storage, signs, no smoking, no naked flames,
Heaters	segregation from sources of combustion, guarding special construction if used in hazardous areas.
Oxidizing agents	Chemicals that are a source of oxygen, e.g. hydrogen peroxide, segregate from sources of combustion(e.g. flammable solvents).
Oxygen (gas and liquid	Segregate from sources of combustion, controlled storage and age.
Smoking materials	Designated smoking areas with proper ventilation; promote no
Static electricity	Limit as of static generators in hazardous areas. Use of anti-
Gas Leaks	Odourization of mely detection where possible, proper joining methods, Field survey training, leak detection techniques.

7.5. OTHER

Chemical: Chemical substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia) Avoid use, substitute less harming substances, use, maintain and test engineering controls, monitor in hazardous substances inform and train employees, use personal protective equipment (PPE), emergency plans for uncontroll directive equipment (micro-organisms: pathogens mutagens, carcinogens). Rodents, Snake Bite Food / Water safety Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazardous substances inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks, procure		
substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia) Biological: Biological agents (micro-organisms: pathogens, mutagens, carcinogens) Rodents, Snake Bite Food / Water safety test engineering controls, monitor in hazardous substances inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services. Educate / Train employees, avoid repetitive tasks; procure	Hazards	Control Measures
substances, Corrosives (acids, alkalis), Carcinogens, Irritants (e.g. Ammonia) Biological: Biological agents: (micro-organisms: pathogens, mutagens, carcinogens), Rodents, Snake Bite Food / Water safety test engineering controls, monitor for hazarr us substances inform and train employees, use personal projective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services.	Chemical: Chemical	Avoid use, substitute less harrily substances, use, maintain and
inform and train employees, use personal protective equipment (PPE), emergency plans for uncontroll directors, use maintain and test engineering controls, monitor for hazarratus substances inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodents, Snake Bite (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, ciredibility of product/Services. Educate / Train employees, avoid repetitive tasks; procure	substances, Corrosives (acids,	test engineering controls, monitor for hazardous substances
(e.g. Ammonia) (PPE), emergency plans for uncontroll d releases. Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazer as substances inform and train employees, use personal projective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks; procure	alkalis), Carcinogens, Irritants	inform and train employees, use personal protective agricument
Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazarr to substances inform and train employees, use personal protective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodents, Snake Bite Food / Water safety Avoid use, substitute less harmful substances, use maintain and test engineering controls, monitor for hazarr to substances inform and train employees, use personal protective equipment (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks; procure		(PPE), emergency plans for uncontroll directors
Biological: Biological agents: (micro-organisms: pathogens, inform and train employees, use personal protective equipment (PPE); emergency plans for uncontrolled releases. Periodic rodents, Snake Bite (PPE); emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks; procure	· · · · · · · · · · · · · · · · · · ·	Avoid use, substitute less harmful substances use maintain and
mutagens, carcinogens). Rodents, Snake Bite Food / Water safety Inform and train employees, use personal projective equipment (PPE), emergency plans for uncontrolled releases. Periodic rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks; procure		test engineering controls, monitor for hazarrative substances
Rodents, Snake Bite Rodents,		inform and train employees, use personal protective equipment
rodent control drive, identification and elimination of snakes and other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks; procure	mutagens, carcinogens)	(PPE), emergency plans for uncontrolled releases Periodic
other harmful reptiles specially in remote locations of SSGC. Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lat (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate / Train employees, avoid repetitive tasks; procure	Rodents, Snake Bite	rodent control drive, identification and elimination of snakes and
Good food hygiene standards, good cleaning / disinfection employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate /: Train employees, avoid repetitive tasks; procure	sta.	other harmful reptiles specially in remote locations of SSGC.
employee information and training, good personal hygiene, protective clothing. Testing if required from accredited lab (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate /: Train employees, avoid repetitive tasks; procure	·	Good food hygiene standards, good cleaning / disinfection
protective clothing. Testing if required from accredited late (AKUH, PCSIR), Involve canteen contractors, c redibility or product/Services. Educate /: Train employees, avoid repetitive tasks; procure		employee information and training, good personal hygiene.
(AKUH, PCSIR), Involve canteen contractors, c redibility of product/Services. Educate /: Train employees, avoid repetitive tasks, procure	Food / Water safety	protective clothing. Testing if required from accredited lab
product/Services. Educate /: Train employees; avoid repetitive tasks; procure		(AKUH, PCSIR), Involve canteen contractors, c redibility of
Educate / Train employees, avoid repetitive tasks, procure		product/Services.
Francoming to the first training and and training and and an anti-	· Parting the state of the stat	Educate /: Train employees, avoid repetitive tasks; procure
ergonomics ergonomically design products (e.g. chair, Computer desk	Ergonomics	ergonomically design products (e.g. chair, Computer desk,
Zools)as	<u> </u>	Zoolshie -

No

HandBook | February 2022

8. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention Period
SSGC-IMS/CRM-F-01.	Hazard Identification & Risk Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-02	Environmental Aspect & Impact Assessment Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-03	Permit to Work Form	HSE&QA Department	3 Years
SSGC-MS-CRM-F-04	Job Safety Analysis Form	HSE&QA Department	3 Years
SSGC-ÍMS/CRM 105	Management of Change Form	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-06	Context of the Organization	HSE&QA Department	3 Years
SSGC-IMS/CRM-F-07	SWS1 Analysis	HSE&QA Department	3 Years
	ONG D.	Y	
NR	ONG SUP		

Dept. Dept.

Integrated Management System

SSGC HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-01

Hazard Identification & Risk Assessment Form

Revision 01

Issue Date: July, 2021

Nox

Zone		Departme			Location		Date
S. No	Hazard (E.g. Wom out	What can go wrong	Existing Code tional Control	PROBABILITY	lisk Priority		Additional Operational Controls
<u>ت</u>	electrical cord)	(E.g. Electrical shock to any emptoyee)	(E.g. Covered ith	(E.g. Likely)	CONSEQUENCE (E.g. Significant)	PRIORITY (E.g. High)	(E.g. Isolate/Replace the wire)
	,			^			
-	î.			1	-		
-							
*	_ 4 - 7			•			
	- 3.				D		
							- :
						P	
Addition	al Comments (if any):				- //	
	Zonal	HSE Team Leader				HIRA TO	
Name 8	Designation	Signature	s.	No Na	me & Designat		Signature
				1			- Oignature
				2			
				3			

No





IMS Form

SSGC-IMS/CRM-F-02

Environmental Aspect & Impact Assessment Form

Revision 01


Issue Date: July, 2021

10/

Zone	1	Department			Logation			
Proce	ess / Operat	ion Descripti	id :(E. Power C	Generation)	Location	on	·	Date
S.No	Activity (E.g. Fuel Combustion)	Input (E.g. fuel, air)	Output	S, Envi	ironmental aspect E.g. air emissions)	Environmenta impact (E.g. Degradation of air, consumption of natural resources, Depletion of ozone layer etc.)	Risk Priority (High/Medium/	Operational controls
					1/C			
b.	W	·		 -		9		
\dditio	nal Commen	its (If any):				PO		
	Zor	nal T eam Lea				EAIA Te		
ame a	Designation	1 Signatur	re	S. No	Name & Design:	ation	10	
				1 2			Sign	nature
		İ	Γ	3				

ME

Integrated Management System





IMS Form


SSGC-IMS/CRM-F-03

Permit To Work Form

Revision 01

Issue Date: July, 2021

L	Work Permit Number (To be liked by HSE&QA):											
L						Secti	on "A"					
Г		Depar	tment Nar	ne:		Cont	I Control					
ľ	: '	Respo	nsible	Name:		(If Ar			Contact Name: Signature:			
ŀ		Perso	n	Signatur	e:	-1	••	Date &				
1	Ŧ	Po f	Xalid	Time:			·	Time:	imie:			
	-true	Pro		Date:		Perm	it Valid Until 🗈	Date:				
1	ied:	Locati	n of he	Work:	. Date:							
-	be filled by Executing Department	Type								-6184		
	١		Work F	lectrical m	aintenance wo	rk 🗆 Mech	anical maintena	nce work	Detail	of Work		
-	Xec	□ maz	argous cn	emiansi	Working at he	aiotht 🗀 Mac	rbina ia aasti	 -				
	YE	~~	CIRING W	rêner e	ressed gase:	s Li Jan	itorial/Cleaning	Service	1			
	ğ	Othe	er (Please p	rovia deta	s)	Aspestos	☐ Lifting or	hoisting		``		
	Ĭ	Equip	nent/tools	to be use				·	1		_	
	2						•				. +	
	ie.	Procedu	mention	the assoc <i>Opportuniti</i>	iated have ds	of this act	vity (Please refer	IMS .] -	ĩ		
	#1		"DOINBAL	- Opportunu	e3 2 N	ment):	-	- '				
1		Follow	ing servic	es to be i	solated / C	d off (If re	uired)		!		₩.	
		□ Eiec	tricity 🔲 G.	as 🗆 Wate	er 🗆 Air 🗆 O 🥫	er :						
L						Sec id	ທ "B"	والمعالمة المتعالمة	Lian Allendar, Luis . S.	of the sale of the say the same account of the says as	en de la contraction de la con	
3.	, : .[l author	ize the tas	k / activity	to be carried o	ut at wow	mentioned local	tion for end	acified ti	mo Evenide-		
	Area		carry out v	vork in con	npliance to safe	ety / PPZ r	ements iden	itified by H	ISE&OA	Me. Executing A Department i	Department	
E SE	<u> </u>	should carry out work in compliance to safety / PPZ real rements identified by HSE&QA.Department in section 'C'									u acciou C	
1	à	Name Designation			n	Sign ture			Date and Time			
		-	an only on a district or property of the		entra descripción como de contracto de la Agriculación de contracto de							
\perp						Section	n "C"		On the second se	the comment of the control of the co	The second secon	
1		Name	<u>l</u>		. Design	ation		gnat re		Date		
۾ ا	HSEROA	Followin	ng controls	must be in	nplemented to	mitigate the	safety risk/haz		sted wit	h the tack/acti	i ditan	
] <u>B</u>	Š.	Following controls must be implemented to mitigate the safety risk/hazak as accepted with the task/activity:										
1 2	SE	☐ Hard Hat ☐ Safety Shoes ☐ Cover all ☐ Reflective Jackets ☐ Ear Plug ☐ air Muffs ☐ Dust Mask ☐ Face Shields ☐ Welding Shields ☐ Safety Bett/ Harness ☐ Safety Goggles ☐ Hand Groun ☐ Breathing Apparatus										
و ا	=	☐ Other	- 110.000	y omerus	- Salety Dell	marness t	J Safety Goggi	es 🗆 Ham	d Gio	☐ Breathing	Apparatus	
ľ	- 1.	Any ad	ditional of	erational	controls (Plea	se Specify	·);				٠	
_		☐ Fire E	xtinguishe	r□ Ambul	ance 🗆 Barrica	tion 🗆 Oth	er:					
					Section	"D" (Mo:	nitoring & Clos	ina)	est which to endpring on .		Control of the same of the sam	
			Authority		Exe	cuting Der	partment		HGE	804 P		
11	ave	physica	Illy inspect	ed the	I declare that	the above	task / activity ha	s HSE8	HSE&QA Department HSE&QA Observations during		ent	
W	ork s	site and	verified the) 	been carried	out in com-	diance with the	monit	oring (If	any);	g	
۲	/CI at	nonai co	ntrois are	n place.			nentioned abov	e.		•••	. }	
	The site					tivity is now r routine op	completed and erations.				.	
1			•		į.			.		·		
					ř.	Any incident happened during execution:			vork per	mit is now con	sidered	
	Name Sign & Stamp Date			Date	Name	Yes ☐ Sign & star	Vo 🗆	close.				
\vdash			J : _ 3.2p			1 July 1 G Stat	np Date	Nai	me	Sign & stamp	Date	
		1		1								
				<u> </u>	L	1						





IMS FORM

SSGC-IMS/CRM-F-04

Job Safety Analysis Form

Revision 01

Issue Date: July, 2021

Executing Depa	rtment			Zone	•		
Job/Activity:		Details:		Zone		Date	
					·		
Location							
PPE Required ☐ Hard Hat ☐ S ☐ Face Shields ☐ Breathing App		Cover all □ Refle ds □ Safety Belt	ctive Jackets [/ Harness □ S	ြ Ear Pluç afety Gog	J □ Ear Mu gles □ Ha	ıffs □ Dust Ma	 ask
Any additional of ☐ Fire Extinguib	operation ser □ Ambuland	trols (If required Barrication [4)	·) 3	
S.No Steps	of field Activity	Potent	tial Hazards		Co	ntrois	2000
							
- '					٠.		
214						,	
nfe nfe		_			1.	٠,	
nfs.			D.				
· ·	•						
· ·				P			 -
	<u>.</u>			70,		•	
			•	C	7 0		
		,	•		JX.		
Activity	Incharge / Sup	ervisor	Hea	d of Exec	uting Dep	artment	
I hereby certify mentioned above step of the job. The bob and the equiposafe to operate.	, will be impler e team is traine	mented at each	I authorize the	ne team to	conduct ti	he job. The tea	am ∍ly.
Name & Designation	Sign & Stamp	Date	Name & Designation	Sign	& Stamp	Date	

MR

Integrated Management System







IMS FORM

SSGC-IMS/CRM-F-05

Management of Change

Revision 01

Issue Date: July, 2021

M	DC No: Date I							
Section A: Description of proposed change and potential hazards					1 0 0.0			
	MOC Owner		Location of Work					
1	Exacted Duration of			•				
	Wo							
Ì			Type of Change					
ē	☐ Pipeline	construction	Physical structure/building [7]	New or mo	dification in			
\$	☐ Permanent Process/pro	☐ Permanent Porocess/procedure ☐ New or modification in equipment/machine ☐ Motorial						
18	☐ Temporary ☐ Substance	ce 🗆 Other.						
To be filled by MOC Owner	Detail of MOCI con	OC: (Summe	size the basis for the					
2	safety and environment in	acts resulting	rize the basis for the propos from the proposed change.	ea.cnange \	and any pot	ential health,		
1 5	in the state of th	acia readiting	nom the proposed change.)		•		
≗		Υ.			•			
9								
-5		-O-	الماسطة المداف الدراات		•			
-					•			
1	The proposed change is n	ow submitte	of to Area Authority for eva	duction				
:	Name & Designation		Si n & Stamp	iluation		-		
	·	· · · · · · · · · · · · · · · · · · ·	Contra Starrib		Date			
ŀ	·	.						
H	Continu Divide at at a	<u> </u>		<u> </u>				
·	Section B : Evaluation of	of the impac	t(s) related to the chang					
	Evaluation Criteria			Yes	No C	omments		
filled by Area Authority	Does the proposed change requirements?	meet all appli	cable legal or other					
Ĕ	All modifications in the exist	ing process/	guipment are Equipment	.0	 			
¥	Manageable and Safe?	ing processive	equipment are Environmenta			ļ		
. 6	Does the change requires c	hanges in SS	GC HSE Procedures		 			
٠₹	Does the change will affect	the use of Er	mergency response		 			
₹	equipment of the location			'/				
<u> </u>	Does the change requires a	ny specialized	training for SSGC staff					
	Note: In	case of "YES	" please provide details on a	separal	Je 🗎			
be.	The proposed change is n	ow submitte	d to In charge HSE&QA for	r authoriz	ato			
2	Name & Designation	1	Sign & Stamp		Jule			
			•					
			*					
	Section C : Authorizatio	n for change	e to proceed					
ð		Following proposed controls should be implemented while execution of the job.						
S.	Potential hazard/risk	Risk level	Proposed control		onsibility	Timeline		
至								
by								
þe								
=			<u> </u>					
To be filled by HSE&QA	Name& Designation		Sign & Stamp		Date			
7		ł		i				
				I		j		



	IMS Form	SSGC-IMS/CRM-F-06
SSGC	Contact of the O	Revision 00
HSE&QA Department	Context of the Organization	Issue Date: July, 2021

LIST OF INTERESTED PARTIES

External Interested	No. d. O. F.
Parties	Needs & Expectation
Board & Directors	Profitability, good financial and legal compliance, avoidance of fine and penalty OR
^	Protect shareholders interest.
Op	Ensure adherence / compliance to GOP / SECP guidelines.
	Allocate resources to maximize revenue.
	follow best practices of corporate governance.
	• In the committee meetings are held as per plan.
.4	Finance benefits of the organization
	Avoidance of any fines / penalties. 1
	Reputation enhancement.
	Corporate Social Responsibility (CSR).
	Enhanced corporate governance (CG).
	Allocation of all resources to ac feve quality goals.
	 Achievement of safe and healthy conditions in organization.
	Commitment to quality, safety and health.
	Be prepared to seek advices from industry experts as required.
	No major accident at company premises.
Management	Take policy decisions to increase revenue per employee.

Integrated Management System

31





IMS Form

SSGC-IMS/CRM-F-06

SSGC

Context of the Organization

Revision 00

HSE&QA Department

Issue Date: July, 2021



- Ensure that policy and related objectives are established.
- Communicate clear roles to employees.
- Develop, lead and promote culture in the organization.
- Meet organizational goals by assigning targets to right personnel.
- Demonstrate leadership at all levels and functions of the organization.

ffective management of hazards, risks, incident, rgency, and injury.

- engage and participation in all quality, at, health and safety activities.
- Continued gowth in quality and productivity.
- Effective controls or quality, health & safety issues.
- No major accident place / safe working conditions for all emplo
- Develop positive quality and neath & safety culture.
- Continuously improve quality, st performance with review process.
- Well performed employees.
- Better staff retention and morale.

Staff & Workers

Continuation of job, timely wages with all applicable benefits to pay the cost of living, professional development and growth via regular trainings. OR

- Good and safe working conditions.
 - Job security.

HandBook | February 2022



HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

Noncop

- Training and development opportunities.
- Sustained reputation and image of company.
- Consultation.
- Communication and participation.
- No accident / injury / ill-health.
- Reward and recognitions.
- Opportunities for dialogue / improvement / changes.
- Timely and fair provision of remuneration coupled with career progression.

Client/Customer

Tine povide high quality services, quick response on any compair, follow all local laws and QH&S requirements.

- Unintercented gas supply.
- Customel acilitation
- Quick response if greries & complaints.
- Value for money.
- No health and safety issue in product.
- Prompt actions on quality, hearth safety issues.
- Minimize the risk of injuries when receiving a services.
- Socially and environmentally responsible.

Suppliers/Contractor

- Continuous orders, prompt payments as per agreed terms, good long terms working relationship.
- Fair chance of participating in bid opening.
- Communication of hazards present at workplace.
- Timely payment

Integrated Management System

K

Procurement Procurement



HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization


Revision 00

Issue Date: July, 2021

Trade Union & Worker	_
Representative	
11	
\mathcal{O}_{λ}	
	•
	7

- Transparency.
- Effective implementation of national & local labor laws with any non-conformance, good working relationship with management
- Conducive and safe environment for work
- Timely provision of information necessary for workers
- No fear of dismissal or disciplinary action while reporting near miss / accident.

External Interested Parties	Needs & Expectation
Media & NGOs	Media represent.
	Patient and positive attitude.
	Effective communication.
Visitors	Safe entry and exit during stay at SSGC.
	Communication of pertinent information.
	Emergency response.
	Briefing necessary safety rules.
	Necessary PPE available.
	Site access controls.
Emergency Services (Fire/Medical etc)	Good Risk management.
	Emergency procedure in place and drilled.
	Regulatory compliance.





IMS Form

SSGC-IMS/CRM-F-06

HSE&QA Department

Context of the Organization

Revision 00

Issue Date: July, 2021

 	
·	Regular drills for flooding, spillage, site excavation and first aid etc.
	first aid etc.
	Availability of adequate resources.
Utility (reviders (Power water/fuel, Telecom)	Prompt payment.
	Good Management.
Academic Institutes	Effective learning programs for employees.
O	Synchronize the linkage of quality, health and safety with technical and non-technical learnings.
	Learning from SSGC.
Insurance Companies	No claims, risk management, prompt payment.
Banks	• Fit ancial performance, cash flow.
Neighborhood/Community/ Society	Safe viring conditions.
Al-	Environment friendly operations.
· · · · · · · · · · · · · · · · · · ·	 Contribute positive to local environment and populations.
	No complaint relating to pale, pollution, waste and employment.
Share Holders	Minimize risk and losses.
	Increase market capitalization.
	Return on investment.
	Transparency.
	Rights are protected.
	Good dividend.
ederal and local law enforcement agencies	Pay all applicable taxes timely, follow local laws and regulations with regular updating
	em Gaz

Integrated Management System

MR

35



HSE&QA

Department

IMS Form

SSGC-IMS/CRM-F-06

Context of the Organization

Revision 00

Issue Date: July, 2021

Third party auditors-Finance



Smooth data collection

Better financial performance

Effective communication

• On time response on queries

No fraud or illegal acts detection

Effective implementation of ISO standards with all relevant clauses in the organization

Certification bodies


Creditor/Financial

Government/ Regulators (Local/Regional/Provincial/National/International)

Repaid on time, good financial performance

- r gu ements for Quality and health & safety.
- Promot seponses in case of any non-conformance.
- Proper in exigation on uncontrollable.
- Implementation or afe policy in the field of occupational safe v
- Fulfill the requirements of a applicable laws, rules, regulation, orders, guideline, interpretations and directives.

NF



SSGÇ HSE&QA Department

IMS Form

SSGC-IMS/CRM-F-07

Revision 00

Issue Date: July, 2021

SWOT Analysis

The state of the s	
The second secon	A STATE OF THE STA
The state of the s	
POSITIVE	
STRENGTHS	
Having vast exp rience of Transmission and	WEAKNESSES ·
Distribution of Natural gas.	Complex distribution network leading to
Infrastructura	UFG.
Infrastructure available in two provinces.	Substantial resources required for up
Ulimbia OA	gradation.
Highly competent human restarce.	
Certified to international standards	Lack of succession planning.
to international standards	Takes extra time to implement all
	requirements because of big size of the
Solo Mate	organization.
Sole Meter manufacturing plant in Pakistan.	High price.
Serving the nation since decades.	
	ernment new rules implementation.
Positive image of the company is already	Resource transfers.
established in the Society.	A managers.
	學所可能就可愛食食物可愛也。秦年十二日
OPPORTUNITIES	
OPPORTUNITIES	THRE TS
Monopolistic market.	Depleting natural
War 2 2 million	Depleting natural gas.
Over 2.8 million customers.	Customers may turn
moot of the	Customers may turn to renewable energy sources.
nport of LNG.	High cost.
uge infrastructure of T	ngh oddi.
uge infrastructure of Transmission and	Gas theft and leakages resulting in huge
istribution to connect new customers.	loses.
eduction in the lead time to facilitate	
mplainant.	Change in Government policies.
ivancement and use of latest technology to	0
more the system will create more	Criminals threats on security.
ectiveness.	40
	Street Garage
Integrated Management System ———	18/
O Stem	procurement in Dept.
MK	*

1. PURPOSE

The purpose of this document is to define a mechanism of incident and near miss reporting investigation & propose corrective/preventive actions against near miss, incidents and accidents.

2. SCOPE

This procedure is applicable to all incidents (i.e. accidents & near miss) which take place within SSGC premises or outside SSGC premises i.e. its installations or work -related sites which are under the scope of management system.

"Anything that can go wrong, will go wrong"

3. DEFINITA

a. Incident: Work-related event(s) in which an injury or ill health or property damage (regardless of severity) or fatality occurred, or could have occurred.

b. Accident: An incident in mich an injury or illness or property damage actually or us.

c. Near Miss: A Near Miss is an anplanned event that did not result in an injury or proper plamage, but had the potential to do so.

d. CPR: Cardiopulmonary resuscitation

e. Emergency: An emergency is a situation that poses an immediate risk to health, life, property, or expression.

Accident

Incident

Near Miss

Harmful

Harmless

INCIDENT / ACCIDENT LOSSE

oss of Life read ed quality of life DI STEMBLE injury to people Damage to Company Investigation Tur-Reputation INDIRECT LOSSES (invisible) Clearing the Site and conducting repairs Damage to Equipment, Building, Tools etc. Time and resources utilized in hiring Legal costs and training new worker

MR

Integrated Management System



4. PROCEDURE

4.1. Incident Classification Table

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Banand
	 Major fire Major gas leakage Explosion Bomb blast Vehicular accident Significant 		Inform respective departmental head/incharge and immediately call local rescue departments, such as Fire Brigade, Bomb Disposal Squad etc. Thus, whichever is necessary.	Anyone who has	Record
	sset / compan loss due to my unit pard situation including	·	Follow the Emergency Response Procedure.	Security department in case within SSGC premises, Site/ Zonal HSE team leader in case it is outside the SSGC premises.	SSGC- IMS/ER P-04
	natural disaster, damage or	0	Provide Help/Support to the victims such as First Aid or CPR if needed.	Only trained persons in case of CPR/First Aid is needed.	
	theft of asset / property .having an estimated amount of more than	ſ	Report the incident using incident notification form via web portal to in-charge NSE&QA immediately (or within 24 hours) after the or all ence of incident.		SSGC- IMS/IAM -F-01
•	Rs. 30,000 Injury/illness serious enough to result in two off workdays:	M	HSEAS A will complete the investigation report via web portal within seven working days ofter receiving includent	HSE&QA	SSGC- IMS/IAM -F-02
		1	Additional days may uso be required depending aprophe criticality of investigation		
er stellebber is ver der effert erren bestelle	·	1	HSE&QA will share the report with all concerned for necessary corrective / preventive actions.		
		i C S	HSE&QA will maintain ncident data base using online web portal and will share the information with all concerned to avoid eoccurrence.	HSE&QA	
		Į F	mplement Corrective / reventive action.	Zonal HSE Team Leader and anyone who is identified in Investigation report.	
		in re co	ollow-up to verify the inplementation of ecommended prrective/preventive	HSE&QA	

- HandBook | February 2022 🛴

S. No	Incident Type	Classification	Actions to be taken	Responsibilities	Record
		Major	In case of gas loss, transmission/distribution department will quantify the amount of gas loss and shares the same with concerned departments along with investigation report.	Transmission/ Distribution	
	Minor Injuries were only tast first Aid res han	·	Inform respective departmental head / in-charge.	Anyone who has witnessed or received the initial information about the incident.	
. 2	two off and provided of the victim. Minor Vehicular accidents	Minor	Report the incident using incident notification form via web portal to in-charge HSE&QA within twenty four hours of the occurrence of the incident.	Zonal HSE Team leader.	SSGC- IMS/IAM -F-01
at	where there is no significant - injury or loss.		HSE&QA will share the information with all concerned to avoid roccurrence.	HSE&QA	
3	Any Near Miss Occurred / Observed.		hap it he Near Miss using on the Near Miss Notification form via web portal. Exception of the form attach evidence (if an) and submit.	All Employees	, SSGC- IMS/IAM -F-03

4.2. Incident Reporting:

- a. Incident that resulted in personnel injury, spill, fire, asset damage to will be considered as accidents and will be reported through online Incident Management System within 24 hours after the accident.
- b. Incident that have not done any damage or lose will be considered as Near Miss and will also be reported via web portal.
- c. All HSE Zonal Team Leaders are responsible to immediately report any incident took place in their respective Zone.
- d. All Employees are responsible to immediately report any Near Miss occurred / observed via web portal.


MR

40 HOUSE BRIDE STREET

Investigation and Corrective Action

Incidents are investigated by the team constituted by In-charge HSE&QA. If required, a cross functional team may be formed. Depending upon the situation, Incharge HSE&QA will decide whether to investigate or not any major/minor incident/accident, considering following factors:


- Severity of the incident/accident.
- b. Time lapse between reporting of the incident and the actual occurrence of the incident.
- c. Lack of supporting information.



- a. Determine for of root cause using any suitable method like tripod analysis etc.
- b. Investigation will be conducted as soon as possible after the incident, following the activities required controlling the hazard.
- c. When indicated by the severity of the incident, steps to secure the incident site must be initiated immediately to sure that investigating party can reconstruct the events releading to the incident.
- d. Individual interviews will be conducted with each person present at the time of the incident. The following rules are followed for interviews with all individuals:
 - 1. The witnesses should be interviewed fromptly, separately and privately.

 2. The interviewer should avoid question that give a yes or no answer.

 - 3. After the interview, the interviewer should becument any concerns identified.
- e. The investigation will be focused at determining the root cause and therefore:
 - 1. The investigator or investigating team must focus getting accurate and complete information.
 - 2. Facts must be separated from opinions, and din dence from circumstantial evidence.
 - 3. Each concern identified in the investigation must be fully
- f. Upon completion of the investigation, the team will fill and submitted online incident Investigation Form (SSGC-IMS/IAM-F-02). It includes Background Cause Analysis, Conclusion and Recommended Corrective / Preventive Actions.
- g. In all cases, the Incident investigation must be completed within 07 working days from the incident notification date. Depending upon the nature of investigation, in-charge HSE&QA may extend the report submission timeline.
- h. Determination and implementation of viable corrective/preventive actions to eliminate the causes of incident.
- i. In-charge HSE&QA / Zonal HSE Team Leader ensures that the corrective/preventive actions assigned to concerned department/personnel, to be completed within agreed time frame.
- j. It is responsibility of Team Leader to:





- 1. Provide leadership role in implementation of corrective/preventive actions within the agreed timescale.
- 2. Ensure that corrective / preventing actions are effective in eliminating / reducing the risks.
- 3. Maintain record of Incident Notification Form and Incident Investigation Form of their respective zones.

4.4. Updating of Assessment

After the incident, depending upon the nature of severity and risk, the assessments (risk assessment, environmental aspect impact assessment) of specific activity / department will be updated including controls, risk level, likelihood etc.

4.5. Data A all sis and Review of Actions

The data of incidents will be evaluated and investigation outcomes will be shared with the management during repagement review meetings to seek advice and to discuss the effectiveness of measure / ations implemented.

5. DOCUMENTED INFORMATION

Record No.	Record Name	Maintained by	Retention. Period
SSGC-IMS/IAM-F-01	Incident Notification Form	In-charge HSE&QA / Zonal HSE Team Leader	3 Years
SSGC-IMS/IAM-F-02	Incident Investigation Form	p-charge HSE&QA / Zon	5 Years
SSGC-IMS/IAM-F-03.	Near Miss Notification Form	In-charge HSE&QA/ Zonal NSEZ am Leader	3 Years

MR





IMS FORM

SSGC-IMS/IAM-F-01

Incident Notification Form

Revision 01

Issue Date: Aug, 2021

-	, .			,			L	
Date:		Time:			Re	port No.		
Reported t	ру:				. (То	pe filled by HS	ELQA)	
Location:		•						
SEPC Pre	mises	. П	Outside SS	SGC Premi:	sas			
Location D						l .		
Responsi	le Zone			 	 .		.•	
Region	Δ			Zonal HSE	: Team L	.eader		
Particulars	of A rect	d Bornon/s	-					
Serial No	OI A GC	1	i):	1 3	Details o	of Affecte	d Asset	(If any)
. Name(s)		7 X						
Employee II	D(s)	10						
Designation			A		,			İ
	Permanent			P _			٠.٠	
Type of	Contractual			1,				
Employment	Contractor	1		10				<u>.</u> .
	Visitor	 		-0	A			
	Other				U,			•
Age	<u></u>							•
(Note: For further	dotails addition	1	 l			P		•
Incident Typ		nai page may bi	e used)	. ,	•			
		/ehicular Aco	idont o		——————————————————————————————————————			
Theft Sat	otage	Vehicular Acc Natural Disas					miu	
Incident Con			.e. [] G	as Leakage	Oth	er: [_	
Fatality SSGC								
Other	11 '	italization	Asset Dan	nage Fir	st Aid	Other		
ncident Clas		, i,				•.		
	Minor 🔲	Near Miss	5 🗌			•		
ncident Deta	il:							
	•		•					
								

Procurement A

- HandBook | February 2022

43



IMS FORM

SSGC-IMS/IAM-F-02

Incident Investigation Form

Revision 01

Issue Date: Aug, 2021


Incident Notification Form Ref. No.	Incident Detail (Brief)
Incident Date	
Investigated by	
BACKER UND INFORMATION:	
ROOT CAUSE ANALYSIS	
BIN	
CONCLUSION:	
	1/6
RECOMMENDATION OF CORRECT	
Recommended Actions	dor o (whom) Action till (date)
1.	1/0_
2.	0_
3.	
4.:	*
Is risk assessment required for the corrective actions? If y recommended actions:	res. please mention the senal numbers for the

Incharge HSE&QA

NOTE

- 1. Please include sketch / photo where ever required to explain the accident scene / conditions
- 2. Additional pages can be used for mentioning other details
- Transmission/Distribution department must submit the quantity of gas loss in case of any gas leakage or sapotana.

Integrated Management System





HSE&QA Department

IMS FORM

SSGC-IMS/IAM-F-03

Near Miss Notification

Revision 00

Issue Date: Aug, 2019

Personnel Detail (Who Witnessed the Near-Miss): Category/Type: ☐ Unsafe Act ☐ Unsafe Condition Designation: Department: Location / Area: Near Miss Detail: Time: Location: Leakage Equipm Slip / Trip Chemical Falling Hazard Biological Near Miss Related To: Fire Transport ___ Electrical Soft Physical Other Brief description of what you saw! (max. 100 words): Attach Picture: Choose File No file chosen . Reset/Empty Form

N



HandBook | February 2022




1. PURPOSE

The purpose of this procedure is to define a frame work for identification of emergency situations which arise in company operations and for developing emergency preparedness and response plans to mitigate and manage

risks arising from such situations or events. The Procedure defines requirements for business continuity planning post emergency situations to bring the business on-line.

Purpose of the procedure is to

- a. Formulate plan, responsibilities and actions to be taken to handle any emergency situation.
- b. Identify potential emergency situations and response plans to minimize or avoid actual & potential hazards of any emergency situation.
- c. Define mechanism and frequency to test plan so as to ensure preparedness and effectiveness of emergency response system.



2. SCOPE

This procedure is applicable to all locations of SSGC, its employees and any visitor physically present at the location of emergency site. The to variations in nature of operations, various departments/sections have developed their own ER Plans Stering for their strategic, operational and physical requirements. The same includes HSE emergencies arising for company's day to day operations in terms natural calamities, fire, major incidents with loss in our operations, as or environmental damage, external terror or bomb threats, public unrest, war and etc.

3. DEFINITIONS

- a. Emergency Situation: An abnormal situation that calls for immediate and urgent actions for safeguarding life of persons, protecting buildings, machines, balinstallations and other assets.
 - b. Rescue: It refers to responsive operations that usually involve the saving of life or prevention of injury during an incident or dangerous situation.
- c. Emergency Response Organization (ERO): It is group of people; in each section (such as HO, Headquarters etc.), who prepare for and respond to an emergency incident, such as a natural disaster or an interruption of business operations.
 - d. Emergency Response Centre (ERC): It is a room suitably equipped to handle any potential emergency situations. All emergencies are to be reported here.
- e. First Aid: It is the provision of initial care for an illness or injury. It is really performed by non-expert, but trained personnel to a sick or injured person until definitive medical treatment can be accessed.
- f. Assembly Areas: If an evacuation to the outside is appropriate, the reminated assembly areas for personnel shall be far enough away from the building, structure or wirkplace to ensure that, where practicable, everyone is protected from falling glass and other objects.
- g. Emergency Evacuation: It is the immediate and rapid movement of people away from the threat or from the place of the hazard.

4. RESPONSIBILITIES

Responsibilities for the particular department/personnel are identified in the response plans prepared by various departments and sections. General responsibilities for Emergency response organization are as under:

- a. Rush to the area of incident without any delay.
- b. Immediately assess the situation and initiate the remedial actions.
- c. Call the fire brigade & other emergency services like ambulances if required.
- d. Ask/inform all personnel present within premises, using megaphone or any other means, for complete evacuation if situation goes out of control.
- e. Inform all to go back to their work places using megaphone or any other suitable means when the situation comes under control and the area is free from any hazard.



- HandBook | February 2022 👢

PROCEDURE

The HSE&QA In-charge and department heads shall ensure that all emergency situations are identified during risk assessments performed and emergency response plans are implemented within the departments. They shall also ensure that all employees are made aware of their emergency situations and how to respond during a real emergency. They shall ensure that employees including emergency team members in their respective departments are trained to respond to emergencies and mitigate risks arising out of real emergencies. Some of the potential emergency situations that might occur in SSGC along with the response plans are lis ted below. Sequence of actions for any response specified on each section's ER plan may change depending

Emergency Considerations

The following areas of needs to be given consideration while identifying potential emergency situation but the **Solosion**

- ge of Toxic/flammable chemicals or leakage of gas
- Heavy rain/ f
- Earth quake
- Bomb threat
- Building & office /shelter in place
- Active shooter/hosta e

6.1. Fire & Explosion

In case of fire & explosion each pers of expresent within the premises must act as per but not limited to the following in abottons:

- Give voice alarm FIRE! In case of fire for all b.
- diate employees in the area. Push the nearest located call point butto in ase of fire (if present).
- Immediately inform Emergency Response ation through phone or in person. d.
- Try to control the fire by using fire extinguishers ne extinguisher only if you have been trained.
- Remove all explosive, inflammable and poisonous materials e. the maximum possibility...
- Shut off main valves of gas and circuit breakers.
- Stay away from the fire in case it is not controllable.
- Report to the designated Assembly Point away from the scene of the plosion if asked by Emergency h. Response Organization through emergency exits and wait for the further instructions.

6.2. Heavy spillage of toxic/flammable chemicals or leakage of

In case of heavy spillage of toxic/flammable chemicals or heavy leakage of Gas each sersonnel present within the premises must act as per but not limited to following instructions:

- Immediately inform Emergency Response Organization through phone or in person. b.
- Eliminate all ignition sources (sparks/flames/heat) from the immediate areas. C.
- Turn off gas supply from nearest control valve.
- In case of gas leakage in confined space, proper measures (opening windows, doors etc.) should be taken to ventilate the gas. Ensure the availability of fire extinguishers. e.
- Stop leaks if this can be done without having any risk.
- Do not touch or walk through spilled material.
- Prevent entry into waterways, sewers or confined space. g. h
- If available wear the Personal Protective Equipment recommended.
- Arrange immediate cleaning of spilled chemical by taking suitable precautions i.

Integrated Management System





6.3. Heavy Rain / Flood

In case of emergency situation of heavy rain/flood, personnel must remain present within SSGC premises if the situation gets worst outside. In case of water entering in department/office each person must act as per but not limited to the following instructions:

- a. Try to stop water by keeping sand bags.
- b. Protect building, machines, equipment, tools, parts & material.
- c. Shut off Electricity and Gas if necessary.

Following precautions should be taken by the departments/sections, located under rain/flood threat areas:


- a. Ensure no material is placed outside in open area which may be affected by rain.
- b. Ensure proper drainage system at vital installations so that every valve, equipment, electrical board etc. be accessible in case of any emergency.
- c. Sufficient quantity of tarpaulin and rain suit is available to meet the rainy condition.
- d. Keep the grant lit e open all the time.
- e. All pumps used for saining out the rainy water are in running condition.
- f. Sufficient quantity of sand bags is available to stop entering the water inside; which may be placed in advance if required.

		LASSES OF FIR	₹ E
Class	Material	Examples	Type of Fire Extinguisher to be used
;A	Soiids	Paper, woor plastic, etc.	Water
В	Flammable Liquids	Paraffin, petrol oil ac.	CO2 Dry Powder
С	Flammable Gases	Propane, butane, met ane etc.	Dry powder
D	Metais	Aluminum, magnesium, titani etc.	Sodium chloride based dry powder fire extinguisher
. E	Electrical Apparatus	Short-circuiting, over loaded electrical cables, etc.	• 502 Fire Extinguisher
, F	Cooking Oil & Fat	Animal fat, etc.	D c emical based: Potassium bicarrente Wett Fine chemical mist

6.4. Earthquake

In case of earthquake shocks each personnel present within the premises must act as per but not limited to the following instructions:

- a. Immediately inform Emergency Response Organization through phone or in person.
- b. Immediately Evacuate to Assembly Areas (in open space where you can keep distance at least one half of the height of the building) after the shocks dampen.
- c. Shut off all switches and valves of main supplies of gas and electricity. (If possible)
- d. Maintain your senses, do not let them disperse.
- e. Protect yourself by sitting on side of tables, furniture & under strong structures. Be aware of falling walls, debris, heavy objects and electrical wires.
- f. Stay away from loosely hanging objects that may fall after initial shock and tremors.
- g. Wait for further instructions from Emergency Response Organization.
- h. ERO should keep in touch with the metrological department / media for aftershocks and future forecasts.



- The Bomb Disposal Department shall be allowed to operate in the company premises as deemed
- On getting clearance from Bomb Disposal Department normal routine shall be adopted as advised by f.

6.5. Bomb Threat

In case of bomb threat each personnel present within the premises must act as per but not limited to the following

- Immediately inform Emergency Response Organization through phone or in person. a.
- Maintain your senses, do not let them disperse. b.
- Report to the designated Assembly Point if asked by Emergency Response Organization through emergency C.
- Bomb Disposal Department shall be called by Emergency Response Organization. d.
- The Bornb Disposal Department shall be allowed to operate in the company premises as deemed appropriate. e. f.
- clearance from Bomb Disposal Department normal routine shall be adopted as advised by

6.6. Building or fince Lockdown/shelter-in-place

If a situation calls for built no or office lockdown, the personnel present within premises should act as per lat n t limited to following instructions:

- colleagues.
- Try to stay in pairs.
- Do not leave the room and/or buil on under a lockdown situation until asked otherwise. d.
- Keep quiet and away from doors and
- If a gunshot is heard, lay down on the shield under/behind furniture as much as possible.

Take care:

Don't try to be a hero in emergency situations; do not place your own life or health or that of others in danger

Be prepared for unexpected!

6.7. Active Shooter/Hostage Situation

in case of shooter/hostage situation each personnel preser within the premises must act as per but not limited to

- a... If it is safe to do so, exit the building; if not, lock or barricade year **♠**If inside a room.
- Turn off lights, cover and lock the windows, and lay on the floor
- c. , If the shooter(s) leave the area, go to a safer place, if possible. Ha hands open and visible, and follow any instructions given by law enforce to scape route/plan in mind, keep your
- Call the Police/Rangers when it is safe to do so. Remain calm, use information as possible (your name and location, details about the shooter 3) - ppearance, weapons, etc.). If you can't speak, leave the line open so the responding authority can listen and vio pinpoint the location.
- Cooperate and negotiate with the shooter, in order to buy as much time as posuntil the rescue team

EMERGENCY NUMBERS 7.

In consideration of the emergency numbers to be included in the emergency plan, the following should be taken Fire brigade/civil defense or equivalent.

- Police.
- Ambulance service.
- Hospitals/Clinics.
- Mutual aid agreements/neighbors.
- Environmental protection agencies.
- Key company personnel.



8. EVACUATION

All Emergency evacuation routes/doors should be accessible at all times. No hindrances should be placed in the route. All employees should be familiarized with the evacuation routes of their premises.

All employees should immediately evacuate their premises and assemble at the assembly areas (identified by each section). During evacuation following instructions should be followed.

- Take only keys, wallets and essential belongings with you.
- b. Leave the building/premises immediately, do not try to investigate the source of the emergency.
- c. Walk, don't run, to the nearest exit.
- d. Use stairs, not elevators.
- e. Assist people with special needs.
- f. As you make your way out, encourage those you encounter to exit as well.

9. THINGS OF BE EVACUATED

In case of emergence, elecuation should be carried in the following order:

9.1. Personnel

Those personnel who do at have sound health such as patients of Heart, Asthma and physically/mentally disabled people are to be evaluated on priority basis.

9.2. Raw Material

Raw material which is explosive inflammable and poisonous must be removed. Similarly, important lightweight items that are easy to carry that also be removed.

9.3. Documents-

Important records and files must also be removed.

9.4. Equipment

Cash Lockers, Computer Sets, External Hard-diver Expensive Tools and Fixtures must also be removed.

10. TESTING AND EXERCISES

Testing and exercise of the emergency response plants out be conducted at each location of SSGC to evaluate the effectiveness of the preparedness plan. The bord and observations of the exercise should be recorded on Emergency Drill Form (SSGC-IMS/ERP-F-01).

Each section should nominate the person who is responsible to periodically conduct the exercise. The frequency and type of drill at each location should be as below:

Location	Type of Emergency Drill	Frequency
a. Head Officeb. Regional Officesc. Billing Officesd. P&C Officese. Store (all locations)	Evacuation and Mock Emergency Drill (all employees)	Six Monthly
f. KT (Transmission) g. Distribution (Zonal and Sub-zonal offices	Fire Fighting Drill by Emergency Response Team	Six Monthly



Meter Manufacturing	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
Plant	Fire Fighting Drill by Emergency Response	Quarterly
Headquarter Stations	Evacuation and Emergency Mock Drill (all employees)	Six Monthly
	Fire Fighting Drill by Emergency Response Team	Monthly

11. AVAILABILITY AND MAINTENANCE OF ER EQUIPMENT:

Zonal HSE to n leaders ensure that emergency detection and response equipment are identified, available and properly recritained in their respective zones. A joint inspection will be carried out periodically to verify the efficacy of ER Equipment. The record shall be maintained on Inspection and Monitoring of ER Equipment ▶02). Each zonal HSE team leader shall maintain record of their respective zone and share with In-charge 4SE& A as and when required. The need for the emergency response equipment is determined by considering the hazards and associated risks with the particular location/operation/equipmen installation etc. The response equipment usually include but are not limited to:

- Fire hydrant/hose/bucket/way
- C. Smoke/gas detectors.
- Communication equipment. (M d. s, Alarm systems, walkie-talkie etc.) First aid box.

月月 養

- f. ER vehicles/Ambulance.
- Breathing apparatus.
- h. Emergency lights.
- Hammer/Axe/shovei/ropes etc.

Frequency of inspection and monitoring of ER Equipment was be per table given below. However, if situation warrants, this frequency can be changed on the instructions of the large HSE&QA or Zonal HSE team leader. ge HSE&QA or Zonal HSE team leader.


·· -: <u>.</u>	Location	
a.	Head Quarter Stations	Frequency
b.	Meter Manufacturing Plant	' \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
c.	K.T (Transmission)	Monthly
	Head Office	<u> </u>
b.	Regional Offices	
	Billing Offices	
d.	P&C Offices	Quarterly
e.	Store (all locations)	Quarterly
f.	Distribution (Zonal and Sub-zonal offices)	

12. DOCUMENTED INFORMATION:


Record No	Record Name	Maintained by	Retention
SSGC-IMS/ERP-F-01	Emergency Drill Form	HSE&QA Department	Period 3 Years
SSGC-IMS/ERP-F-02	Inspection and Monitoring of ER Equipment Form	Co. HSE&QA Department	3 Years







20116	•	Region		Location		Date	
Type	Of Emergency Dril	ıı ·		·	<u> </u>		
□ Fire	e and Explosion □ H	eavy spillage	of toxic/flammabl	e chemicals	□ Heavy os	s leakage — Ee	
□ Bo	mb Threat	· . •			Li ricary ge	is leavage. C Es	rınquake
		•	Observ	atione	· ·		
S.No	Des	ription.	Time	400113		3.	
1	Emergency Siren		- 11116			Comments	·
2	Evacuation started						
3	Last person reache	ed at the a se	mbly		,		e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co
4	Firefighting/Bomb interested party rea	disposal squ.	d/other	=			
1 5	Emergency under	control at	U	<u> </u>	<u></u>		-
Total	time of Drill (minut	es):					
Addit	ional Observations	(If any):					
							• • •
				/ /			
				1/2			
S.No	THE STATE OF		Assessm	ent 🗸			Yes No
1	Emergency respon-	ders were pre	sent at the site		O,	•	
2	Employee were pro	perly instructe	ed	1			- -
3	Behavior of employ	ees was satis	factory			·	
· 4	Evacuation route w						
5 6	SSGC firefighters w				· . `		
7	Firefighting equipme						
	Response of the me	edical staff wa	s satisfactory		· · ·		-
Overa	Il Assessment:	Andrew Carlotte Commence		I State of the second	Satisfacto	ry 🗆 🗸 🛈	sfactory
S.No	Correct	tive Actions/	mprovements R	lequired	ı	Responsibility	Target Date
						_	
							
							
	and the second s	en begannt had the second state of the	and the second of the second o				
	Security Service	es Represent	ative		HSE&QA	Representativ	9
	Name	Sig	nature	Na	me	Signa	
	-					5	
							1
 -	· · · · · · · · · · · · · · · · · · ·					<u> </u>	
							•





IMS FORM

SSGC-IMS/ERP-F-02

Inspection and Monitoring of ER Equipment Form

Revision 01

Issue Date: Aug, 2021

Zone Type Of Equipmen	Region	li accii	- , '			
D Fire Entire	ıt .	Location	1		Date	
D Ambula	nt · □ Fire Hydrant/Water Pul st Aid Box □ Communicat	mn/Ruckete // L			- Date	
O Ambulance D Fir	st Aid Box C Communicat	ion Equi-	Smoke/G	as Detecto	I Ci Emerana	
S. V.		Oth	er:		- Cineigeno	ylight
S.No.	What to check	CHECKLIST				
Fire Ex 10 ash r			Yes	No		
01 Fire extingu	hers are in operable cond	ition			Commen	its
02 Pine and		mon and not	T			
- ipe allu floz	zle got have cracks.		 			
Level and levi	DI TITLE	ked				
All extinguishe		NGU.	\ ⁻			
Fire Hydrant/Hose/B	ucket	accessible.			·	
No leakage in	fire hydrant victor					
I riyurant valves	are present to					
03 Hose pipe is ro	illed and properly placed and properly placed end.	operational.				
attached at the	and property places	Ni zzies are				
04 Fire buckets are	e maintained and adequar	of the Turit			i	
First Aid Box		with with		1		
01 All necessarvire	Olurnd "					
box.	quired medicines are avai	lable in ir		·	1	
UZ Medicines are n	or expired and valid for use		1			
					1,29	
U1 Alarms and Sma	ke/gas detectors are prop		0	<u> </u>		
ther Equipment (if an	y)	erly functioning.				
)2				D.		
No				10		
· ·	Observations					
				Recor m	e dations	**************************************
					7	
					-	
itional Comments (if ar	ry):					
•						
Co					•	
Security Services	s Representative					
ame & Designation		Н.	SE&QA	Represent	ative	
	Signature	Name & Des	ignation	7		
					Signature	7
	· ·		٠.	- 1		
	,	}				
				- 1		- 1







1. PURPOSE

The HSE&QA guidelines for suppliers and contractors are developed to assist suppliers/contractors to meet ssgc's hse&qa policies, procedures, commitment & requirements to ensure safety, integrity and quality of goods/services provided.

2. SCOPE

The procedure is applicable to all suppliers and contractors providing goods or services to SSGC whether on SSGC premises or outside SSGC premises.

3. DEFINITIONS

- a. Contractor: Is an independent employer/organization who will be responsible to execute jobs agreed with SSGC.
- b. Supplier: an independent employer/organization that is responsible to provide goods or services.
- c. Contract coordinator: Is an executive of SSGC procurement department, who has been delegated/given responsibility and authority from the head of department to initiate and maintain the contract.
- d. NEQS: National Environmental Quality Standards.
- e. SEPA: Sindh Environme ital rotection Agency.

4. RESPONSIBILITIES

4.1 Suppliers/Contractors and S. 6 contractors

- a. The contractor must take all necessary afety precautions related to the performance of the contract-in-order to protect the work site. It all ding all personnel and property of the SSGC, the contractor, all third parties involved.
- b. Suppliers/Contractors are responsible for safet, and well-being of their employees.
- c. The contractor will also be responsible to provide relevant safety equipment (PPE) to their workforce where required. Suppliers/Contractors via have their own HSE&QA management system, shall provide details of the same on request.
- d. The contractor shall ensure that all personnel are adequate, a judge to perform the task assigned.
- e. Supplier/Contractor shall ensure compliance with SSGC policies, rocedures and applicable legal and regulatory requirements.
- f. The contractor shall adhere to set standards and requirements for a virgamental protection.

4.2 Contract Coordinator

The contract coordinator is responsible to arrange training sessions/meetings between contractors and HSE&QA department within 10 days of issuance of a letter to proceed.

4.3 HSE&QA Department

- a. In-charge HSE&QA and contract coordinator are responsible to evaluate the capability and competence of Supplier/Contractor regarding HSE&QA.
- b. In-charge HSE&QA is responsible for providing necessary information and training to Suppliers/contractors regarding applicable SSGC's HSE&QA policies and procedures.
- c. HSE&QA department will carry out inspections and audits to ensure safety and well-being of employees and adherence to set standards, technical specifications and guidelines.
- d. In-charge HSE&QA is responsible to highlight critical nonconformances related to HSE&QA. Strict decisions may be taken against any violation/breaches of SSGC's safety policies/procedures/contract terms during the execution of contract.

NR



- HandBook | February 2022


Handbook ; February 202



5. PROCEDURE

- a. The contract coordinator should ensure that this procedure is part and parcel of every contract made
- b. The contract coordinator must notify in-charge HSE&QA to evaluate the capability & commitment of potential suppliers/contractors regarding HSE&QA during technical evaluation phase.
- c. The contract coordinator arranges a meeting between supplier/contractor and HSE&QA department after issuance of letter to proceed. HSE&QA awareness form (SSGC-IMS/GSC-F-01) will be communicated and duly signed by supplier/contractor as well as HSE&QA department.
- d. HSE&QA department will conduct periodic inspection/audit of worksite/supplier facility to identify
- e. The contractor/supplier shall educate and adequately train their employees in order to understand
- f. Supplier sall adhere to technical specifications provided by SSGC to ensure quality of goods g. The contract r s
- at perform hazard identification and risk assessment related to their activities for the proper implementation of possible controls/personal protective equipment (PPE) or otherwise consult SSGC's HSE& Andepartment to seek guidance and awareness on risk/hazards related to activity and its possible of h. The contract is liable to under
- and implement "permit to work (PTW), job safety analysis (JSA)" where required. Please refer
- assessment and management procedure (SSGC-IMS/CRM-02). The contractors are responsible to a spose of any waste generated during their activities in an j. The contractors must ensure that only it
- ned individuals meeting necessary requirements/skills will carry out the required job.
- k. Any equipment used by contractor during the pr concerns, and should be in accordance with SSGC's air procedures and NEOS and analysis and should be in accordance with SSGC's air procedures and NEOS and accordance with SSGC's accordance
- Any identified hazards discovered by the contractor in procedures and NEQS and SEPA set standards. to fix must be immediately reported to the contract coo disalor and HSE&QA department in writing.
- m. The contractors must ensure that the workforce involved nust be physically fit and should not carry any contagious disease. SSGC reserves the right to askale medical examination/tests of any employee. Contractor will bear all expenses incurred during the neglect examination/tests.
- n. For contracts related to providing food services/canteen services, labs must be submitted to head of administration services departing price entire crew once the contract is awarded and annually for following diseases hepatitis B & culosis, and chest
- o. In case of violations from SSGC safety standards/policies/procedures, actions penalize the contractor depending on the severity/recurrence of breaches, as per tracking matrix:

14:O#	Violation	Action Action
1 .	Single Minor Non-Compliance	Verbal warning
2	Multiple Minor Non-Compliance	M/-itt-
3	Single Major Non-Compliance	1
4		Written warning / Stop the work on site Written warning / Financial penalization, discontinuation of contract





6. ACCESS

- a. Prior to comencement, the contractor will submit a list of their workforce personnel who will be on the site. This data will be updated each time the contractor changes site personnel.
- b. All contractor personnel should park vehicles in the designated parking area. Provisions should be made in advance by the contractor to allow for unloading of equipment and materials inside the facility property. No vehicles shall remain inside the building except for unloading tools or equipment and vehicles will be subject to search and inspection upon exit.
- c. A written pass by the SSGC representative is required in order to remove tools equipment or material from SSGC property. Toolboxes, lunch box bags, etc., are subject to inspection prior to removal. SSGC will prosecute any person, or persons caught removing SSGC property from the premises.
- d. All contractor personnel should enter and leave premises through the main gate, and will be required to sign in and out upon entering and exiting the property. Security will issue an ID badge to each person upon sign-in and at the beginning of each day all contractors must receive a new badge from
- Contractor emplyes s must stay in their assigned area(s) at the job site and not visit other areas or make any adjustment to any piece of equipment or device unless authorized to do so by an e. Contractor en authorized SSGC regresentative. Failure to abide by this work rule will result in immediate dismissal from the facility and include prosecution.
- Each zone maintains secur ork areas with limited access at all times. No one is permitted to override any security device for convenience. If access to a secured area is required contact the SSGC representative for authorization area without prior authorization. no time should contractor or subcontractor employees enter the
- g. Any work not performed during norm. ness hours must be approved in advance by the SSGC representative.
- h. All contractor employees will go through r_safety/induction training upon initial work at ১১ and annually thereafter. A copy of authorizer (cu ept) personnel for contractors will be updated and kept at guard shack.

6.1 Tools and Property

- a. For any situation in which the Contractors activity may endanger product quality such as: drilling, welding, removing ceiling tile or any other job which creates metal fragments, and program of the contractors activity may endanger product of the contractors activity may endanger product of the contractors activity may endanger product activity such as: drilling, welding, welding, and the contractors activity may endanger product activity may endanger product activity such as: drilling, welding, welding, and the contractors activity may endanger product activity such as: drilling, welding, and the contractors activity may endanger product activity such as: drilling, welding, and the contractors activity may endanger product activity such as: drilling, welding, and the contractors activity may endanger product activity such as: drilling, welding, and the contractors activity may endanger product activity such as: drilling, welding, and the contractors activity may endanger product activity such as: drilling, welding, and the contractors activity may endanger product activities acti manufacturing equipment areas, approval must be made through the Sacc approved by the ZTL or representative before work is to commence. The epresentative and conditionally established by the Zonal Team Leader or representative to protect the equipment or must abide by conditions
- Soliciting, selling of any merchandise, gambling or distribution of literature for any SSGC property.
- c. Use of company telephones is restricted, unless prior approval is attained from the S . Pay telephones are not available. entative.
- d. Horseplay, throwing any object and scuffling are dangerous and forbidden.
- . e. Cameras of any kind are not permitted in SSGC/work site unless prior written approval is attained from f.
- Guns, knives or any other weapons are NOT allowed on company property in any case.
- g. SSGC expects all contractors and subcontractors to maintain a drug-free and alcohol-free workplace. Contractors shall maintain a substance abuse program that includes post-offer and for-cause testing. It will be the responsibility of the Contractor Management to inform their employees and subcontractors that the use of, or evidence of use of, intoxicating liquor or illegal drugs are prohibited at all times while on Zone property. Reporting for work under the influence of alcohol or drugs will not be tolerated. SSGC management reserves the right to remove any contractor or subcontractor employee from Zone property who is believed to be under the influence of alcohol or drugs. It will be the contractor's responsibility to enforce these rules.



- HandBook | February 2022 🔢



- Contractor activities are prohibited in overhead areas of the Zone during the times of production or otherwise that may pose a hazard to personnel or product/material. Deviation from this section will be permitted only with the prior consent of the SSGC representative and affected area is isolated and marked off.
- Contractor material will not be shipped directly to the Zone without approval of the SSGC representative.

6.2 Quality Assurance and Personal Hygiene

While working on SSGC premises or at any worksite;

- All persons shall maintain a high degree of personal cleanliness, conforming to the same SSGC standard as
- Pens, pencils, tools and supplies must be carried in a secure manner to eliminate the possibility of product contamination or adulteration, (i.e., nothing is to be carried in shirt pockets, lapel, and etc.).
- c. Appropriate PPEs must be worn by all personnel, including dress as appropriate. Contractor is responsible to provide PPE being workforce.
- d. Proper clothing this be worn at all times. No tank tops, cutoff shirts, or short pants will be allowed. Jewelry and rings are salety are contamination hazards and are not to be worn in working areas.

 Persons with suspended communicable diseases, respiratory infections, infected open cuts, sores or skin
- abrasions will not be permed to work in any area that could result in contamination of SSGC personnel.
- The use of tobacco in any form is prohibited at all times except in the designated Smoking areas.

 Chewing gum, candy, storike up wes, eating or drinking beverages are not permitted in or adjacent to
- the SSGC premises and storage aleas. There will be a designated area for contractors to eat. (Cafeteria) In the event that there are open tanks of exposed product/materials, containers or storage, the contractor must erect temporary partitions to eliminate the possibility of any foreign material. (This shall include grinding, cutting, core drilling, masonry work, jack has me ring, chipping, metal drilling, pipe threading, wiring, welding and other hot work, etc., where any dust, mist, entries or other debris may be generated.)
- i. The use of containers, boxes, cans, jugs holding or storing parts, lubricants, solvents or construction material is strictly prohibited.
- The contractor is responsible to notify the SSGC rep estative immediately if foreign material used or generated by the contractor's activity, was accidentally spill at the zone area/ SSGC premises.
- Contractor will follow 'Spill Response Procedure' of SSGC in case ry spill occurred.

CONTRACTOR SAFETY REQUIREMENTS

7.1 General Safety Rules

- a. All applicable Occupational Safety and Environmental regulations must be followed
- Contractors shall supply to their personnel and to the SSGC representative: mer ency contact SSGC, phone numbers, and pager numbers as well as emergency procedures appropriate to the fire
- c. Contractors shall provide the SSGC representative with a current copy of their Safety Confined Space Entry, Lockout/Tagout, and Hazard Communication procedures (* applicable) and
- d. The Contractor shall supply all required first aid supplies and safety equipment to support his/her personnel.
- e. Contractors are responsible for providing all required Personnel Protective Equipment (PPE). Contractor employees and subcontractors are required to adhere to all established and/or posted PPE requirements while on SSGC property. Industrial grade safety shoes and safety glasses with side shields are required to be wom at all times. Hearing protection in designated areas.
- Only SSGC personnel may operate any valve, electrical switch or other equipment connected to operating sections of the Zone unless prior authorization has been obtained from the SSGC representative. Lockout/Tagout is the standard for energy isolation and MUST be adhered to at ALL times with no exceptions. Contractors are responsible for using their own locks and tags for completing their lockouts. In addition, SSGC personnel may initiate we/they lockent-system to ensure compliance. Co. Lin

- Contractor, contractor employees or subcontractors are NOT authorized to dismantle, shut down, or otherwise make ineffective any fire protection device or system. This requires a special permit obtained by the Zonal Team Leader.
- h. Materials, tools, equipment and supplies will be stored neatly and safely so as not to obstruct roadways, walkways, stairways, emergency doors etc., or allow any condition which may be a potential safety or fire hazard. No tools or materials should be left on steps, walkways, platforms elevated equipment, pipes or
- i. Materials are not to be thrown or dropped from scaffolds or other overhead areas.
- Fire lanes and aisles to firefighting equipment are to be left unobstructed at all times. Contractors are to provide fire extinguishers for each welding and burning operation and complete HOT WORK PERMITS.
- k. Material should not have been kept in such a way to block access to fire extinguishers, fire doors, hydrants or manhole covers.
- All electrical equipment must be properly grounded.
- m. Any lights carried into and used in a hazardous location must be explosion-proof type and suitable for use in the hazardous area involved.
- n. Use of explosive actuated fastening tools should be used according to the manufacturer's safety guidelines.
- ssed gas cylinders must be supported and secured standing upright according to Pakistan standard when hoses and valves are removed from cylinders, a protective cap is to be installed on all tanks whether en by of full. Acetylene cylinders, when in use must have a wrench in place.
- p. Areas where every and hazards, excavations or other unsafe conditions exist must be properly blocked off with appropriate warning signs. In the case of an excavation, barricades must be provided. In reference to night excavation projects pight lights shall be provided by the contractor.
- In the event an oil, gas, repo or other harmful volatile release is caused or discovered, the contractor and/or his employees shall report to the nearest SSGC office and request for further actions immediately. Vehicles in Zone are required to adhere to the declared speed limit.
- s. Any contractor contractor employed subcontractor violating Zone area safety or security rules shall be subject to immediate dismissal.

7.2 Accident Reporting

- a. Accidents occurring in Zone jurisdiction must be expired immediately to the SSGC representative.
 b. In the event of a fire, medical or other emergency contractors are required to notify zone security or the SSGC representative immediately. When providing contraction give all pertinent information, including your SSGC, location, and emergency situation involved.
- All contractor injuries requiring medical assistance beyond band first aid must be reported in writing with a full investigation within 24 hours of the occurrence (Contractor Accordt Investigation Form). This report must be submitted to the SSGC representative for forwarding to the HSE O Department.
- d. All contractors and subcontractors must maintain their own OH&STE d document/record

7.3 Confined Space Entry

- a. The SSGC representative will notify the Contractor prior to being hired, confined spaces. The form included in documents will be used to make this notifical rk will involve entry into
- b. All Contractors who conduct confined space entries must adhere to the SS requirements.
- c. At no time shall a contractor, contractor employees or subcontractors enter a confined space in Zone. without specific authorization from the SSGC representative. Failure to adhere to this policy will result in immediate dismissal.
- d. All contractors are required to keep and maintain their own equipment for confined space entry.
- e. In the event of a confined space entry by contractors, their employees or subcontractor, a standby rescue team must be assembled in Zone assembly area. This rescue team may be SSGC personnel or contractor personnel, however, all arrangements must be made and documented prior to entry.
- All contractors and subcontractors who enter a confined space, serve as entry supervisors or rescue team members must have the appropriate training and certification according to the Zone requirements. Copies of all training certification documents must be provided to the SSGC representative & HSE&QA Department



7.4 Cranes and Overhead Work

- a. All Contractors who conduct work at height, e.g., all work occurring at an elevation above 72 inches without a standard railing must adhere to the SSGC Work at Height Requirements.
- All work at height requires the use of a safety harness. All safety harnesses, lanyards and related fall protection equipment must comply with applicable local and ANSI requirements.
- All contractor employees working in forklift baskets, scissors or man lifts are required to wear a safety harness.
- d. Working with cranes and derricks require compliance with the SSGC Lifting Equipment requirements and the equipment manufacture's recommendation. Zones and generally accepted practices for safely operating and rigging procedures and methods must be used.
- e. All cranes used on company property must be inspected once per shift and any problems identified must be corrected prior to crane usage. Copies of all inspection records must be provided to the SSGC representative
- f. In the event that overhead work must occur in locations within the Zone where high voltage, overhead power ated, all cranes and overhead lifting devices must maintain a 10-foot clearance. In the event cannot be maintained, the power lines are to be de-energized and locked out prior to performing work. the event the lines must be de-energized, prior approval must be given by the SSGC representative.

7.5 Hazardous Energy ol (Lockout) Procedures

- All contractors, contractor es and subcontractors must comply with the SSGC Energy Control Requirements.
- b. In the event that a contractor, control or employee or subcontractor servicing or entering a piece of machinery where the danger of injutives from unexpected energizing of the equipment or unexpected release of stored energy, the contractor contract employee must disconnect the source of energy and lock/tag out this equipment before beginning
- In the event that SSGC employees or other un hown persons have locked/tagged out equipment, the contractor is not to remove the lock/tag or energize the quipment. Likewise, the contractors are not to LO/TO any machinery without approval of SSGC representaor remove LO/TO without communicating to all affected associates.
- d. Contractors are required to supply their own lockout locks, s and hasps.
- e. In the event that a contractor or subcontractor has de-energized and locked out a piece of equipment, the equipment specific lockout procedure must be adhered to. contractor, contractor employee or subcontractor can acquire the specific equipment lockout procedures in
- The lockout tag used by the contractor must have the contractor's phore be SSGC representative. to be contacted concerning the lockout. per and a person name, SSG

7.6 Zone Equipment and Tools

- a. Contractors will provide their own equipment to their employees.
- The use of SSGC vehicles and equipment is prohibited for contractors. Contractors can only acquire this authorization from the Zonal Team Leader. Authorization, when provided, will be documented by use of the Equipment Loan and Indemnification Agreement. Use of all shop equipment is prohibited.
- Misuse of SSGC material, equipment or products is prohibited.
- The use of SSGC powered industrial vehicles (i.e. forklifts) is strictly prohibited. In the event that SSGC forklifts are required, they can only be operated by certified SSGC employees. There will be no exceptions to this policy. Any contractor, contractor employee or subcontractor who operates an SSGC forklift will be requested to leave the property immediately.
- All contractors, contractor empioyees or subcontractors who operate a powered industrial vehicle in Zone Area must possess a current operator certification.



HandBook | February 2022

7.7 Hazard Communication

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
- Provide the SSGC representative with a listing of all hazardous chemicals.
- Property label all containers, adhering to SSGC labeling requirements. ij.
- Provide the SSGC representative with copies of all SDSs (Safety Data Sheet) for the hazardous chemicals.
- The SSGC representative will provide all contractors with a list of hazardous chemicals that the contractor, b. contractor employees, or subcontractors will come in contact with during the work on Zone property.
- At no time should hazardous materials or fuels be left unattended in open containers or unsecured areas overnight, during weekends, or during holiday periods. Temporary storage of such material must be reviewed with the Company representative.
- When the use or storage of explosives or other hazardous materials or equipment is necessary for the d. execution of the work, the Contractor shall exercise the utmost care and small carry on such assume supervision properly qualified personnel and in conformance with all applicable Zone Requirements and the work, the Contractor shall exercise the utmost care and shall carry on such activities under the
- The contractor shall be responsible for all necessary Personal Protective Equipment (PPE), training, and informing their employes of all hazardous substances in use at the job site and of the appropriate safety procedures and policies

7.8 Emergency Procedu

- In the event of a fire, medical or of emergency, Contractors are required to notify zone security or the SSGC representative immediately. Tell is security personnel the location of the fire and any other pertinent y or SSGC representative cannot be reached, evacuate the area and call area/city emergency department at 200 as possible.

 All contractors, contractor employees and subject tractors are required to follow the predetermined exit routes
- and emergency evacuation procedures poster at the facility.
- All contractors, contractor employees and subcorrectors are required to exit the work area/building in the event of emergency alarm activation or if instruction to by an SSGC representative. In the event of an exacuation, contractors are required to go directly to be employee staging area located at guard shack. wee staging area located at guard shack.

7.9 Gasoline and Propane Powered Equipment

- Contractors are required to inform the SSGC representative of any ane or gasoline powered equipment that is to be used indoors.
- SSGC Management discourages the use of internal combustion engines i s, and will only permit it when no reasonable alternative means are available to complete the job.

7.10 Temporary Electrical Connections

- a. All wiring & electrical installations are expected to follow National Electric Code practices.
- All temporary electrical hook-ups for equipment must be approved by the SSGC representative, prior to installation. All temporary installations must be removed as soon as the task requiring them is complete.
- Electrical outlets for portable power tools not a part of permanent wiring of the building should have ground-fault circuit interrupters (GFCI).

7.11 Cutting, Welding and Other Hot Work

- All Contractor and subcontractor employees must comply with the SSGC Cutting, Welding and Other Hot b.
- The SSGC representative will issue the Cutting-Welding-Hot Work Permit after confirming that the necessary precautions have been taken.
- The permit is valid for ONE SHIFT ONLY. When the work overlaps with the next shift, the SSGC representative will issue a new permit.
- The contractor employee designated as the "fire watch" shall sign the permit after the final check has been made and return the signed permit to the SSGC representative.

7.12 Ladder and Scaffolding

- norming to the contractor must be labeled with the contractor's SSGC and possess safety feet a. All ladder and meet S. Gr. Work at Height Requirements.
 All ladders used an Zone property must be properly secured. b.
- All scaffolding must be equipped with railings and toe boards. C.
- d. All "swinging" type scaffo oust be inspected by the contractor and repaired if necessary before use.
- e. All overhead work from a for gust be conducted from a secured safety cage. Standing on forks or pallets is not permitted.

CONTRACTOR ENVIRONME RULES

SSGC requires that contractors comply with a aplicable environmental rules & regulations.

8.1 Non-Hazardous Waste

- Construction refuse and debris will not be allowed a premiurate and waste expense, unless otherwise negotiated in the column to current. mulate and will be removed daily by the contractor
- Contractors shall take ownership of all waste and debra enerated from materials they brought to the job site or from demolition activities, and shall dispose of such was an addebris in accordance with all applicable
- Reference to SSGC, The SSGC Company or any of its trademan ot be used in any documentation associated with the disposal of such waste and debris.
- Contractors snall coordinate with the Zone, whenever practical, to segreg recycled or re-used in a safe and environmentally responsible manner. bris or waste which may be
- Worksites may be periodically inspected by the SSGC representative to ensure its obligations under its contract. Final payment will be withheld until such time as t recontractor is fulfilling have had a final inspection and removal of all containers, debns, wastes and materials has been confirmed. by the SSGC representative and documentation has been printed that all hazardous wastes have been
- For those contractors working outside, it is illegal to dispose of any liquid, including water, onto the ground/outside drain for any reason. All water, provided it was not contaminated, shall be disposed of at a

8.2 Hazardous Materials

- Contractors, contractor employees or subcontractors who bring hazardous chemicals on-site, must prior to bringing them on-site:
 - i. Provide the SSGC representative with a listing of all hazardous chemicals.
 - ii. Provide the SSGC representative with copies of all MSDSs for the hazarcous chemicals.
 - iii. Properly laber all containers, adhering to SSGC labeling requirements.





- No hazardous wastes will be placed or discarded into any drain or sewer on SSGC property. Sewers include: process sewers, sanitary sewers and stormwater sewers. Contractors shall use drain covers, dikes or other appropriate means to prevent a potential release into a drain. In the event that material enters an SSGC sewer, the contractor shall notify the SSGC representative immediately.
- Contractor is solely responsible for any and all hazardous wastes generated by contractor's activities on the property. All hazardous material/waste generated by contractors must be disposed of in an approved container and properly labeled. It is the contractor's responsibility to properly dispose of all waste and hazardous materials, and remove containers that store or contain any waste or hazardous materials. Such containers/materials shall be removed from SSGC's property daily and shall be properly disposed of by the contractor/supplier in accordance with all applicable Federal, State and Local laws, rules and regulations. No waste, containers, debris, etc., are to be disposed of in SSGC dumpsters by Contractor, without approval from the SSGC representative. At no time should hazardous waste be manifested or labeled with reference to T SSGC Company or any of its zones or subsidiaries without authorization from the SSGC rative or Zone HSE Manager, d.
- The con acto shall assure that all employees dealing with hazardous materials and hazardous wastes have wired training and are familiar with the hazards presented by such wastes or materials.

8.3 Spill Respons Procedures

- Each contractor is require to have a written emergency response plan to handle spills and releases which every, or use of hazardous materials at the SSGC work site. The contractor must provide a copy of its emerger response plan to the SSGC representative prior to beginning work.
- Each contractor must provide and be equipped with appropriate spill response equipment. All contractors, contractor employees or subcontractor. Who engage in the emergency response of a hazardous material release must have been trained and have an appropriate spills response certification and meet response appropriate spills response certification and meet response requirements.
- Contractor must provide documentation to verify that it has contracted with at least one reputable outside spill response contractor, that is reasonably agree to be SSGC, to respond to larger spills or releases which may occur during transport, delivery or use of hazard aut materials.
- The contractor shall be responsible for appropriate clean-up of spills caused by their activities. Such clean-up will include removal or remediation of any materials impacted by such spill, such as: building materials, soil. y such spill, such as: building materials, soil, groundwater or surface waters, etc. ۵
- In the event that a spill or release of contractor's material occurs of GC's property and the contractor does not respond to the release to the satisfaction of SSGC, SSGC stall to the right to take any reasonably necessary steps to respond to or remediate such spill or release. The Contractor shall reimburse SSGC for all costs incurred by SSGC to respond to such spill or release.
- Spills and releases of hazardous materials must be reported immediately to the f. representative. Sontractor to the SSGC
- Any spill or release that exceeds an applicable reportable quantity must be reported by the contractor to the g. appropriate governmental agencies according to applicable laws and regulations. Prior to notifying the responsible outside parties (i.e., governmental agencies), contractor shall first inform SSGC of its intent to report such spill or release.
- Contractor is also bound to follow SSGC's 'Spill Response Procedure'.

8.4 Special Circumstances

SSGC acknowledges that, from time to time, specific work regarding hazardous materials investigation or response may occur. Under such circumstances, the contractor shall supply a copy of the Work Plan (WP) and Health and Safety Plan (HASP) to SSGC for review and approval prior to commencing work.



9. CONTRACTOR ACCEPTANCE OF WORK RULES AND REQUIREMENTS

All contractors are required to sign a statement that they have received a copy of this program and have read and understand the program. Each contractor shall sign the following Contractor Acceptance of Work Rules and Requirements form and return it to the SSGC representative. A copy will be kept in the project management file and the Zone's HSE Manager's files.

In consideration of admission to the premises of SSGC, we agree to hold in strict confidence and not to divulge to any other person or entity all proprietary information observed or disclosed by SSGC personnel. This includes information that relates to SSGC's past, present, or future research, development and business activities or any client or customer to whom SSGC provides services and/or materials. We will not remove any document, material, or equipment, nor photograph or record any data without specific written permission from a duly authorized representative of SSGC.

This agreement of confidentiality will terminate only when and as SSGC proprietary information becomes public knowledge.

We have read and under sou the visitor agreement and will abide by the document while visiting the SSGC facility as required.


10. CONTRACTOR ACCERTANCE OF WORK RULES AND REQUIREMENTS

The undersigned hereby acknowledges but we have received a copy of the SSGC Contractor Work Rules. We have read and will be able to abide by the item listed in the SSGC Contractor Work Rules. We understand and agree that any persons and/or contractors who violate these rules will not be permitted to work for SSGC. We also understand that we are responsible for ensuring that all employees working directly for us, as well as any contractor and/or subcontractors that we hire, colors with these rules.

Compliance with the SSGC Contractor Work Rules does not in any way relieve any contractor or person from complying with any applicable Federal, Provincial or local strety, environmental and other regulations which may apply. The work rules are only a compendium of certain legal requirements and Zone policies. They are not an exclusive discussion of any and all legal requirements applicable to contractors and/or suppliers.

The undersigned represents and warrants that we shall comply with air and tible Federal, State and Local laws, regulations and rules while we are engaged to work or perform services for SSCs including but not limited to any and all OSHA, Federal, EPA, Sindh, and other health, safety, and environmental requirements. In addition, in consideration of SSGC hiring us, we hereby agree to indemnify and hold ham less SSGC against any and all liability, including defense cost and attorneys' fees, arising from or relating to breach of the above warranty and/or any violation of applicable laws, regulations and/or rules.








Company	
Date	
SSGC (Print)	
Signature	
Title	
SSGC Representative	
cc: Project Manager File Zone HSF Manager Contracto	,

11. DOCUMENTED AFORMATION

.	Record No.	Record SSGC	Maintained by	Retention Period
	SSGC-IMS/GSC-F-01	HSE&CA Wareness Form	HSE&QA Department	3 Years

NR









IMS Form

SSGC-IMS/GSC-F-01

HSE&QA Awareness Form (Guidelines for Suppliers and Contractors)

Revision 01

Issue Date: Aug, 2021

Organization			Contact name	•	
Name	•		Contact number		
Type of Cont of □ Mechanical Work Contractor □ Pip. □					⊒ Manpower
Area of Working:	X				
Contract Coordina	tor:				• •
	7	HSE&QA A	wareness		
	Description	8		Remarks	
ISO & OHSAS Stan	dards				·
HSE&QA Policy			***	-	
PPE Policy					
Risk Assessment ar	nd Management Pr	ocedure		-	*:
Incident and Accide	nt Management Pr	ocedure	'0'		
Emergency Respon	se Procedure		· D,		
Technical Specifical Criteria	tions/Performance	and Testing		۵	
Remarks:					
Supplier/0	Contractor Repres	entative	HSE	&QA Replacement	ve
I have received at Requirements and to be applicable while within company pre I shall make sure all Contractor compar requirements applicable performing.	understand that the supplying goods, mises or outside or employees of our onies understand a	e requirements will works or services ompany premises. company and Sub- and agree to the		formation of HSE8 ement System. Th tment in adherent s/procedures/techni rements to ensure	AQA Policies and the Contractor has the Company's total specifications quality, safety and
Name	Signature	Date	Name	Signature	Date



 \mathcal{C}_{k} Integrated Management System



HSE&QA

PENALIZATION MECHANISM

or Service Confects Only

SSGC-HSEQP-F-10

Revision 01


Issue Date: Sep. 2022

1. Penalization

SSGC management reserves the right to penalize the service contractors in case of any nonconformance during course of the project (addressed in respective ToR / Tender Documents in detail). Penalization will vary according to severity of nonconformance and mode of penalization is provided in respective Terms of References. SSGC management decides the mode and degree of penalization.

1.1 Peralization mechanism

Following few chart depicts the mechanism/ hierarchy, which will be followed for the penalization of the contractor. Penalization Form and *Annexure-J-1* can be found below.







(A)			SSGC-HSEQP-F-10
SSCC USE&QA	PENALIZATI	ON FORM	Revision 01
Department	for Service Contr	acts Only.	Issue Date: Sep. 202
MP Project		Date	
Section		Contractor	
User Dept.		Focal Person	
Nature of N	lon-Compliance (As per Ar	nnexure J-1)	,
Mode of Pe		tiato	
	Name		nature
		70	
***************************************	Recommend Name	ded by HSEQA	0
	Name	Sign	natule
	Recommended by User D	epartmental/Divisions	al Head
Following Sec	tion is applicable ONLY in	case of Financial Per	nalization
	DMD (Ops)	DMD (Fin	lanco)
Copy to: Procure Note: Adequate e	ement/Finance/P&D Department, evidences MUST be furnished alor	Contractor	S S S S S S S S S S S S S S S S S S S

SSC: HSE&QA Department

MR

PENALIZATION MECHANISM Service Contracts only ANNEXURE J-1

SSGC-HSEQP-I

Revision () I Issue Date: Sep. 20

S. No.	Nature of Non- Compliance	Mode of Penalization
HSE		or a chanzation
1	PPE related	1 st Time Verbal Warning to site in charge 2 nd Time Written warning: Explanation Letter 3 rd Time Removal of worker from duties
2	Unsafe Act / Unsafe Condition	1 st Time Stop work 2 nd Time Stop work along with written warning letter
. I-	Not reporting any major incidents within the ime frame specifie in Tender documents /-	Financial Penalization up to Rs. 200,000 for each accident
4 00	No proper tag out/lockout parrication / ignage boards and system he PPE non-ompliance as advised by SSC expresentative(s) at Site or mention on SSG OPs, work instruction	1 st time Warning Letter 2 nd time Stoppers of W
	OPs, work instructions or ToRs	' ' - A MALE " PINONOVAI Dame II
Quality	work mistructions or ToRs.	3% (Max.Rs. 200,000 can be penalized.
Quality De	eviation in actual manpower provided vs the annower (Organogram) submitted in tender cuments	3% (Max.Rs. 200,000 can be penalized. Cest of unavailable staff, as listed in 1300.
Quality De ma do No out	eviation in actual manpower provided vs the anpower (Organogram) submitted in tender cuments on-Compliance related to Quality Parameters	2% (Max.Rs. 200,000 can be penalized. Cost of unavailable staff, as listed in 1100 or other related documents Up to 2% of the projectors.
Quality De ma do No out Sta	eviation in actual manpower provided vs the anpower (Organogram) submitted in tender cuments on-Compliance related to Quality Parameters lined in ToR, BOQ, applicable international ndards & Codes and SSGC's SOPs.	3% (Max.Rs. 200,000 can be penalized. Cost of unavailable staff, as listed in 1100 or oma related documents
Ouality De ma do No out Sta Portin Norman	eviation in actual manpower provided vs the anpower (Organogram) submitted in tender cuments on-Compliance related to Quality Parameters in ToR, BOQ, applicable international indards & Codes and SSGC's SOPs. g on Submission of time bound reports (as attioned in Tender documents / Construction	Cest of unavailable staff, as listed in Horo or omater lated documents Up to 2% of the twoice amount of the billing period Financial penalization up to 20% of the two constants.
out Star Plan Unar SOP Tech	eviation in actual manpower provided vs the anpower (Organogram) submitted in tender cuments on-Compliance related to Quality Parameters in ToR, BOQ, applicable international indards & Codes and SSGC's SOPs. g on Submission of time bound reports (as attioned in Tender documents / Construction in Tender documents / Construction vailability of documents such as drawings, manuals, inspection reports and other unical data at site office.	3% (Max.Rs. 200,000 can be penalized. Cost of unavailable staff, as listed in 1100 or one related documents Up to 2% of the revoice amount of the billing period
ouality De ma do le le le le le le le le le le le le le	eviation in actual manpower provided vs the anpower (Organogram) submitted in tender cuments on-Compliance related to Quality Parameters clined in ToR, BOQ, applicable international indards & Codes and SSGC's SOPs. g on Submission of time bound reports (as attioned in Tender documents / Construction of the validability of documents such as the construction of the position of the construction of the c	Cost of unavailable staff, as listed in 1100 or other plated documents Up to 2% of the revoice amount of the billing period Financial penalization up to 2% of the invoice amount of the billing period

Am James Ma

HSE&QA Department

PENALIZATION MECHANISM for Sexvice Contracts Only.

ANNEXURE J-1

SSGC-HSEQP-F-10

Revision 01

Issue Date: Sep. 2000


Ethics & Conduct


11	Non-cooperation with SSGC team by any staff of Contractor. Non-cooperation includes non-sharing of construction site data, supporting documents, future work execution strategies etc. compliance of Company protocols or instructions related to works given by SSGC's representative(s).	Removal from duties in case the request remade against this non-Compliance Note: Approval will be taken from contract owner i.e. User Departmental Head.
12	Defectedly (03) absence/Unavailability of site Contractors staff during surprise visits of SSG Contractors	Financial penalization (One day salary deduction of entire site staff of audited site)

Note: 1. ont will not exceed the 5% of the total contract value.

If Three (03) non-compliance (on any one issue or combination of issues) are issued to any contractor, March nent will decide to impose additional penalization (e.g. forfeiting 2. any contractor, Macounent will decide to impose additional penalization (e.g. foresting of Performance Bank Charactee / retention money), termination of contract or temporary 3.

blacklist (Blacklisting with belief to one (01) year. Tender/ Project specific requirements and penaliza ToR under special requirements coron. to o. mints an coron nts and penalization are outlined in render documents/





Ref No	Dated
M/s	
SNTN	•
Address	
•	
NOTICE UNDER RULE 3(1) OF T	HE SINDH SALES TAY SPECIAL
PROCEDURE (WITHHOLDING)	RULES, 2011.
Dear Sir,	•
deduct the prescribed amounts of Sindi relation to the services provided or elections.	dered by you to us. We hold NTN/FTN e withheld/deducted amounts of Sindh d of scasunt 'B-02384" against a SRB- W-04, it the manner prescribed under ocedure (Withhelding) Rules, 2011, and
4-2-	Name
	CNIC
Sulhern Gas	Designation
Dept Dept	Date
Gulstane Marie	Official seal



Procurement Department

Standard Advisory to all Bidders

SUB: Sindh Sales Tax Withholding On Services Payment

(Effective from 1 July 2024)

Dear Sir,

Background

Please beinformed that:

- 1. Uptil Feb dary 2024, SSGC deducted 20% of Sindh Sales Tax amount from Invoice value payable to a Vendor for services rendered in Sindh & deposit the same with Sindh Revenue load, while remaining 80% is deposited by the Vendor themselves.
- 2. From March 2024 Line 2024, SSGC deducted 80% of Sindh Sales Tax amount from Invoice value payable treat endor for services rendered in Sindh & deposit the same with Sindh Revenue Board, Taile remaining 20% is deposited by the Vendor themselves

Amendment in Law

Sindh Revenue Board (SRB) has amended Wir blolding Rules thereby requiring SSGC to deduct 20% of sales tax amount from Invoice Value.

Revised Procedure for Sindh Sales Tax Withholding

In order to ensure implementation of above amendment following process is being implemented 01. July 2024:

- 1) 80% Sales Tax to continue to be withheld on 'Past" Invoices only (vinera Vendor has already deposited 20% Sales Tax in Government treasury provides evide Ce thereof).
- 20% Sales Tax will be deducted on Current and future invoices (while 80% will be deposited by vendor directly with SRB)

It is needless to mention that only Sindh Withholding Rules have been amended white there is no change in other Rules (income tax withholding Balochistan Sales Tax withholding; etc.)





سوى سدرن گيس كميني لميتلأ بروكيورمنث ثبيار ثمنث

تمام ٹھیکیداروں کیے انسے معیاری ایٹوائزری

خدمات کی ادائیگی پر سنده سیار ٹیکس (ا جولانی ۲۰۲۴ سے نافذ العمل)

<u>یس مننظر</u>

مطلع كيا جائے كه:

مطلع کیا جائے کہ: 1. فروری 2024 تک، SSGC نے سندھ میں فراہم کی جانے والی خدمات کے لیے وینڈرز کی انوائس ویلیو سے سندھ سیلز ٹیکس کی رقم کا 20% کاٹ لیا ہے اور اسے سندھ ریونیو بورٹ نے اس جمع کرایا ہے، جبکہ وینڈرز بقیہ 80% خود جمع کراتے ہیں۔

2. مارچ 2024 سے جون 2024 تک، SSGG نے سندر کی انوائس کی جانے والی خدمات کے لیے وینڈرزکی انوائس ویلیو سے سندھ سیلز ٹیکس کی رقم کا 80% کاٹر لا کی گور اسے سندھ ریونیو بورڈ کے پاس جمع کرایا ہے، جبکه بقيه 20% وينڈرز خود جمع كراتے ہيں۔

<u>قانون میں ترمیم</u>

سندھ ریونیو بورڈ (SRB) نے دونت رولز میں ترمیم کی ہے جس کے تحت SSGC کو انوائس ویلیو سے سیلز ٹیکس کی رقم کا 20% کٹون 🐧 نا ہوئی۔

ولا گکا نظرثانی شده طریقه کار

مندرجه بالا ترميم کے نفاذ کو یقینی بنانے کے لیے، 01 جولائی 2024 سے درج ذیل عمل کو نافذ کیا جا رہا ہے:

1) 80% سیلز ٹیکس صرف 'ماضی' انوائسز پر کٹوتی جاری رہے گی (جہاں وینڈر نے پہلے ہی سرکاری خزانے میں 20% سیلز ٹیکس جمع کرآیا ہے اس کا ثبوت فراہم کرتا ہے)۔

2) 20% سیلز ٹیکس موجودہ اور مستقبل کے انوائسز پر کاٹا جائے گا (جبکه 80% وینڈر براہ راست SRB کے ساتھ جمع کرائے گا)

یه واضح رہے که صرف سندھ ودہولڈنگ رولز وائٹ میں ترمیم کی گئی ہے دیگر رولز (انکم ٹیکس ود ہولڈنگ بلوچستان سیلز ٹیکس ود ہولڈنگ وغیرہ) میں کوئی تبدیلی نہیں کی گئی ہے۔

SECTION - X

LIST OF DRAWINGS / SKETCHES



